



Dear Customer.

Founded in 2010, Bracke Manufacturing has progressively evolved and expanded by carefully listening to our customers' needs for interconnect solutions.

Bracke Manufacturing has become a leading supplier of RF & Microwave components in less than a decade. This could not have been accomplished without the support of our loyal customers. This new catalog includes several hundred new items that have been designed, manufactured and delivered in record time. Our results have underscored the effectiveness of our vision and strategy, coupled with our strong execution. We have consistently delivered the commitments we have made; to our customers and our employees.

Our "on-demand" vast inventory allows us to same day ship and overnight ship most items in the catalog, with few exceptions. The latest catalog offers a vast array of high quality, standard and special RF and Microwave components, up to 65 GHz. As a result of our decades of successful experience in innovation, design and manufacturing, we are able to offer you an unparalleled breadth of RF and microwave products of the highest quality. We have accelerated our own speed of innovation to stay ahead of transitions and help our customers meet their current and future business goals.

Our ultramodern facility is located in Irvine, California, where we maintain our design, manufacturing and warehouse space. Our state of the art designs and technologies, coupled with our extensive off the shelf inventory, allows us to deliver products that meet all of your specifications within your project deadlines. As a solution-minded company we remain focused on bringing you the knowledge that you expect and the excellent customer service that you deserve.

Regardless of what you are in the market for today, the enclosed catalog is worth exploring. Our unique approach brings together a commitment to service; quality, selection & delivery that we believe is the key to our customer's success now and in the future. In our view, we are the only company in the industry that can deliver on this approach. Please take the opportunity to look at our catalog and let us know how we can be of service to you.

Best Regards,

Lawrence H. Pasternack
LawrencePasternack@brackemfg.com

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, CA 92658 www.brackemfg.com



Table of Contents

RF & Microwave Components	PG#
Adapters (See Chart for Combinations on Page (70-77)	70-114
Part Numbers in Numerical Sequence	78-114
Attenuators	118-122
Continuously Variable Attenuators	121
DC Bias Attenuators 75 Ohm F, BNC, N, SMA, TNC	120
Fixed Attenuators 1.85mm, 2.4mm, 2.92mm, 7mm, 7/16 Din, 75 Ohm BNC, N, 75 Ohm F, 75 Ohm N, BNC, Mini SMP, SMA, SMB,SMP, TNC	118-120
Pushbutton Attenuators	122
Rotary Bench Mount Attenuators	121
Toggle Attenuators	122
Balanced Mixers	122
Bias Tee's	
2.4mm, 2.92mm, 75 Ohm F, 75 Ohm N, N, SMA	115
Caps	
2.92mm, 3.5mm, 7/16 Din, 75 Ohm SMB, 75 Ohm SMC, 7mm, BNC, C, F, HN, N, SC, SMA, SMB, SMC, SSMA, TNC, UHF	116
Cable Assemblies (See Cable Assembly Finder on Page 2-4)	5-69
Corrugated	7
Low Loss	8-16
Precision Standard	5-6
Circulators	17-69 123
Coaxial Bulk Cable	164-165
	129-162
Connectors	
1 5/8" EIA	140 129
1.85mm 10-32	131
10 & 20 kV	129
2.4mm	130
2.92mm	131
3 1/8" EIA	140
3.5mm	130
4.1/9.5 Din	129
7/16 Din	132
7/16 Din Low Pim	132
7/8" EIA	140
Alligator Clips	162
Banana Plugs	134
BMA	136
ВММА	136
BNC	138-139
BNC-75 Ohm	132-133
BNC-Reverse Polarity	135
BNC Twinax	139
С	136-137
CRC9	130
F	140
FME	131
GR874	130
HN	137
Insulated Spade Lugs	162

RF & Microwave Components	PG#
LC	140-141
MCX	141
MCX-75 Ohm	134
MHV	144-145
Mini 75 Ohm SMB	145
Mini SMP	137
Mini UHF	149
Miniature Alligator Clips	162
Miniature Stacking Banana	162
MMCX	155-156
N	142-144
N-75 Ohm	133
N-Low PIM	142-143
NMO Mount	130
PAL	129
QMA	146
QN	147
Safety Hooks	162
SC	135
SHV	157-158
SMA Field Benjaceable	150-155
SMA-Field Replaceable Connectors, Contacts & Hermetic	155
Seals	100
SMA-Non Magnetic	154
SMA-Reverse Polarity	148
SMA-Reverse Thread	147
SMA-27 GHz	155
SMB-50 Ohm	156-157
SMB-75 Ohm	134
SMC-50 Ohm	158-159
SMC-75 Ohm	135
SMP	145
Spade Lugs	162
SSMA	160
SSMB	157
SSMC	159
Stacking Tips	162
Standard Stacking Banana	162
TNC	160-161
TNC-75 Ohm	149
TNC-Reverse Polarity	149
TPS	135
UHF	146-147
Unterminated #20 AWG Leads ZMA	162 141
	141
Contacts-For Field	155
Replaceable Connectors	
DC Blocks	
2.92mm, 75 Ohm BNC, 75 Ohm F,	123
75 Ohm N, BNC, N, SMA, TNC	123
Detectors	
BNC, N, SMA	124
Directional Couplers	125-126
Broadband	126
Dual	126
Octave	125
High Power	125
Equalizers	128
Frequency Doublers	122
Hardware	163

RF & Microwave Components	PG#
Hermetic Seals-For Field	
Replaceable Connectors	155
Hybrids-90°	
SMA	118
Impedance Matching Pad	
BNC, F, N, SMA, TNC	115
Index (Part Number Order)	165-168
Isolators	123
Limiters	124
Molded Breakouts	162
Patch Cords	163
Phase Trimmers	115
Rotary Joint	
Adapters	108
Connectors	154
Power Dividers	
BNC, N, SMA, TNC	
Resistive	127
2.92mm, N, SMA, TNC	
Shorts	
7mm, BNC, N, SMA, TNC	116
Surge Protectors	
BNC, F, N, Replacements	128
Switches	
1.6/5.6, 3.5mm, N, SMA	128
Terminations	116-117
Feedthru BNC, N, SMA, TNC	117
High Power 7/16 Din, BNC, N, SMA, TNC	117
Low Frequency 7/16 Din, 75 Ohm BNC, 75 Ohm F, 75 Ohm N, 75 Ohm SMB, 75 Ohm SMC, BNC, C, HN, N, SMB, SMC, TNC, UHF	117
Precision 1.85mm, 2.4mm, 2.92mm, 3.5mm, 7mm, 7/16 Din, 75 Ohm N, BMA, BMMA, BNC, N, RP SMA, SMA, SMP, TNC	116
Terms & Conditions	Inside Back Cover
Tools	
Crimping Tools, Crimping Kits, Coaxial Cutting, Preset Torque Wrenches	162-163
Waveguide Adapters	
Coax Adapter	
2.92mm, N, SMA Coax Adapter End Launch	
2.92mm, N, SMA	118
Coax Adapter with O-Ring	
(3	

Catalog 2024 V15 © COPYRIGHT 2024 BRACKE MANUFACTURING, LLC. ALL RIGHTS RESERVED



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Cable Assembly Finder

Connector Type	PG#
1.85mm Male to:	
1.85mm Male	6, 24
2.4mm Male	6, 51
2.92mm Male 3.5mm Male	6, 51 51
SMA Male	51
10 kV Jack Bulkhead to:	
10 kV Plug	47
10 kV Plug to:	
10 kV Jack Bulkhead	47
10 kV Plug 20 kV Plug	47 67
MHV Male	67
SHV Plug	67
10-32 Male to:	
10-32 Male	22
10-32 Male Right Angle BNC Male	22 66
SMA Male	69
10-32 Male Right Angle to:	
10-32 Male	22
10-32 Male Right Angle	23
2.4mm Female to:	
2.4mm Male	24
2.4mm Female Bulkhead to:	
2.4mm Male	24
2.4mm Male to:	
1.85mm Male 2.4mm Female	6, 51 24
2.4mm Female Bulkhead	24
2.4mm Male	6, 24
2.92mm Male 3.5mm Male	6, 51 51
SMA Male	51
2.92mm Female to:	
2.92mm Male	17
2.92mm Female Bulkhead to:	
2.92mm Male	17
2.92mm Male to:	
1.85mm Male	6, 51
2.4mm Male 2.92mm Female	6, 51 17
2.92mm Female Bulkhead	17
2.92mm Male	6, 17
3.5mm Male SMA Male	51 51
20 kV Plug to:	
10 kV Plug	67
20 kV Plug	47
MHV Male	68
SHV Plug 3.5mm Female to:	67
3.5mm Male	17
3.5mm Female Bulkhead to:	17
3.5mm Male	17
3.5mm Male to:	
1.85mm Male	51
2.4mm Male	51
2.92mm Male	51
3.5mm Female 3.5mm Female Bulkhead	17
3.5mm Male	17
SMA Male	51
I.1/9.5 Din Male to:	
4.1/9.5 Din Male	25
N Male	61
SMA Male	61
7/16 Din Female to:	
7/16 Din Male 7/16 Din Male Right Angle	7, 29
7/16 Din Male Right Angle	/
	7.00
7/16 Din Male to: 7/16 Din Female 7/16 Din Male	7, 29 7, 29

Comment of Torre	DO#
Connector Type	PG#
7/16 Din Male to: (continued)	
HN Male	67
LC Male N Male	53 64
SMA Male	59
7/16 Din Male Low PIM to:	
7/16 Din Male Low PIM	11
7/16 Din Male Right Angle Low PIM	11
LC Male	11
N Male Low PIM SMA Male	10 11
7/16 Din Male Right Angle to:	
7/16 Din Female	7
7/16 Din Male	7, 29
7/16 Din Male Right Angle	7
7/16 Din Male Right Angle Low PIM to	
7/16 Din Male Low PIM 7/16 Din Male Right Angle Low PIM	11 11
75 Ohm BNC Female to:	
75 Ohm BNC Female to:	41
75 Ohm BNC Male	41
75 Ohm BNC Female Bulkhead to:	
75 Ohm BNC Male	42
75 Ohm BNC Male to:	
75 Ohm BNC Female	41
75 Ohm BNC Female Bulkhead	42
75 Ohm BNC Male 75 Ohm BNC Male Right Angle	42 42
75 Ohm F Male	59
75 Ohm N Male	60
75 Ohm SMB Plug	64
75 Ohm SMC Plug Mini 75 Ohm SMB Plug	64 64
75 Ohm BNC Male Right Angle to:	
75 Ohm BNC Male	42
75 Ohm BNC Male Right Angle	41
75 Ohm MCX Plug to:	
75 Ohm MCX Plug	29
75 Ohm MCX Plug Right Angle	30
75 Ohm MCX Plug Right Angle to:	
75 Ohm MCX Plug	30
75 Ohm MCX Plug Right Angle	28
75 Ohm N Male to:	60
75 Ohm BNC Male 75 Ohm F Male	60 62
75 Ohm N Male	50
75 Ohm SMB Plug to:	
75 Ohm BNC Male	64
75 Ohm SMB Plug	19
75 Ohm SMC Plug to:	
75 Ohm BNC Male	64
#8 Spade Lugs to:	
BNC Male	52
Alligator Clips to:	
Banana Plugs	57 54
BNC Male Banana Plugs to:	J4
Alligator Clips	57
Banana Plugs	19
BNC Male	52
BMA Jack 2 Hole Panel Mount to:	
BMA Jack 2 Hole Panel Mount	29
SMA Male	66
BMA Jack Bulkhead Rear Mount to:	
SMA Male	58
BMA Jack Floating Panel Mount to:	0.5
SMA Male	66
BMA Plug Bulkhead to:	
SMA Male	66
BNC Female to:	
BNC Female BNC Male	38 16, 36
BNC Male 45 Degree	36

Connector Type	PG#
BNC Female Bulkhead to: BNC Male	40.00
BNC Female Bulkhead Rear Moun	16, 36
Open End	61
BNC Female Bulkhead Right Angl	
Open End	60
BNC Male to:	
#8 Spade Lugs	52
10-32 Male	66
Alligator Clips Banana Plugs	54 52
BNC Female	16, 36
BNC Female Bulkhead	16, 36
BNC Male BNC Male 45 Degree	16, 35 36
BNC Male Right Angle	16, 35
GR874	64
MCX Plug MHV Male	65 69
Miniature Alligator Clips	54
Miniature Stacking Banana Plugs	54
MMCX Plug	65
N Male N Male Low PIM	52 16
Reverse Polarity SMA Male	52
Safety Hooks	51
SMA Male SMA Male Right Angle	14, 53 8, 59
SMB Plug	53
SMC Plug	53
Stacking Tip Plugs Standard Stacking Banana Plugs	52 54
TNC Male	14, 52
UHF Male	67
Unterminated Wires	51
BNC Male 45 Degree to:	
BNC Female BNC Male	36
BNC Male Right Angle to:	
BNC Male	16, 35
BNC Male Right Angle	16, 36
SMA Male	8
BNC Twinax Jack to:	
BNC Twinax Plug	44
BNC Twinax Jack Bulkhead to:	- 44
BNC Twinax Plug	44
BNC Twinax Plug to:	44
BNC Twinax Jack BNC Twinax Jack Bulkhead	44
BNC Twinax Plug	44
C Male to:	
C Male	48
C Male Right Angle	48
C Male Right Angle to:	
C Male	48
F Female Bulkhead to:	10
F Male F Male Right Angle	49
F Male to:	40
75 Ohm BNC Male	59
75 Ohm N Male	62
F Female Bulkhead	49
F Male F Male Right Angle	49 49
F Male Right Angle to:	45
F Female Bulkhead	49
F Male	49
FME Jack to:	
FME Jack	46
FME Plug to:	
FME Plug	46
GR874 to:	
BNC Male	64
GR874	50
N Male	64



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Cable Assembly Finder

Connector Type	PG#
HN Male to:	
7/16 Din Male	67
HN Male	48
HN Male Right Angle	48
LC Male MHV Male	60
N Male	68
SHV Plug	68
HN Male Right Angle to:	
HN Male	48
LC Female to:	·
LC Male	47
LC Male to:	
7/16 Din Male	53
7/16 Din Male Low PIM	11
HN Male	60
LC Female	47
LC Male LC Male Right Angle	11, 48 47
N Male	60
LC Male Right Angle to:	
LC Male	47
LC Male Right Angle	47
MCX Jack Bulkhead to:	
UMCX Plug	69
MCX Plug to:	
BNC Male	65
MCX Plug	23
MCX Plug Right Angle	26
SMA Male	60
UMCX Plug	69
MCX Plug Right Angle to:	
MCX Plug Bight Angle	26
MCX Plug Right Angle UMCX Plug	26
MHV Female to:	1 00
MHV Male	30
MHV Female Bulkhead to:] 30
	20
MHV Male	30
MHV Male to:	
10 kV Plug 20 kV Plug	67
BNC Male	69
HN Male	68
MHV Female	30
MHV Female Bulkhead	30
MHV Male	18
MHV Male Right Angle	39
SHV Plug	55
MHV Male Right Angle to:	
MHV Male	39
MHV Male Right Angle	30
Mini 75 Ohm SMB Plug to:	
75 Ohm BNC Male	64
Mini 75 Ohm SMB Plug	45
Mini 75 Ohm SMB Plug Right Angle	45
Mini 75 Ohm SMB Plug Right Ang	le to:
Mini 75 Ohm SMB Plug	45
Mini SMP Female to:	
Mini SMP Female	37
Mini SMP Female Right Angle	37
SMA Male	63
Mini SMP Female Right Angle to:	
Mini SMP Female	37
Mini UHF Male to:	<u> </u>
Mini UHF Male	31
N Male	56
	56
SMA Male	
Miniature Alligator Clips to:	EA
Miniature Alligator Clips to: BNC Male	54
Miniature Alligator Clips to:	

Connector Type	PG#
MMCX Plug to:	
BNC Male	65
MMCX Plug	42
MMCX Plug Right Angle SMA Male	43 61
MMCX Plug Right Angle to:	. 01
MMCX Plug	43
MMCX Plug Right Angle	43
UMCX Plug	69
N Female to:	
N Male	7, 33
N Male 45 Degree	44
N Male Right Angle	7
QN Male QN Male Right Angle	62 63
N Female Low PIM to:	
N Male Low PIM	10
N Female Bulkhead to:	10
N Male	5, 34, Web
N Male 45 Degree	32
N Male Right Angle	34
SMA Male	5, 55, Web
N Female Bulkhead Low PIM to:	
N Male Low PIM	9
N Male Right Angle Low PIM	10
N Female Bulkhead Right Angle Low	
N Male Low PIM	10
N Male to:	
4.1/9.5 Din Male 7/16 Din Male	61 64
BNC Male	52
GR874	64
HN Male	68
LC Male	60
Mini UHF Male N Female	56 7, 33
N Female Bulkhead	5, 34, Web
N Male	5, 6, 7, 32
N Male 45 Degree	32
N Male Right Angle	5, 7, 32
NMO Mount Female	60
QMA Male QN Male	68
QN Male Right Angle	63
Reverse Polarity SMA Male	55
Reverse Polarity TNC Male	65
SMA Female	5, 64
SMA Male TNC Male	5, 6, 54 57
N Male Low PIM to:	
7/16 Din Male Low PIM	10
BNC Male	16
N Female Low PIM	10
N Female Bulkhead Low PIM N Female Bulkhead Right Angle Low PIM	9
N Male Low PIM	9
N Male Right Angle Low PIM	9
QMA Male	8
QN Male Reverse Polarity TNC Male	13 14
SMA Male	9
SMA Male Right Angle	8
TNC Male	10
N Male 45 Degree to:	
N Female	44
N Female Bulkhead N Male	32 32
N Male Right Angle to:	J 32
N Female	7
N Female N Female Bulkhead	34
N Male	5, 7, 32
N Male Right Angle	7, 33
SMA Male	68
N Male Right Angle Low PIM to:	
it maio ragnezangio zon i im to:	40
N Female Bulkhead Low PIM	10
N Female Bulkhead Low PIM N Male Low PIM	9
N Female Bulkhead Low PIM	

Connector Type	PG#
NMO Mount Female to:	
N Male	60
SMA Male	60
Open End to:	
BNC Female Bulkhead Rear Mount	61
BNC Female Bulkhead Right Angle Front	
Mount	60
QMA Female to:	
QMA Male	8, 44
QMA Male Right Angle	8
QMA Female Bulkhead to:	
QMA Male	8, 43
QMA Male Right Angle	8
QMA Male to:	
· · · · · · · · · · · · · · · · · · ·	C0
N Male N Male Low PIM	68 8
QMA Female	8, 44
QMA Female Bulkhead	8, 43
QMA Male	15, 43
QMA Male Right Angle	8, 44
QN Male	63
SMA Female	62
SMA Male	15, 62
QMA Male Right Angle to:	
QMA Female	8
QMA Female Bulkhead	8
QMA Male	8, 44
QMA Male Right Angle	8, 43
SMA Male	61
QN Male to:	
N Female	62
N Male	63
N Male Low PIM	13
QMA Male	63
QN Male	13, 44
QN Male Right Angle	13, 44
SMA Male	13, 63
QN Male Right Angle to:	
N Female	63
N Male	63
QN Male	13, 44
Reverse Polarity SMA Female to:	
UMCX Plug	69
Reverse Polarity SMA Female Bulkhe	ead to:
Reverse Polarity SMA Male	15
UMCX Plug	69
Reverse Polarity SMA Male to:	
BNC Male	52
N Male	55
Reverse Polarity SMA Female Bulkhead	15
Reverse Polarity SMA Male	15
SMA Male	15, 58
TNC Male	15, 58
UMCX Plug	69
Reverse Polarity SMA Male Right An	gle to:
UMCX Plug	69
Reverse Polarity TNC Male to:	
N Male	65
N Male Low PIM	14
Reverse Polarity TNC Male	14
Reverse Polarity TNC Male 45 Degree	40
Reverse Polarity TNC Male Right Angle	14
SMA Male	14, 65
Reverse Polarity TNC Male 45 Degree	e to:
Reverse Polarity TNC Male	40
Reverse Polarity TNC Male Right Ang	
Reverse Polarity TNC Male	14
Reverse Thread SMA Female to:	
UMCX Plug	69
Reverse Thread SMA Female Bulkhe	ad to:
UMCX Plug	69
Reverse Thread SMA Male to:	
Reverse Thread SMA Male	50
SMA Male UMCX Plug	58 69
UNICA FIUU	ny ny



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



UMCX Plug

Cable Assembly Finder

Connector Type	PG#
Reverse Thread SMA Male Right Ang	le to:
UMCX Plug	69
Safety Hooks to:	
BNC Male	51
SC Male to:	
SC Male	50
SC Male Right Angle	50
SC Male Right Angle to:	
SC Male	50
SC Male Right Angle	50
SHV Jack to:	
SHV Plug	45
SHV Jack Bulkhead to:	
SHV Plug	45
SHV Plug to:	
10 kV Plug	67
20 kV Plug	67
HN Male MHV Male	68 55
SHV Jack	45
SHV Jack Bulkhead	45
SHV Plug	45
SMA Female to:	
N Male	5, 64
QMA Male SMA Female	62 27
SMA Male	5, 12, 23
SMA Male 45 Degree	19
UMCX Plug	69
SMA Female Bulkhead to:	
SMA Male	21 5 12 26 Web
SMA Male SMA Male 45 Degree	5, 12, 26, Web
SMA Male Right Angle	5, 12, 24
UMCX Plug	69
SMA Female Bulkhead Right Angle to) :
SMA Male	25
SMA Male Right Angle	25
UMCX Plug	69
SMA Female 2 Hole Panel Mount to:	
SMA Female 2 Hole Panel Mount	27
SMA Female 4 Hole Panel Mount to:	
SMA Female 4 Hole Panel Mount	27
SMA Male to:	
SMA Male to: 1.85mm Male	51
SMA Male to: 1.85mm Male 10-32 Male	51 69
SMA Male to: 1.85mm Male	51
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male	51 69 51 51 51
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male	51 69 51 51 51 61
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male	51 69 51 51 51 61 59
\$\text{SMA Male to:} \\ 1.85mm Male \\ 10.32 Male \\ 2.4mm Male \\ 2.92mm Male \\ 3.5mm Male \\ 4.1/9.5 Din Male \\ 7/16 Din Male \\ 7/16 Din Male Low PIM	51 69 51 51 51 61 59
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount	51 69 51 51 51 61 59
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Jack Floating Panel Mount	51 69 51 51 51 51 61 59 11 58 66
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Plack Floating Panel Mount BMA Plug Bulkhead	51 69 51 51 51 61 59 11 58 66 66
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male	51 69 51 51 51 61 59 11 58 66 66 66 66
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Plack Floating Panel Mount BMA Plug Bulkhead	51 69 51 51 51 61 59 11 58 66 66
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male BMA Jack Bulkhead Rear Mount BMA Jack Z Hole Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BN	51 69 51 51 51 61 59 11 58 66 66 66 66 14,53 8 60 63
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Din Male MA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male BNC Male BNC Male BNC Male MCX Plug Mini SMP Female Mini UHF Male	51 69 51 51 51 51 61 59 111 58 66 66 66 68 14, 53 8 60 63 56
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 6.1/16 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male MA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male Right Angle MCX Plug Mini SMP Female MMCX Plug MMCX Plug	51 69 51 51 51 61 61 59 11 58 66 66 66 66 66 3 56 61
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Din Male MA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male BNC Male BNC Male BNC Male MCX Plug Mini SMP Female Mini UHF Male	51 69 51 51 51 61 58 66 66 66 66 14,53 8 60 63 56 61 55,55,Web
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male N Male N Male	51 69 51 51 51 51 61 59 11 58 66 66 66 66 63 55 60 63 55 60 63 56 61 55,55, Web
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Ear Mount BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male	51 69 51 51 51 61 58 66 66 66 66 14,53 8 60 63 63 61 55,55,Web
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male MA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male N Male N Male N Male N Male N Male Low PIM N Male Low PIM N Male Right Angle	51 69 51 51 51 61 59 11 58 66 66 66 66 14, 53 8 60 63 56 61 55, 55, Web 5, 6, 54 9
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male MA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNG Male BNG MAle BNG MAle BNG MAle BN Male BN Male BN Male BN Male Right Angle BN Male Right Angle BN Male Right Angle BNC MIND Mount Female	51 69 51 51 51 51 61 59 111 58 66 66 66 66 61 4,53 8 60 63 56 61 55,5,Web 5,6,54 9 68
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male MA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug M Female Mini UHF Male MMCX Plug N Female Mini UHF Male MMCX Plug N Female Mini SMP Female Mini UHF Male MMCX Plug N Female Mini SMP Female Mini UHF Male MMCX Plug N Female N Male Right Angle N Male Right Angle	51 69 51 51 51 61 59 11 58 66 66 66 66 14, 53 8 60 63 56 61 55, 55, Web 5, 6, 54 9
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack Elosting Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNG MAle BNG MAle BNG MAle BNG MAIN BNG MAIN BNG MOUNT Female GMA Male GMA Male GMA Male GMA Male GMA Male GMA Male	51 69 51 51 51 51 61 59 111 58 66 66 66 66 61 4,53 8 60 63 56 61 55,5,Web 5,6,54 9 68 12 60 15,62
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM MA Jack Bulkhead Rear Mount BMA Jack Eloating Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male N Male N Male Right Angle Low PIM NMO Mount Female QMA Male QMA Male QMA Male QN Male Reverse Polarity SMA Male	51 69 51 51 51 51 61 59 11 58 66 66 66 66 63 5, 55, Web 5, 6, 54 9 68 12 60 15, 62 61 13, 63
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male MA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male N Male Right Angle N Male Low PIM N Male Low PIM N Male Low PIM N Male Right Angle N Male Low PIM NMO Mount Female QMA Male QMA Male QMA Male QMA Male QMA Male QMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity TNC Male	51 69 51 51 51 61 58 66 66 66 66 14, 53 8 60 63 55, 55, Web 5, 6, 54 9 9 68 12 60 15, 62 61 13, 63 15, 62
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Jack Ploating Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male N Male Low PIM N Male Right Angle Low PIM N Male Right Angle Low PIM N Male Right Angle Low PIM NMO Mount Female QMA Male QMA Male QMA Male QMA Male QNA Male Reverse Polarity SMA Male	51 69 51 51 51 51 51 61 59 111 58 66 66 66 66 68 14, 53 8 60 63 56 61 5, 55, Web 5, 6, 54 9 68 12 60 13, 63 15, 62 60 61 13, 63 15, 63
SMA Male to: 1.85mm Male 10-32 Male 2.4mm Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM BMA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack Floating Panel Mount BMA Jack Floating Panel Mount BMA Plug Bulkhead BNC Male BNC M	51 69 51 51 51 61 58 66 66 66 66 14, 53 8 60 63 55, 55, Web 5, 6, 54 9 9 68 12 60 15, 62 61 13, 63 15, 62
SMA Male to: 1.85mm Male 10-32 Male 2.92mm Male 2.92mm Male 3.5mm Male 4.1/9.5 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male 6.1/16 Din Male 7/16 Din Male MA Jack Bulkhead Rear Mount BMA Jack Bulkhead Rear Mount BMA Jack 2 Hole Panel Mount BMA Plug Bulkhead BNC Male BNC Male BNC Male Right Angle MCX Plug Mini SMP Female Mini UHF Male MMCX Plug N Female Bulkhead N Male N Male N Male N Male N Male Right Angle Low PIM N Male Right Angle Low PIM NMO Mount Female QMA Male QMA Male QMA Male QNA Male Reverse Polarity SMA Male Reverse Polarity TNC Male Reverse Thread SMA Male SMA Female SMA Female	51 69 51 51 51 51 51 58 66 66 66 66 66 66 63 5,55, Web 5, 6, 54 9 9 68 12 60 15, 62 61 13, 63 15, 58 14, 65 58 5, 12, 23 5, 12, 26, Web

Connector Type SMA Male to: (continued) SMA Male Slide On SMA Male 45 Degree	PG#
SMA Male Slide On SMA Male 45 Degree	
SMA Male 45 Degree	
	28
	19
SMA Male Right Angle	5, 6, 12, 21
SMA Male Right Angle Slide On SMB Plug	28 56
SMC Plug	58
SMP Female	57
SSMA Male	57
SSMB Plug	65
SSMC Plug	64
TNC Male UMCX Plug	5, 13, 56 69
9	09
SMA Male Non-Magnetic to:	
SMA Male Non-Magnetic	28
SMA Male Right Angle Non-Magnetic SMA Male Slide On to:	28
SMA Male	20
SMA Male Slide On	28 28
SMA Male Right Angle Slide On	47
	7,
SMA Male 45 Degree to:	- 10
SMA Female	19
SMA Male	19
SMA Male SMA Male 45 Degree	19 20
SMA Male Right Angle to:	
BNC Male	8, 59
N Male Low Pim SMA Female Bulkhead	5, 12, 24
SMA Female Bulkhead Right Angle	25
SMA Male	5, 6, 12, 21
SMA Male Right Angle	5, 12, 22, Web
UMCX Plug	69
SMA Male Right Angle Non-Magnetic	to:
SMA Male Non-Magnetic	28
SMA Male Right Angle Slide On to:	
	20
SMA Male SMA Male Slide On	28 47
SMA Male Right Angle Slide On	28
SMB Jack Bulkhead to:	20
SMB Plug	38
SMB Plug Right Angle	37
	_
SMB Plug to:	
SMB Plug to: BNC Male	53
SMB Plug to: BNC Male SMA Male	53 56
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead	53 56 38
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug	53 56 38 38
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle	53 56 38
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to:	53 56 38 38 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle to:	53 56 38 38 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug Right Angle to:	53 56 38 38 18 37 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMB Jack Bulkhead SMB Plug SMB Plug	53 56 38 38 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug	53 56 38 38 18 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug	53 56 38 38 18 18 37 18 37
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug SMB Plug Right Angle SMC Jack Bulkhead to: SMC Jack Bulkhead to: SMC Plug Right Angle	53 56 38 38 18 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug	53 56 38 38 18 18 37 18 37
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug SMB Plug Right Angle SMC Jack Bulkhead to: SMC Jack Bulkhead to: SMC Plug Right Angle	53 56 38 38 18 18 37 18 37
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMC Jack Bulkhead to: SMC Plug SMC Plug SMC Plug Right Angle SMC Plug SMC Plug Right Angle SMC Plug	53 56 38 38 18 18 37 18 37 18 37 55
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Angle SMC Plug Angle SMC Plug Angle SMC Plug Angle SMC Angle SMA Male SMA Jack Bulkhead	53 56 38 38 18 18 37 18 37 18 53 58 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMC Jack Bulkhead SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Angle	53 56 38 38 18 18 37 18 37 18 53 53 58 31 39
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug SMB Plug SMB Plug SMB Plug SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMA Jack Bulkhead SMC Plug	53 56 38 38 18 18 37 18 37 18 53 58 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMC Jack Bulkhead SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Angle	53 56 38 38 18 18 37 18 37 18 53 53 58 31 39
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug SMB Plug SMB Plug SMB Plug SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMA Jack Bulkhead SMC Plug	53 56 38 38 18 18 37 18 37 18 53 53 58 31 39
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMA Dack Bulkhead SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle to: SMC Jack Bulkhead SMC Plug Right Angle to: SMC Jack Bulkhead SMC Plug Right Angle to: SMC Jack Bulkhead	53 56 38 38 18 18 37 18 37 18 53 58 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug Right Angle to: SMB Plug SMC Jack Bulkhead to: SMC Plug SMC Plug SMC Plug SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMA Male SMC Plug Right Angle SMC Plug Right Angle to: SMC Jack Bulkhead	53 56 38 38 18 18 37 18 37 18 37 31 18
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMA Dack Bulkhead SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle to: SMC Jack Bulkhead SMC Plug Right Angle to: SMC Jack Bulkhead SMC Plug Right Angle to: SMC Jack Bulkhead	53 56 38 38 18 18 37 18 37 18 53 58 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMA Jack Bulkhead SMC Plug SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle to: SMC Plug SMC Plug Right Angle SMC Plug SMC Plug SMC Plug Right Angle	53 56 38 38 18 18 37 18 37 18 53 58 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug Right Angle SMC Plug to: BNC Male SMC Plug to: BNC Male SMC Plug SMC Plug SMC Plug SMC Plug SMC Plug SMC Plug Right Angle SMC Plug SMC Plug Right Angle to: SMC Plug SMC Plug SMC Plug SMC Plug SMC Plug SMC Plug	53 56 38 38 18 18 37 18 37 18 53 53 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug SMC Plug Right Angle SMC Plug to: BNC Male SMC Plug Right Angle SMC Plug SMC Plug SMC Plug SMC Plug SMC Plug Right Angle SMC Plug SMC Plug Right Angle SMC Plug	53 56 38 38 18 18 37 18 37 37 31 18 53 31 39 31 18 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMC Plug to: BNC Male SMA Male SMC Plug Right Angle	53 56 38 38 18 18 37 18 37 31 18 53 58 31 39 31 18 31 39
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMC Plug SMC Jack Bulkhead to: SMC Plug Right Angle SMC Plug to: BNC Male SMA Male SMC Plug SMC Plug Right Angle SMC Plug SMC Plug Right Angle SMC Plug SMC Plug	53 56 38 38 18 18 37 18 37 37 31 18 53 31 39 31 18 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMC Jack Bulkhead to: SMC Plug SMC Plug Right Angle SMC Pleg Right Angle	53 56 38 38 38 18 18 37 18 37 18 53 58 31 31 39 31 31 39 40 40 69
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMB Plug Right Angle SMC Plug SMC Plug Right Angle SMP Female Right Angle UMCX Plug SMP Female Right Angle to: SMP Female Right Angle to:	53 56 38 38 18 18 37 18 37 37 31 18 53 31 39 31 18 31 39 31
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMC Plug Right Angle SMP Female Right Angle UMCX Plug SMP Female Right Angle to: SMP Female	53 56 38 38 18 18 37 18 37 18 37 18 37 18 31 39 31 39 31 40 40 69
SMB Plug to: BNC Male SMA Male SMB Jack Bulkhead SMB Plug Right Angle SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle to: SMB Plug Right Angle SMB Plug Right Angle SMC Plug Right Angle SMP Female Right Angle UMCX Plug SMP Female Right Angle to: SMP Female Right Angle to:	53 56 38 38 38 18 18 37 18 37 18 53 58 31 31 39 31 31 39 40 40 69

SSMA Male Right Angle to: SSMA Male SSMA Male SSMA Male SSMA Plug to: SMA Male SSMB Plug SSMB Plug SSMB Plug SSMB Plug Right Angle SSMB Plug Right Angle SSMB Plug Right Angle SSMB Plug Right Angle SSMC Plug Right Angle SSMC Plug to: SMA Male SSMC Plug SSMC Plug SSMC Plug Right Angle STACHMAR STACH	35 34 65 46 46 46 46 46 46 46 46
SSMA Male Right Angle SSMB Plug to: SMA Male SSMB Plug SSMB Plug SSMB Plug Right Angle SSMB Plug Right Angle to: SSMB Plug Right Angle SSMC Plug Right Angle SSMC Plug to: SSMC Plug to: SSMC Plug Right Angle to: SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	34 65 46 46 46 46 46 46 46 46
SSMB Plug to: SMA Male SSMB Plug SSMB Plug SSMB Plug Right Angle SSMB Plug Right Angle to: SSMB Plug SSMB Plug Right Angle SSMC Plug to: SMA Male SSMC Plug Right Angle SSMC Plug SSMC Plug SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	65 46 46 46 46 46 46 46 46
SMA Male SSMB Plug SSMB Plug Right Angle SSMB Plug Right Angle to: SSMB Plug Right Angle to: SSMB Plug Right Angle SSMC Plug to: SMA Male SSMC Plug Right Angle SSMC Plug SSMC Plug SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 46 46 46 46 46 46 46
SSMB Plug SSMB Plug Right Angle SSMB Plug Right Angle to: SSMB Plug Right Angle SSMB Plug Right Angle SSMC Plug to: SMA Male SSMC Plug Right Angle SSMC Plug Right Angle SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug Right Angle to: SMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 46 46 46 46 46 46 46
SSMB Plug Right Angle SSMB Plug Right Angle to: SSMB Plug Right Angle SSMC Plug to: SMA Male SSMC Plug Right Angle to: SSMC Plug Right Angle to: SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 46 46 64 46 46 46
SSMB Plug Right Angle to: SSMB Plug SSMB Plug Right Angle SSMC Plug to: SSMC Plug Co: SSMC Plug SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug Right Angle to: SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 46 64 46 46
SSMB Plug SSMB Plug Right Angle SSMC Plug to: SMA Male SSMC Plug SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug Right Angle to: SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 64 46 46 46
SSMB Plug Right Angle SSMC Plug to: SMA Male SSMC Plug SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 64 46 46 46
SSMC Plug to: SMA Male SSMC Plug SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	64 46 46 46
SMA Male SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug SSMC Plug SSMC Plug SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 46 46
SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug SSMC Plug SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46 46 46
SSMC Plug Right Angle SSMC Plug Right Angle to: SSMC Plug SSMC Plug Right Angle SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	46
SSMC Plug SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	
SSMC Plug SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	
SSMC Plug Right Angle Stacking Tip Plugs to: BNC Male Standard Stacking Banana Plugs to: BNC Male	
BNC Male Standard Stacking Banana Plugs to: BNC Male	
BNC Male Standard Stacking Banana Plugs to: BNC Male	
Standard Stacking Banana Plugs to: BNC Male	52
BNC Male	
	54
	04
TNC Male	13
	13
TNC Female Bulkhead to:	
TNC Male TNC Male Right Angle	13 15
TNC Male to:	10
	44.50
BNC Male N Male	14, 52 57
N Male Low PIM	10
Reverse Polarity SMA Male	15, 58
SMA Male	5, 13, 56
TNC Female	13
TNC Female Bulkhead TNC Male	5, 15, 40
TNC Male 45 Degree	40
TNC Male Right Angle	16
TNC Male 45 Degree to:	
TNC Male	40
TNC Male Right Angle to:	
TNC Female Bulkhead	15
TNC Male	16
TNC Male Right Angle	14
TPS Male to:	
TPS Male	49
UHF Male to:	
BNC Male	67
UHF Male	15, 31
UMCX Plug to:	
MCX Jack Bulkhead	69
MCX Plug	69
MCX Plug Right Angle	69
MMCX Plug Right Angle Reverse Polarity SMA Female	69 69
Reverse Polarity SMA Female Bulkhead	69
Reverse Polarity SMA Male	69
Reverse Polarity SMA Male Right Angle	69
Reverse Thread SMA Female	69
Reverse Thread SMA Female Bulkhead	69
Reverse Thread SMA Male Reverse Thread SMA Male Right Angle	69 69
SMA Female	69
SMA Female Bulkhead	69
SMA Female Bulkhead Right Angle	69
SMA Male	69
	69 69
SMA Male Right Angle	00

Notes




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



18 & 26.5 GHz Precision Cable Assemblies



Electrical Properties						
Velocity of Propagation	Cut off Frequency	Max Operating Voltage	Nominal Capacitance	RF Shielding	Impedance	
69.5%	35 GHz	1900 RMS	29.4 pf/ft	<90 dB	50 Ohm	

Mechanical Properties							
Bend Radius	Temperature Range	Inner Conductor	Dielectric	Outer Conductor	Jacket		
Min 1 Inch	-50°C + 205°C	.036" Dia.	.116" Dia.	.125" Dia.	.150" Dia.		

N Male to N Male 18 GHz	N Male to SMA Male 18 GHz	N Male to N Female Bulkhead 18 GHz	N Female Bulkhead to SMA Male 18 GHz	TNC Male to TNC Male 18 GHz	TNC Male to SMA Male 18 GHz
Part # BM95001.**	Part # BM95003.**	Part # BM95000.**	Part # BM95002.**	Part # BM95005.**	Part # BM95004.**
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches
SMA Male to SMA Male 26.5 GHz	SMA Male to SMA Male Right Angle 26.5 GHz	SMA Male Right Angle to SMA Male Right Angle 26.5 GHz	SMA Male to SMA Female Bulkhead 26.5 GHz	SMA Male Right Angle to SMA Female Bulkhead 26.5 GHz	
Part # BM95010.**	Part # BM95009.**	Part # BM95007.**	Part # BM95008.**	Part # BM95006.**	
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	



18 & 26.5 GHz Precision Cable Assemblies



Bracke MFG

Bracke MFG

Electrical Properties						
Velocity of Propagation	Cut off Frequency	Max Operating Voltage	Nominal Capacitance	RF Shielding	Impedance	
69.5%	33 GHz	1200 RMS	29.4 pf/ft	<90 dB	50 Ohm	

Mechanical Properties						
Bend Radius	Temperature Range	Inner Conductor	Dielectric	Outer Conductor	Jacket	
Min 1 Inch	-48°C + 204°C	.036" Dia.	.116" Dia.	.145" Dia.	.170" Dia.	

SMA Male to SMA Male 26.5 GHz	SMA Male to SMA Male Right Angle 26.5 GHz	SMA Male Right Angle to SMA Male Right Angle 26.5 GHz	SMA Male to SMA Female 26.5 GHz	N Male to SMA Male 18 GHz
Part # BM95028.**	Part # BM95027.**	Part # BM95032.**	Part # BM95033.**	Part # BM95026.**
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches
N Male to N Male 18 GHz	N Male to N Male Right Angle 18 GHz	TNC Male to SMA Male 18 GHz	N Male to SMA Female 18 GHz	
Part # BM95025.**	Part # BM95029.**	Part # BM95031.**	Part # BM95030.**	
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



18 GHz Ultra Precision Cable Assemblies



Electri	ical Prop	erties	Mecha	nical Pro	perties	SMA Male to		SMA Male to		SMA Male to		SMA Male to		SMA Male to		SMA Male to SMA	N. Mala to N. Mala	N Male to
Velocity of Propagation	Cut off Frequency	Max Operating Voltage	Bend Radius	Temp. Range	Inner Conductor	SMA Male 18 GHz		Male Right Angle 18 GHz	N Male to N Male 18 GHz	SMA Male 18 GHz								
76%	18 GHz	1700 RMS	Min 1 Inch	-48°C + 204°C	.051" Dia.	Part # BM95022.**	F	Part # BM95021.**	Part # BM95019.**	Part # BM95020.**								
Nominal Capacitance	RF Shielding	Impedance	Dielectric	Outer Conductor	Jacket	Replace ** with ANY length in Inches		Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches								
25.0 pf/ft	<90 dB	50 Ohm	.152" Dia.	.184" Dia.	.195" Dia.													

26.5 & 40 GHz Ultra Precision Cable Assemblies

Bracke MFG Bracke MFG

Electrical Properties						
Velocity of Propagation	Cut off Frequency	Max Operating Voltage				
78%	40 GHz	1200 RMS				
Nominal Capacitance	RF Shielding	Impedance				
26.0 pf/ft	<90 dB	50 Ohm				

Mechanical Properties					
Bend Radius	Temp. Range	Inner Conductor			
Min .812 Inch	-48°C + 204°C	.036" Dia.			
Dielectric	Outer Conductor	Jacket			
.106" Dia.	.141" Dia.	.160" Dia.			

SMA Male to SMA Male 26.5 GHz

Part # BM95024.**
Replace ** with ANY length in Inches

2.92mm Male to 2.92mm Male 40 GHz

Part # BM95023.**

Replace ** with ANY
length in Inches

40 & 50 GHz Ultra Precision Cable Assemblies



Electrical Properties					
Velocity of Propagation	Cut off Frequency	Max Operating Voltage			
69.5%	65 GHz	1200 RMS			
Nominal Capacitance	RF Shielding	Impedance			
29.4 pf/ft	<90 dB	50 Ohm			

Mechanical Properties					
Bend Radius	· · · · · · · · · · · · · · · · · ·				
Min 1 Inch	-48°C + 204°C	.020" Dia.			
Dielectric	Outer Conductor	Jacket			
.066" Dia.	.084" Dia.	.095" Dia.			

2.4mm Male to 2.4mm Male 50 GHz Part# BM95034.***

Replace ** with ANY length in Inches

2.92mm Male to 2.4mm Male 40 GHz

Part # BM95037.**

Replace ** with ANY length in Inches

2.92mm Male to 2.92mm Male 40 GHz

Part # BM95035.**
Replace ** with ANY length in Inches

40 thru 65 GHz Ultra Precision Cable Assemblies



Electrical Properties				
Velocity of Propagation	Cut off Frequency	Max Operating Voltage		
69.5%	65 GHz	1200 RMS		
Nominal Capacitance	RF Shielding	Impedance		
29.4 pf/ft	<90 dB	50 Ohm		

Mechanical Properties			
Bend Radius	Temp. Range	Inner Conductor	
Min 1 Inch	-48°C + 204°C	.019" Dia.	
Dielectric	Outer Conductor	Jacket	
.062" Dia.	.080" Dia.	.098" Dia.	

1.85mm Male to 1.85mm Male 65 GHz

Part # BM95038.**
Replace ** with ANY length in Inches

1.85mm Male to 2.4mm Male 50 GHz

Part # BM95039.**
Replace ** with ANY
length in Inches

1.85mm Male to 2.92mm Male 40 GHz

Part # BM95036.**
Replace ** with ANY length in Inches




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Corrugated Cable Assemblies N Male to N Male



LDF4-50A Type			
Part # BM92748.**			
Impedance 50			
Coax Dia.	.625"		
# of Shields	1		
Replace ** with ANY			

length in Inches

FSJ4-50	LDF	
Part # BM	92750 .**	Part #
Impedance	50	Impedar
Coax Dia530"		Coax D
# of Shields	# of Shie	
Replace **	Replac	

LDF5-50 Type				
Part # BM92752.**				
Impedance 50				
Coax Dia. 1.03"				
# of Shields 1				
Replace ** with ANY length in Inches				

N Male to N Female

EQ 14 EQD 7



length in Inches

Bracke MFG

FSJ4-50	ъ туре		
Part # BM92756.**			
Impedance	50		
Coax Dia.	.530"		
# of Shields	1		
Replace ** with ANY length in Inches			

	LDF5-5	0 Type
	Part # BM	92758 .**
ı	Impedance	50
ı	Coax Dia.	1.03"
	# of Shields	1
	Replace ** length ir	

Bracke MFG

N Male to N Male Right Angle




LDF4-50A Type		
Part # BM92760.**		
Impedance 50		
Coax Dia.	.625"	
# of Shields	1	
Replace ** with ANY		


length in Inches

FSJ4-50B Type			LDF5-5	0 Type
Part # BM92762.**			Part # BM	92764 .**
Impedance	50	ı	Impedance	50
Coax Dia.	.530"	ı	Coax Dia.	1.03"
# of Shields	1		# of Shields	1
Replace ** with ANY length in Inches			Replace ** length ir	

N Male Right Angle to **N** Male Right Angle



Bracke MFG



	LDF5-50 Type		
	Part # BM92770.**		
	Impedance Coax Dia.	50 1.03"	
1	# of Shields	1.03	
	Replace ** with ANY length in Inches		

Bracke MFG

N Male Right Angle to N Female



LDF4-50A Type			
Part # BM92772.**			F
Impedance 50			
Coax Dia.	.625"		
# of Shields 1		[
Replace ** with ANY length in Inches			


FSJ4-50B Type			LDF5-5	0 Type
Part # BM92774.**			Part # BM	92776 . **
Impedance	50	ı	Impedance	50
Coax Dia.	.530"		Coax Dia.	1.03"
# of Shields	1		# of Shields	1
Replace ** with ANY length in Inches				with ANY n Inches

Coax Dia.

Replace ** with AN

length in Inches


7/16 Din Male to 7/16 Din Male



LDF4-50A Type		
Part # BM	92778 . **	
Impedance	50	
Coax Dia.	.625"	
# of Shields	1	
Replace ** with ANY		

length in Inches

**



	LDF5-50 Type		
	Part # BM92782.**		
l	Impedance	50	
	Coax Dia.	1.03"	
	# of Shields	1	
	Replace ** with ANY length in Inches		

7/16 Din Male to 7/16 Din Female



H Bracke W		Hacker IIII o El Calle
LDF4-50A Type	FSJ4-50B Type	LDF5-50 Type
Part # BM92724.**	Part # BM92726.**	Part # BM92728.**

Coax Dia.

7/16 Din Male to 7/16 Din Male Right Angle Bracke MFG Bracke MFG

	LDF4-50	LDF4-50A Type		
**	Part # BM92730.*			
	Impedance	50		
	Coax Dia.	.625"		
	# of Shields	1		
Y	Replace ** with ANY length in Inches			

FSJ4-50	FSJ4-50B Type		
Part # BM92732.**			
Impedance	50		
Coax Dia.	.530"		
# of Shields	1		
Replace ** with ANY			
length ir	n Inches		
l longui ii	111101103		

	LDF5-50 Type Part # BM92734.**			
ı	Impedance	50		
ı	Coax Dia.	1.03"		
	# of Shields	1		
	Replace ** with ANY length in Inches			

7/16 Din Male Right Angle to 7/16 Din Male Right Angle


Replace ** with ANY

length in Inches



LDF4-50A Type			FSJ4-50	LDF5-50 Type				
Part # BM92736.**			Part # BM92738.**		Part # BM92740.**			
	Impedance	50	Impedance	50	Imped	dance	50	
Coax Dia625"		Coax Dia.	.530"	Coax	Dia.	1.03"		
# of Shields 1		# of Shields	1	# of S	hields	1		
Replace ** with ANY				k with ANY			with ANY	

7/16 Din Male Right Angle to 7/16 Din Female



LDF4-50	OA Type	FSJ4-5	FSJ4-50B Type		LDF5-50 Type		
art# BM9	92742.**	Part # BM	92744.**	Part # BM92746.**			
Impedance 50		Impedance	50	Impedance	50		
Coax Dia625"		Coax Dia.	.530"	Coax Dia.	1.03"		
# of Shields	1	# of Shields	1	# of Shields	1		
Replace <u>**</u> length ir	with ANY Inches		* with ANY in Inches		** with ANY in Inches		



Coax Dia.

Replace ** with ANY

length in Inches

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com

Low Loss Cable Assemblies QMA Male to N Male Low PIM **QMA Male to QMA Female**



LMR-100A			
Part # BM90531.**			
Impedance 50			
Coax Dia.	.110"		
# of Shields 2			
Replace ** with ANY			

LMR-240			
Part # BM90412.**			
Impedance	50		
Coax Dia.	.240"		
# of Shields 2			
Replace ** with ANY			

LMR-240-Ultra-Flex				
Part # BM90533.**				
Impedance	50			
Coax Dia.	.240"			
# of Shields 2				
Replace ** with ANY				


Bracke MFG		Bracke MFG
LMR-195	LMR-240	LMR-240-Ultra-Flex

LMR-195			
Part # BM92727.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields 2			
Replace ** with ANY length in Inches			

LWR-240			
Part # BM92729.**			
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240-Ultra-Flex		
Part # BM	92731 .**	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		


QMA Male Right Angle to QMA Male Right Angle



Replace ** with ANY

length in Inches

Impedance



LMR-240-	Ultra-Flex	
Part # BM	92725 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

QMA Male to QMA **Male Right Angle**




LMR-195			LMR-240			LMR-240-Ultra-Flex		
Part # BM	Part # BM92717.**			F	Part #	BMS	92719 .* *	
Impedance Coax Dia. # of Shields	50 .195" 2	Coa	Impedance 50 Coax Dia240" # of Shields 2		E	Impeda Coax I # of Sh	Dia.	50 .240" 2
Replace ** length ir		Replace ** with ANY length in Inches			Replace ** with ANY length in Inches			
SMA Male Right Angle to								

N Male Low Pim

QMA Male Right Angle to QMA Female Bulkhead



LMR-195		
Part # BM92745.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY length in Inches		



LMR-240-Ultra-Flex		
Part # BM	92749 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields 2		
Replace ** with ANY		

LMR-240 **LMR-100A** Part # BM90535.** Impedance



LMR-240-Ultra-Flex		
Part # BM	190539 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

QMA Male to QMA **Female Bulkhead**



LMR-195		
Part # BM92733.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

LMR-240		
Part # BM92735•**		
Impedance	50	
Coax Dia.	.240"	
# of Shields 2		
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM	92737 .**	
Impedance	50	
Coax Dia.	.240"	
# of Shields 2		
Replace ** with ANY length in Inches		

SMA Male to BNC **Male Right Angle**



Part # BM90553.**			
Impedance	50		
Coax Dia.	.110"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-100A

Coax Dia. # of Shields

Bracke MFG

Replace ** with ANY

length in Inches

LMR-240		
Part # BM	90555.**	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		
length if	1 inches	

LMR-240-Ultra-Flex		
Part # BM	90557 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

QMA Male Right Angle to QMA Female




LMR-195		
Part # BM92739.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240		
Part # BM92741.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM92743.**		
Impedance 50		
Coax Dia.	.240"	
# of Shields 2		
Replace ** with ANY length in Inches		

SMA Male Right Angle to BNC Male



LMR	-240		LMR-	240-	Ultra-Flex
Part # BM90561.**		Part #	BM	90563 . **	
Impedance	50		Impeda	ince	50
Coax Dia.	.240"		Coax [Dia.	.240"
# of Shields	2		# of Shi	elds	2
Replace ** with ANY length in Inches					with ANY Inches



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601

Replace ** with ANY

length in Inches



Low Loss Cable Assemblies

N Male Low PIM to N Male Low PIM Bracke MFG





LMR-100A		
Part # BM91975.**		
Impedance 50		
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY		

length in Inches

LMR-195		
Part # BM92287.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY		

LMR-240		
Part # BM91977.**		
Impedance	50	
Coax Dia240"		
# of Shields 2		
Replace ** with ANY		

LMR-100A		
Part # BM	91987 .**	
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-195			
Part # BM	92291 .**		
Impedance 50			
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240		
Part # BM	91989 .**	
Impedance	50	
Coax Dia.	.240"	
# of Shields 2		
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY		

length in Inches

LMR-400			
Part # BM91981.**			
Impedance 50			
Coax Dia405"			
# of Shields 2			
Replace ** with ANY length in Inches			


LMR-400-Dir-Burial			
Part # BM	92289 . **		
Impedance 50			
Coax Dia405"			
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-240-Ultra-Flex		
Part # BM	91991 . **	
Impedance	50	
Coax Dia240"		
# of Shields 2		
Replace ** with ANY length in Inches		

LMR-400			LMR-40
Part # BM91993.**			Part # B
Impedance	50		Impedano
Coax Dia405"			Coax Dia
# of Shields 2			# of Shield
Replace ** with ANY length in Inches			Replace lengt

LMR-400-	Dir-Burial	
Part # BM	92293 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400-Ultra-Flex			
Part # BM91983.**			
Impedance 50			
Coax Dia405"			
# of Shields 2			
Replace ** with ANY length in Inches			




LMR-600-Ultra-Flex			
Part # BM93005.**			
Impedance 50			
Coax Dia590"			
# of Shields 2			
Replace ** with ANY length in Inches			

	LMR-400-Ultra-Flex		
Р	Part # BM91995.**		
	Impedance 50		
	Coax Dia405"		
#	# of Shields 2		
F	Replace ** with ANY		
	length in Inches		


LMR-600			LMR-6	00-	Ultra-Flex
art# BM	92031 .**		Part #	BM9	92295 . **
mpedance	50	ı	Impedar	nce	50
Coax Dia.	.590"		Coax D	ia.	.590"
of Shields	2		# of Shie	lds	2
teplace ** with ANY length in Inches					with ANY Inches
			_	$\overline{}$	







LMR-100A			
Part # BM92007.**			
Impedance 50 Coax Dia110" # of Shields 2			
Replace ** with ANY length in Inches			
LMR-240-Ultra-Flex			



LMR-240			
Part # BM92009.**			
Impedance 50			
Coax Dia240"			
# of Shields	2		
Replace ** with ANY length in Inches			
length in Inches			

LMR-100A			
Part # BM	91963 . **		
Impedance 50			
Coax Dia110"			
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-195		LMR	2-240
Part # BM	92303.**	Part # BM	91965 . **
Impedance	50	Impedance	50
Coax Dia.	.195"	Coax Dia.	.240"
# of Shields	2	# of Shields	2
Replace <u>**</u> length ir	with ANY Inches	Replace *:	<u>≮</u> with ANY n Inches

LN	IR-240-	-Ultra-Flex
Par	t# BM	92011 . **
lm	pedance	50
	oax Dia.	.240"
# c	f Shields	2
Re	place <u>*:</u> length i	* with ANY n Inches

-1011	100	
Part # BMS	92013 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400-Dir-Burial				
Part # BM92299.**				
Impedance	50			
Coax Dia.	.405"			
# of Shields	2			
Replace ** with ANY length in Inches				

LMR-240-Ultra-Flex				
Part # BM91967.**				
Impedance 50				
Coax Dia.	.240"			
# of Shields	2			
Replace ** with ANY length in Inches				

	longarn	1 11101100		101	1911111	1 11101100
LMR-400		L	LMR-400-Dir-Burial			
	Part # BMS	91969 . **	Pa	art#	BMS	92305 <u>**</u>
	Impedance	50		mped	ance	50
	Coax Dia.	.405"		Coax	Dia.	.405"
	# of Shields	2	#	of Sh	ields	2
		with ANY Inches	F			with ANY Inches

LMR-400-Ultra-Flex				
Part # BM92033.**				
Impedance 50				
Coax Dia.	.405"			
# of Shields	2			
Replace ** with ANY length in Inches				

LMR-600				
Part # BM92055.**				
Impedance	50			
Coax Dia.	.590"			
# of Shields	2			
Replace ** with ANY length in Inches				

LMR-600-Ultra-Flex				
Part # BM92301.**				
Impedance	50			
Coax Dia.	.590"			
# of Shields	2			
Replace ** with ANY length in Inches				

LMR-400-Ultra-Flex				
Part # BM91971.**				
Impedance 50				
Coax Dia.	.405"			
# of Shields 2				
Replace ** with ANY length in Inches				
length in inches				

LMR	-600		L
Part # BM	91973 .**		
Impedance	50		ĺ
Coax Dia590"			l
# of Shields 2			L
Replace ** with ANY length in Inches			
			-

		LMR-600-Ultra-Flex		
-		Part # BM	92307 .**	
		Impedance	50	
		Coax Dia.	.590"	
		# of Shields	2	
,	Replace ** with ANY length in Inches			

N Male Low PIM to SMA Male



LMR-100A Part # BM90256.* Impedance Coax Dia. # of Shields

Replace ** with AN'

length in Inches

		LMR-195	
*		Part # BM	90331.
	ı	Impedance	50
		Coax Dia.	.195"
		# of Shields	2
Y		Replace ** with All length in Inches	

LMR-240		
Part # BM90258.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-	Ultra-Flex		
Part # BM90260.**			
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-400		
Part # BM90262.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400-Ultra-Flex		
Part # BM90285.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Low Loss Cable Assemblies N Male Low PIM to N Female Low PIM

N Male Right Angle Low PIM to N Female Bulkhead Low PIM

Bracke MFG





LMR-100A		
Part # BM91997.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		

Bracke MFG

LMR-195		
Part # BM92330.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240		
Part # BM91999.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-100A		
Part # BM92049.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-195			
Part # BM92354.**			
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240		
Part # BM	92071 .**	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM92001.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400			
Part # BM92003.**			
Impedance 50			
Coax Dia.	.405"		
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-400-	Dir-Burial			
Part # BMS	92332 <u>**</u>			
Impedance	Impedance 50			
Coax Dia.	.405"			
# of Shields 2				
Replace ** with ANY length in Inches				

LMR-240-Ultra-Flex				
Part # BM	92073 . **			
Impedance 50				
Coax Dia240"				
# of Shields 2				
Replace ** with ANY length in Inches				

LMR	-400	LMR-400-Dir-Buria			
Part # BM	92035 . **	Part # BM92326.*		92326 . **	
Impedance	50	ı	Impedance	50	
Coax Dia.	.405"		Coax Dia.	.405"	
# of Shields	2		# of Shields	2	
Replace ** length ir			Replace ** with ANY length in Inches		
longuin	THORICS	lengur in inches			

LMR-400-Ultra-Flex			
Part # BM9	92005•**		
Impedance 50			
Coax Dia405"			
# of Shields 2			
Replace ** with ANY length in Inches			



LMR-600-Ultra-Flex			
Part # BM92334.**			
Impedance	50		
Coax Dia590"			
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-400-Ultra-Flex				
Part # BM9	92075 . **			
Impedance 50				
Coax Dia405"				
# of Shields 2				
Replace ** with ANY				


LMR	-600	LMR-600-Ultra-Flex			Ultra-Flex	
art # BM92077.**			Part # BM92328.**			
Impedance	50		Impedance		50	
Coax Dia.	.590"		Coax Dia.		.590"	
of Shields	2		# of Shields		2	
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches			







LMR-100A			
Part # BM92251.**			
Impedance 50			
Coax Dia110"			
# of Shields 2			
Replace ** with ANY length in Inches			



LMR-240			
Part # BM92255.**			
Impedance	50		
Coax Dia.	.240"		
# of Shields 2			
Replace ** with ANY length in Inches			

	LMR-195				
	Part # BM90342.**				
П	Impedance 50				
	Coax Dia.	.195"			
	# of Shields	2			
	Replace ** with ANY length in Inches				

LMR-200			LMR-240		
Part # BM90415.**			Part #	BM	90374.
Impedance	50		Impeda	nce	50
Coax Dia.	.195"		Coax I	Dia.	.240"
# of Shields	2		# of Shields		2
	with ANY Inches	Replace ** with A length in Inches			

LMR-240-Ultra-Flex			
Part # BM92257.**			
Impedance	50		
Coax Dia240"			
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-400			
Part # BM92259.**			
Impedance 50			
Coax Dia.	.405"		
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-400-Dir-Burial			
Part # BM92340.**			
Impedance	50		
Coax Dia.	.405"		
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-240-Ultra-Flex			
Part # BM90376.**			
Impedance 50			
Coax Dia240"			
# of Shields	2		
Replace ** with ANY length in Inches			

LMR	-400	LMR-400-Dir-Bu		
Part # BM90378.**		Part #	BMs	90397 . **
Impedance	50	Impeda	ance	50
Coax Dia.	.405"	Coax		.405"
# of Shields	2	# of Sh	ields	2
	with ANY Inches	Replace ** with A length in Inches		

LMR-400-Ultra-Flex		
Part # BM92261.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields 2		
Replace ** with ANY length in Inches		

LMR-600			
Part # BM92342.**			
Impedance 50			
Coax Dia590"			
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-600-Ultra-Flex			
Part # BM92344.**			
Impedance	50		
Coax Dia590"			
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-400-Ultra-Flex		
Part # BM	90380.**	
Impedance	50	
Coax Dia405"		
# of Shields 2		
Replace ** with ANY length in Inches		

LMR	-600		LMR-	600-	Ultra-Flex
art # BM9	90395.**		Part #	BM	90408 . **
mpedance	50	l	Impeda	ance	50
Coax Dia.	.590"	П	Coax	Dia.	.590"
f of Shields	2	П	# of Sh	ields	2
Replace <u>**</u> length ir	with ANY Inches	Replace ** with All length in Inches			

N Male Low PIM to TNC Male





LMR-100A			
Part # BM90282.**			
Impedance 50			
Coax Dia.	.110"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-195			
Part # BM90335.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-240				
Part # BM90267.**				
Impedance 50				
Coax Dia.	.240"			
# of Shields 2				
Replace ** with ANY length in Inches				

LMR-240-	Ultra-Flex					
Part # BM90269.**						
Impedance 50						
Coax Dia.	.240"					
# of Shields	2					
Replace ** with ANY length in Inches						

LMR-400				
Part # BM90271.**				
Impedance 50				
Coax Dia.	.405"			
# of Shields 2				
Replace ** with ANY length in Inches				

Part # BM90273.** Impedance 50 Coax Dia405" # of Shields 2 Replace ** with ANY length in Inches	LMR-400-Ultra-Flex					
Coax Dia405" # of Shields 2 Replace ** with ANY	Part # BM90273.**					
# of Shields 2 Replace ** with ANY	Impedance 50					
Replace ** with ANY		.405"				
	# of Shields 2					



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601



Low Loss Cable Assemblies 7/16 DIN Male Low PIM to

7/16 DIN Male Low PIM





Replace ** with ANY

length in Inches

(Pr					
LMR-195		LMR-200			LIV
Part # BM	92235•**	Part # BM	92646 .**		Part# B
Impedance	50	Impedance	50	ĺ	Impedanc
Coax Dia.	.195"	Coax Dia.	.195"		Coax Dia
# of Shields	2	# of Shields	2		# of Shield

LMR	-240	ı	LMR	-195
Part # BM	92237.**	l	Part # BM	92256
Impedance	50	ı	Impedance	50
Coax Dia.	.240"	П	Coax Dia.	.19
# of Shields	2	ı	# of Shields	2
Replace ** with ANY length in Inches			Replace **	with A

LMR-	-195	LMR-200			
# BM9	2256.**	Part # BM92648.**			
pedance	50	Impedance	50		
oax Dia.	.195"	Coax Dia.	.195"		
f Shields	2	# of Shields	2		
place <u>**</u> length in	with ANY Inches	Replace **	with ANY n Inches		

	LMR-240 Part # BM92258.**						
ı	Impedance 50						
ı	Coax Dia.	.240"					
ı	# of Shields 2						
	Replace ** with ANY length in Inches						

Bracke MFG

LMR-240-Ultra-Flex				
Part # BM92239.**				
Impedance	50			
Coax Dia.	.240"			
# of Shields 2				
Replace ** with ANY length in Inches				

Replace ** with ANY

length in Inches

LMR	LI	MR-	
Part # BM	92241 .**	Pa	rt#
Impedance	50	In	nped
Coax Dia.	.405"	C	oax
# of Shields	# (of Sh	
Replace ** with ANY length in Inches			epla ler

LMR-400-Dir-Burial				
Part # BM92336.**				
Impedance 50				
Coax Dia.	.405"			
# of Shields 2				
Replace ** with ANY length in Inches				

LMR-400			LMR-400-	Dir-Burial	
Part # BM92262.**			Part # BM	92346 <u>**</u>	
Impedance	50	ı	Impedance	50	
Coax Dia.	.405"		Coax Dia.	.405"	
# of Shields	2		# of Shields	2	
Replace ** with ANY length in Inches			Replace ** length ir	with ANY n Inches	

LMR-400-Ultra-Flex		
Part # BM92243.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		


LMR-600		
Part # BM	92254 .**	
Impedance	50	
Coax Dia.	.590"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-600-Ultra-Flex		
Part # BM92338.**		
Impedance	50	
Coax Dia.	.590"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400-Ultra-Flex			LMR-600			LMR-600-	Ult
Part # BM92264.**			Part # BM	92266.**		Part # BM	923
Impedance	50	ı	Impedance	50	ı	Impedance	
Coax Dia.	.405"		Coax Dia.	.590"		Coax Dia.	
# of Shields	2		# of Shields	2	ı	# of Shields	
	with ANY n Inches			with ANY n Inches		Replace **	
7/16 DIN Male Low PIM to							

	LMR-600-	Ultra-Flex		
	Part # BM	92348.**		
	Impedance	50		
	Coax Dia.	.590"		
	# of Shields	2		
	Replace ** with ANY length in Inches			





Part # BM92650.**

Replace ** with ANY

length in Inches

I MD 400

Impedance

Coax Dia. # of Shields

Bracke	MFG		
LMR	-240		
Part # BM	92270.**		
Impedance 50			
Coax Dia.	.240"	IE	
# of Shields	2	ΙГ	

LMR-195		
Part # BM90382.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex

Part # BM92260.**

Replace ** with ANY

length in Inches

Impedance Coax Dia. # of Shields

LMR-200-	Ultra-Flex
Part # BM	90421 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
	Impedance Coax Dia.

LMR-240-Ultra-Flex			
Part # BM	92272 . **		
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY			

Part # BM92268.**

Replace ** with ANY

length in Inches

Impedance Coax Dia. # of Shields

LIVIT	-400
Part # BM	92274 . **
Impedance	50
Coax Dia.	.405"
# of Shields	2
Replace **	with ANY

LMR-400-Dir-Burial		
Part # BMS	92350.**	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

Replace ** with ANY

length in Inches

LMR-240		
Part # BM	90384 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-	LN	
Part # BM	90386.**	Part # B
Impedance	50	Impedano
Coax Dia.	.240"	Coax Dia
# of Shields	2	# of Shield
	with ANY Inches	Replace lengtl

SMA Male

	LMR-400			
	Part # BM	90388.**		
]	Impedance 50			
	Coax Dia.	.405"		
	# of Shields	2		
Replace ** with ANY length in Inches				

LMR-400-Ultra-Flex			
Part # BM92276.**			
Impedance 50			
Coax Dia.	.405"		
# of Shields	2		
Replace ** with ANY			

length in Inches

length in Inches

LMR-600			
Part # BM92278.**			
Impedance 50			
Coax Dia.	.590"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-600-Ultra-Flex			
Part # BM92352.**			
Impedance	50		
Coax Dia.	.590"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-400-Dir-Burial			LMR-400-	Ultra-Flex
Part # BM90410.**			Part # BM	90390 . **
Impedance	50	ı	Impedance	50
Coax Dia.	.405"		Coax Dia.	.405"
# of Shields	2		# of Shields	2
Replace ** with ANY length in Inches			Replace ** length ir	

C Male to 7/16 DIN Male I ow PIM



Bracke	MFG	Bracke MFG
LMR-600	LMR-600-Dir-Burial	LMR-600-Ultra-Flex

LMR-600			
Part # BM	90525 . **		
Impedance	50		
Coax Dia.	.590"		
# of Shields	2		
Replace ** length ir	with ANY n Inches		

		_	
LMR-600-Dir-Burial			
Part # BM90527.**			F
Impedance 50		ıE	_
Coax Dia.	.590"	١Г	Ī
# of Shields 2			
Replace ** with ANY length in Inches			

	_	
LMR-600-Ultra-Flex		
Part # BM90529.**		
Impedance	50	
Coax Dia.	.590"	
# of Shields	2	
Replace ** with ANY length in Inches		

LC	Male	to	LC I	Male
Bracke MFG				Bracke MF0

LMR-600			ı
Part # BM92652.**			Р
Impedance	50	ı	Г
Coax Dia.	.590"		Г
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-600-Dir-Burial		
Part # BM92654.**		
Impedance	50	
Coax Dia.	.590"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-600-Ultra-Flex	
Part # BM	92656 . **
Impedance	50
Coax Dia.	.590"
# of Shields	2
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Low Loss Cable Assemblies SMA Male to SMA Female SMA Male to SMA Male Bracke MFG Bracke MFG Bracke MFG Bracke MFG LMR-100A LMR-195 LMR-240 LMR-100A LMR-195 LMR-240 Part # BM91960.** Part # BM92030.** Part # BM92047.** Part # BM92032.** Part # BM92046.** Part # BM92051.** Impedance Impedance Impedance Impedance Impedance Impedance Coax Dia. Coax Dia. Coax Dia. Coax Dia. # of Shields Replace ** with ANY length in Inches LMR-240-Ultra-Flex LMR-400 LMR-400-Ultra-Flex LMR-240-Ultra-Flex LMR-400 LMR-400-Ultra-Flex Part # BM92036.** Part # BM92052.** Part # BM92034.** Part # BM92038.** Part # BM92050.** Part # BM92054.** Impedance Impedance Impedance Impedance Impedance Impedance Coax Dia 240 oax Dia Coax Dia. Coax Dia. 240 oax Dia Coax Dia. # of Shields Replace ** with ANY length in Inches SMA Male to SMA Female Bulkhead SMA Female Bulkhead to SMA Male Right Angle Bracke MFG Bracke MFG Bracke MFG Bracke MFG LMR-100A LMR-195 LMR-240 LMR-100A LMR-195 LMR-240 Part # BM92053.** Part # BM92022.** Part # BM92531.** Part # BM92016.** Part # BM92020.** Part # BM92014.** Impedance Impedance Impedance Impedance Impedance Impedance oax Dia. Coax Dia coax Dia. 240 Coax Dia. Coax Dia. Coax Dia. 240 # of Shields Replace ** with ANY length in Inches LMR-240-Ultra-Flex LMR-400-Ultra-Flex LMR-240-Ultra-Flex LMR-400-Ultra-Flex LMR-400 LMR-400 Part # BM92527.** Part # BM92024.** Part # BM92026.** Part # BM92028.** Part # BM92018.** Part # BM92519.** Impedance Impedance Impedance Impedance Impedance Impedance Coax Dia Coax Dia Coax Dia Coax Dia Coax Dia Coax Dia # of Shields Replace ** with ANY length in Inches lenath in Inches SMA Male to SMA Male Right Angle SMA Male Right Angle to SMA Male Right Angle Bracke MFG Bracke MFG Bracke MFG Bracke MFG LMR-195 LMR-195 **LMR-100A** LMR-240 **LMR-100A** LMR-240 Part # BM92042.** Part # BM92247.** Part # BM92040.** Part # BM92534.** Part # BM92245.** Part # BM92521.** 50 50 Impedance Impedance Impedance Impedance Impedance Impedance Coax Dia Coax Dia Coax Dia Coax Dia 110 # of Shields Replace ** with ANY length in Inches LMR-240-Ultra-Flex LMR-400 LMR-400-Ultra-Flex LMR-240-Ultra-Flex LMR-400 LMR-400-Ultra-Flex Part # BM92044.** Part # BM92529.** Part # BM92539.** Part # BM92249.** Part # BM92540.** Part # BM92543.** Impedance Impedance Impedance Impedance Impedance 50 Impedance Coax Dia Coax Dia. Coax Dia. Coax Dia. Coax Dia. Coax Dia. Replace ** with ANY lenath in Inches lenath in Inches length in Inches lenath in Inches lenath in Inches length in Inches

SMA Male to N Male Right Angle Low Pim



LMR-	100A	LMR	-100A	ļ.
Part # BM90541.**		Part # BM	90541.**	g
Impedance	50	Impedance	50	Γ
Coax Dia.	.110"	Coax Dia.	.110"	Γ
# of Shields	2	# of Shields	2	Γ
		Replace **	* with ANY n Inches	

LMR-195		
Part # BM90543.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240		
Part # BM90545.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM90547.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LWR-400	
Part # BM	90549 . **
Impedance	50
Coax Dia.	.405"
# of Shields	2
Replace ** length ir	with ANY n Inches

Bracke MFG		
LMR-400-Ultra-Flex		
Part # BM	90551 <u>**</u>	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



TNC Male to TNC Female

Low Loss Cable Assemblies SMA Male to TNC Male

Bracke MFG

Bracke MFG



LMR-100A	
Part # BM	92532 . **
Impedance	50
Coax Dia.	.110"
# of Shields	2
Replace **	with ANY

LMR-195		
Part # BM92541.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240		
Part # BM	92545 <u>**</u>	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY		

LMR-100A		
Part # BM90264.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-195			
Part # BM	90337 . **		
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240		
Part # BM	90284 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		


LMR-240-Ultra-Flex			
Part # BM	92547 .**		
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Ponlace **	with ANY		

length in Inches

length in Inches


LMR-400-Ultra-Flex			
Part # BM92551.**			
Impedance	50		
Coax Dia.	.405"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240-Ultra-Flex			LMR-400		LMR-400-Ultr	
Part # BM90286.**			Part # BM90288.**		Part # BM	902
Impedance	50		Impedance	50	Impedance	
Coax Dia.	.240"		Coax Dia.	.405"	Coax Dia.	
# of Shields	2		# of Shields	2	# of Shields	
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches		Replace ** with length in Inc	
QN Male to QN Male Right Angle						






of Shields



Impedance


Coax Dia.

of Shields




Replace ** with ANY

length in Inches



-					
LMR-195			LMR	-240	
Part # BM	92363.**		Part # BMS	91996.	
Impedance	50	ı	Impedance	50	
Coax Dia.	.195"		Coax Dia.	.240"	
# of Shields	2		# of Shields		
Replace ** length ir	with ANY Inches		Replace ** length ir	with Al	

Bracke MFG



LMR-400		
Part # BM	92019 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY		

length in Inches

LMR-195

Part # BM90701.**

Replace ** with ANY

length in Inches


Impedance

Coax Dia.

of Shields

Replace ** with ANY

length in Inches



Part # BM90283.**

Replace ** with ANY

Impedance

Coax Dia

of Shields





R-195

Part # BM90849.**


Replace ** with ANY

Impedance

Coax Dia.

of Shields

Bracke MFG



R-400	LMR-400-Ultra-Flex	LMR-400-Dir-Burial		
92000 .**	Part # BM92365.**	Part # BM92367.**		
50	Impedance 50	Impedance 50		
.405"	Coax Dia405"	Coax Dia405"		
2	# of Shields 2	# of Shields 2		
* with ANY n Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches		
QN Male to N Male Low PIM				





Bracke MFG

(0	
ex	LMI

MA

LMR-240		
Part # BM	90259 .**	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	

Replace ** with ANY

length in Inches

	LMR-240-Ultra-Flex				
	Part # BM	90261 .**			
ı	Impedance	50			
	Coax Dia.	.240"			
	# of Shields	2			
	Replace ** with ANY length in Inches				

Bracke MFG

LMR-400		
Part # BM90268.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields 2		
Replace ** with ANY length in Inches		

lengum	HILLIES		IEIIG		
LMR-400-	Ultra-Flex		LMR-4		
Part # BM	90704 .**		Part#		
Impedance	50		Impedar		
Coax Dia.	.405"		Coax D		
# of Shields	2		# of Shie		
Replace ** with ANY length in Inches			Replace leng		
TNC Mal					

<u>*</u>

S		length ir	Inches	l	length in Inches			le 'le
Flex	LMR-400-Dir-Burial			LMR-400			LMR	
**		Part # BM9	90857.**	l	Part # BM	90263.**		Part #
) 5"		Impedance Coax Dia. # of Shields	50 .405" 2		Impedance Coax Dia. # of Shields	50 .405" 2		Impe Coa: # of S
NY s		Replace ** length ir				with ANY n Inches		Repl le
TN	(Male	to TNC		Female	Bulkh	е	ad

Part # BM90266.**

Replace ** with ANY

Impedance

Coax Dia

of Shields

LMR-400		
Part # BM90263.**		
Impedance 50		
Coax Dia405"		
# of Shields 2		
Replace ** with ANY length in Inches		

LMR-400-Ultra-Flex			LMR-
Part # BM90851.**			Part #
Impedance 50			Impeda
Coax Dia405"			Coax
# of Shields 2			# of Sh
Replace ** with ANY length in Inches			Repla ler

	LMR-400-Dir-Burial			
	Part # BM9	90853.**		
1	Impedance 50			
	Coax Dia.	.405"		
	# of Shields 2			
Replace ** with ANY length in Inches				
	_			

Bracke MFG

LMR-100A		L	MR	-195
Part # BM	92523.**	Part #	BM	92553 . **
Impedance	50	Impedar	nce	50
Coax Dia.	.110"	Coax D	ia.	.195"
# of Shields	2	# of Shie	elds	2
Replace ** with ANY		Replac	e <u>**</u>	with ANY

LMR-240			
Part # BM	92555 . **		
Impedance 50			
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

	LMR-240-Ultra-Flex		
	Part # BM	92557 <u>**</u>	
Impedance 50		50	
	Coax Dia.	.240"	
# of Shields		2	
	Replace ** with ANY length in Inches		

LMR-400		
Part # BM92559.**		
Impedance 50		
Coax Dia405"		
# of Shields 2		
Replace ** with ANY length in Inches		

7	Marine .	
LMR-400-	Ultra-Flex	
Part # BM	92561 <u>.**</u>	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658

length in Inches



Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com

Bracke MFG

Low Loss Cable Assemblies

Par

Reverse Polarity TNC Male to Reverse Polarity TNC Male



Bracke MFG



Reverse Polarity TNC Male to Reverse Polarity TNC Male Right Angle



LMR-100A			
Part # BM92218.**			
Impedance 50			
Coax Dia110"			
# of Shields 2			
Replace ** with ANY			

LMR-195				
Part # BM	92220 <u>.**</u>			
Impedance 50				
Coax Dia195"				
# of Shields 2				
Replace ** with ANY				

length in Inches

LMR-240			
Part # BM	92222 . **		
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-100A				
Part # BM	92236.**			
Impedance	50			
Coax Dia.	.110"			
# of Shields 2				
Replace ** with ANY length in Inches				

LMR-195				
art # BM9	92238 . **			
Impedance	50			
Coax Dia.	.195"			
# of Shields 2				
Replace ** with ANY length in Inches				

N Male Low PIM

length in Inches

LMR-240				
Part # BM	92240 . **			
Impedance 50				
Coax Dia.	.240"			
# of Shields 2				
Replace **	with ANY			

LMR-240-Ultra-Flex			
Part # BM	92230.**		
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

a-Flex	LMR	LMR-400		
30. <u>**</u>	Part # BM9	92232 . **	Part #	
50 240" 2	Impedance Coax Dia. # of Shields	50 .405" 2	Impedar Coax D # of Shie	
ANY	Replace ** length ir		Replace leng	
SM	A Male	to Rev	<u>rse</u>	

LMR-400-Ultra-Flex				
Part # BM	92234 .**			
Impedance	50			
Coax Dia.	.405"			
# of Shields	2			
Replace ** with ANY length in Inches				

LMR-240-Ultra-Fle	×	LMR	-400
Part # BM92242.**		Part # BM	92244 . **
Impedance 50		Impedance	50
Coax Dia240"		Coax Dia.	.405"
# of Shields 2		# of Shields	2
Replace ** with AN length in Inches	Y	Replace **	

240-Ultra-Fle	x	LMR-400			LMR-400-Ultra-Flex		
BM92242.*	<u>*</u>	Part # BM92244.**			Part # BM92246.**		
ince 50		Impedance	50	1	Impedance	50	
Dia240"		Coax Dia.	.405"	1	Coax Dia.	.405"	
ields 2		# of Shields	2	1	# of Shields	2	
ce ** with ANY gth in Inches Replace ** with ANY length in Inches Replace ** with ANY length in Inches							
Reverse Polarity TNC Male to							

length in Inches



LMR-100A

Part # BM90293.**

Impedance


Coax Dia. # of Shields



Part # BM90333.**

Impedance

of Shields



Part # BM90275.**

Replace ** with ANY

Impedance

Coax Dia. # of Shields

│	Bracke MFG
L	MR-100A
Part #	BM90341.**

Impedance

of Shields

				_ P
LMR-195			LMR	-240
Part # BM	90359.**		Part # BM	90361
Impedance	50		Impedance	50
Coax Dia.	.195"		Coax Dia.	.24
# of Shields	2		# of Shields	2
Replace ** with ANY			Replace **	with A

Replace ** with ANY length in Inches		
LMR-240-Ultra-Flex		
Part # BM90277.**		
Impedance	50	
Coax Dia240"		



length in inches			
LMR-400-Ultra-Flex			
Part # BMS	90281 .**		
Impedance	50		
Coax Dia.	.405"		
# of Shields 2			
Replace ** with ANY length in Inches			

LMR-240-Ultra-Flex				
Part # BM	90363 <u>**</u>			
Impedance	50			
Coax Dia.	.240"			
# of Shields 2				
Replace ** with ANY				

Replace ** with ANY

length in Inches

						_
LMR-400			LMR-	400-	Ultra-Fle	X
art # BM9	90370.**		Part #	BM	90372 . **	t
mpedance	50	İ	Impeda	ance	50	_
Coax Dia.	.405"	ı	Coax	Dia.	.405"	_
of Shields	2		# of Sh	ields	2	Ξ
Replace ** with ANY length in Inches					with ANY	,
alo to TNC Malo						







Bracke MFG



art # BM90370 _• **			Part # BM	90372 . **
Impedance	50	ı	Impedance	50
Coax Dia.	.405"	ı	Coax Dia.	.405"
# of Shields	2		# of Shields	2
Replace ** with ANY length in Inches			Replace ** length ir	with ANY n Inches
lale to	o TNC		Male	

Bracke MFG



LMR-195		
Part # BM90356.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240					
art # BM90358.**					
Impedance 50					
Coax Dia.	.240"				
# of Shields 2					
Replace ** with ANY length in Inches					

LMR-100A			
Part # BM	90383.**		
Impedance	50		
Coax Dia.	.110"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-195			LMR	-240
Part # BM	90385.**		Part # BM	90387 . **
Impedance	50	İ	Impedance	50
Coax Dia.	.195"	ı	Coax Dia.	.240"
# of Shields	2		# of Shields	2
Replace ** with ANY length in Inches			Replace ** length ir	

LMR-240-Ultra-Flex		
Part # BM90360.**		
Impedance	50	
Coax Dia240"		
# of Shields 2		
Replace ** with ANY length in Inches		

LMR-400			LMR-400-	Ult
art # BM90362.**			Part # BM	903
Impedance	50		Impedance	
Coax Dia.	.405"		Coax Dia.	
# of Shields	2		# of Shields	
Replace <u>**</u> with ANY length in Inches			Replace ** length in	

-Flex	LMR-240-	Ultra-Flex	
9 .**	Part # BM	90389 <u>.**</u>	
i0	Impedance	50	
05"	Coax Dia.	.240"	
2	# of Shields	2	
ANY	Replace ** with ANY length in Inches		
55	lengini	i iliches	

		Т
/IR-240-Ultra-Flex	LMR-40	0
t# BM90389.**	Part # BM9039	9
pedance 50	Impedance	Ę
oax Dia240"	Coax Dia.	4(
of Shields 2	# of Shields	-
eplace <u>**</u> with ANY length in Inches	Replace ** with length in Inch	

BNC M

_	_		
		LMR-400-	Ultra-Flex
		Part # BM	90393.**
	ı	Impedance	50
Ī		Coax Dia.	.405"
		# of Shields	2
		Replace ** length ir	



TNC Male Right Angle to TNC Male Right Angle

Bracke MFG

	Bracke MFG	
_	400 1114	

LMR-100A		
Part # BM92525.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-195			
Part # BM92573.**			
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240		
Part # BM	92575 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-	Ultra-Flex
Part # BM	92577 . **
Impedance	50
Coax Dia.	.240"
# of Shields	2
Replace ** with ANY length in Inches	

LMR	-400
Part # BM	92533 . **
Impedance	50
Coax Dia.	.405"
# of Shields	2
	with ANY

LMR-400-	Ultra-Flex
Part # BM	92579 . **
Impedance	50
Coax Dia.	.405"
# of Shields	2
Replace ** length ir	with ANY n Inches
length ir	Inches



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601




Low Loss Cable Assemblies Reverse Polarity SMA Male to Reverse

Bracke MFG

Reverse Polarity SMA Male to Reverse Polarity SMA Male









LMR-100A		
Part # BM92008.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY		

length in Inches

Part # BM90270.**

Replace ** with ANY

Impedance Coax Dia. # of Shields

Impedance

Coax Dia. # of Shields

LMR-240		
Part # BM92010.**		
Impedance	50	
Coax Dia240"		
# of Shields	2	
Replace ** with ANY length in Inches		


LMR-240-Ultra-Flex	
Part # BM	92012 .**
Impedance	50
Coax Dia.	.240"
# of Shields	2
Replace **	k with ANY

length in Inches

LMR-100A	LMR-240	LMR-240-U
Part # BM92002.**	Part # BM92004.**	Part # BM9
Impedance 50 Coax Dia110"	Impedance 50 Coax Dia240"	Impedance Coax Dia.
# of Shields 2	# of Shields 2	# of Shields
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** length in
Rever	se Polarity SN	1A Male

40	LMR-240-	LMR-240-Ultra-Flex		
004.**	Part # BMS	92006 .**		
50	Impedance	50		
.240"	Coax Dia.	.240"		
2	# of Shields	2		
ith ANY ches	Replace **	Replace ** with ANY length in Inches		

Revese Polarity SMA Male to SMA Male



LMR-240		
Part # BM	90272 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY		

LMR-240-Ultra-Flex			
Part # BM	90274 .**		
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-	-100A		
Part # BM	90276.**		Par
Impedance	50		lm
Coax Dia.	.110"	Ш	Co
# of Shields	2		# o
	with ANY		Re

Bracke MFG

				4	
R-100A	LMR	-240		LMR-240-	Ultra-Flex
M90276•**	Part # BM9	Part # BM90278.**		Part # BM	90280 .**
e 50	Impedance	50	1 [Impedance	50
.110"	Coax Dia.	.240"	П	Coax Dia.	.240"
s 2	# of Shields	2	Ιĺ	# of Shields	2
** with ANY n in Inches	Replace ** length ir			Replace ** length ir	
QMA I	Male to	SMA	1	Male	

Bracke MFG

to TNC Male

length in Inches length in Inches QMA Male to QMA Male



Replace ** with ANY

length in Inches

LMR-100A

Part # BM92021.**

Replace ** with ANY


length in Inches


Impedance

of Shields

	LMR	-240
	Part # BM	92250 . **
ı	Impedance	50
	Coax Dia.	.240"
	# of Shields	2
	Replace **	







	LMR-240-Ultra-Flex		
	Part # BM	90396.**	
1	Impedance	50	
]	Coax Dia.	.240"	
]	# of Shields	2	
	Replace ** with ANY length in Inches		

TNC Male to TNC Male

Part # BM92048.**


Replace ** with ANY

length in Inches

Impedance

of Shields





Bracke MFG

Part # BM92023.**

Replace ** with ANY


length in Inches

Impedance

Coax Dia

of Shields

LMR-195		
Part # BM92369.**		
Impedance 50		
Coax Dia195"		
# of Shields 2		
Replace ** with ANY		



LMR-240-Ultra-Flex		
Part # BM92373.**		
Impedance 50		
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM92025.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400		LMR-	400-	Ultra-Fl	ex
Part # BM92027.**		Part #	BM	92029.	<u>**</u>
Impedance	50	Impeda	ance	50	
Coax Dia.	.405"	Coax	Dia.	.405"	
# of Shields	2	# of Sh	ields	2	
Replace ** with ANY length in Inches				with AN n Inches	ΙΥ
IC NA	ala Di		Α.		4

LMR-400		
Part # BM92375.**		
Imped		50
Coax	Dia.	.405"
# of Shields		2
Replace ** with ANY length in Inches		

LMR-400-Dir-Burial		
Part # BM92377.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

	LMR-400-	Ultra-Flex	
	Part # BMS	92379 . **	
1	Impedance	50	
1	Coax Dia.	.405"	
]	# of Shields	2	
	Replace ** with ANY length in Inches		
	•		

TNC Male Right Angle to TNC Female Bulkhead



length in Inches

LMR-100A		LMR	-195
Part # BM	92537 .**	Part # BM	92581 . *
Impedance	50	Impedance	50
Coax Dia.	.110"	Coax Dia.	.195"
# of Shields	2	# of Shields	2
Replace ** with ANY		Replace **	with AN

LMR-195			LMR	-240
t# BM92581.**			Part # BM	92583 . **
pedance	50		Impedance	50
oax Dia.	.195"		Coax Dia.	.240"
f Shields	2		# of Shields	2
place ** with ANY length in Inches			Replace ** length ir	

LMR-240-Ultra-Flex			
Part # BM92585•**			
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-400		
Part # BM92587.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

	00	
LMR-400-	Ultra-Flex	
Part # BM	92589 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Low Loss Cable Assemblies **BNC Male to BNC Male Right Angle**



BNC Male Right Angle to BNC Male Right Angle





Impedance

Bracke MFG

Part # BM92074.**

Replace ** with ANY length in Inches

LMR-195		
Part # BM92076.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Penlace ** with ANY		

length in Inches

LMR-240			
Part # BM	92078 . **		
Impedance	50		
Coax Dia.	.240"		
# of Shields	2		
Replace ** with ANY length in Inches			

_			
LMR-100A			
Part # BM	92062 . **		
Impedance	50		
Coax Dia.	.110"		
# of Shields 2			
Replace ** with ANY			

Bracke MFG

LMR-195		
art # BM92064.**		
mpedance 50		
Coax Dia.	.195"	
f of Shields 2		
Replace ** with ANY length in Inches		

LMR-240		
Part # BM92066.**		
Impedance	50	
Coax Dia240"		
# of Shields 2		
Replace ** with ANY		

LMR-240-Ultra-Flex		
Part # BM92080.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields 2		
Replace ** with ANY		

LMR-400		
Part # BM92082.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400-	Ultra-Flex
Part # BM	92084 .**
Impedance	50
Coax Dia.	.405"
# of Shields	2
Replace ** with ANY length in Inches	

LMR-240-Ultra-Flex		
Part # BM	92068.**	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

Bracke MFG

LMR-400		
Part # BM92070.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

Bulkhead

0-Ultra-Flex	LMR	-400	LMR-400-Ultra-Flex
И92068 - **	Part # BM	92070 .**	Part # BM92072.**
50	Impedance	50	Impedance 50
.240"	Coax Dia.	.405"	Coax Dia405"
3 2	# of Shields	2	# of Shields 2
** with ANY in Inches	Replace ** with ANY length in Inches		Replace ** with ANY length in Inches
BNC Male to BNC Female			

BNC Male to BNC Female




Part # BM92086.**

Replace ** with ANY

length in Inches

Impedance

of Shields



Coax Dia.	.195
of Shields	2
	with ANY Inches

LMR-240		
Part # BM92090.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

Bracke MFG

LMR-100A		
Part # BM92098.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		






Bracke MFG

LMR-240-Ultra-Flex		
Part # BM92092.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		











40-Ultra-Flex		LMF	LMR-400		LMR-400-	Ultra-Flex
BM92104.** Part # BM92106.		92106 .**		Part # BM	92108 <u>.**</u>	
се	50	Impedance	50	1	Impedance	50
а.	.240"	Coax Dia.	.405"	l	Coax Dia.	.405"
ds	2	# of Shields	2		# of Shields	2
e ** with ANY th in Inches Replace ** with ANY length in Inches			Replace ** length ir	with ANY n Inches		
BNC Male to N Male Low PIM						



Bracke MFG



LMR-240		
Part # BM	92063 . **	
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

	LMR-240			
Р	Part # BM92063.**			
ıГ	Impedance 50			
	.240"	Coax Dia240"		
ı	# of Shields 2			
I	Replace ** with ANY length in Inches			
_				

LMR-100A			
Part # BM90371.**			
Impedance	50		
Coax Dia.	.110"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-195			
Part # BM90373.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

LMR-240				
Part # BM90375.**				
Impedance	50			
Coax Dia.	.240"			
# of Shields	2			
Replace ** with ANY length in Inches				

LMR-240-Ultra-Flex		
Part # BM92065.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400		
Part # BM92067.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400-Ultra-Flex		
Part # BM92069.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex		
Part # BM90377.**		
Impedance	50	
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-400		
Part # BM90379.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY		

LMR-400-	LMR-400-Ultra-Flex		
Part # BM	90381 . **		
Impedance	50		
Coax Dia.	.405"		
# of Shields	2		
Replace ** with ANY length in Inches			

TNC Male to TNC Male Right Angle



	/
Bracke MFG	1 1

LMR-100A		
Part # BM92535.**		
Impedance	50	
Coax Dia.	.110"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-195		
Part # BM92563.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240		
Part # BM92565.**		
Impedance 50		
Coax Dia.	.240"	
# of Shields	2	
Replace ** with ANY length in Inches		

LMR-240-Ultra-Flex	
Part # BM	92567 .**
Impedance	50
Coax Dia.	.240"
# of Shields	2
	with ANY n Inches

LMR-400	
Part # BM	92569 . **
Impedance	50
Coax Dia.	.405"
# of Shields	2
Replace **	with ANY

LMR-400-Ultra-Flex		
Part # BM	92571 .**	
Impedance	50	
Coax Dia.	.405"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601




2.92mm Female Bulkhead to 2.92mm Male



RG402/U		
Part # BM91535.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Alum		
Part # BM91536.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex			
Part # BM91537.**			
Impedance	Impedance 50		
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			



Part # BM91541.**

Replace ** with ANY

length in Inches

Impedance

of Shields

Pai

Im

of Shields

Replace ** with ANY



Replace ** with ANY

length in Inches

of Shields

2.92mm Male to 2.92mm Male



RG402-Flex-Jacketed	
Part # BM	92495 . **
Impedance	50
Coax Dia.	.178"
# of Shields	2
Poplace ++ with ANY	

RG405/U		
Part # BM91538.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Alum			
Part # BM	91539 .**		
Impedance	50		
Coax Dia.	.085"		
# of Shields 1			
Replace ** with ANY			

RG402-Fle	Flex-Jacketed		RG405/U		
Part # BM	92595 . **	Part # BM91544.		91544 .**	
Impedance	50	ı	Impedance	50	
Coax Dia.	.178"		Coax Dia.	.085"	
# of Shields	2		# of Shields 1		
Replace **	with ANY n Inches		Replace ** with ANY length in Inches		

RG405-Alum				
Part # BM	91545.**			
Impedance	50			
Coax Dia. # of Shields	.085"			
Replace ** with ANY length in Inches				

RG405-Flex			
Part # BM	91540 .**		
Impedance	50		
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY			

length in Inches

length in Inches

3		_	5	
RG405-Flex-Jacketed			Semi-R	igid 118
Part # BM	Part # BM92591.**		Part # BM92593.**	
Impedance	50	İ	Impedance	50
Coax Dia.	.127"	ı	Coax Dia.	.118"
# of Shields	2		# of Shields	1
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches	
• 4				-

RG405-Flex				
Part # BM	91546 . **			
Impedance	50			
Coax Dia.	.085"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG405-Flex	x-Jacketed	Semi-R	igid 118	
Part # BMS	92597 . **	Part # BM	92599 . **	
Impedance	50	Impedance	50	
Coax Dia.	.127"	Coax Dia.	.118"	
# of Shields	2	# of Shields	1	
Replace ** length ir		Replace ** with ANY length in Inches		

of Shields

Replace ** with ANY

2.92mm Male to 2.92mm Female



Bracke MFG	Bracke MFG	
RG402/U	RG402-Alum	RG402-Flex

RG402	RG402-Alum			RG402-Flex			
Part # BM92486.**			Part # BM92488.**				
Impedance	50		Impedance	50			
Coax Dia.	.141"		Coax Dia.	.141"			
# of Shields	1		# of Shields	1			
Replace ** length ir	with ANY Inches	Replace ** with AN length in Inches		with ANY			

Bracke MFG XXXXX Bracke MFG						
RG4	02/U	RG402	2-Alum	RG402-Flex		
Part # BM91553.** Part # BM91554.**			91554 . **	Part # BM	91555 <u>**</u>	
Impedance	50	Impedance	Impedance 50		50	
Coax Dia.	.141"	Coax Dia.	.141"	Coax Dia.	.141"	

of Shields

Replace ** with ANY

3.5mm Female to 3.5mm Male



Part # BM92484.**

Replace ** with ANY

length in Inches

Impedance

Coax Dia.

of Shields



Semi-Rigid 118				
Part # BM	92500.**			
Impedance	50			
Coax Dia.	.118"			
# of Shields	1			
Replace ** with ANY length in Inches				
	-			

length ir	n Inches	length in	n Inches	le	length in Inches		
RG405/U		RG405-Alum		RG405-Flex			
Part # BM91556.** Part # BM91557.**		Part #	# BM	91558 -**			
Impedance	50	Impedance	50	Impe	dance	50	
Coax Dia.	.085"	Coax Dia.	.085"	Coa	x Dia.	.085"	
# of Shields	1	# of Shields	# of Shields 1		hields	1	
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches			with ANY Inches	

3.5mm Male to 3.5mm Male



RG4	02/U	RG402	2-Alum	RG40	2-Flex	
Part # BM	91559 .**	Part # BM	91560 .**	Part # BM	91561 . *	
Impedance	50	Impedance	50	Impedance	50	
Coax Dia.	.141"	Coax Dia.	.141"	Coax Dia.	.141"	
# of Shields	1	# of Shields	1	# of Shields	1	
Replace **	with ANY	Replace **	with ANY	Replace **	with AN	

	RG402-Flex					
	Part # BM	91561 .**				
	Impedance 50					
	Coax Dia.	.141"				
	# of Shields 1					
	Replace ** with ANY length in Inches					
_						

	3.5mm Female Bulknead to 3.5mm Male
Bracke MFG XXXXX Bracke MFG	Bracke MFG Bracke MFG

Replace ** with ANY length in Inches					
RG405/U					
Part # BM91562.**					
Impedance 50					
Coax Dia.	.085"				
# of Shields	1				
Replace ** with ANY					

mpedance	50	Impeda	ance	50
Coax Dia141"		Coax [Dia.	.141"
of Shields	1	# of Shi	ields	1
Replace ** with ANY length in Inches		Replace ** with AN length in Inches		
RG405-Alum		R	340 :	5-Flex
art # BM	91563.**	Part #	BM9	91564 . **

RG405-Flex					
Part # BM91564.**					
Impedance 50					
Coax Dia.	.085"				
# of Shields 1					
Replace ** with ANY length in Inches					

RG4		RG402	2-A		
Part # BM	91547 .**		Part # BM	91	
Impedance	50	Ī	Impedance		
Coax Dia.	.141"	Ī	Coax Dia.		
# of Shields	1	[# of Shields		
	with ANY n Inches		Replace **		

RG402-Alum		R	G40	2-Flex
rt#BM	91548 . **	Part #	BMs	91549 . **
pedance	50	Impeda	ance	50
oax Dia.	.141"	Coax	Dia.	.141"
of Shields	1	# of Sh	ields	1
eplace ** with ANY length in Inches		Repla ler	ce ** ngth ir	with ANY Inches

RG405/U	RG405	-Alum		RG405-Flex		
Part # BM91562.**	Part # BM91563.**		Part	Part # BM91564.*		
Impedance 50	Impedance 50		Imp	edance	50	
Coax Dia085"	Coax Dia.	Coax Dia085"		ax Dia.	.085"	
# of Shields 1	# of Shields 1		# of	Shields	1	
Replace ** with ANY length in Inches	Replace ** length ir				with AN Inches	

ı	KG405/U					
	Part # BM91550.**					
	Impedance	50				
ı	Coax Dia.	.085"				
ı	# of Shields	1				
	Replace ** with ANY length in Inches					

RG405-Alum					
Part # BM91551.**					
Impedance 50					
Coax Dia.	.085"				
# of Shields	1				
Replace ** with ANY length in Inches					

RG405-Flex					
Part # BM91552.**					
Impedance	50				
Coax Dia.	.085"				
# of Shields	1				
Replace ** with ANY length in Inches					



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMB Plug to SMB Plug Right Angle



SMC Jack Bulkhead to SMC Plug Right Angle



Bracke MFG

Bracke MFG

RG142B/U	
Part # BM	91386 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2

Coax Dia.	.195"	[
# of Shields	2	
Replace ** length ir	with ANY Inches	

RG174A/U	
Part # BM	91388.**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** length ir	

RG178B/U	
Part # BM	91389 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG17	'8B/U
Part # BM	91389 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace **	with ANY



RG142B/U Part # BM91470.** Impedance Coax Dia. # of Shields

Replace ** with ANY

length in Inches

RG174A/U	
Part # BM	91472 .**
Impedance	50
Coax Dia.	.100"

of Shields Replace ** with ANY length in Inches

DC100 Daubla

RG17	'8B/U
Part # BM	91473 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches

RG188A/U	
Part # BM	91391 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace **	with ANY

length in Inches

RG188-Double		
Part # BM	92601 . **	
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		


RG19	6A/U
Part # BM	91390 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** length ir	

RG18	88A/U
Part # BM	91475 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace **	with ANY

KG 100-	Double	
Part # BM	92607 . **	
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM	91474 . **	
Impedance 50		
Coax Dia072"		
# of Shields	1	
# of Shields 1 Replace ** with ANY length in Inches		

RG223/U		
Part # BM91387.**		
Impedance 50		
Coax Dia211"		
# of Shields 2		
Replace ** with ANY length in Inches		



RG316-Double		
Part # BM	92603 . **	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91471.**		
Impedance 50		
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U

Part # BM91477.**

Impedance

Part # BM	91476 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG405/U

RG316/U

KG316-	Double
Part # BM	92609 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
	with ANY Inches

RG405-Alum

PC216 Double

RG400/U		
Part # BM91393.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		





Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
RG405-Flex		
RG40	5-FIEX	
RG40s		
Part # BM	91480.**	

Part # BM91478.**		Part # BM91479.**	
Impedance	50	Impedance 50	
Coax Dia.	.085"	Coax Dia085"	
# of Shields	1	# of Shields 1	
Replace ** with ANY length in Inches		Replace ** with ANY length in Inches	
RG405-Fle	x-Jacketed	RG58C/U	

	length in inches		
ı			
	RG5	8C/U	
	Part # BM	91469 .**	
	Impedance	50	
Coax Dia195		.195"	
	# of Shields	1	
	Replace **		



RG405-Flex



i	RG58C/U		RG405-Flex		
	Part # BM91385.**		Part # BM91480.**		
]	Impedance	50	Impedance 50		
П	Coax Dia.	.195"	Coax Dia085"		
	# of Shields	1	# of Shields 1		
	Replace ** with ANY length in Inches		Replace ** with ANY length in Inches		
	MHV Male to MHV Male				





		RG58C/U	
Part # BM91469.**			
	П	Impedance	50
	П	Coax Dia.	.195"
	П	# of Shields	1
		Replace ** with ANY length in Inches	

Bracke MFG

Bracke MFG



RG142B/U		
Part # BM91111.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U	
Part # BM	91617 . **
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U		
Part # BM91618.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188-Double		
Part # BM92658.**		
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		
Replace ** with ANY		

RG213/U	
Part # BM	91115 <u>**</u>
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM91116.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91110.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM92660.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	92662 .**	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

Part # BM91120.** Impedance 50 Coax Dia390" # of Shields 2	
Coax Dia390" # of Shields 2	
# of Shields 2	
Replace ** with ANY length in Inches	

RG400/U		
Part # BM91112.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BM	91109 .**
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG59B/U	
Part # BM91118.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG62A/U		
Part # BM91119.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM91113.**		
Impedance	52	
Coax Dia405"		
# of Shields 1		
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601



SMA Male 45 Degree to SMA Male









RG142B/U	
Part # BM	92079 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG188A/U		
Part # BM92081.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U Part # BM92083.** Impedance Coax Dia. Replace ** with ANY length in Inches

RG316/U	
Part # BM	92085 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double Part # BM92087.** Impedance Coax Dia. Replace ** with ANY length in Inches

RG400/U	
Part # BM92089.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	with ANY

RG402/U	
Part # BM92091.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY	

length in Inches

RG402-Flex	
Part # BM92093.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex-Jacketed		
Part # BM92095.**		
Impedance	50	
Coax Dia.	.178"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG405/U	
Part # BM92097.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM92099.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex-Jacketed	
Part # BM92101.**	
Impedance	50
Coax Dia.	.127"
# of Shields	2
Replace ** with ANY length in Inches	



SMA Male 45 Degree to SMA Female

Bracke MFG



RG188A/U	
Part # BM92105.**	
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG223/U		
Part # BM92107.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		



RG316-Double		
Part # BM92111.***		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

	RG400/U	
	Part # BM	92113 .**
	Impedance	50
	Coax Dia.	.195"
	# of Shields	2
Replace ** with ANY length in Inches		

Bracke MFG

RG402/U		
Part # BM92115.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG402-Flex-Jacketed		
Part # BM92119.**		
Impedance	50	
Coax Dia.	.178"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG405/U		
Part # BM92121.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG40	5-Flex
Part # BM	92123 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex-Jacketed	
Part # BM	92125•**
Impedance	50
Coax Dia.	.127"
# of Shields	2
Replace ** with ANY length in Inches	



SMA Male 45 Degree to SMA Female Bulkhead

Bracke MFG





RGT	42B/U
Part # BM	192127 <u>.**</u>
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace *	* with ANY

length in Inches

DC442D/II

L	RG100A/U	
	Part # BM	92129 . **
ſ	Impedance	50
	Coax Dia.	.105"
	# of Shields	1
	Replace **	with ANY

DC400A/II

RG223/U			
Part # BM92131.**			
Impedance 50			
Coax Dia211"			
# of Shields	2		
Replace ** with ANY length in Inches			

RG316/U			
Part # BM92133.**			
Impedance 50			
Coax Dia102"			
# of Shields	1		
Replace ** with ANY length in Inches			

RG316-Double			
Part # BM92135.**			
Impedance	pedance 50		
Coax Dia.	.114"		
# of Shields 2			
Replace ** with ANY length in Inches			

	RG400/U			
	Part # BM	92137 . **		
	Impedance	50		
	Coax Dia.	.195"		
	# of Shields	2		
	Replace ** length ir	with ANY n Inches		

RG402/U			
Part # BM	92139 .**		
Impedance 50			
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG402-Flex			
Part # BM92141.**			
Impedance 50			
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG402-Flex-Jacketed			
Part # BM92143.**			
Impedance 50			
Coax Dia.	.178"		
# of Shields	2		
Replace ** with ANY length in Inches			
lengui in inches			


RG405/U			
Part # BM92145.**			
Impedance 50			
Coax Dia085"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG405-Flex			
Part # BM92147.**			
Impedance 50			
Coax Dia.	.085"		
# of Shields 1			
Replace ** with ANY length in Inches			

	RG405-Flex-Jacketed			
	Part # BM92149.**			
ı	Impedance	50		
	Coax Dia.	.127"		
	# of Shields	2		
	Replace ** with ANY length in Inches			

75 Ohm SMB Plug to 75 Ohm SMB Plug






racke MFG	<u>(</u>	
RG59B/U		

rt# BM92491.**		l	Part # B
npedance	75	П	Impedance
Coax Dia.	.242"	П	Coax Dia.
of Shields	1	П	# of Shield
eplace ** with ANY			Replace

Banana Plugs to Banana Plugs



RG179B/U	
Part # BM	92487 . **
Impedance	75
Coax Dia.	.100"
# of Shields	1
Replace **	with ANY
ı ienatn ir	inches

RG180B/U		
Part # BM	92489 . **	
Impedance	95	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM92491.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG142B/U		
Part # BM91575.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	91571 .**	
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

_			
	RG5	RG58C/U	
	Part # BM	91572 .**	
]	Impedance	50	
1	Coax Dia.	.195"	
]	# of Shields	1	
		k with ANY n Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Male to SMA Male



Bracke MFG



RG142B/U		
Part # BM	91311 .**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
DC40EA/II		

RG174A/U		
Part # BM	91316 . **	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** length ir	with ANY n Inches	

RG178B/U		
Part # BM	91312 . **	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG180B/U	
Part # BM	92304.**
Impedance	95
Coax Dia.	.141"
# of Shields	1
Replace ** length ir	with ANY Inches

RG188A/U	
Part # BM	91319 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** length ir	with ANY n Inches

RG188-Double	
Part # BM	92306 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY	

RG195A/U		
Part # BM92444.**		
Impedance	95	
Coax Dia.	.145"	
# of Shields	1	
Replace ** with ANY length in Inches		
PG316 Double		

RG196A/U		
Part # BM91320.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U		
Part # BM	92308 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM92310.**		
Impedance 50		
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U			
Part # BM91310.**			Pa
Impedance 50			l
Coax Dia211"			_
# of Shields 2			#
Replace ** with ANY length in Inches		R	

RG316/U	
Part # BM	91317 .**
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double		
Part # BM91318.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM92312.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG4	00/U	
Part # BM	91313 .**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
_		

RG401/U		
Part # BM91321.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Alum	
Part # BM	91322 . **
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** length in	with ANY Inches

RG401-Flex		
Part # BM	91323 .**	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U		
Part # BM91324.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		




RG402-Flex	
Part # BM	91326 .**
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

Part # BM92314.** Impedance 50 Coax Dia178"		
Coax Dia178"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG405/U		
Part # BM91327.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG4	05	-Alum
Part # Bl	M	91328 .**
Impedance		50
Coax Dia.		.085"
# of Shield	s	1
Replace length	<u>**</u> 1i r	with ANY n Inches

RG405-Flex		
Part # BM91329.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG55B/U		
Part # BM92318.**		
Impedance	54	
Coax Dia.	.200"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91309.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM91314.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG62A/U		
Part # BM91315.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM92320.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

Semi-Rigid 020	
Part # BM	92322.**
Impedance	50
Coax Dia.	.020"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigid 034	
Part # BM	92324 . **
Impedance	50
Coax Dia.	.034"
# of Shields	1
Replace ** with ANY length in Inches	
Replace ** with ANY	

Semi-Rigid 047	
Part # BM	91330.**
Impedance	50
Coax Dia.	.047"
# of Shields	1
	with ANY n Inches
CDAA	NA - I

Semi-Rigid 047-Alum	
Part # BM91331.**	
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	


		Semi-Rigi	d 047-Flex
		Part # BM	91332 . **
		Impedance	50
1		Coax Dia.	.047"
		# of Shields	1
		Replace ** length ir	
_			



SMA Male 45 Degree to SMA Male 45 Degree

Bracke MFG

Bracke MFG



RG142B/U	
Part # BM	92151 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
	with ANY

RG188A/U	
Part # BM92153.**	
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	
-	

RG223/U		
Part # BM92155.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG316/U	
Part # BM92157.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

110010	Double
Part # BM	92159 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** length ir	with ANY Inches

Part # BM92161.**	
Replace ** with ANY length in Inches	

RG402/U		
Part # BM92163.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM	92165 <u>**</u>	
Impedance	50	
Coax Dia141"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex-Jacketed		
Part # BM92167.**		
Impedance	50	
Coax Dia.	.178"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG405/U	
Part # BM92169.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM	92171 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

DO 40E EL

RG405-Flex-Jacketed	
Part # BM92173.**	
Impedance	50
Coax Dia.	.127"
# of Shields	2
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Male to SMA Male Right Angle

Bracke MFG




RG142B/U	
Part # BM91335.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U		
art # BM	91340 .**	
Impedance 50		
Coax Dia100"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM91336.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG180B/U		
Part # BM92430.**		
Impedance	95	
Coax Dia.	.141"	
# of Shields 1		
Replace ** with ANY length in Inches		



RG188-Double	
Part # BM92432.**	
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG196A/U		
Part # BM91344.**		
Impedance	50	
Coax Dia072"		
# of Shields	1	
Replace ** with ANY length in Inches		

DO0	00/11	
RG223/U		
Part # BM91334.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U	
Part # BM91341.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double	
Part # BM	91342 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

PC216 Double

RG400/U	
Part # BM91337.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U	
Part # BM91648.**	
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	

RG401-Alum	
Part # BM	91649 .**
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace **	with ANY

length in Inches



RG402/U	
Part # BM91345.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	


RG402-Alum		
Part # BM	91346 .**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM91347.**		
Impedance 50		
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex-Jacketed	
Part # BM92434.**	
Impedance	50
Coax Dia.	.178"
# of Shields	2
Replace ** with ANY length in Inches	

RG405/U	
Part # BM91348.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Alum		
Part # BM91349.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY		






RG58C/U	
Part # BM91333.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG59B/U	
Part # BM91338.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG62A/U	
Part # BM91339.**	
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY	



Semi-Rigid 020	
Part # BM92436.**	
Impedance	50
Coax Dia.	.020"
# of Shields	1
Replace ** with ANY length in Inches	


Semi-Rigid 034	
Part # BM	92438 . **
Impedance	50
Coax Dia.	.034"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigid 047	
Part # BM91351.**	
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigid 047-Alum	
Part # BM91352.**	
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigid 047-Flex	
Part # BM	91353 .**
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	

SMA Female Bulkhead to SMA Female Bulkhead







RG142B/U	
Part # BM	91740 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Danlage #4	e suith ANIV

Replace ** length ir	
icingui ii	1 11101103
DC 40	2 Flave

RG174A/U	
Part # BM91739.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG223/U	
Part # BM91741.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY	

RG316/U	
Part # BM91742.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double	
Part # BM	91749 .**
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY	

RG401-Flex				
Part # BM	91748 . **			
Impedance	50			
Coax Dia.	.250"			
# of Shields 1				
Replace ** with ANY length in Inches				

RG402-Flex		
Part # BM	91743 .**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG405-Flex				
Part # BM91747.**				
Impedance 50				
Coax Dia.	.085"			
# of Shields 1				
Replace ** with ANY length in Inches				

RG58C/U				
Part # BM91738.**				
Impedance 50				
Coax Dia195"				
# of Shields 1				
Replace ** with ANY				

Semi-Rigid 020				
Part # BM	91745 .**			
Impedance	50			
Coax Dia.	.020"			
# of Shields 1				
Replace ** with ANY length in Inches				

Semi-Rigid 034				
Part # BM	91746 .**			
Impedance	50			
Coax Dia.	.034"			
# of Shields	1			
Replace ** with ANY length in Inches				

Semi-Rigid 047-Flex			
Part # BM	91744 .**		
Impedance 50			
Coax Dia.	.047"		
# of Shields	1		
Replace ** with ANY length in Inches			



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



SMA Male Right Angle to SMA Male Right Angle



Bracke MFG

Bracke MFG



RG142B/U	RG174A/U	RG178B/U	RG180B/U	RG188A/U	RG188-Double	
Part # BM91356.** Impedance 50 Coax Dia. 195" # of Shields 2	Part # BM91358.** Impedance 50 Coax Dia. 100" # of Shields 1	Part # BM92398.** Impedance 50 Coax Dia072" # of Shields 1	Part # BM92400.** Impedance 95 Coax Dia141" # of Shields 1	Part # BM91361.** Impedance 50 Coax Dia. 105" # of Shields 1	Part # BM92402.** Impedance 50 Coax Dia118" # of Shields 2	
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	
RG196A/U	RG223/U	RG316/U	RG316-Double	RG400/U	RG401/U	
Part # BM92404.** Impedance 50 Coax Dia072" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91355.** Impedance 50 Coax Dia211" # of Shields 2 Replace ** with ANY length in Inches	Part # BM91359.** Impedance 50 Coax Dia102" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91360.** Impedance 50 Coax Dia114" # of Shields 2 Replace ** with ANY length in Inches	Part # BM91357.** Impedance 50 Coax Dia195" # of Shields 2 Replace ** with ANY length in Inches	Part # BM92406.** Impedance 50 Coax Dia250" # of Shields 1 Replace ** with ANY length in Inches	
RG401-Alum	RG401-Flex	RG402/U	RG402-Alum	RG402-Flex	RG402-Flex-Jacketed	
Part # BM92408.** Impedance 50 Coax Dia250" # of Shields 1 Replace ** with ANY length in Inches	Part # BM92410.** Impedance 50 Coax Dia250" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91363.** Impedance 50 Coax Dia141" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91364.** Impedance 50 Coax Dia141" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91365.** Impedance 50 Coax Dia141" # of Shields 1 Replace ** with ANY length in Inches	Part # BM92412.** Impedance	
RG405/U	RG405-Alum	RG405-Flex	RG405-Flex-Jacketed	RG55B/U	RG58C/U	
Part # BM91366.** Impedance 50 Coax Dia085" # of Shields 1 Replace ** with ANY length in Inches	Part# BM91367.** Impedance 50 Coax Dia085" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91368.** Impedance 50 Coax Dia085" # of Shields 1 Replace ** with ANY length in Inches	Part # BM92058.** Impedance 50 Coax Dia127" # of Shields 2 Replace ** with ANY length in Inches	Part # BM92414.** Impedance 54 Coax Dia200° # of Shields 2 Replace ** with ANY length in Inches	Part # BM91354.** Impedance 50 Coax Dia195" # of Shields 1 Replace ** with ANY length in Inches	
RG59B/U	Semi-Rigid 020	Semi-Rigid 034	Semi-Rigid 047	Semi-Rigid 047-Alum	Semi-Rigid 047-Flex	
Part # BM91362.** Impedance 75 Coax Dia242" # of Shields 1 Replace ** with ANY length in Inches	Part # BM92416.** Impedance 50 Coax Dia020" # of Shields 1 Replace ** with ANY length in Inches	Part # BM92418.** Impedance 50 Coax Dia034" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91369.** Impedance 50 Coax Dia047" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91370.** Impedance 50 Coax Dia047" # of Shields 1 Replace ** with ANY length in Inches	Part # BM91371. ** Impedance	

10-32 Male to 10-32 Male







RG174A	/U	RG178B/U RG188A/U		√U	RG196A/U		RG316/U		RG316-Double		
Part # BM910	24.**	Part # BM9	Part # BM91034.** Part # BM92393.** Part # BM92395.**		Part # BM92393.**		92395 <u>**</u>	Part # BM91061.**		Part # BM92397.**	
Impedance	50	Impedance	50	Impedance	50	Impedance	50	Impedance	50	Impedance	50
	.100"	Coax Dia.	.072"		.105"	Coax Dia.	.072"	Coax Dia.	.102"	Coax Dia.	.114"
# of Shields	1	# of Shields	11	# of Shields	_1	# of Shields	1	# of Shields	11	# of Shields	2
Replace ** with length in Inc		Replace ** length in		Replace ** with ANY length in Inches		Replace ** length in		Replace ** length in		Replace ** length in	

10-32 Male to 10-32 Male Right Angle





RG174A/U			
Part # BM91099.**			
Impedance 50			
Coax Dia100"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG178B/U				
Part # BM	91117 .**			
Impedance 50				
Coax Dia072"				
# of Shields 1				
Replace ** with ANY length in Inches				

RG188A/U				
Part # BM	92387 . **			
Impedance 50				
Coax Dia105"				
# of Shields 1				
Replace ** with ANY length in Inches				

RG196A/U	
Part # BM92389.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG316/U	
Part # BM91141.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY	

length in Inches

RG316-	Double
Part # BM	92391 <u>.**</u>
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** length ir	with ANY Inches



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





SMA Female to SMA Male

Bracke MFG



RG142B/U	
Part # BM91295.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM91297.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U	
Part # BM91301.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U	
Part # BM91300.**	
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG188-Double	
Part # BM	92376 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG196A/U	
Part # BM	91302 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG213/U	
Part # BM	92378 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U	
Part # BM92380.**	
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG223/U		
Part # BM91294.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		
`		

RG316/U		
Part # BM91298.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double	
Part # BM91299.**	
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM92382.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM9	91296 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** length ir		



RG401-Alum		
Part # BM91304.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex		
Part # BM	91305 . **	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Alum

Part # BM91641.**

RG402/U		
Part # BM91306.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex

Part # BM91642.**

Replace ** with ANY

Impedance Coax Dia.

of Shields

RG402-Alum		
Part # BM	91307 .**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace **	with ANY	
longuin	111101103	

RG402-Flex		
Part # BM91308.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG405/U	
Part # BM91640.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	


Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		
Semi-R	igid 047	
Semi-R		

length in Inches	
Semi-Rigio	l 047-Alun
Part # BM	91644 . **
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace **	with ANY

	rait# Divi32300		
Impedance 50			
	Coax Dia.	.127"	
	# of Shields 2 Replace ** with ANY length in Inches		
	Semi-Rigid 047-Flex Part # BM91645.**		

RG405-Flex-Jacketed Part # BM92386. **

RG58C/U		
Part # BM91293.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG178B/U

Part # BM91655.**

Replace ** with ANY

length in Inches

Impedance

of Shields

Semi-Rigid 034		
Part # BM	91646 .**	
Impedance	50	
Coax Dia.	.034"	
# of Shields	1	
Replace ** with ANY length in Inches		
MCV Disse 4		

Semi-Rigid 047		
Part # BM91643.**		
Impedance	50	
Coax Dia.	.047"	
# of Shields	1	
Replace ** with ANY length in Inches		
Replace **		

047-Alum	Semi-Rigi	Semi-Rigid 047-Flex	
1644 -**	Part # BM	91645 <u>**</u>	
50	Impedance	50	
.047"	Coax Dia.	.047"	
1	# of Shields	1	
with ANY Inches	Replace ** with ANY length in Inches		

Bracke MFG

MCX Plug to MCX Plug




RG174A/U

Part # BM91651.**

Replace ** with ANY

length in Inches

Impedance # of Shields



	Coax Dia.	.105"
	# of Shields	1
Replace ** with ANY		
	length in Inches	

RG196A/U		
Part # BM91656.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91652.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM91653.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

10-32 Male Right Angle to 10-32 Male Right Angle



Bracke MFG

RG174A/U	
Part # BM	91075 . **
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U		
Part # BM91104.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM92381.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG196A/U	
Part # BM92383.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG316/U	
Part # BM91195.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-	Double
Part # BM	92385 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Female Bulkhead to SMA Male Right Angle



Bracke MFG

Bracke MFG



RG174A/U	
Part # BM	91279 .**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U	
Part # BM	91278 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY	

RG188A/U	
Part # BM	91282 .**
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG188-	Double
Part # BM	92356 - **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** length in	with ANY n Inches

RG19	6A/U
Part # BM	91283 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG223/U	
Part # BM	91275 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG3	16/U
Part # BM	91280 .**
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	


RG316-	Double
Part # BM	91281 .**
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

277 .**	
50	
.195"	
2	
Replace ** with ANY length in Inches	

RG401/U		
Part # BM	91635 . **	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
	Part # BMS Impedance Coax Dia.	

RG401-Alum		
Part # BM	91636 . **	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex			
Part # BM91637.**			
Impedance 50			
Coax Dia250"			
# of Shields 1			
Replace ** with ANY length in Inches			



RG402-Alum			
Part # BM91288.**			
Impedance 50			
Coax Dia141"			
# of Shields 1			
Replace ** with ANY length in Inches			


Part # BM91289.**				
Impedance 50				
Coax Dia.	.141"			
# of Shields	1			
Replace ** with ANY length in Inches				
RG58C/U				

RG402-Flex

	Part # BM92358.			
	Impedance	50		
	Coax Dia.	.178"		
# of Shields 2				
	Replace ** with ANY length in Inches			
	RG59B/U			

RG402-Flex-Jacketed		F	RG4	05/U	
Part # BM92358.**		Part #	BM	91290 <u>•**</u>	
	Impedance	50	Impeda	ance	50
	Coax Dia.	.178"	Coax	Dia.	.085"
	# of Shields	2	# of Sh	ields	1
Replace ** with ANY length in Inches				with ANY n Inches	

RG405-Alum			
Part # BM91291.**			
Impedance 50			
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY length in Inches			







RG59B/U		
Part # BM92362.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

Semi-R	igid 020
Part # BM	91639.**
Impedance	50
Coax Dia.	.020"
# of Shields	1
	* with ANY n Inches


Semi-Rigid 034		
Part # BM91638.**		
Impedance 50		
Coax Dia.	.034"	
# of Shields	1	
Replace ** with ANY length in Inches		



Semi-Rigid 047-Alum		
Part # BM91285.**		
Impedance	50	
Coax Dia.	.047"	
# of Shields	1	
Replace ** with ANY length in Inches		

Semi-Rigid 047-Flex		
Part # BM91286.**		
Impedance	50	
Coax Dia.	.047"	
# of Shields	1	
Replace ** with ANY length in Inches		

1.85mm Male to 1.85mm Male



RG405/U		
Part # BM	91526.**	
Impedance	50	
Coax Dia.	.085"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG405-Alum	
Part # BM91527.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY	

	-41	
RG40	RG405-Flex	
Part # BM	91528 . **	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

2.4mm Male to 2.4mm Female



RG405-Alum	
Part # BM	91530 <u>.**</u>
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY	

Bracke MFG Bracke MFG

RG405-Flex	
Part # BM91531.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

2.4mm Male to 2.4mm Male



RG405/U		
Part # BM91532.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Alum		
Part # BM91533.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM91534.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

2.4mm Male to 2.4mm Female Bulkhead



RG405-Alum	
Part # BM	92496 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM	92498 <u>**</u>
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	
, , , , , , , , , , , , , , , , , , , ,	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Male to SMA Female Bulkhead Right Angle



RG142B/U		
Part # BM91941.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Donland why with ANY		

Replace ** with ANY length in Inches

RG174A/U		
Part # BM91943.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM92420.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U	
Part # BM	91945 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG188-Double	
Part # BM	92422 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG196A/U	
Part # BM92424.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG223/U	
Part # BM91947.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY	

length in Inches

RG316/U	
Part # BM91949.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double		
Part # BM91954.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U	
Part # BM	91956 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG402/U		
Part # BM91962.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Alum		
Part # BM92442.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex	
Part # BM	91964.**
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace **	with ANY

length in Inches

RG402-Flex-Jacketed		
Part # BM	92426 <u>**</u>	
Impedance	50	
Coax Dia.	.178"	
# of Shields	2	
Replace ** with ANY length in Inches		
L. Di	-I-4 A-	

RG405/U			
Part # BM	91966 . **		
Impedance 50			
Coax Dia085"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG405-Flex				
1968 . **	Part # BM			
Impedance 50				
Coax Dia085"				
1	# of Shields			
Replace ** with ANY length in Inches				
1 with AN	# of Shields Replace **			

RG405-Flex-Jacketed		
Part # BM92428.**		
Impedance	50	
Coax Dia.	.127"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG5	8C/U		
Part # BM	91970 .**		
Impedance 50			
Coax Dia.	.195"		
# of Shields	1		
	with ANY n Inches		



SMA Male Right Angle to SMA Female Bulkhead Right Angle,

Bracke MFG

Bracke MFG



RG174A/U			
Part # BM91974.**			
Impedance 50			
Coax Dia.	.100"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG178B/U			
Part # BM	92388 . **		
Impedance 50			
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG188A/U			
Part # BM91976.**			
Impedance	50		
Coax Dia105"			
# of Shields 1			
Replace ** with ANY length in Inches			



RG196A/U			
Part # BM	92392 . **		
Impedance	50		
Coax Dia.	.072"		
# of Shields	1		
	with ANY n Inches		

RG223/U			
Part # BM	91978 . **		
Impedance 50			
Coax Dia.	.211"		
# of Shields	2		
Replace **	with ANY		

# of Shields 2 Replace ** with ANY length in Inches	Coax Dia.	.211
	# of Shields	2

RG316/U			R
art# BM	91980 <u>.**</u>		Par
mpedance 50			lm
Coax Dia102"			Co
f of Shields 1			# o
Replace ** with ANY length in Inches		Re	
iengin ir	1 inches		

RG316-	Double
Part # BM	91982 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM91984.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
-		

RG402/U	
Part # BM	91986 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum		
	Part # BM9	92440 <u>**</u>
	Impedance	50
	Coax Dia.	.141"
	# of Shields	1
Replace ** with ANY length in Inches		

RG402-Flex	
Part # BM91988.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex-Jacketed	
Part # BM	92394 .**
Impedance	50
Coax Dia.	.178"
# of Shields	2
Replace ** with ANY length in Inches	

RG405/U	
Part # BM91990.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	
longara	

RG405-Flex		
Part # BM	91992 .**	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex-Jacketed	
Part # BM92396.**	
Impedance	50
Coax Dia.	.127"
# of Shields	2
Replace ** with ANY length in Inches	

RG58C/U	
Part # BM91994.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

4.1/9.5 Din Male to 4.1/9.5 Din Male



Bracke MFG

Bracke MFG



RG142B/U	
Part # BM	91856 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	

RG214/U	
Part # BM	91858 .**
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG223/U	
Part # BM	91860 <u>**</u>
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U		
Part # BM91862.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM91864.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BM	91866.**
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Female Bulkhead to SMA Male

Bracke MFG

Bracke MFG



RG142B/U	
Part # BM91254.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM	91257 .**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY	

length in Inches

RG178B/U	
Part # BM	91261 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U	
Part # BM	91260 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY	

RG188-Double	
Part # BM	92364 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace **	with ANY

RG196A/U		
Part # BM91256.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U		
Part # BM92366.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U	
Part # BM	92368.**
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG223/U		
Part # BM	91253 . **	
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		
iongui iii iiiones		

RG316/U		
Part # BM91258.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG316-Double		I
Part # BM	91259 . **	Part #
Impedance	50	Imped
Coax Dia114"		Coax
# of Shields	2	# of Sh
Replace ** with ANY length in Inches		Repla lei

RG393/U	
Part # BM	92370 .**
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY	

RG400/U		
Part # BM91255.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG401/U		
Part # BM91262.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Alum		
Part # BM	91263 .**	
Impedance	50	
Coax Dia.	.250"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG401-Flex		
Part # BM	91264 .**	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		
-		

RG402/U		
Part # BM	91265 . **	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

	RG402-Alum		
	Part # BM	91266 .**	
	Impedance	50	
	Coax Dia.	.141"	
	# of Shields	1	
	Replace ** length in	with ANY n Inches	

DC 400 Al.

RG402-Flex		
Part # BM91267.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG405/U		
Part # BM91268.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Alum		
Part # BM91269.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM91270.**		
50		
.085"		
1		
Replace ** with ANY length in Inches		

RG405-Flex-Jacketed		
Part # BM92374.**		
Impedance	50	
Coax Dia.	.127"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91252.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Semi-Rigid 034		
Part # BM91633.**		
Impedance 50		
Coax Dia.	.034"	
# of Shields	1	
Replace ** with ANY length in Inches		
anla 4a		



	Semi-Rigid 047-Alum			
	Part # BM91272.**			
ı	Impedance 50			
	Coax Dia.	.047"		
١	# of Shields	1		
	Replace ** with ANY length in Inches			

MCX Plug to MCX Plug

Semi-Rigid 047-Flex		
Part # BM91273.**		
Impedance 50		
Coax Dia.	.047"	
# of Shields	1	
Replace ** with ANY length in Inches		

MCX Plug Right Angle to MCX Plug Right Angle





Bracke MFG

Right Angle

RG174A/U		
Part # BM91663.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

'4A/U	RG178B/U	
91663 . **	Part # BM91667.**	
50	Impedance	50
.100"	Coax Dia.	.072"
1	# of Shields	1
with ANY Inches	Replace ** with ANY length in Inches	

RG188A/U		
Part # BM91666.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG174A/U		
Part # BM	91657 . **	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U	
Part # BM91661.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U		
Part # BM91660.**		
Impedance	50	
Coax Dia105"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM	91668.**	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91664.**		
Impedance 50		
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	91665 <u>**</u>	
Impedance	50	
Coax Dia.	.114"	
# of Shields 2		
Replace ** with ANY length in Inches		

longar in monoc			
RG196A/U			
Part # BM	91662 <u>**</u>		
Impedance	Impedance 50		
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG3	16/U	RG316-Double		Double
Part # BM91658.**		Part #	BM	91659 . **
Impedance	50	Impeda	ance	50
Coax Dia.	.102"	Coax	Dia.	.114"
# of Shields	1	# of Sh	ields	2
Replace ** length ir	with ANY Inches	Replace ** with AN length in Inches		with ANY n Inches



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Bracke MFG

SMA Female to SMA Female

Bracke MFG



RG142B/U		
Part# BM	91714 .* *	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace *: length i	* with ANY n Inches	

RG174A/U		
Part # BM91715.**		
Impedance	50	
Coax Dia100"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG214/U		
Part # BM91716.**		
50		
.425"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	91717 .**	
Impedance	50	
Coax Dia211"		
# of Shields	2	
Replace ** with ANY		

RG316/U		
Part # BM91718.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM	91719 . **	
Impedance	50	
Coax Dia.	.390"	
# of Shields 2		
Replace ** with ANY		

RG401/U		
Part # BM91720.**		
Impedance 50		
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG401-Alum		
Part # BM91721.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex		
Part # BM91722.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U		
Part # BM91723.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402	2-Alum		RG40	2-Flex
Part # BM	91724 .**		Part # BM	91725 . **
Impedance	50	ΙΓ	Impedance	50
Coax Dia.	.141"		Coax Dia.	.141"
# of Shields	1		# of Shields	1
Replace ** length in	with ANY n Inches		Replace **	k with ANY n Inches

RG405/U		
Part # BM91726.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		



RG405-Flex		
Part # BM91728.**		
Impedance 50		
Coax Dia085"		
# of Shields	1	
Replace ** with ANY length in Inches		
1		

RG58C/U		
Part # BM91729.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM91730.**		
Impedance 75		
Coax Dia242"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG62A/U		
Part # BM91731.**		
Impedance 93		
Coax Dia242"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM91732.**		
Impedance 52		
Coax Dia405"		
# of Shields	1	
Replace ** with ANY		

length in Inches





Semi-Rigid 047		
Part # BM	91735 . **	
Impedance	50	
Coax Dia047"		
# of Shields	1	
Replace ** with ANY length in Inches		




_			
	Semi-Rigid 047-Flex		
	Part # BM	91737 .**	
1	Impedance	50	
]	Coax Dia.	.047"	
]	# of Shields	1	
	Replace **	with ANY Inches	
_			

SMA Female 2 Hole Panel Mount to SMA Female 2 Hole Panel Mount



Bracke MFG



RG402/U			
Part # BM91751.**			
Impedance 50			
Coax Dia141"			
# of Shields 1			
Replace ** with ANY length in Inches			

ING402-1 ICX			
Part # BM91750.**			
Impedance	50		
Coax Dia.	.141"		
# of Shields	1		
Replace ** length ir	with ANY Inches		
Jo 4 L	lolo P		

RG405/U		
Part # BM91752.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex			
Part # BM91753.**			
Impedance 50			
Coax Dia.	.085"		
# of Shields 1			
Replace ** with ANY length in Inches			

Semi-Rigid 047			
Part # BM91754.**			
Impedance	50		
Coax Dia.	.047"		
# of Shields	1		
Replace ** with ANY length in Inches			
4 4 4			

	Semi-Rigid 047-Flex Part # BM91755.***		
	Impedance	50	
	Coax Dia.	.047"	
	# of Shields	1	
	Replace ** with ANY length in Inches		

SMA Fema anel Mount to SMA Female 4 Hole Panel Mount



mm [0]				
RG142B/U			RG17	'8B/U
rt# BM9	91764 . **		Part # BMS	91759.
npedance	50	l	Impedance	50
Coax Dia195"			Coax Dia.	.072
of Shields 2			# of Shields	1

RG178B/U			RG18	8A/U
Part # BM91759.**			Part# BM	91766.**
Impedance	50		Impedance	50
Coax Dia.	.072"		Coax Dia.	.105"
# of Shields 1			# of Shields	1
Replace ** with ANY length in Inches			Replace ** length ir	with ANY Inches

RG196A/U		
Part # BM91760.**		
Impedance 50		
Coax Dia.	.072"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	91762 .**	
Impedance	50	
Coax Dia211"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	91765 <u>**</u>	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double	
Part # BM	91767 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace **	with ANY n Inches

Replace ** with ANY

length in Inches

RG400/U	
Part # BM9	91763 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM91756.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY	

RG405-Flex		
Part # BM91757.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91761.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

Semi-Rigid 047-Flex	
Part # BM	91758 .**
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601







Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



7/16 Din Male to 7/16 Din Male



RG142B/U	
Part # BM91566.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG213/U		
Part # BM91568.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM91569.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG217/U	
Part # BM	91607 . **
Impedance	50
Coax Dia.	.545"
# of Shields	2
Replace ** with ANY length in Inches	

RG218/U	
Part # BM91608.**	
Impedance	50
Coax Dia.	.870"
# of Shields	1
Replace ** with ANY length in Inches	

	6888	
RG223/U		
Part # BM91567.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM91570.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG400/U		
Part # BM91609.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
19		

RG401/U		
Part # BM91610.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex		
91612 .**		
50		
.250"		
1		
# of Shields 1 Replace ** with ANY length in Inches		

G401-Flex			RG402/U			F	RG5
BM	91612 . **	Part #	# BM9	91611 . **		Part #	ВМ
lance	50	Impe	dance	50	1	Impeda	ance
Dia.	.250"	Coa	x Dia.	.141"	7	Coax	Dia.
nields	1	# of S	Shields	1		# of Sh	ields
	with ANY Inches			with ANY Inches		Repla ler	ce <u>*</u> ngth i
7/	16 Dir	ı Ma	ale	to 7/	1	6 D	in

RG58C/U		
Part # BM91565.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

7/16 Din Male to 7/16 Din Female



Bracke MFG

Bracke MFG



Male Right Angle

Impedance

Coax Dia


RG142B/U		
Part # BM	91691 .**	
Impedance	50	

Part # BM91691.**		Part :	
Impedance	50		Impe
Coax Dia.	.195"		Coa
# of Shields	2		# of 8
Replace ** with ANY length in Inches			Rep



RG217/U		
Part # BM91688.**		
Impedance	50	
Coax Dia.	.545"	
# of Shields	2	
Replace ** with ANY length in Inches		






RG223/U		RG3
# BM	91686 -**	Part # BM
edance	50	Impedance
x Dia.	.211"	Coax Dia.
Shields	2	# of Shields
	with ANY	Replace *:
x Dia. Shields lace <u>**</u>	.211"	Coax Dia. # of Shields

	RG2	17/U
	Part # BM	91682 . **
	Impedance	50
П	Coax Dia.	.545"
	# of Shields	2
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91692.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

DC222/11



Part



RG214/U

Part # BM91683.**

Replace ** with ANY

length in Inches

RG223/U	RG393/U	RG58C/U RG223/U RG393/U		RG58C/U	
BM91692.**	Part # BM91687.**	Part # BM91690.** Part # BM91686.*		Part # BM91681.**	Part # BM91684.**
ince 50 Dia211" elds 2	Impedance 50 Coax Dia390" # of Shields 2	Impedance 50 Coax Dia195" # of Shields 1	Impedance 50 Coax Dia211" # of Shields 2	Impedance 50 Coax Dia390" # of Shields 2	Impedance 50 Coax Dia195" # of Shields 1
ce ** with ANY gth in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches	Replace ** with ANY length in Inches
BMA Jack 2 Hole Panel Mount to BMA Jack 2 Hole Panel Mount					

Bracke MFG

RG142B/U

Part # BM92494.**

Replace ** with ANY

length in Inches

Impedance

Coax Dia

of Shields

RG18	RG18	
Part # BM92499.**		Part # B
Impedance 50		Impedano

Coax Dia.	.105"
# of Shields	1
Replace **	

length in Inches

RG188-Double			
Part # BM92501.**			
Impedance 50			
Coax Dia.	.118"		
# of Shields 2			
Replace ** with ANY			

length in Inches

RG223/U			
Part # BM92503.**			
Impedance 50			
Coax Dia.	.211"		
# of Shields 2			
Replace ** with ANY			

RG316/U		
Part # BM92505.**		
Impedance 50		
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	92507 <u>.**</u>	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Renlace **	k with ANY	

length in Inches

Replace ** with ANY

RG400/U		
Part # BM92509.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U

Part # BM92497.**

Replace ** with ANY length in Inches

Impedance

Coax Dia # of Shields

RG402/U			
Part # BM92511.**			
Impedance 50			
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG402-Flex			
Part # BM92513.**			
Impedance 50			
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG405/U			
Part # BM92515.**			
Impedance	50		
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY length in Inches			
CV Dlue			

length in inches				
RG405-Flex				
Part # BM	92517 . **			
Impedance	50			
Coax Dia.	.085"			
# of Shields	1			
Replace ** with ANY length in Inches				

75 Ohm MCX Plug to 75 Ohm MCX Plug



BM59Mini-Black **RG179B/U** Part # BM92206.** Part # BM92128.**

Ш	Impedance	75
П	Coax Dia.	.100"
П	# of Shields	1
	Replace ** length ir	

RG187A/U		
Part # BM92130.**		
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-75Flex		
Part # BM92132.**		
Impedance	75	
Coax Dia.	.085"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM92210.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

Semi-Rig	id 405-75
Part # BM	92134 .**
Impedance	75
Coax Dia.	.085"
# of Shields	1
Replace ** with AN length in Inches	

Bracke MFG



Impedance Coax Dia. # of Shields

> **Bracke Manufacturing, LLC** PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



MHV Male to MHV Female



Bracke MFG



RG142B/U		
Part # BM92574.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U		
Part # BM9	92576 .**	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM	92578 . **	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U	
Part # BM	92580 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** length ir	with ANY Inches

RG214/U		
Part # BM	92582 . **	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with AN length in Inches		

RG223/U	
Part # BM	92584 .**
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY	

RG393/U		
Part # BM92586.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM	92588 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM92590.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields 1		
Replace ** with ANY length in Inches		
-1-4- BALIX		

RG59B/U		
Part # BM92592.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		
Esmala Di		

RG62A/U		R
Part # BM92594.**		Part# E
Impedance	93	Impedan
Coax Dia242"		Coax Di
# of Shields	1	# of Shie
Replace ** with ANY length in Inches		Replace leng

RG8A/U		
Part # BM92596.**		
Impedance	52	
Coax Dia405"		
# of Shields 1		
Replace ** with ANY length in Inches		



Bracke MFG

MHV Male to MHV Female Bulkhead Bracke MFG



RG142B/U		
Part # BM	92598 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY length in Inches		



RG188A/U			
Part # BM	92602 . **		
Impedance	50		
Coax Dia.	.105"		
# of Shields	1		
Replace ** with ANY length in Inches			
, and the second			


RG213/U		
Part # BM92604.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM92606.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	92608.**	
Impedance	50	
Coax Dia211"		
# of Shields 2		
Replace ** with ANY length in Inches		


Part # BM92610.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U



RG58C/U		
Part # BM92614.**		
Impedance	50	
Coax Dia195"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U	
Part # BM92616.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	



RG8A/U	
Part # BM92620.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	



MHV Male Right Angle to MHV Male Right Angle



Bracke MFG

RG142B/U	
Part # BM92622.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U		
Part # BM92624.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM	92626 . **	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U		
Part # BM92628.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U	
Part # BM9	92630.**
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY	

RG223/U	
Part # BM	92632 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM	92634 .**
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM92636.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	
NI	MOV

RG58C/U		
Part # BM	92638.**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U	
++	
Part # BMS	92640 .~
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY	
length in Inches	
MOVE	

RG6	2A/U
Part # BM	92642 .**
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** length ir	with ANY n Inches

RG8A/U		
Part # BM	92644 .**	
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		
Coax Dia. # of Shields Replace **	.405" 1 with ANY	

75 Ohm MCX Plug to 75 Ohm MCX Plug Right Angle



Part # BM92136.**

Replace ** with ANY

RG179B/U		
Part # BM	92039.**	
Impedance	75	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY		

RG187A/U		
Part # BM	92138 . **	
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405	-75Flex
Part # BM	92140 .**
Impedance	75
Coax Dia.	.085"
# of Shields	2
Replace ** length ir	with ANY n Inches

RG59B/U		
Part # BM	92208.**	
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace **		

Bracke N	IFG
Semi-Rig	id 405-75
Part # BM	92142 . **
Impedance	75
Coax Dia.	.085"
# of Shields	1
Replace **	with ANY

length in Inches



Impedance Coax Dia.

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMC Plug to SMC Jack Bulkhead





RG223/U

Part # BM91459.**

Replace ** with ANY

length in Inches

Impedance Coax Dia.

RG142B/U		
Part # BM	91446 <u>.**</u>	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	

length in Inches

RG174A/U		
Part # BM	91448 <u>.**</u>	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
D I	*** *****	

RG178B/U		
Part # BM	91449 . **	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY		

	`	
Bracke MFG		Bracke MFG

SMC Plug to SMC Plug Right Angle



RG142B/U			
Part # BM91446.**			F
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Penlace ++ with ANY			Г

RG174A/U		
Part # BM91448.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM91449.**		
Impedance 50		
Coax Dia.	.072"	
# of Shields 1		
Replace ** with ANY		

RG142B/U		RG17	74A/U
Part # BM91458.**		Part # BM	91460 <u>-*</u>
Impedance	50	Impedance	50
Coax Dia.	.195"	Coax Dia.	.100"
# of Shields	2	# of Shields	1
Replace ** with ANY length in Inches		Replace *:	<u>*</u> with ANY n Inches

RG178B/U		
Part # BM	91461 .**	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG188A/U		
Part # BM91451.**		
Impedance 50		
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188-	Double	
Part # BM	92613 . **	
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM	91450 .**	
Impedance 50		
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		RG188-Double		RG196A/U		
Part # BM9	91463 . **	Part # BM92619.**		Part # BM	Part # BM91462.**	
Impedance Coax Dia. # of Shields	50 .105"	Impedance Coax Dia. # of Shields	50 .118"	Impedance Coax Dia. # of Shields	.072" 1	
Replace ** length ir			with ANY n Inches		with ANY n Inches	

RG223/U		
Part # BM91447.**		
Impedance 50		
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		




RG316-Double		
Part # BM	92615 . **	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U			RG316-	Double
Part # BM91464.**			Part # BM	92621 .**
Impedance	50	ı	Impedance	50
Coax Dia.	.102"	ı	Coax Dia.	.114"
# of Shields	1		# of Shields	2
Replace ** with ANY length in Inches			Replace **	with ANY n Inches

RG400/U		
Part # BM91453.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG405-Flex



RG405-Alum		
Part # BM91455.**		
Impedance 50		
Coax Dia.	.085"	
# of Shields 1		
Replace ** with ANY length in Inches		

					_
RG400/U			RG4	05/U	
Part # BM91465.**			Part # BM	91466.**	P
Impedance	50	ı	Impedance	50	Г
Coax Dia.	.195"		Coax Dia.	.085"	
# of Shields	2		# of Shields	1	
Replace ** with ANY length in Inches			Replace ** length ir		

	RG405-Alum		
1	Part # BM	91467 . **	
ĺ	Impedance	50	
1	Coax Dia.	.085"	
l	# of Shields	1	
	Replace ** with ANY		
l	length in	n Inches	

Part # BM	91456 . **	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY		



RG58C/U		
Part # BM91445.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG405-Flex		RG405-Fle	x-Jacketed
Part # BM91468.**		Part # BM	92623 . **
Impedance	50	Impedance	50
Coax Dia.	.085"	Coax Dia.	.127"
# of Shields	1	# of Shields	2
Replace ** with ANY length in Inches			with ANY n Inches

Jacketed	RG5	BC/U
.623 .**	Part # BMS	91457 . **
50	Impedance	50
.127"	Coax Dia.	.195"
2	# of Shields	1
vith ANY nches	Replace ** with ANY length in Inches	

acke MFG

Mini UHF Male to Mini UHF Male

RG188A/U

Part # BM91707.**

Replace ** with ANY

length in Inches

Impedance

Coax Dia.

of Shields



RG174A/U

Part # BM91705.**

Replace ** with ANY

length in Inches

.100

Impedance

Coax Dia.

of Shields



UHF	Male	to	UHF
Bracko M	AEG.		R

racke MFG	
	-USSIV

RG223/U

Part# BM91709**.****

Replace ** with ANY length in Inches

Impedance

Coax Dia.

of Shields

l	RG142B/U			
	Part # BM91704.**			
l	Impedance	50	ı	П
l	Coax Dia.	.195"		
l	# of Shields 2			#
	Replace ** with ANY length in Inches			F

8-	Part # BIVI	Part # BIVI92623.—			9145/.—
0	Impedance	50		Impedance	50
35"	Coax Dia.	.127"		Coax Dia.	.195"
1	# of Shields	2		# of Shields	1
ANY es		Replace ** with ANY length in Inches		Replace ** length ir	
F Male to UHF Male					

	RG1	RG142B/U			
	Part # BN	л91704 .* *			
٦	Impedance	50			
]	Coax Dia.	.195"			
]	# of Shields	2			
	Replace ** with ANY				

RG213/U			RG2	23/U
Part # BM	91700 . **		Part # BM	91703 .**
Impedance	50	Ιſ	Impedance	50
Coax Dia.	.405"	l [Coax Dia.	.211"
# of Shields	1	[# of Shields	2
Replace ** with ANY length in Inches				Ł with ANY n Inches

RG316/U	
Part # BM	91706 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace **	with ANY

RG400/U		
eart # BM91710•**		
Impedance 50		
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY		
length in Inches		

RG58C/U		
Part # BM91708.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BM91702.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG59B/U	RG8A/U
Part # BM91701.**	Part # BM91699.**
Impedance 75	Impedance 52
Coax Dia242"	Coax Dia405"
# of Shields 1	# of Shields 1
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com



N Male to N Male

Bracke MFG



RG142B/U		
Part # BM91185.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U		
Part # BM	91188 .**	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM91187.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM91190.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG196A/U	
Part # BM	91191 .* *
Impedance	50
Coax Dia.	.072"
# of Shields	1
	with ANY Inches

RG213/U	
Part # BM91193.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM91194.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG217/U	
Part # BM	91631 - **
Impedance	50
Coax Dia.	.545"
# of Shields	2
Replace ** with ANY length in Inches	
g	

g		
RG218/U		
Part # BM	91632 . **	
Impedance	50	
Coax Dia.	.870"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91184.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91189.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	91197 .**
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM91186.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U		
Part # BM91198.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Alum	
Part # BM9	91199 .**
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	

RG401-Flex		
Part # BM91200.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		
·		

RG402/U	
Part # BM91201.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum	
Part # BM	91202 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM91203.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	



RG405-Alum		
Part # BM91205.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM91206.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91183.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U	
Part # BM	91192 . **
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	
ı ısıngur ıı	- 11101100

N Male to N Male Right Angle




Bracke MFG

Bracke MFG



RG142B/U	
Part # BM91209.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	





RG223/U		
Part # BM91208.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM91214.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM91210.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U	
Part # BM91603.**	
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY	

RG402/U	
Part # BM91602.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex		
Part # BM91604.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		
31.54		

RG405/U		
Part # BM91601.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91207.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM91211.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

N Male 45 Degree to N Male



Bracke MFG



RG400/U	
Part # BM	92180 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2



N Male 45 Degree to N Female Bulkhead

Bracke MFG



RG142B/U		
Part # BM92176.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM92178.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM92180.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG142B/U		
Part # BM92188.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

KG223/U	
Part # BM92190.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM92192.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



N Female to N Male



Bracke MFG



RG142B/U	
Part # BM91163.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	with ANY

length in Inches

RG174A/U	
Part # BM91165.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U		
Part # BM91625.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U	
Part # BM	91167 .**
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG188-Double	
Part # BM	91627 .**
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG196A/U		
Part # BM91626.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U	
Part # BM	91169 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace **	with ANY

length in Inches

RG214/U	
Part # BM	91170 .* *
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY	

RG223/U	
Part # BM91162.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U	
Part # BM91166.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double	
Part # BM91628.**	
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM91173.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM91164.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		



RG401-Alum	
Part # BM	91175 . **
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	

RG401-Flex		
Part # BM	91176 .**	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U	
Part # BMS	91177 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402	2-Alum
Part # BM	91178 .* *
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** length in	with ANY n Inches

RG402-Flex	
Part # BM	91179 .**
Impedance	50
Coax Dia.	.141"
# of Shields	1
	with ANY

DO 400 EI



RG405-Alum	
Part # BM	91181 .**
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG40	5-Flex	
Part # BM	91182 .**	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BM	91161 .**
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG8	BA/U
Part # BMS	91168 . **
Impedance	52
Coax Dia.	.405"
# of Shields	1
	with ANY n Inches



N Male Right Angle to N Male Right Angle





RG142B/U		
Part # BM91217.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG213/U	
Part # BM	91220 .**
Impedance	50
Coax Dia.	.405"
# of Shields	1
	with ANY n Inches

Bracke MFG

RG214/U		
Part # BM91221.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	91216 .**	
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	91224 .* *
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM	91218 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	

RG401/U	
Part # BM	91630 . **
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace **	with ANY

RG402/U	
Part # BM	91605 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY	

RG402-Flex	
Part # BM91629.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	
longar in mones	

RG405/U	
Part # BM91606.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG58C/U	
Part # BM	91215 .**
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

-			
	RG8A/U		
	Part # BM	91219.**	
	Impedance	52	
	Coax Dia.	.405"	
	# of Shields	1	
		with ANY n Inches	

SSMA Male to SSMA Male



RG174A/U	
Part # BM91576.**	
Impedance 50	
Coax Dia100"	
# of Shields 1	
Replace ** with ANY	

length in Inches

RG178B/U	
Part # BM	91581 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U	
Part # BM91577.**	
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG196A/U	
Part # BM	91582 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY	

RG3	16/U
Part # BM	91578 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace **	

RG316-	Double
Part # BM	91580 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
	with ANY n Inches

Bracke MFG



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Bracke MFG

N Female Bulkhead to N Male

Bracke MFG



RG14	2B/U
Part # BM	91133 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	

RG17	'4A/U
Part # BM	91135 . **
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** length ir	with ANY n Inches

RG17	'8B/U
Part # BM	91621 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** length ir	with ANY

RG18	88A/U
Part # BM	91137 .**
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** length ir	with ANY Inches

RG188-	Double
Part # BM	91623 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** length ir	

RG19	6A/U
Part # BM	91622 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
	with ANY

RG2	13/U
Part # BM	91139 .**
Impedance	50
Coax Dia.	.405"
# of Shields	1
	with ANY n Inches

RG2	14/U
Part # BM	91140 .**
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace **	with ANY n Inches

RG2	23/U
Part # BM	91712 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** length ir	with ANY n Inches

Part # BM91136.* Impedance 50 Coax Dia102"
Coax Dia102"
of Shields 1
Replace ** with AN length in Inches

RG316-Double		
Part # BM	91624 .**	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM	91143 .**	
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM91134.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		




RG401-Alum		
Part # BM	91145 <u>**</u>	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex		
Part # BM	91146.**	
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U	
Part # BM91147.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum	
Part # BM91148.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM91149.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	



RG405-Alum	
Part # BM	91151 .**
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	
D II - I	

RG405-Flex	
Part # BM91152.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	
- NI Mala E	

RG58C/U	
Part # BMS	91132 .**
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** length ir	with ANY Inches

RG8A/U	
Part # BM91138.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

N Female Bulkhead to N Male Right Angle



Bracke MFG





RG142B/U		
Part # BM91155.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

alest	
Part # BM91158.**	
Impedance 50	
Coax Dia405"	
# of Shields 1	
Replace ** with ANY length in Inches	

RG214/U		
Part # BM91159.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91154.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		
,		

RG393/U		
Part # BM91160.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U	
Part # BM	91156 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U	
Part # BM91599.**	
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	

RG402/U		
Part # BM91598.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM91600.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405/U		
Part # BM91597.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91153.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG8A/U	
Part # BM91157.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	



SSMA Male Right Angle to SSMA Male Right Angle



	$\overline{}$
Drooko	MEC
Diacke	IVIFG



RG178B/U			
Part # BM91595.**			
Impedance	50		
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG188A/U			
Part # BM91591.**			
Impedance	50		
Coax Dia.	.105"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG196A/U		
Part # BM91596.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91592.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	91594 .**	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



BNC Male to BNC Male







RG142B/U	
Part # BM91002.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM	91004 . **
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U		
Part # BM91711.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

DC400A/II	
RG188A/U	
Part # BM	91007 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY	

length in Inches

RG188-Double	
Part # BM	91008 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG213/U		
Part # BM91010.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U	
Part # BM	91011 . **
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

DC244/II

RG223/U		
Part # BM91001.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91005.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	91006 <u>**</u>	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U	
Part # BM91003.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U		
Part # BM91014.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Alum		
Part # BM91015.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex		
Part # BM91016.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U	
Part # BM91017.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum		
Part # BM91018.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG402-Flex		
Part # BM91019.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405/U	
Part # BM	91020 .**
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** length ir	with ANY n Inches

RG405-Alum		
Part # BM91021.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG58C/U		
Part # BM91000.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG62A/U		
Part # BM91013.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		


	RG8A/U	
	Part # BM	91009 . **
	Impedance	52
	Coax Dia.	.405"
	# of Shields	1
	Replace ** with ANY length in Inches	

BNC Male to BNC Male Right Angle



Bracke MFG

Bracke MFG



length in Incl

2	# of Shields	1	
n ANY hes		Replace ** with ANY length in Inches	
U	RG400/U		
	Part # BM91029.**		
31 .**	Part # BM	91029 .**	
31 <u>**</u>	Part # BM	91029.**	

Impedance Coax Dia.

RG188A/U		
Part # BM91033.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U			
Part # BM	91036 .**		
Impedance	50		
Coax Dia.	.405"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG214/U		
Part # BM91037.**		
Impedance 50		
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		
l lengum	liliches	

RG223/U		
Part # BM91027.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U			
Part # BM91031.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG400/U			
Part # BM91029.**			
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

length in Inches

RG174A/U

Part # BM91030.**

RG58C/U		
Part # BM91026.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U			
Part # BM91038.**			
Impedance 75			
Coax Dia242"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG62A/U		
Part # BM91039.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM91035.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

SSMA Male to SSMA Male Right Angle



RG174A/U

Part # BM91583.**

Replace ** with ANY

length in Inches

RG178B/U			RG18	8 A /U
Part # BM91588.**			Part # BM	91584 .**
Impedance	50		Impedance	50
Coax Dia072"			Coax Dia.	.105"
# of Shields 1			# of Shields	1
Replace ** with ANY			Replace **	with ANY

length in Inches

RG196A/U		
Part # BM91589.**		
Impedance 50		
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91585.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG316-	Double
Part # BM	91587 .**
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY	



Impedance

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601






BNC Male Right Angle to BNC Male Right Angle



Bracke MFG

RG174A/U	RG188A/U		RG213/U	Γ	R
		ı			



RG174A/U		
Part # BM	91045 . **	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM91048.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM	91051 .**	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM	91052 . **	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY		

RG223/U		
Part # BM91042.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

Bracke MFG

RG316/U		
Part # BM91046.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM91044.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

Part # BM91041.**		
50		
.195"		
1		
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM91053.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		
BNIA		

RG62A/U		
Part # BM91054.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM91050.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** length ir	with ANY n Inches	



Bracke MFG

BNC Male to BNC Female

Bracke MFG



RG142B/U		
Part # BM91057.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		



*		
Part # BM91062.**		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM91065.**		
50		
.405"		
1		
Replace ** with ANY length in Inches		

RG214/U	
Part # BM	91066 . **
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace **	with ANY n Inches

RG223/U		
Part # BM91056.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U	
Part # BM91060.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG400/U		
Part # BM91058.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
DNC		

RG58C/U		
Part # BM	91055 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		
ala ta BNC		

RG59B/U		
Part # BM91067.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		
Famala Bu		

RG62A/U	
Part # BM	91068 <u>**</u>
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM	91064 . **
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	




Bracke MFG





RG142B/U	
Part# BM	91071.**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	



RG188A/U	
Part # BM	91076 .**
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG213/U	
Part # BM	91079 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U	
Part # BM	91080 . **
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

D DM04070 **	
Part # BM91070.**	
Impedance 50	
Coax Dia211"	
# of Shields 2	
Replace ** with ANY length in Inches	

RG3	16/U
Part # BM	91074 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
	with ANY n Inches
	BNG

RG400/U	
Part # BM	91072.**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG58C/U	
Part # BM	91069 . **
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG59B/U	
Part # BM	91081 .**
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG62A/U	
Part # BM	91082 .**
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM	91078 . **
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** length ir	with ANY n Inches




BNC Male 45 Degree to BNC Female

Bracke MFG

Bracke MFG

_ ✓

BNC	Male 45 Degree	to
	BNC Male	
70		



RG223/U			
Part # BM92196.**			
Impedance	50		
Coax Dia.	.211"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG58C/U				
Part # BM92198.**				
Impedance	50			
Coax Dia.	.195"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG142B/U			
Part # BM	92182 . **		
Impedance	50		
Coax Dia.	.195"		
# of Shields 2			
Replace ** with ANY length in Inches			

	RG223/U			
	Part # BM	92184 . **		
ı	Impedance	50		
	Coax Dia.	.211"		
	# of Shields	2		
	Replace ** with ANY length in Inches			

Bracke MFG

RG5	BC/U	
Part # BM	92186 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com

Bracke MFG

SMB Jack Bulkhead to SMB Plug Right Angle



Bracke MFG







RG142B/U		
Part # BM91410.**		
Impedance 50		
Coax Dia195"		
# of Shields	2	

Replace ** with ANY length in Inches

KG1/4A/U		
Part # BM91412.**		
Impedance 50		
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM91413.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG14			
art # BM91422.**			Part
Impedance	50		Imp
Coax Dia.	.195"		Co
# of Shields 2			# of
Replace ** with ANY length in Inches			Rep

RG174A/U			RG17	'8B/U
art # BM91424.**			Part # BM	91425 <u>.**</u>
mpedance	50	İ	Impedance	50
Coax Dia.	.100"	ı	Coax Dia.	.072"
of Shields 1			# of Shields	1
Replace ** with ANY length in Inches			Replace ** length in	with ANY Inches

RG188A/U		
Part # BM91415.**		
Impedance 50		
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG188-Double		
Part # BM92625.**		
Impedance 50		
Coax Dia.	.118"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM91414.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U			RG	188-	Doubl	е
Part # BM91427.**			Part #	BMs	92631.	**
Impedance	50	ı	Impeda	ance	50	
Coax Dia.	.105"		Coax	Dia.	.118"	
# of Shields	1		# of Sh	ields	2	
Replace ** length ir	with ANY n Inches				with All	VΥ

D-44 PM01426 **				
Part # BM91426.**				
Impedance 50				
Coax Dia072"				
# of Shields 1				
Replace ** with ANY length in Inches				

RG223/U		
Part # BM91411.**		
Impedance 50		
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY		

length in Inches

		RG316/U				
		Part # BM9	91416 .**			
		Impedance	50			
Ξ		Coax Dia.	.102"			
		# of Shields	1			
	Replace ** with ANY length in Inches					

RG316-Double		
Part # BM92627.**		
50		
.114" 2		
Replace ** with ANY length in Inches		

RG223/U RG316/U		RC		
Part # BM	91423 .**	Part # BM	91428 .**	Part #
Impedance Coax Dia. # of Shields	50 .211" 2	Impedance Coax Dia. # of Shields	50 .102" 1	Impe Coa # of S
	with ANY n Inches		k with ANY n Inches	Repl

DA4000						
Part # BIM926	Part # BM92633.**					
Impedance	50					
	.114"					
# of Shields	2					
Replace ** with ANY length in Inches						

C/U

1421**.****

with **ANY**

RG400/U		
Part # BM91417.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG405/U		
Part # BM91418.**		
Impedance 50		
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG405-Alum		
Part # BM91419.**		
Impedance 50		
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke MFG

RG405/U			RG405-Alum			
BM91430.**			Part # BM	91431 . **		
ance	50		Impedance	50		
Dia.	.085"		Coax Dia.	.085"		
nields	1		# of Shields	1		
nce ** with ANY			Replace ** length ir	with ANY Inches		

RG405-Flex						
Part # BM91420.**						
Impedance	50					
Coax Dia.	.085"					
# of Shields 1						
Replace ** with ANY length in Inches						



RG58C/U					
Part # BM91409.**					
Impedance	50				
Coax Dia.	.195"				
# of Shields	1				
Replace ** with ANY length in Inches					


RG405-Flex			RG405-Flex-Jacketed			RG58	
Part # BM91432.**		F	Part # BM92635.**			Part # BN	191
Impedance	50		Impedance 50		ı	Impedance	Т
Coax Dia.	.085"	ΙГ	Coax Dia127"		ı	Coax Dia.	Т
# of Shields	1		# of Shields 2			# of Shields	
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches			Replace <u>*</u> length	

Mini SMP Female to Mini SMP Female





			0					
Mini	SMP	Fe	male	to	Mi	ni	SMF)
	Fem	ale	Righ	it A	ng	le		



length in Inches

RG4		RG4	
Part # BM		Part# B	
Impedance	ĺĺ	Impedano	
Coax Dia.	.085"	l	Coax Dia
# of Shields 1			# of Shield
Replace ** length in		Replace lengt	

RG405-Flex					
Part # BM92267.**					
Impedance	50				
Coax Dia.	.085"				
# of Shields	1				
Replace ** with ANY length in Inches					

RG178B/U						
Part # BM92275.**						
Impedance	50					
Coax Dia.	.072"					
# of Shields 1						
Replace ** with ANY length in Inches						

RG4		R	G40	5-Flex	
Part # BM92277.**			Part #	BM	92279.**
Impedance	50		Impedance		50
Coax Dia.	.085"		Coax Dia.		.085"
# of Shields 1			# of Sh	ields	1
Replace ** length in				with ANY Inches	

RG405-Flex-Jacketed					
Part # BM	BM92269.**				
Impedance	50				
Coax Dia.	.127"				
# of Shields	2				
Replace **	with ANY				

length in Inches

Semi-Rigid 047	Semi-Rigid	047-Flex
Part # BM92271.**	Part # BM92	2273 .**
Impedance 50	Impedance	50
Coax Dia047"	Coax Dia.	.047"
# of Shields 1	# of Shields	1
Replace ** with ANY length in Inches	Replace ** \ length in l	

	RG405-Flex-Jacketed Part # BM92281.***						
7	Impedance	50					
1	Coax Dia.	.127"					
]	# of Shields	2					
	Replace ** length ir						

Semi-Rigid 047			Semi-Rigid 047-Flex	
Part # BM92283.**			Part # BM	92285 <u>**</u>
Impedance	50	ı	Impedance	50
Coax Dia.	.047"		Coax Dia.	.047"
# of Shields	1		# of Shields	1
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMB Plug to SMB Plug

Bracke MFG

Bracke MFG

RG142B/U			
Part # BM91373.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields 2			
Replace ** with ANY			
lenath ir	n inches - I		

RG174A/U			
Part # BM	91375 . **		
Impedance	50		
Coax Dia.	.100"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG178B/U			
Part # BM92637.**			
Impedance 50			
Coax Dia.	.072"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG142B/U			
Part # BM	91398 . **		
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG174A/U			
Part # BM91400.**			
Impedance	50		
Coax Dia.	.100"		
# of Shields	1		
Replace ** with ANY length in Inches			

SMB Jack Bulkhead to SMB Plug

RG178B/U			
Part # BM91401.**			
Impedance 50			
Coax Dia072"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG188A/U			
Part # BM91377.**			
Impedance 50			
Coax Dia.	.105"		
# of Shields	1		
Replace ** with ANY length in Inches			


RG188-Double			
Part # BM91378.**			
50			
.118"			
2			
Replace ** with ANY length in Inches			

RG196A/U			
Part # BM91376.**			
Impedance	50		
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG188A/U			
Part # BM91403.**			
Impedance	50		
Coax Dia.	.105"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG188-Double			RG1	96A/U
Part # BM9	92643 . **		Part # BM	191402 . **
Impedance	50		Impedance	50
Coax Dia.	.118"		Coax Dia.	.072"
# of Shields	2		# of Shields	1
Replace ** with ANY length in Inches				* with ANY in Inches
		_		
D0040/II			D0040	

RG223/U			
Part # BM91374.**			
Impedance	50		
Coax Dia.	.211"		
# of Shields	# of Shields 2		
Replace ** with ANY length in Inches			



RG316-	RG316-Double				
Part # BM	91380 .**				
Impedance	50				
Coax Dia.	.114"				
# of Shields	2				
Replace ** with ANY length in Inches					
RG405-Alum					

RG223/U			
Part # BM91399.**			
Impedance 50			
Coax Dia.	.211"		
# of Shields 2			
Replace ** with ANY length in Inches			
RG400/U			

RG316/U			
Part # BM91404.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG405/U

RG316-Double			
Part # BM92645.**			
Impedance 50			
Coax Dia.	.114"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG405-Alum

RG400/U				
Part # BM91381.**				
Impedance 50				
Coax Dia.	.195"			
# of Shields 2				
Replace ** with ANY length in Inches				

RG405-Flex

Part # BM91384.**



Part # BM92639.**				
Impedance	50			
Coax Dia.	.085"			
# of Shields 1				
Replace ** with ANY length in Inches				
RG58C/U				
Part # BM91372 **				

lengin in inches	lengui iii	111101163
RG58C/U	RG40	5-Flex
# BM91372.**	Part # BM9	91408 <u>.</u> *
pedance 50	Impedance	50
ax Dia195"	Coax Dia.	.085"
Shields 1	# of Shields	1
place ** with ANY length in Inches	Replace ** length in	


	Part # BM91405.**		91405 . ** Part # BM91406 . **			Part # BM	91407 . **	
	Impedance	50	1	Impedance	50	ı	Impedance	50
	Coax Dia.	.195"	l	Coax Dia.	.085"		Coax Dia.	.085"
	# of Shields	2		# of Shields	1		# of Shields	1
Replace ** with ANY length in Inches			Replace ** with ANY length in Inches			Replace ** length ir		
RG405-Flex			RG405-Flex-Jacketed			RG5	8C/U	
+		1	+				++	

	Coa	x Dia.	.085"				
	# of S	Shields	1				
Y		Replace ** with ANY length in Inches					
_							
ed		RG58C/U					
*	Part #	Part # BM91397.**					
	Impe	dance	50				
	Coa	x Dia.	.195"				
		Maria Laborator	4				
	# of S	nieias	The state of the s				





RG58C/U			
Part # BM91372.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields 1			
Replace ** with ANY length in Inches			



Part # BM91397.** Impedance		RG58C/U			
Coax Dia195" # of Shields 1 Replace ** with ANY		Part # BM91397.**			
# of Shields 1 Replace ** with ANY		Impedance	50		
Replace ** with ANY		Coax Dia.	.195"		
		# of Shields	1		







RG142B/U	
Part # BM91770.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM9	91774 .**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U	
Part # BM	91771 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U	
Part # BM92664.**	
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	
RG316/U	

RG188-Double	
Part # BM	92666 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG196A/U		
Part # BM92668.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U	
Part # BM91777.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM91772.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91773.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

	10/0
Part # BM91775.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double		
Part # BM91779.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM91778.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM92670.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG55B/U		
Part # BM92672.**		
Impedance	54	
Coax Dia.	.200"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91769.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U	
Part # BM91776.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG62A/U	
Part # BM92674.**	
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM91768.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMC Plug to SMC Plug





SMC Plug Right Angle to SMC Plug Right Angle

*

RG142B/U	
Part # BM91434.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	with ANY

length in Inches

RG174A/U	
art # BM	91436 <u>.**</u>
Impedance	50
Coax Dia.	.100"

Replace ** with ANY

length in Inches

RG178B/U	
Part # BM91437.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG142B/U	
Part # BM	91482 . *
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with AN' length in Inches	

RG174A/U	
Part # BM	91484 . **
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U	
Part # BM	91485 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U		
Part # BM91439.**		
Impedance 50		
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG188-Double		
Part # BM92649.**		
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM91438.**		
Impedance 50		
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U			
Part # BM91487.**			
Impedance 50			
Coax Dia105"			
# of Shields	1		
Replace ** with ANY length in Inches			

RG188-Double			RG1	96A/U	
Part # BM	92655 . **		Part # BN	<i>I</i> 191486	**
Impedance	50	ı	Impedance	50)
Coax Dia.	.118"		Coax Dia.	.072	2"
# of Shields	2		# of Shields	1	
Replace ** with ANY length in Inches			Replace 2	** with A in Inches	

RG223/U		
Part # BM91435.**		
Impedance 50		
Coax Dia211"		
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM91440.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		
•		

RG316-Double		
Part # BM92651.**		
Impedance 50		
Coax Dia114"		
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U			
Part # BM91483.**			
Impedance 50			
Coax Dia.	.211"		
# of Shields 2			
Replace ** with ANY length in Inches			

RG316/U	RG316-Double
Part # BM91488.**	Part # BM92657.**
Impedance 50	Impedance 50
Coax Dia102"	Coax Dia114"
# of Shields 1	# of Shields 2
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches

RG400/U		
Part # BM91441.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG405/U			
Part # BM91442.**			
Impedance	50		
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG405-Flex-Jacketed


RG405-Alum		
Part # BM91443.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG400/U		
Part # BM	91489 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG405/U		RG405	-Alum
art # BM91490.**		Part # BM	91491 .**
mpedance	50	Impedance	50
Coax Dia.	.085"	Coax Dia.	.085"
of Shields	1	# of Shields	1
eplace ** with ANY length in Inches		Replace ** with ANY length in Inches	
eplace **		Replace **	

RG405-Flex		
Part # BM91444.**		
Impedance 50		
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY		

length in Inches



RG58C/U		
Part # BM91433.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM91492.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Fle	RG		
Part # BM	Part # BI		
Impedance	50	Impedance	
Coax Dia.	.127"	Coax Dia.	
# of Shields	2	# of Shields	
Replace ** length ir	Replace :		

	RG58C/U		
	Part # BM91481.**		
1	Impedance 50		
l	Coax Dia.	.195"	
	# of Shields	1	
Replace ** with ANY length in Inches			

MHV Male Right Angle to MHV Male



Bracke MFG

Bracke MFG



RG142B/U		
Part # BM92333.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY		

DC442D/II

r Snieias			# of Shields	
place <u>**</u> length ir	with ANY n Inches		Replace ** length in	

Impedance Coax Dia.

RG188A/U		
Part # BM92337.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM92339.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM92341.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM92343.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	92345 <u>.*</u>
Impedance	50
Coax Dia.	.390"
# of Shields	2
D 1	ALL AND

Of Officias	
Replace **	with ANY
length ir	n Inches

RG400/U		
Part # BM92347.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG174A/U Part # BM92335.**

> 100 ANY

RG58C/U		
Part # BM92349.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY		

RG59B/U		
Part # BM92351.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG62A/U	
Part # BMS	92353 . **
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U		
Part # BM92355.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



TNC Male to TNC Male



Bracke MFG

Bracke MFG



Part # BM91501.**	
Impedance 50	
impedance 30	
Coax Dia195"	
# of Shields 2	
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM91503.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG178B/U		
Part # BM91506.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

Impedance 50	RG188A/U	
	Part # BM91505.**	
		50
Coax Dia. .105"	Coax Dia.	.105"
# of Shields 1	# of Shields	1
Replace ** with AN length in Inches		

RG196A/U	
Part # BM91507.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG213/U	
Part # BM91509.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U	
Part # BM91510.**	
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	
length in Inches	

RG223/U	
Part # BM	91500 .**
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U	
Part # BM	91504 .**
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG393/U	
Part # BM	91513 .* *
Impedance	50
Coax Dia.	.390"
# of Shields	2
	with ANY n Inches

RG400/U	
Part # BM	91502 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U	
Part # BM91514.**	
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	

RG401-Alum	
Part # BM91515.**	
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	
-	

RG401-Flex	
Part # BM	91516 .**
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	

RG402/U	
Part # BM91517.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum	
Part # BM91518.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM	91519 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG405/U	
Part # BM	91520 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Alum	
Part # BM91521.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG142B/U

Part # BM92224.**

Replace ** with ANY

length in Inches

Impedance



RG58C/U	
Part # BM	91499 .**
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	
45 D	


RG58C/U

Part # BM92228.**

Replace ** with ANY

length in Inches

RG59B/U	
Part # BM	91511 .**
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	



TNC Male

Bracke MFG

59B/U	RG62A/U	RG8A/U
M91511.**	Part # BM91512.**	Part # BM91508.**
e 75	Impedance 93	Impedance 52
.242"	Coax Dia242"	Coax Dia405"
s 1	# of Shields 1	# of Shields 1
k* with ANY in Inches Replace ** with ANY length in Inches		Replace ** with ANY length in Inches
TNC Male 45 Degree to		

Reverse Polarity TNC Male 45 Degree to Reverse Polarity TNC Male

RG223/U

Part # BM92226.**

Replace ** with ANY

Impedance

of Shields

Coax Dia.



Bracke MFG

Impedance

of Shields




RG142B/U	
Part # BM	92212 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

SMF

Fem Bracke MFG

RG223/U		
Part # BM92214.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke MFG

length in Inches SMP Female to SMI **Female**



RG178B/U	
Part # BM92405.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG196A/U	
Part # BM92407.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG316/U		
Part # BM	92409 . **	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM92399.**		
Impedance 50		
Coax Dia072"		
# of Shields 1		
Replace ** with ANY length in Inches		

P Female to SN nale Right Ang	le
\times \times \times \times \times \times \times	Brack

				$\overline{}$
RG19	6A/U		RG3	16/U
Part # BM	92401 .**		Part # BM	92403 . **
Impedance	50	ı	Impedance	50
Coax Dia.	.072"		Coax Dia.	.102"
# -f Ch:-14-	1		# -4 CF:-14-	- 4

RG405/U		
Part # BM91493.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG405-Alum		
Part # BM91494.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG405-Flex Part # BM91495.** Impedance 50 Coax Dia085"		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG405/U		
Part # BM91496.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG405-Alum		
Part # BM91497.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY		

Replace ** with ANY

length in Inches

RG405-Flex		
Part # BM91498.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

Replace ** with ANY

length in Inches



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



75 Ohm BNC Female to 75 Ohm BNC Female







BM59Mini-Black	
Part # BM	92411 .**
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace **	with ANY

length in Inches

BM59M	ini-Blue	
Part # BM	92413 .**	
Impedance	75	
Coax Dia159"		
# of Shields	2	
Replace ** with ANY length in Inches		

BM59Mii	ni-Green
Part # BM	92415 .**
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace ** with ANY	

BM59Mini-Red		
Part # BM	92417 .**	
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		

BM59Mi	ni-White	
Part # BM	92419 .**	
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		

BM59Mini-Yellow			
Part # BM92421.**			
Impedance 75			
Coax Dia159"			
# of Shields 2			
Replace ** with ANY length in Inches			

RG11A/U			
Part # BM91171.**			
Impedance 75			
Coax Dia405"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG179B/U		
Part # BM91241.**		
Impedance	75	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		
- DNC Mala		

RG187A/U		
Part # BM9	91251 .**	
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY		
length in Inches		
Diaht /	\nalo t	

RG216/U			
Part # BM	91524 .**		Pa
Impedance	75		In
Coax Dia425"			
# of Shields 2			#
Replace ** with ANY length in Inches			R
75 Ohm BNC			•


RG59B/U			RG	SA/U
rt# BM	91196 .**		Part # BM	91047 . **
npedance	75		Impedance	75
coax Dia.	.242"		Coax Dia.	.332"
of Shields	1		# of Shields	2
eplace ** with ANY length in Inches				with ANY n Inches
Mala	Diabt	_	Analo	



75 Ohm BNC Male Right Angle to 75 Male Right Angle

Bracke MFG

TI I




Part # BM92423.**		Part # BM92425.**	
Impedance 75		Impedance	75
Coax Dia159"		Coax Dia.	.159"
# of Shields 2		# of Shields	2
Replace ** with AN length in Inches	Y	Replace ** length ir	with ANY n Inches

BM59Mini-Blue

BM59Mini-Green		
Part # BM	92427 . **	
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		





BM59Mini-White

BM59Mini-Yellow			
Part # BM92433.**			
Impedance 75			
Coax Dia159"			
# of Shields 2			
Replace ** with ANY length in Inches			

RG11A/U			
Part # BM91103.**			
Impedance 75			
Coax Dia.	.405"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG179B/U	
Part # BM91172.**	
Impedance	75
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG187A/U	
Part # BM91231.***	
Impedance	75
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG216/U		
Part # BM91242.**		
Impedance	75	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG59B/U	
Part # BM91129.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG6A/U	
Part # BM91077.**	
Impedance	75
Coax Dia.	.332"
# of Shields 2	
Replace ** with ANY length in Inches	



75 Ohm BNC Male to 75 Ohm BNC Female



BM59Mini-Black	
Part # BM	92447 .* *
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace **	with ANY

length in Inches

(BM59Mini-Blue	
<u>*</u>	Part # BM	92449 . **
	Impedance	75
	Coax Dia.	.159"
	# of Shields	2
1	Replace ** with ANY length in Inches	

BM59Mini-Green	
Part # BM	92451 .**
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace ** with ANY length in Inches	

BM59M	ini-Red
Part # BM	92453 . **
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace ** with ANY length in Inches	

BM59Mi	ni-White
Part # BM	92455 . **
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace ** with ANY length in Inches	

BM59Mini-Yellow	
Part # BM	92457 .**
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace ** with ANY length in Inches	

RG11A/U	
Part # BM91235.**	
Impedance	75
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG174A/U

Part # BM91675.**

Replace ** with ANY

length in Inches

RG179B/U				
Part # BM91525.**				
Impedance	75			
Coax Dia.	.100"			
# of Shields	1			
Replace ** with ANY length in Inches				
CY Dlug D				

_										
	RG18	RG187A/U		RG216/U			RG5	9B/U		
=	Part # BM91579.**			Part # BM91593.**			Part # BM	91523 .**		Part #
	Impedance	75		Impedance	75	ĺ	Impedance	75		Imped
	Coax Dia.	.105"		Coax Dia.	.425"		Coax Dia.	.242"	Ш	Coax
	# of Shields	1		# of Shields	2		# of Shields	1		# of Sh
	Replace ** length ir	with ANY Inches		Replace ** length ir				with ANY n Inches		Repla lei
?	ight Angle to MMCX Plug Right Angle									

length in Inches

RG216/U				
Part # BM91593.**				
Impedance	75			
Coax Dia.	.425"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG59B/U				
Part # BM91523.**				
Impedance 75				
Coax Dia.	.242"			
# of Shields	1			
Replace ** with ANY length in Inches				

	RG6A/U				
	Part # BM91223.**				
	Impedance 75				
	Coax Dia.	.332"			
	# of Shields	2			
Replace ** with ANY length in Inches					



Bracke MFG

RG17	'8B/U		RG18	B8A/U
Part # BM91678.**			Part# BM	91677 . **
Impedance 50			Impedance	50
Coax Dia072"			Coax Dia.	.105"
# of Shields 1			# of Shields	1
Replace **	with ANY		Replace *:	k with ANY

RG196A/U				
Part # BM91679.**				
Impedance 50				
Coax Dia.	.072"			
# of Shields 1				
Replace ** with ANY length in Inches				

RG316/U			
Part # BM91676.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG316-Double					
Part # BM	91680 .**				
Impedance	50				
Coax Dia.	.114"				
# of Shields	2				
Replace ** with ANY length in Inches					



Impedance Coax Dia. # of Shields

> **Bracke Manufacturing, LLC** PO Box 12319 Newport Beach, Ca 92658

length in Inches



Phone 949.756.1600 949.756.1601





75 Ohm BNC Male to 75 Ohm BNC Male





BM59Mini-Black				
Part # BM92471.**				
Impedance 75				
Coax Dia.	.159"			
# of Shields	2			
Replace ** with ANY length in Inches				

BM59Mini-Blue				
Part # BM	92473 .**			
Impedance	Impedance 75			
Coax Dia.	.159"			
# of Shields	2			
Replace ** with ANY length in Inches				

BM59Mi	ni-Green
Part # BM	92475 . **
Impedance	75
Coax Dia.	.159"
# of Shields	2
Replace **	

BM59Mini-Red					
Part # BM	92477 . **				
Impedance	75				
Coax Dia.	.159"				
# of Shields	2				
Replace ** with ANY length in Inches					

BM59Mini-White					
Part # BM	92479 .**				
Impedance	75				
Coax Dia.	.159"				
# of Shields	2				
Replace ** with ANY					

BM59Mini-Yellov						
Part # BM	92481 . **					
Impedance	75					
Coax Dia.	.159"					
# of Shields	2					
Replace ** with ANY length in Inches						

RG11A/U					
Part # BM91222.**					
Impedance 75					
Coax Dia.	.405"				
# of Shields	1				
Replace ** with ANY length in Inches					

RG179B/U					
Part # BM91573.**					
Impedance	75				
Coax Dia.	.100"				
# of Shields	1				
Replace ** with ANY length in Inches					
iongar in mones					

RG187A/U					
Part # BM	91817 .**				
Impedance	75				
Coax Dia.	.105"				
# of Shields	1				
Replace ** with ANY length in Inches					

RG216/U					
Part # BM	91819 .**				
Impedance	75				
Coax Dia.	.425"				
# of Shields	2				
Replace ** with ANY length in Inches					

RG59B/U					
Part # BM91383.**					
Impedance	75				
Coax Dia.	.242"				
# of Shields	1				
Replace ** with ANY length in Inches					

BM59Mini-White

Part # BM92443.**

Replace ** with ANY

length in Inches

Impedance

Coax Dia. # of Shields

RG6A/U					
Part # BM91142.**					
Impedance 75					
Coax Dia.	.332"				
# of Shields	2				
Replace ** with ANY length in Inches					

BM59Mini-Yellow

Part # BM92445.**

Replace ** with ANY

Impedance

Coax Dia. # of Shields

Bracke MFG

7	5	Ohm	BNC	Male	to	75	Ohm	BNC	Female	Bulkhe	ad
;											Brac





BM59Mini-Black					
Part # BM	92435 . **				
Impedance	75				
Coax Dia.	.159"				
# of Shields	2				
Replace ** with ANY length in Inches					
length in Inches					

RG11A/U

Part # BM91586.**

Replace ** with ANY

length in Inches

Impedance

of Shields

Coax Dia



RG179B/U

Part # BM91820.**

Impedance

of Shields

Coax Dia

BM59Mi	ni-Green			
Part # BM	92439 . **			
Impedance	75			
Coax Dia.	.159"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG187A/U

Part # BM91822.**

Impedance

of Shields

Coax Dia

Impedance	75
Coax Dia.	.159"
# of Shields	2
	with ANY Inches
RG216/U	
Part # BM	91824.**

Coax Dia.

of Shields

BM59Mini-Red

Part # BM92441.**

_			
	RG59B/U		
	Part # BM	91818 .* *	
	Impedance	75	
	Coax Dia.	.242"	
	# of Shields	1	
		with ANY n Inches	

length in Inches		
RG6A/U		
Part # BM91574.**		
Impedance	75	
Coax Dia332"		
# of Shields 2		
Replace ** with ANY		

Replace ** with ANY Replace ** with ANY Replace ** with ANY length in Inches length in Inches length in Inches 75 Ohm BNC Male to 75 Ohm BNC Male Right Angle



~	_
La ≣II	Bracke MFG
□₽₩.	

BM59Mi	ni-Black		BM59M	ini-Blue
Part # BM	92459 .**		Part # BM	92461 .**
Impedance	75	l	Impedance	75
Coax Dia.	.159"	1	Coax Dia.	.159"
# of Shields	2		# of Shields	2
Replace ** length ir	with ANY Inches		Replace **	with ANY Inches

lue	BM59Mi	BM59Mini-Greei		
1.**	Part # BM	92463 . **		
5	Impedance	75		
59"	Coax Dia.	.159"		
2	# of Shields	2		
ANY es		Replace ** with ANY length in Inches		

BM59Mini-Red		
Part # BM	92465 . **	
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		
length ir	n Inches	

BM59Mini-White		
Part # BM	92467 .**	
Impedance	75	
Coax Dia.	.159"	
# of Shields 2		
Replace ** with ANY length in Inches		

BM59Mini-Yellow		
Part # BM92469.**		
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG11A/U		
Part # BM91040.**		
Impedance	75	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG179B/U			
Part # BM	91088 . **		
Impedance	75		
Coax Dia.	.100"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG178B/U

Part # BM91124.**

Replace ** with ANY

length in Inches

Impedance Coax Dia.

RG187A/U		
Part # BM91114.**		
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG216/U	
Part # BM91131.**	
Impedance	75
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	
,	_

RG59B/U			I	RG
art # BM	91063 . **		Part #	ВМ
Impedance	75		Impeda	
Coax Dia.	.242"	l	Coax	Dia.
# of Shields	1		# of Sh	ields
	with ANY Inches		Repla ler	ce :

RG6	A/U	
Part # BM	91025 . **	
Impedance	75	
Coax Dia.	.332"	
# of Shields	2	
Replace ** length ir	with ANY n Inches	

MMCX Plug to MMCX Plug



RG174A/U

Part # BM91121.**

Replace ** with ANY

	RG188A/U		
	Part # BM	91123 .**	
İ	Impedance	50	
ı	Coax Dia.	.105"	
	# of Shields	1	
	Replace **	with ANY	

length in Inches

RG188-Double		
Part # BM91619.**		
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM91125.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG3	16/U
Part # BM	91122 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	



Impedance Coax Dia.

of Shields

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com

Bracke MFG



QMA Male to QMA Male

Bracke MFG



RG142B/U		
Part # BM	91857 .**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	

Replace ** with ANY length in Inches

RG174A/U		
Part # BM	91859 . **	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG188A/U		
Part # BM	91861 .**	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U	
Part # BM	91863 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG3	16/U
Part # BM	91865 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double		
Part # BM91867.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U	
Part # BM	91869 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	with ANY Inches

RG402/U	
Part # BM91871.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM	91873 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG405/U	
Part # BM	91875 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM91877.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	
	4 5

RG58C/U	
Part # BM91879.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	



QMA Male Right Angle to QMA Male Right Angle

Bracke MFG

Bracke MFG

RG142B/U	
Part # BM91832.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Devilere dub with ANY	


of Shields | 2

Replace ** with ANY
length in Inches

RG174A/U		
Part # BM91834.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U	
Part # BM91836.**	
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	





RG316-Double	
Part # BM	91842 .**
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM91844.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG402/U		
Part # BM91846.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM	91848 <u>**</u>	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		
1 1 011		

RG405/U		
Part # BM91850.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM91852.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91854.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



QMA Male to QMA Female Bulkhead

Bracke MFG

Bracke MFG



RG142B/U		
Part # BM	91931 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	

of Shields 2

Replace ** with ANY
length in Inches

RG174A/U		
Part # BM	91933 . **	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U

RG188A/U		
Part # BM91935.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

	RG223/U	
	Part # BM	91937 .**
l	Impedance	50
	Coax Dia.	.211"
	# of Shields	2
	Replace ** length ir	

RG316/U		
Part # BM91939.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM91893.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U	
Part # BM	91895 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	with ANY n Inches

	Part # BM91897	
	Impedance	50
1	Coax Dia.	.141"
]	# of Shields	1
	Replace ** with AN' length in Inches	

RG402-Flex		
Part # BM91899.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405/U		
Part # BM91901.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM91903.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM	91905 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

MMCX Plug to MMCX Plug Right Angle



Bracke MFG

Bracke MFG

RG174A/U		
Part # BM	91669 .**	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace **	with ANY	

length in Inches

	RG178B/U	
=	Part # BM	91672 .**
	Impedance	50
	Coax Dia.	.072"
	# of Shields	1
,	Replace ** with ANY length in Inches	

RG188A/U		
Part # BM91671.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM91673.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316/U Part # BM91670.**		
Coax Dia.	.102"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG316-	Double	
Part # BM	91674 .**	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601











RG142B/U		
Part # BM91833.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG213/U		
Part # BM9	91835 .**	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM91837.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91839.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM91841.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG400/U		
Part # BM	91843 .**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG402/U		
Part # BM91845.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Alum		
Part # BM91847.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM	91849 . **	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG55B/U		
Part # BM	91851 . **	
Impedance	53.5	
Coax Dia.	.200"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U			RG	BA/U
Part # BM	91853 .**		Part # BM	91855.
Impedance	50	1	Impedance	52
Coax Dia.	.195"		Coax Dia.	.405"
# of Shields	1		# of Shields	1
Replace ** with ANY length in Inches			Replace <u>*</u> length i	★ with All n Inches

QN Male to QN Male Right Angle



Part # BM91868.**

Replace ** with ANY length in Inches

Impedance Coax Dia.



Part # BM91870.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG214/U		
Part # BM	91872 . **	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U	
Part # BM	91874 .**
Impedance 50	
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM91876.**	
Impedance 50	
Coax Dia390"	
# of Shields 2	
Replace ** with ANY length in Inches	

RG400/U	
Part # BM	91878 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace **	with ANY

RG402/U			
Part # BM91880.**			
Impedance 50			
Coax Dia141"			
# of Shields 1			
Replace ** with ANY length in Inches			



RG402-Flex		
Part # BM	91884 .**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		
F =	Ī.	

RG55B/U		
Part # BM91886.**		
Impedance 53.5		
Coax Dia200"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM	91888.**	Part
Impedance 50		Imp
Coax Dia195"		Co
# of Shields 1		# of
Replace ** with ANY		Rep

U	RG58C/U			RG8	BA/U
86 . **	Part # B	Part # BM91888.**		Part # BM	91890 . **
53.5	Impedano	e 50	1	Impedance	52
.200"	Coax Dia	ı195"		Coax Dia.	.405"
2	# of Shield	ds 1		# of Shields	1
h ANY hes	Replace ** with ANY length in Inches				with ANY n Inches
QM	A Ma	le to (2	MA	

QMA Male to QMA

RG174A/U

Part # BM91909.**

Replace ** with ANY

length in Inches

Impedance

of Shields



RG142B/U

Part # BM91907.**

Replace ** with ANY

length in Inches

Impedance

of Shields



RG223/U

Part# BM91911。**


Replace ** with ANY

Impedance

Coax Dia. # of Shields



RG142B/U		
Part # BM91919.**		
Impedance 50		
Coax Dia195"		
# of Shields 2		
Replace ** with ANY length in Inches		



RG223/U			
Part # BM91923.**			
Impedance 50			
Coax Dia211"			
# of Shields 2			
Replace ** with ANY length in Inches			

RG316/U		
Part # BM91913.**		
Impedance 50		
Coax Dia.	.102"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG400/U		
Part # BM	91915 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY length in Inches		

length in Inches		
RG58C/U		
Part # BM91917.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	91925 . **	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

Bracke MFG

Bracke MFG

RG400/U	
Part # BM91927.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

BNC Twinax

Replace ** with ANY

length in Inches

Coax Dia. # of Shields

	RG58C/U	
	Part # BM	91929 . **
	Impedance	50
	Coax Dia.	.195"
	# of Shields	1
	Replace **	with ANY
	length ir	n Inches



N Male 45 Degree to N Female



Plug to Plug RG108A/U		
Part # BM91826.**		
Impedance 78		

Coax Dia.	.235"
# of Shields	1
Replace **	with ANY
lenath ir	Inches

Impedance # of Shields Replace ** with ANY


	Impedance	50
	Coax Dia.	.195"
	# of Shields	1
Replace ** with ANY length in Inches		
Bracke MFG		
Bracke MFGH		

RG142B/U	
Part # BM	92200•**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	

RG223/U	
Part # BM92202.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM92204.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		





₩ 93	
Plug to Bulkhead	o Jack RG108A/U
Part # BM	91830 .**
Impedance	78
Coax Dia.	.235"
# of Shields	1
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com

Bracke MFG



SHV Plug to SHV Plug

Bracke MFG



RG142B/U	
Part # BM91239.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG174A/U		
Part # BM	91243 .**	
Impedance	50	
Coax Dia.	.100"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM	91245 .**	
Impedance	50	
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM	91248 .**	
Impedance	50	
Coax Dia405"		
# of Shields 1		
Replace ** with ANY		

RG214/U		
Part # BM	91249 . **	
Impedance	50	
Coax Dia425"		
# of Shields 2		
Replace ** with ANY		

RG223/U		
Part # BM	91238 .**	
Impedance	50	
Coax Dia211"		
# of Shields 2		
Replace ** with ANY		

RG316/U		
Part # BM91244.**		
Impedance	50	
Coax Dia102"		
# of Shields 1		
Replace ** with ANY		

length in Inches

RG393/U	
Part # BM91246.**	
Impedance	50
Coax Dia390"	
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM91240.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91237.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		


		_		
RG5	9B/U		RG8	BA/U
Part # BM	91250 . **		Part # BM	91247 . *
Impedance	75		Impedance	52
Coax Dia.	.242"		Coax Dia.	.405"
# of Shields	1		# of Shields	1
Replace ** length in	with ANY Inches		Replace *** length in	with AN 'n Inches



Bracke MFG


SHV Plug to SHV Jack

Bracke MFG



RG142B/U		
Part # BM92526.**		
Impedance	50	
Coax Dia195"		
# of Shields 2		
Replace ** with ANY		

length in Inches



RG188A/U		
Part # BM92530.**		
Impedance	50	
Coax Dia105"		
# of Shields 1		
Replace ** with ANY		

RG188-Double			
Part# BM	92676 . **		
Impedance	50		
Coax Dia.	.118"		
# of Shields	2		
Replace ** with ANY			

Impedance # of Shields Replace ** with ANY length in Inches

RG223/U

Part # BM92536.**

	RG316/U				
	Part # BM92538.**				
ĺ	Impedance 50				
١	Coax Dia.	.102"			
١	# of Shields	1			
	Replace ** with ANY length in Inches				

RG316-Double				
Part # BM	92678 . **			
Impedance	Impedance 50			
Coax Dia.	.114"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG400/U			
Part # BM92542.**			
Impedance 50			
Coax Dia195"			
# of Shields 2			
Replace ** with ANY length in Inches			

RG174A/U

00/U	RG55	5B/U		RG5	8C/U	RG5
2542 .**	Part # BM9	92680 <u>**</u>		Part # BM	92544 . **	Part # BM
50 .195" 2	Impedance Coax Dia. # of Shields	54 .200" 2		Impedance Coax Dia. # of Shields	50 .195" 1	Impedance Coax Dia. # of Shields
with ANY Inches	Replace ** length in			Replace ** length ir	with ANY Inches	Replace <u>*</u> length i
SHV	Plug t	o SH	V	Jack	Bulk	head

RG58C/U			
Part # BM92544.**			
Impedance	50		
Coax Dia195"			
# of Shields	1		
Replace ** with ANY length in Inches			

RG59B/U		
Part # BM92546.**		
Impedance 75		
Coax Dia242"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG62A/U			
Part # BM92548.**			
Impedance	Impedance 93		
Coax Dia.	.242"		
# of Shields 1			
Replace ** with ANY length in Inches			



Bracke MFG

Bracke MFG



RG142B/U			
Part # BM92550.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY			

rt# BM	92550 <u>**</u>	Part # BM	92552 . **
pedance	50	Impedance	50
oax Dia.	.195"	Coax Dia.	.100"
of Shields	2	# of Shields	1
eplace ** with ANY length in Inches			k with ANY n Inches

RG188A/U			
Part # BM92554.**			
Impedance	50		
Coax Dia.	.105"		
# of Shields 1			
Replace ** with ANY length in Inches			

	RG213/U					
	Part # BM92556.**					
]	Impedance 50					
]	Coax Dia.	.405"				
]	# of Shields	1				
Replace ** with ANY length in Inches						

RG214/U		
Part # BM92558.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

3 3	
RG223/U	
Part # BM	92560 <u>**</u>
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U		
Part # BM92562.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG393/U	
Part # BM92564.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM92566.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM92568.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG59B/U	
Part # BM92570.**	
Impedance	75
Coax Dia.	.242"
# of Shields 1	
Replace ** with ANY length in Inches	

RG62A/U	
Part # BM	92572 .**
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

Mini 75 Ohm SMB Plug to Mini 75 Ohm SMB Plug







(5)	Unm	2MR	Plug	Kig
	Brack	e MFG		

Mini 75 Ohm SMB Plug

length in Inches		
to Mini		
t Angle		
Bracke MFG		

RG179B/U		
Part # BM90141.**		
Impedance	75	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY		

RG187A/U		
eart # BM91942.**		
Impedance	75	
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG59B/U	
Part # BM91944.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG179B/U	
Part # BM	91946 .**
Impedance	75
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG187A/U	
Part # BM91948.**	
Impedance	75
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG59B/U	
Part # BM91950.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SSMB Plug to SSMB Plug

Bracke MFG RG174A/U

Part # BM91894.**

Replace ** with ANY

length in Inches

Impedance Coax Dia. # of Shields

	B	аск
RG178B/U		

RG178B/U		
art # BM92661.**		
mpedance 50		
Coax Dia072"		
of Shields	1	
Penlace ** with ANY		

RG18	8 A /U
Part # BM	92663 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM	91912 .* *
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY	

length in Inches

Bracke MFG

RG178B/U	
Part # BM	92667 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY	

length in Inches

SSMC Plug to SSMC

Plug Right Angle

SSMC Plug to SSMC Plug

RG188A/U	
Part # BM	92669 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

Bracke MFG

RG196A/U		
Part # BM91896.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG316/U	
Part # BM91898.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	


length in Inches

J				
RG316-Double				
Part # BM92665.**				
Impedance 50				
Coax Dia.	.114"			
# of Shields 2				
Replace ** with ANY length in Inches				

RG196A/U			F	RG3	16/U
Part # BM91914.**			Part #	BMs	91916 . **
	Impedance	50	Impeda	ance	50
	Coax Dia.	.072"	Coax Dia.		.102"
	# of Shields	1	# of Shields		1
Replace ** with ANY length in Inches					with ANY Inches

RG316-Double				
Part # BM	92671 . **			
Impedance	50			
Coax Dia.	.114"			
# of Shields 2				
Replace ** with ANY length in Inches				

SSMB Plug to SSMB **Plug Right Angle**



Part # DIVI	91900.		Part# I	
Impedance	50	ı	Impedar	
Coax Dia.	.100"		Coax D	
# of Shields 1			# of Shie	
Replace ** with ANY length in Inches			Replace leng	

RG178B/U				
Part # BM	92673 . **			
Impedance 50				
Coax Dia.	.072"			
# of Shields 1				
Replace ** with ANY length in Inches				

RG188A/U				
Part # BM92675.**				
Impedance 50				
Coax Dia.	.105"			
# of Shields 1				
Replace ** with ANY				

**	Part # BM	91881 . **
	Impedance	50
5"	Coax Dia.	.100"
	# of Shields	1
NY		with ANY



SSMC Plug Right Angle

RG188A/U					
Part # BM	92681 . **				
Impedance	50				
Coax Dia.	.105"				
# of Shields	1				
Replace ** length in	with ANY n Inches				

RG196A/U			
Part # BM	91902 .**		
Impedance 50			
Coax Dia072"			
# of Shields 1			
Replace ** with ANY length in Inches			
6	CMD		

3196A/	J	RG316/U			RG31	ô-Dou
3M9190	2 .**	Part # BM91904.**			Part # B	И9267
ce !	50	Impedance	50	l	Impedance	. 5
a0	72"	Coax Dia.	.102"		Coax Dia.	.1
lds	1	# of Shields	1	[# of Shields	5
e <u>**</u> with th in Inch		Replace ** with ANY length in Inches			Replace : length	** with in Inch
SSN	1B I	Plug R	Right A	A	ngle	to

RG316-Double				
Part # BM92677.**				
Impedance	50			
Coax Dia.	.114"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG196A/U			
Part # BM	91883 .**		Р
Impedance 50			П
Coax Dia072"			Г
# of Shields 1			
Replace ** with ANY			ı

Bracke MFG

RG174A/U

G196A/U	RG316/U		RG316-	Double		
BM91883.**	Part # BM91885.**		Part # BM	92683 . **		
ance 50	Impedance	50	Impedance	50		
Dia072"	Coax Dia.	102"	Coax Dia.	.114"		
ields 1	# of Shields	1	# of Shields	2		
ce ** with ANY ngth in Inches	Replace ** with length in Inch		Replace *** length ir			
SSMC Plug Right Angle to						



RG174A/U		RG17	/8B/U		
art # BM91906.**			Part # BM92685.**		
Impedance	50		Impedance	50	
Coax Dia.	.100"		Coax Dia.	.072"	
f of Shields	1		# of Shields	1	
Replace ** with ANY length in Inches			k with ANY n Inches		
	· ·				

RG188A/U			
Part # BM92687.**			
Impedance 50			
Coax Dia105"			
# of Shields	1		
Replace ** with ANY			

length in Inches

RG1/4A/U				
Part # BM91887.**				
Impedance	Impedance 50			
Coax Dia.	.100"			
# of Shields	1			
Replace ** with ANY length in Inches				

Bracke MFG

	Bracke MFG					
RG178B/U			RG18	8 A /U		
	Part # BM92691.**			Part # BM	92693 . **	
	Impedance Coax Dia. # of Shields	50 .072" 1		Impedance Coax Dia. # of Shields	50 .105" 1	
	Replace ** with ANY length in Inches			Replace ** length ir		

RG196A/U			
Part # BM91908.**			
Impedance 50			
Coax Dia072"			
# of Shields 1			
Replace ** with ANY			
length in Inches			

RG316/U				
Part # BM91910.**				
Impedance	50			
Coax Dia102"				
# of Shields 1				
Replace ** with ANY length in Inches				
le els de ENAE				

RG316-Double				
Part # BM	92689.**			
Impedance	50			
Coax Dia.	.114"			
# of Shields	2			
Replace ** with ANY length in Inches				
look				

RG196A/U				
Part # BM	91889 . **			
Impedance 50				
Coax Dia072"				
# of Shields	1			
Replace ** with ANY length in Inches				

RG316/U	RG316-Double
Part # BM91892.**	Part # BM92695.**
Impedance 50	Impedance 50
Coax Dia102"	Coax Dia114"
# of Shields 1	# of Shields 2
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches
Plug to FME	Plug
	Part # BM91892.** Impedance 50 Coax Dia. 102" # of Shields 1 Replace ** with ANY

Bracke MFG

	Bracke MFG	
RG223/U	RG58C/U	

RG142B/U			RG223/U	
Part # BM92170.**			Part # BMS	92172 .
Impedance	50		Impedance	50
Coax Dia.	.195"		Coax Dia.	.211"
# of Shields	2	ı	# of Shields	2
Replace ** with ANY length in Inches			Replace ** length ir	

	<u> </u>		
RG58C/U			
Part # BM	92174 .**		
Impedance	50		
Coax Dia.	.195"		
# of Shields 1			
Replace ** with ANY			



Replace ** with ANY

length in Inches

Bracke MFG

RG223/U					
Part # BM	92166 . **				
Impedance	50				
Coax Dia.	.211"				
# of Shields	2				
Replace ** length ir	with ANY Inches				

RG58C/U				
Part # BM92168.**				
Impedance	50			
Coax Dia.	.195"			
# of Shields	1			
Replace ** with ANY length in Inches				



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Male Slide On to SMA Male Right Angle Slide On



RG142B/U				
Part # BM92187.**				
Impedance 50				
Coax Dia.	.195"			
# of Shielde	2			

Replace ** with ANY

length in Inches

RG174A/U			
Part # BM92189.**			
Impedance	50		
Coax Dia.	.100"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG188A/U				
Part # BM	92191 .**			
Impedance	50			
Coax Dia.	.105"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG223/U			
Part # BM92193.**			
Impedance	50		
Coax Dia.	.211"		
# of Shields 2			
Replace ** with ANY length in Inches			

RG316/U			RG5	8C/U
Part # BM92195.**			Part# BM	92197 .**
Impedance	50		Impedance	50
Coax Dia.	.102"		Coax Dia.	.195"
# of Shields	1		# of Shields	1
Replace ** with ANY length in Inches				k with ANY n Inches

10 kV Plug to 10 kV Plug



RG14	2B/U	RG213/U		RG	214/U
Part # BM	92697.**	Part # BM92682.** Pa		Part # BI	M92684.**
Impedance	50	Impedance	50	Impedance	∍ 50
Coax Dia.	.195"	Coax Dia.	Coax Dia405"		.425"
# of Shields	2	# of Shields	# of Shields 1		s 2
	with ANY Inches	Replace ** with ANY length in Inches			** with ANY n in Inches

RG2	RG3	93	
Part # BM9	Part # BM	92	
Impedance	50	Impedance	
Coax Dia.	.211"	Coax Dia.	
# of Shields	# of Shields		
Replace ** length ir	Replace *:		

RG393/U			RG4	00/0
Part # BM92686.**			Part # BM	92688 . **
Impedance	50		Impedance	50
Coax Dia.	.390"		Coax Dia.	.195"
# of Shields	2		# of Shields	2
Replace ** with ANY length in Inches			Replace **	with ANY Inches

RG55B/U			RG58C/U		
Part # BM92690.**			Part # BM92701.2		92701 .**
Impedance	54	ı	Impeda	ance	50
Coax Dia.	.200"	ı	Coax	Dia.	.195"
# of Shields	2		# of Shields		1
Replace ** with ANY length in Inches					with ANY Inches

	Part # BM92692.**				
	Impedance	52			
	Coax Dia.	.405"			
	# of Shields	1			
	Replace ** with ANY				

RG8A/U

10 kV Plug to 10 kV Jack **Bulkhead**


RG142B/U	RG223/U	RG
Part # BM92703.**	Part # BM92705.**	Part # B

RG142B/U				
Part # BM92703.**				
Impedance 50				
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY length in Inches				


RG223/U				
Part # BM92705.**				
Impedance 50				
Coax Dia211"				
# of Shields 2				
Replace ** with ANY length in Inches				

B/U	RG58C/U			
705 . **	Part # E	3M	92707 . **	
50	Impedano	Impedance		
.211"		Coax Dia. # of Shields		
2	# of Shiel			
rith ANY nches		Replace ** with ANY length in Inches		

20 kV Plug to 20 kV Plug



LC Male to LC Male Right Angle



RG218/U Part # BM92700.**		
Coax Dia.	.870"	
# of Shields 1		
Replace ** with ANY length in Inches		

length in Inches

RG393/U			
Part # BM92702.**			
Impedance 50			ance
.390"		Coax I	Dia.
2		# of Sh	ields
Replace ** with ANY length in Inches			ce :
	92702.** 50 .390" 2 * with ANY	92702.** 50 .390" 2 * with ANY	92702.** 50

RG3	93/U	RG8	BA/U
# BM	92702 .**	Part # BM	92704 . **
dance	50	Impedance	52
x Dia.	.390"	Coax Dia.	.405"
Shields 2		# of Shields	1
	with ANY Inches		with ANY n Inches

length in Inches



RG213/U			RG2	14/
Part # BM92706.**			Part # BM	927
Impedance 50			Impedance	
Coax Dia.	.405"		Coax Dia.	
# of Shields 1			# of Shields	
	with ANY n Inches		Replace ** length ir	

11021770	11021770
Part # BM92708.**	Part # BM92710.**
Impedance 50	Impedance 50
Coax Dia425"	Coax Dia545"
# of Shields 2	# of Shields 2
Replace ** with ANY length in Inches	Replace ** with ANY length in Inches

RG218/U			RG393/U		
Part # BM92712.**			Part # BM	92714 . **	
Impedance	50		Impedance 50		
Coax Dia.	.870"	ı	Coax Dia390"		
# of Shields	1		# of Shields 2		
Replace ** with ANY length in Inches				with ANY Inches	

	RG8	RG8A/U			
4.**	Part # BM92716.**				
50	Impedance	52			
90"	Coax Dia.	.405"			
2	# of Shields	1			
ANY es	Replace ** with ANY length in Inches				

LC Male to LC Female



RG214/U			RG2	18/U
Part # BM92718.**			Part # BM	92720-
Impedance	50	1	Impedance	50
Coax Dia.	.425"	1	Coax Dia.	.870"
# of Shields	2]	# of Shields	1
Replace ** with ANY length in Inches			Replace **	k with AN

	RG393/U		
Part # BM92722.**			
ı	Impedance	50	
ı	Coax Dia.	.390"	
	# of Shields	2	
Replace ** with ANY length in Inches			



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



C Male to C Male







RG142B/U		
Part # BM91085.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

RG213/U		
Part # BM91090.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM91091.**		
Impedance 50		
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG217/U		
Part # BM91613.**		
Impedance	50	
Coax Dia.	.545"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG218/U		
Part # BM	91614 . **	
Impedance	50	
Coax Dia.	.870"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM91084.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG393/U		
Part # BM91094.**		
Impedance 50		
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		
_		

RG400/U		
Part # BM91086.**		
Impedance 50		
Coax Dia195"		
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U			
Part # BM91083.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields 1			
Replace ** with ANY length in Inches			

KG59B/U		
Part # BM91092.**		
Impedance 75		
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG62A/U	
Part # BM91093.**	
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM91089.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	




Bracke MFG

HN Male to HN Male





RG142B/U		
Part # BM91097.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		



RG214/U		
Part # BM91102.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY		

RG217/U	
Part # BM91105.**	
Impedance	50
Coax Dia.	.545"
# of Shields	2
Replace ** with ANY length in Inches	


Part # BM	91106 <u>.**</u>
Impedance	50
Coax Dia.	.870"
# of Shields	1
Replace ** with ANY length in Inches	

RG218/U

RG223/U	
Part # BM91096.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM91108.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM91098.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	





RG62A/U	
Part # BM91616.**	
Impedance	93
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM91100.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	




HN Male Right Angle to HN Male








RG142B/U	
Part # BM92309.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	





RG214/U			RG14	2B/
BM92313.**		١	Part # BM	9232
dance	50	П	Impedance	
c Dia.	.425"	П	Coax Dia.	.1
hields	2	П	# of Shields	
ace ** with ANY ength in Inches			Replace ** length ir	

RG142B/U			F	RG2	13/U	
rt# BM92321.**			Part #	BMs	92323.	**
npedance	50	İ	Impeda	nce	50	
Coax Dia.	.195"		Coax [Dia.	.405"	
of Shields	2		# of Sh	ields	1	
eplace ** with ANY length in Inches			Replace ** with ANY length in Inches			

RG214/U			
Part # BM92325.**			
Impedance	50		
Coax Dia.	.425"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG223/U				
Part # BM92315.**				
Impedance	50			
Coax Dia.	.211"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG393/U				
Part # BM92317.**				
Impedance 50				
Coax Dia.	.390"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG214/U

Part # BM91694.**

Replace ** with ANY length in Inches

Impedance

of Shields

RG400/U				
Part # BM92319.**				
Impedance 50				
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG400/U		l	RG2	23/U
art # BM92319.**		l	Part # BM	92327 .**
mpedance	50	П	Impedance	50
Coax Dia.	.195"	П	Coax Dia.	.211"
of Shields	2	П	# of Shields	2
Replace ** with ANY length in Inches			Replace ** length ir	
LC N	lale 1		LC I	Male

RG393/U			
Part # BM92329.**			
Impedance	50		
Coax Dia.	.390"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG400/U				
Part # BM92331.**				
Impedance 50				
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY length in Inches				



RG142B/U

Part # BM91693.**

Replace ** with ANY

length in Inches

Bracke MFG

RG217/U				
Part # BM91695.**				
Impedance	50			
Coax Dia.	.545"			
# of Shiolds	2			

II OI OI IICIGO	
Replace **	with ANY
length ir	n Inches

RG218/U					
Part # BM91696.**					
Impedance	50				
Coax Dia.	.870"				
# of Shields	1				
Replace ** with ANY					

RG393/U			
Part # BM91697.**			
Impedance	50		
Coax Dia390"			
# of Shields	2		
Replace ** with ANY			

length in Inches

Bracke MFG

RG400/U			
Part # BM91698.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	ields 2		
Replace ** with ANY length in Inches			



Impedance

of Shields

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601









	BM59Mini-Black				
	Part # BM	92446 . **			
	Impedance 75				
Coax Dia		.159"			
	# of Shields	2			

Replace ** with ANY length in Inches

BM59Mini-Blue			
Part # BM92448.**			
Impedance	75		
Coax Dia159"			
# of Shields 2			
Replace ** with ANY length in Inches			

BM59Mini-Green			
Part # BM92450.**			
Impedance 75			
Coax Dia159"			
# of Shields 2			
Replace ** with ANY length in Inches			

BM59Mini-Red			
Part # BM	92452 . **		
Impedance	75		
Coax Dia159"			
# of Shields 2			
Replace ** with ANY length in Inches			

BM59Mini-White			
Part # BM92454.**			
Impedance	75		
Coax Dia.	.159"		
# of Shields 2			
Replace ** with ANY length in Inches			

BM59Mini-Yellow			
Part # BM92456.**			
Impedance 75			
Coax Dia.	.159"		
# of Shields 2			
Replace ** with ANY length in Inches			

RG11A/U			
Part # BM	91928 . **		
Impedance	75		
Coax Dia.	.405"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG179B/U			
Part # BM91930.**			
Impedance	75		
Coax Dia.	.100"		
# of Shields	1		
Replace ** with ANY length in Inches			

BM59Mini-Blue

Part # BM92458•**

Replace ** with ANY

length in Inches

iongai in monoc		
RG187A/U		
Part # BM	91932.**	
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		
A I		

BM59Mini-Green

Part # BM92460.**

Replace ** with ANY

length in Inches

RG2	16/U	RG59B/U		
Part # BM	91934 .**	Part # BM91936.*		91936 . **
Impedance	75	ĺ	Impedance	75
Coax Dia.	.425"		Coax Dia.	.242"
# of Shields	2		# of Shields	1
Replace ** length ir	with ANY n Inches	Replace ** with ANY length in Inches		
E Mala ta E Famala				


RG6-TV			
Part # BM91938.**			
Impedance 75			
Coax Dia275"			
# of Shields	3		
Replace ** with ANY length in Inches			

F Male to F Male Right Angle

Impedance

Coax Dia.

of Shields



BM59Mini-Black

Part # BM92110.**

Replace ** with ANY

length in Inches

Impedance

Coax Dia. # of Shields Bracke MFG

Impedance

of Shields

Coax Dia.



Male to F Female Bulkhead Bracke MFG Bracke MFG






75		
.159"		
2		
Replace ** with ANY		





BM59Mini-Red		
Part # BM92462.**		
Impedance	75	
Coax Dia159"		
# of Shields 2		
Replace ** with ANY		

length in Inches




BM59Mini-Yellow		
Part # BM	92466 . **	
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		

BM59Mini-Red		
Part # BM92472.**		
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		



RG179B/U			
Part # BM92045.**			
Impedance 75			
Coax Dia100"			
# of Shields 1			
Replace ** with ANY length in Inches			



RG6-TV		
Part # BM92483.**		
Impedance	75	
Coax Dia.	.275"	
# of Shields	3	
Replace ** with ANY length in Inches		

RG179B/U			
Part # BM	92041 <u>.**</u>		
Impedance	75		
Coax Dia100"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG5	9B/U		RG	S-TV	
art # BM9	92120 . **	Part #	BM	92485 <u>•*</u>	:
Impedance	75	Impeda	ance	75	_
Coax Dia.	.242"	Coax	Dia.	.275"	_
f of Shields	1	# of Sh	ields	3	Ξ
Replace <u>**</u> length ir	with ANY Inches			with ANY Inches	,
					Τ



F Male Right Angle to F Female Bulkhead

Bracke MFG

Bracke MFG



BM59Mini-Black			
Part # BM92122.**			
Impedance	75		
Coax Dia.	.159"		
# of Shields	2		
Replace **	with ANY		

length in Inches

Part# BM92152**.****

Replace ** with ANY

length in Inches

BM59Mini-Blue		
Part # BM	92478 . **	
Impedance	75	
Coax Dia.	.159"	
# of Shields	2	
Replace ** with ANY length in Inches		


BM59Mini-Green		
Part # BM92480.**		
Impedance	75	
Coax Dia159"		
# of Shields	2	
Replace ** with ANY length in Inches		

BM59Mi	ni-Green		BM59M	ini-Red
Part # BM	92480 <u>**</u>		Part # BM	92482.**
Impedance	75	l	Impedance	75
Coax Dia.	.159"		Coax Dia.	.159"
# of Shields	2		# of Shields	2
	with ANY n Inches			with ANY Inches
TPS N	lale t	.(TPS	Male

RG179B/U		
Part # BM92124.**		
Impedance	75	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM	92126 .**	
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

Bracke MFG



RG174A/U		
Part # BM92154.**		
Impedance 50		
Coax Dia100"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM92156.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM92158.**		
Impedance 50		
Coax Dia102"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG400/U		
Part # BM92160.**		
Impedance 50		
Coax Dia195"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM	92162 .**	
Impedance 50		
Coax Dia195"		
# of Shields	1	
Replace ** with ANY length in Inches		

Bracke MFG



Impedance

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





Bracke MFG



RG142B/U		
Part # BM91227.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG213/U		
Part # BM	91233 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG214/U		
Part # BM	91234 .**	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG217/U		
Part # BM91228.**		
Impedance 50		
Coax Dia.	.545"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG218/U	
Part # BM	91229 .**
Impedance	50
Coax Dia.	.870"
# of Shields	1
Replace ** with ANY length in Inches	

RG223/U	
Part # BM	91226 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace **	with ANY n Inches

RG393/U	
Part # BM91236.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY	

length in Inches

RG400/U	
Part # BM	91230 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	

RG55B/U	
Part # BMS	91713 . **
Impedance	53.5
Coax Dia.	.200"
# of Shields	2
Replace **	

RG58C/U	
Part # BM	91225 . **
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM91232.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

SC Male Right Angle to

SC Male Right Angle

Tech support is waiting to answer your questions at (949)756-1600.

SC Male to SC Male Right Angle

RG214/U

Part # BM92504.**

Replace ** with ANY

length in Inches

Impedance Coax Dia.



RG142B/U

Part # BM92502.**

Replace ** with ANY

length in Inches

Impedance Coax Dia.



Impedance Coax Dia.



Part # BM92506.**

Replace ** with ANY

length in Inches



RG142B/U		
Part # BM92514.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

1102	1-1/0	
Part # BM92516.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG214/U

RG223/U	
Part # BM	92518 .**
Impedance	50
Coax Dia.	.211"
# of Shields	2
	with ANY n Inches

RG393/U	
Part # BM92508.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG11A/U

Part # BM91032.**

Replace ** with ANY

length in Inches

RG400/U	
Part # BM	92510 <u>**</u>
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG58C/U		
Part # BM	92512 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG187A/U

Part # BM91107.**

Replace ** with ANY

Impedance

of Shields

RG393/U		
Part # BM	92520 <u>**</u>	
Impedance 50		
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U			
Part # BM92522.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY			

RG58C/U		
Part # BM92524.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Impedance

of Shields



RG179B/U

Part # BM91087.**

Replace ** with ANY

length in Inches

Impedance

of Shields

Bracke MFG



Reverse	Thread	SMA	Male	to
Reverse	Threa	d SM	A Mal	е
Bracke MFG			Bracke MI	-G



RG142B/U	

Part# BM91823**.****

Replace ** with ANY

length in Inches

Impedance

of Shields

	RG174A/U	
	Part # BM	91825 . **
	Impedance	50
Ι	Coax Dia.	.100"
	# of Shields	1
	Replace **	k with ANY

RG178B/U		
Part # BM91827.**		
Impedance 50		
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY		

RG216/U		
Part # BM91130.**		
Impedance 75		
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM91049.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

length in Inches		
RG6A/U		
Part # BM91023.**		
Impedance	75	
Coax Dia.	.332"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG188A/U			
Part # BM91829.**			
Impedance 50			
Coax Dia.	.105"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG223/U		
Part # BM91831.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		

Bracke MFG

length in Inches

RG58C/U		
Part # BM91821.**		
Impedance 50		
Coax Dia195"		
# of Shields 1		
Replace ** with ANY length in Inches		



Bracke MFG

G	R8	74	to	GR	887	4

RG142B/U		RG214/U	
Part # BM	91918 . **	Part # BMS	9189
Impedance	50	Impedance	5
Coax Dia.	.195"	Coax Dia.	.4:
# of Shields 2		# of Shields	- :
Replace ** with ANY		Replace ** with	

RG214/U		
Part # BM91891.**		
Impedance 50		
Coax Dia425"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG2	23/U	
Part # BM	91920 <u>**</u>	
Impedance	50	
Coax Dia211"		
# of Shields 2		
Replace ** with ANY		

RG393/U		
Part # BM91922.**		
Impedance 50		
Coax Dia390"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG400/U		
Part # BM91924.**		
Impedance 50		
Coax Dia195"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM91926.**		
Impedance 50		
Coax Dia195"		
# of Shields 1		
Replace ** with ANY length in Inches		




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601







length in Inches

RG405-Alum		
Part # BM90639.**		
Impedance	50	
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM90640.**		
Impedance 50		
Coax Dia085"		
# of Shields 1		
Replace ** with ANY length in Inches		

77	viale to 2.92	
Bracke MFG		A Bracke MFG
RG405/U	RG405-Alum	RG405-Fle


RG405/U						
Part # BM	90641 .**					
Impedance 50						
Coax Dia.	.085"					
# of Shields 1						
Replace ** with ANY						

RG4	05/U		RG405-Alum RG40			5-Flex	
t# BM	90641.**		Part # BM90642.**			Part # BM	90643.
pedance	50		Impedance	50		Impedance	50
oax Dia.	.085"		Coax Dia.	.085"		Coax Dia.	.085
of Shields	1		# of Shields	1		# of Shields	1
eplace <u>**</u> length ir	with ANY n Inches		Replace ** length ir	with ANY n Inches		Replace ** length ir	
2.4	mm N	Ī	ale to	2.92	n	nm M	ale

Bracke MFG Bracke MFG

RG405-Flex						
Part # BM	90643 . **					
Impedance	50					
Coax Dia.	.085"					
# of Shields	1					
Replace **	with ANY n Inches					

1.85mm Male to 3.5mm Male



RG405/U						
Part # BM90644.**						
Impedance 50						
Coax Dia085"						
# of Shields 1						
Replace ** with ANY						

RG405-Alum					
Part # BM90645.**					
Impedance	50				
Coax Dia085"					
# of Shields 1					
Replace ** with ANY length in Inches					

RG405-Flex						
Part # BM90646.**						
Impedance	50					
Coax Dia.	.085"					
# of Shields	1					
Replace ** with ANY length in Inches						

RG405/U RG405-Alum RG405-Flex Part # BM90710.** Part # BM90711.** Part # BM90712.** Impedance Impedance Impedance Coax Dia. Coax Dia. Replace ** with ANY Replace ** with ANY Replace ** with ANY length in Inches length in Inches length in Inches

2.4mm Male to SMA Male


Bracke MFG / / / Bracke MFG




RG405/U					
Part # BM90484.**					
Impedance	50				
Coax Dia085"					
# of Shields 1					
Replace ** with ANY					

RG405-Alum					
Part # BM	90485 <u>**</u>				
Impedance	50				
Coax Dia085"					
# of Shields 1					
Replace ** with ANY length in Inches					

RG405-Flex					
Part # BM	90486 <u>**</u>				
Impedance	50				
Coax Dia.	.085"				
# of Shields	1				
	with ANY Inches				











RG4		RG	
Part # BM	90861 <u>**</u>		Part #
Impedance	50		Impeda
Coax Dia.	.085"		Coax
# of Shields		# of Sh	
Replace ** length in		Repla len	
-		7	

RG405	i-Alum		RG405-Flex				
art # BM	90863 <u>**</u>		Part # BM	90865 <u>**</u>			
Impedance	50		Impedance	50			
Coax Dia.	.085"		Coax Dia.	.085"			
# of Shields	1		# of Shields	1			
Replace ** with ANY length in Inches				with ANY n Inches			
	1 0 5						



	9 211111		waie	10 31	VI	A IVIA	
Replace ** with ANY length in Inches 2.92mm				n Inches			Inches
# of Shields	1		# of Shields	1		# of Shields	1
Coax Dia.	.005		Coax Dia.	.005		COAX DIA.	.005




RG4	RG405-Alum		RG405-Flex			
Part # BM	Part # BM90869.**		Part # BM90871.**			
Impedance	50	Impeda	Impedance 50		Impedance	50
Coax Dia.	.085"	Coax [Dia.	.085"	Coax Dia.	.085"
# of Shields	1	# of Shi	# of Shields 1		# of Shields	1
Replace ** length ir		Replace ** with ANY length in Inches		Replace ** length ir		

Bracke MFG STATE Bracke MFG								
RG4	05/U		RG405	5-Alum		RG40	5-Flex	
art # BM90873.**			Part # BM90875.**			Part # BM	90877.**	
Impedance	50	1	Impedance	50	H	Impedance	50	ı
Coax Dia.	.085"		Coax Dia.	.085"	Ш	Coax Dia.	.085"	ı
# of Shields	1		# of Shields	1	П	# of Shields	1	

Replace ** with ANY Replace ** with ANY Replace ** with ANY length in Inches length in Inches length in Inches **BNC** Male to Unterminated Wires

BNC Male to Safety Hooks with 6" Red & Black Leads



with 6" Red & Black Leads

Bracke MFG Bra	cke MFG	
RG223/U	RG58C/U	RG59B/U

	8C/U	RG5	RG223/U			
Pa	90766.**	Part # BM9	Part # BM90765.**			
	50	Impedance	50	Impedance		
	.195"	Coax Dia.	.211"	Coax Dia.		
#	1	# of Shields	2	# of Shields		
F		Replace **	Replace ** with ANY length in Inches			

RG59B/U			
Part # BM90767.**			
Impedance	75		
Coax Dia.	.242"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG2		RG:	
Part # BM90771.**			Part # BN
Impedance	50		Impedance
Coax Dia.	.211"	П	Coax Dia.
# of Shields 2			# of Shields
Replace ** length ir		Replace ±	

RG58C/U			F	RG5	9B/U	
art # BM90772.**			Part #	BM	90773 . **	
Impedance	50		Impeda	ance	75	
Coax Dia.	.195"		Coax	Dia.	.242"	
# of Shields	1		# of Sh	ields	1	
Replace ** with ANY length in Inches					with ANY n Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601









BNC Male to Reverse Polarity SMA Male



RG142B/U				
Part # BM	90673 . **			
Impedance	50			
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG174A/U				
Part # BM90671.**				
Impedance 50				
Coax Dia.	.100"			
# of Shields	1			
Replace ** with ANY length in Inches				

••••				
RG188-Double				
Part # BM	90774 . **			
Impedance	50			
Coax Dia.	.118"			
# of Shields	2			
	Replace ** with ANY length in Inches			

RG142B/U				
Part # BM	90075 <u>**</u>			
Impedance	50			
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG174A/U	
Part # BM90076.**	
Impedance 50	
Coax Dia.	.100"
# of Shields 1	
Replace ** with ANY	

length in Inches

RG188A/U	
Part # BM	90077 <u>.**</u>
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace **	with ANY

length in Inches

RG223/U		
Part # BM90669.**		
Impedance 50		
Coax Dia211"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG316/U		
Part # BM90672.**		
Impedance 50		
Coax Dia102"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90670.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		
BNIA		

RG2	23/U		RG3	16/U
Part # BM	90078.**		Part # BM	90079 . **
Impedance	50		Impedance	50
Coax Dia.	.211"		Coax Dia.	.102"
# of Shields	2		# of Shields	1
Replace ** length in	with ANY n Inches		Replace ** length in	with ANY n Inches
7				

RG58C/U		
Part # BM90074.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		







RG142B/U		
Part # BM90021.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		





Part # BM90027.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		
DC 400/LL		

RG213/U

Part # BM90028.**		
# of Shields 2		
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90020.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM90024.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG393/U		
Part # BM	90031 .**	
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		
SNC	1010	

RG400/U	
Part # BM90022.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG58C/U	
Part # BM90019.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM90026.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	
	(1888) A









RG142B/U	
Part # BM90088.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM90092.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U	
Part # BM	90094.**
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG213/U	
Part # BM90096.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U	
Part # BM90097.**	
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG223/U	
Part # BM90087.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U	
Part # BM90093.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	
iengar in mones	

RG400/U		
Part # BM90089.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90086.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM90090.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG62A/U		
Part # BM90091.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM90095.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

BNC Male to Stacking Tip Plugs



(PE=A				7			=	(
RG2	23/U		RG5	8C/U		RG5	59	I
Part # BM	90878.**	Part :	# BM	90880.**		Part # BN	19	(
Impedance	50	Impe	edance	50]	Impedance	\top	_

		Ι.	
RG59B/U			
art# BM	90882.**		Pa
Impedance	75	П	ı
Coax Dia242"		Ш	
# of Shields 1		Ш	#
Replace ** with ANY length in Inches			F





RG223/U		
Part # BM90878.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90880.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM90882.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90884.**		
Impedance 50		
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

11000070			
Part # BM	90886 <u>**</u>		
Impedance	50		
Coax Dia.	.195"		
# of Shields	1		
Replace **	with ANY		
1011941111	1 11101100		

RG59B/U		
Part# BM	90888. <u>**</u>	
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601 Fax



BNC Male to SMB Plug



Bracke MFG





RG142B/U	
Part # BM	90721 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG174A/U	
art # BM	90080.**
Impedance	50
Coax Dia.	.100"
# of Shields	1

Replace ** with ANY length in Inches

RG178B/U	
Part # BM	90414 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches

RG142B/U	
Part # BM	90724.**
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG188A/U

Part # BM90085.**

RG174A/U	
Part # BM	90083.**
Impedance	50
Coax Dia.	.100"
# of Shields	1

Replace ** with ANY length in Inches

RG178B/U	
Part # BMS	90420 <u>.**</u>
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace **	with ANY

length in Inches **RG223/U**

Part # BM90723.**

RG188A/U	
Part # BM9	90082 . **
Impedance	50
O D' .	405"

Replace ** with ANY length in Inches

RG188-Double	
Part # BM90416.**	
Impedance	50
Coax Dia.	.118"
# of Shields	2

Replace ** with ANY Replace ** with ANY length in Inches

RG223/U		
Part # BM90720.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	

length in Inches

RG58C/U

Part # BM90719.**

Impedance

of Shields Replace ** with ANY length in Inches

Impedance

RG188-	Double
Part # BM	90422 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

of Shields Replace ** with ANY length in Inches

Impedance Coax Dia.

RG316/U Part # BM90081.** Impedance

Coax Dia. # of Shields Replace ** with ANY length in Inches

RG316-Double	
Part # BM	90418 <u>**</u>
Impedance	50
Coax Dia.	.114"
# of Shiolds	2

Replace ** with ANY length in Inches

Coax Dia. # of Shields Replace ** with ANY length in Inches

RG316/U	
Part # BM	90084.**
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

Part # BM90424.** Impedance Coax Dia. # of Shields Replace ** with ANY length in Inches

RG316-Double

RG58C/U Part # BM90722.** Impedance Coax Dia. # of Shields Replace ** with ANY length in Inches





Bracke MFG





KG 142B/0	
Part # BM	90046 <u>**</u>
Impedance	50
Coax Dia.	.195"
# -f Chi-14-	2

DC442D/II

Replace ** with ANY length in Inches

RG1/4A/U		
Part # BM90051.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG178B/U		
Part # BM90050.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM	90054• **	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		



RG196A/U		
Part # BM90055.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U	
Part # BM	90057 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace **	with ANY

Impedance	50	In
Coax Dia.	.405"	C
# of Shields	1	#
Replace ** with ANY length in Inches		R

RG214/U		
Part # BM90058.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG223/U		
Part # BM90045.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90052 . **	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	90053 . **	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

	RG393/U	
	Part # BM	90059.**
	Impedance	50
1	Coax Dia.	.390"
	# of Shields	2
	Replace ** with ANY length in Inches	

RG400/U		
Part # BM90047.**		
Impedance 50		
Coax Dia195"		
# of Shields	2	
Replace ** with ANY length in Inches		

RG402-Flex	
Part # BM	90783 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG58C/U		
Part # BM90044.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM90048.**		
Impedance 75		
Coax Dia242"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG62A/U		
Part # BM90049.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM90056.**		
Impedance 52		
Coax Dia405"		
# of Shields 1		
Replace ** with ANY length in Inches		

LC Male to 7/16 DIN Male



			Bracke	MFG
RG214/U	RG217/U	RG218/U	RG223/U	RG393/U

RG142B/U	
Part # BM	90521 <u>.**</u>
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG214/U		
Part # BM90423.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG217/U		
Part # BM90441.**		
Impedance	50	
Coax Dia.	.545"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG218/U		
Part # BM90443.**		
Impedance	50	
Coax Dia.	.870"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90445.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY		

RG393/U		
Part # BM90447.**		
Impedance 50		
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



N Male to SMA Male



Bracke MFG





RG142B/U		RG17	7
Part # BM90298.**		Part # BM	
Impedance Coax Dia. # of Shields	50 .195"	Impedance Coax Dia. # of Shields	Ī
Replace ** with ANY length in Inches		Replace **	
	•		_

RG174A/U		
Part # BM90303.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM	90306.**	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U
Part # BM90305.**
Impedance 50
Coax Dia105"
of Shields 1
Replace ** with ANY length in Inches
lengar in mones

RG196A/U	
Part # BM	90307 <u>.**</u>
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** length in	with ANY Inches

RG213/U		
Part # BM	90309.**	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM	90310 . **	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM9	90297 . **	
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90304 . **	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM90302.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM90299.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG401/U		
Part # BM90311.**		
Impedance 50		
Coax Dia.	.250"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG401-Alum		
Part # BM90312.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex		
Part # BM90313.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG402/U			
Part # BM90314.**			
Impedance	50		
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			
lengur in inches			

RG402-Alum			
Part # BM90315.**			
Impedance	50		
Coax Dia.	.141"		
# of Shields	1		
Replace ** with ANY length in Inches			

Part # BM90316.**		
50		
.141"		
1		
Replace ** with ANY length in Inches		

	RG405/U		
	Part # BM	90317 . **	
	Impedance	50	
	Coax Dia.	.085"	
	# of Shields	1	
	Replace ** with ANY		
Ш	length in Inches		

RG405-Alum		
Part # BM90318.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		









Semi-Rigid 047-Flex		
Part # BM90741.**		
Impedance	50	
Coax Dia.	.047"	
# of Shields	1	
Replace ** with ANY length in Inches		

BNC Male to Alligator Clips

with 6" Red & Black Leads



Bracke MFG	Bracke MFG

RG223/U			
Part # BM90716.**		Part #	
Imp	edance	50	Imped
Coax Dia211"		Coax	

Replace **	with ANY
length in	Inches

RG58C/U		
Part # BM90696.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY		

RG59B/U		
Part # BM90697.**		
Impedance 75		
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

BNC Male to Miniature Alligator Clips with 6" Red & Black Leads



RG223/U		
Part # BM90716.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY		

RG58C/U		
Part # BM90696.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

BNC Male to Standard

Stacking Banana Plugs

RG59B/U		
Part # BM90697.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90775.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY		

RG5	BC/U	RG5	9B/U
Part # BM	90776.**	Part # BM	90777 . **
Impedance	50	Impedance	75
Coax Dia.	.195"	Coax Dia.	.242"
# of Shields	1	# of Shields	1
Replace ** length ir	with ANY Inches	Replace ** length ir	

BNC Male to Miniature Stacking Banana Plugs



	with 6" Red & Black Leads
Bracke MFG	Bracke MFG

RG223/U		
Part # BM90768.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90769.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM90770.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U	
Part # BM	90762 . **
Impedance	50
Coax Dia.	.211"
# of Shields 2	
Replace ** with ANY	

RG58C/U		
Part # BM90763.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM90764.**		
Impedance 75		
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



N Female Bulkhead to SMA Male



Bracke MFG

Bracke MFG



RG142B/U		
Part # BM	90235 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Poplace ++ with ANY		

Replace ** with ANY length in Inches

RG174A/U		
Part # BM90237.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG214/U

RG178B/U		
Part # BM90729.**		
Impedance 50		
Coax Dia072"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG188A/U			
Part # BM90239.**			
Impedance 50			
Coax Dia105"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG188-Double			
Part # BM90732.**			
Impedance 50			
Coax Dia118"			
# of Shields	2		
Replace ** with ANY length in Inches			

RG196A/U		
Part # BM90730.**		
Impedance 50		
Coax Dia072"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM	90241 .**	
Impedance 50		
Coax Dia.	.405"	
# of Shields 1		

art# BM902	241 .**	Part # B	M	90242 . **
mpedance	50	Impedano	е	50
Coax Dia.	.405"	Coax Dia		.425"
of Shields	1	# of Shield	ds	2
Replace ** wi				with ANY

RG223/U		
Part # BM90234.**		
Impedance 50		
Coax Dia.	.211"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG316/U			
Part # BM90238.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields 1			
Replace ** with ANY			

RG316-Double		RG3	93/U
Part # BM90731.**		Part # BM	90243 .**
Impedance	50	Impedance	50
Coax Dia.	.114"	Coax Dia.	.390"
# of Shields	2	# of Shields	2
Replace ** with ANY length in Inches		Replace ** length in	with ANY n Inches

RG400/U	
Part # BM90236.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	

	Part # BM9	90244 .**
ı	Impedance	50
	Coax Dia.	.250"
	# of Shields	1
	Replace ** length ir	

RG401/U

RG401-Alum		
Part # BM90245.**		
Impedance 50		
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG401-Flex			
Part # BM	90246 .**		
Impedance 50			
Coax Dia.	.250"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG402/U		
Part # BM90247.**		
Impedance 50		
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Alum		
Part # BI	M	90248 <u>**</u>
Impedance	9	50
Coax Dia.		.141"
# of Shield	s	1
		with ANY n Inches

RG402-Flex		
Part # BM90249.**		
Impedance 50		
Coax Dia141"		
# of Shields 1		
Replace ** with ANY		

length in Inches

length in Inches

KG405/0		
Part # BM90250.**		
Impedance 50		
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG174A/U Part # BM90726.**

DC40E/LI



RG405-Flex		
Part # BM90252.**		
Impedance 50		
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90233.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG8A/U		
Part # BM90240.**		
Impedance 52		
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		









RG142B/U		
Part # BM90706.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace **	with ANY	

Impedance	50	Impedance	50
Coax Dia.	.195"	Coax Dia.	.100"
# of Shields	2	# of Shields	1
	with ANY n Inches	Replace ** length ir	

RG188A/U		
Part # BM90727.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG213/U		
Part # BM90700.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM90702.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90703.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	90728 . **
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM90707.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90698.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG59B/U		
Part # BM90708.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG62A/U		
Part # BM90709.**		
Impedance	93	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		
A Mala		

RG8A/U		
Part # BM90699.**		
Impedance	52	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		



N Male to Reverse Polarity SMA Male

MHV Male to SHV Plug

Bracke MFG



RG142B/U		
Part # BM90321.**		
Impedance	50	

r of Shleids	
Replace <u>**</u> length ir	with ANY n Inches

RG17	'4A/U
Part # BM	90322.**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY	

RG188A/U		
Part # BM90323.**		
Impedance	50	
Coax Dia105"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90324.**		
Impedance	50	
Coax Dia211"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90325 . **	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM	90320 .**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY		



Coax Dia.

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658

length in Inches



Phone 949.756.1600 949.756.1601



SMA Male to TNC Male



Bracke MFG



RG142B/U		RO
Part # BM90463.**		Part #
Impedance	50	Impedar
Coax Dia.	.195"	Coax D
# of Shields	2	# of Shie
Replace ** with ANY length in Inches		Replac leng

RG174A/U		
Part # BM90466.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG178B/U		
Part # BM	90464 . **	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U	
Part # BM	90468 <u>**</u>
Impedance	50
Coax Dia105"	
# of Shields	1
Replace ** with ANY length in Inches	

RG196A/U		
Part # BM90469.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY		

RG213/U	
Part # BM	90472 .**
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM90473.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90462.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90467 .**	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM90761.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

J
74.** Part
50 Imp
390" Co
2 # of
ANY Re

RG400/U		
Part # BM90465.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY		

RG401/U		
Part # BM90475.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY		

# of Shields	1	Ш	# 0
Replace **	with ANY		Re

RG401-Alum	
Part # BM	90476.**
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with ANY length in Inches	


RG401-Flex		
Part # BM90477.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402/U	
Part # BM90478.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	


RG402-Alum		
Part # BM90479.**		
Impedance 50		
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG402-Flex		
Part # BM	90480 <u>**</u>	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
	with ANY	

RG405/U			
Part # BM90481.**			
Impedance 50			
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY			










RG62A/U			
Part # BM90471.**			
Impedance	93		
Coax Dia.	.242"		
# of Shields	1		
Replace ** length ir	with ANY n Inches		

Mini UHF Male to N Male







RG58C/U			
Part # BM90166.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	1		
Replace ** with ANY length in Inches			







RG142B/U			
Part # BM90168.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			
length in Inches			



RG58C/U			
Part # BM90166.**			
Impedance 50			
Replace ** with ANY length in Inches			

RG142B/U			RG17	' 4A /U
Part # BM90173.**		ı	Part # BM	90232
Impedance	50	Γ	Impedance	50
Coax Dia.	.195"	Г	Coax Dia.	.10
# of Shields	2		# of Shields	1
Replace ** with ANY length in Inches		ſ	Replace **	with A

_					
		RG58C/U			
		Part # BM90171.**			
		Impedance	50		
		Coax Dia.	.195"		
		# of Shields	1		
		Replace ** with ANY length in Inches			

Bracke MFG

SMA Male to SMB Plug



RG142B/U Part # BM90399.**

Replace ** with ANY

length in Inches

Impedance Coax Dia. # of Shields

	RG174A/U	
Part # BM90403.*		
	Impedance	50
	Coax Dia.	.100"
	# of Shields	1
	Replace **	with ANY

length in Inches

RG178B/U		
Part # BM90407.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U			
Part # BM90406.**			
Impedance 50			
Coax Dia.	.105"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG188-	Double
Part # BMS	90758 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace **	with ANY

RG196A/U		
Part # BM90400.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY		

RG223/U	
Part # BM90401.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U		
Part # BM90404.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double	
Part # BM	90405 <u>**</u>
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM90402.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM	90790 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

length in Inches

RG58C/U		
Part # BM90398.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





N Male to TNC Male



RG142B/U	
Part # BM	90345 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG174A/U	
Part # BM	90347 .**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY	

I

RG178B/U	
Part # BM90350.**	
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U		
Part # BM90349.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG196A/U				
Part # BM	90351 .**			
Impedance	50			
Coax Dia.	.072"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG213/U				
Part # BM	90353 . **			
Impedance	50			
Coax Dia.	.405"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG214/U				
Part # BM	90354.**			
Impedance 50				
Coax Dia.	.425"			
# of Shields	2			
Replace **	with ANY			

length in Inches

RG223/U				
Part # BM	90344 . **			
Impedance	50			
Coax Dia.	.211"			
# of Shields	2			
Replace ** length ir	with ANY n Inches			

length in Inches

RG316/U			
Part # BM90348.**			
Impedance	50		
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG393/U				
Part # BM90357.**				
Impedance	50			
Coax Dia.	.390"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG400/U			RG40	1-Flex
Part # BM90346.**			Part # BM	90742.
Impedance	50	1	Impedance	50
Coax Dia.	.195"	1	Coax Dia.	.250"
# of Shield:	3 2]	# of Shields	1
Replace ** with ANY length in Inches			Replace *** length in	k with AN n Inches

Part # BM	90742 .**			
Impedance	50			
Coax Dia.	.250"			
# of Shields	1			
Replace ** with ANY				
length in Inches				
RG8A/U				

RG402/U				
Part # BM90745.**				
Impedance	50			
Coax Dia.	.141"			
# of Shields	1			
Replace ** with ANY				

length in Inches

	RG40	2-Flex		
	Part # BM	90743 . **		
	Impedance	50		
	Coax Dia.	.141"		
	# of Shields	1		
	Replace ** with ANY			

RG405/U				
Part # BM	90746 . **			
Impedance	50			
Coax Dia.	.085"			
# of Shields	1			
Replace ** with ANY length in Inches				

		RG405/U			RG40	5-Flex	
<u>**</u>		Part # BM90746.**			Part # BM	90744.**	Pa
	ΙÌ	Impedance	50	İ	Impedance	50	In
	ll	Coax Dia.	.085"	ı	Coax Dia.	.085"	
	lÌ	# of Shields	1	İ	# of Shields	1	#
ΙΥ		Replace ** with ANY length in Inches				with ANY n Inches	R
S		MA M	ale to)	SMP	Fema	e

RG58C/U			
Part # BM90343.**			
Impedance	50		
Coax Dia.	.195"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG8A/U			
Part # BM	90352 . **		
Impedance	52		
Coax Dia.	.405"		
# of Shields	1		
	with ANY n Inches		

Bracke MFG



RG174A/U

Part # BM90971.**

Replace ** with ANY

length in Inches

Impedance

Coax Dia.



ke MFG	$\langle Z \rangle$
, and the second	_

RG178B/U			
Part # BM	90973.**		Pa
Impedance 50			ı
Coax Dia072"			
# of Shields 1			#
Replace ** with ANY			F


RG188A/U			
Part # BM90975.**			
Impedance	50		
Coax Dia.	.105"		
# of Shields 1			
Replace ** with ANY length in Inches			



RG316/U			
Part # BM9	90979 . **		
Impedance	50		
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG316-Double			
Part # BM	90981 .**		
Impedance	50		
Coax Dia.	.114"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG405/U			
Part # BM	90435 <u>**</u>		
Impedance	50		
Coax Dia.	.085"		
# of Shields	1		
Replace **	with ANY Inches		



RG405-Flex			
Part # BM90437.**			
Impedance	50		
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY length in Inches			



Semi-Rigid 047-Alum			
Part # BM90439.**			
Impedance	50		
Coax Dia.	.047"		
# of Shields 1			
Replace ** with ANY length in Inches			

Semi-Rigid 047-Flex			
Part # BM90440.**			
Impedance	50		
Coax Dia.	.047"		
# of Shields	1		
Replace ** with ANY length in Inches			

SSMA Male to SMA Male



RG178B/U

Part # BM90694.**

Replace ** with ANY

Impedance Coax Dia. # of Shields

 with 6" Red & I	Black Leads	_
Bracke MFG	Bracke MFG	F

RG174A/U			
Part # BM90691.**			
Impedance	50		
Coax Dia.	.100"		
# of Shields	1		

# Of Officias	
Replace ** length ir	

length in Inches		
RG316/U		
Part # BM90693.**		
Impedance 50		
Coax Dia102"		
# of Shields	1	

RG188A/U			
Part # BM90692.**			
Impedance 50			
Coax Dia.	.105"		
# of Shields 1			
Replace ** with ANY length in Inches			

RG142B/U			
Part # BM90778.**			
Impedance	50		
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG223/U		RG4	00/U
Part # BM90779.**		Part # BM	90780.**
Impedance	50	Impedance	50
Coax Dia.	.211"	Coax Dia.	.195"
# of Shields	2	# of Shields	2
Replace ** with ANY length in Inches			± with ANY n Inches

RG196A/U			
Part # BM	90695 <u>**</u>		
Impedance	50		
Coax Dia.	.072"		
# of Shields	1		
Replace **	with ANY		

length in Inches

RG316/U			RG31	6-	Double
art # BM90693.**			Part # B	M	90750 <u>**</u>
Impedance	50		Impedance	е	50
Coax Dia.	.102"		Coax Dia.		.114"
f of Shields	1		# of Shield	s	2
Replace ** with ANY length in Inches					with ANY n Inches

RG55B/U		
90781 .**		
53.5		
.200"		
2		
Replace ** with ANY		

RG58C/U			
Part # BM90782.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	1		
Replace ** with ANY length in Inches			

Tech support is waiting to answer your questions at (949)756-1600.



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Reverse Polarity SMA Male to TNC Male

RG142B/U

	RG174A/U					
	Part # BMS	90516.**				
	Impedance	50				
	Coax Dia.	.100"				
	# of Shields	1				
	Replace **	with ANY				

RG223/U		
Part # BM90513.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

<u>V</u>	
	R
**	Part #
)	Impedar
1"	Coax D
	# of Shie

RG142B/U		
Part # BM	90686.**	
Impedance	50	
Coax Dia.	.195"	
# of Shields 2		
Replace ** with ANY		

Bracke MFG

RG17	'4A/U	
Part # BM	90687 <u>.**</u>	
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

SMA Male to Reverse Polarity
SMA Male

RG188A/U		
Part # BM90688.**		
Impedance 50		
Coax Dia105"		
# of Shields 1		
Replace ** with ANY		

RG316/U		
Part # BM	90517 <u>**</u>	
Impedance	50	
Coax Dia102"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG142B/U

Part # BM90676.**

Replace ** with ANY

length in Inches

Part # BM90514.** Impedance Coax Dia. # of Shields

Replace ** with ANY length in Inches

RG400/U			
Part # BM90747.**			
Impedance 50			
Coax Dia.	.195"		
# of Shields	2		
Replace ** with ANY length in Inches			

length in Inches

RG4	.00/U	RG58C/U			RG223/U		RG316/U		
# BM	90747.**	Part # BM	90512.**		Part # BM	90689.**		Part # BM9	90690.
edance eax Dia. Shields	50 .195" 2	Impedance Coax Dia. # of Shields	50 .195" 1		Impedance Coax Dia. # of Shields	50 .211" 2		Impedance Coax Dia. # of Shields	50 .102' 1
	k with ANY n Inches		k with ANY n Inches		Replace ** length in	with ANY n Inches		Replace ** length ir	
Re	verse	Threa	ad SM	/	A Mal	e to S	ì	иа м	ale

RG223/U			
Part # BM90689.**			
Impedance	50		
Coax Dia.	.211"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG316/U			
Part # BM90690.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG58C/U		
Part # BM90685.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Impedance

of Shields

Bracke MFG

RG174A/U		
Part # BM90680.**		
Impedance 50		
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U			
Part # BM	90683 <u>**</u>		
Impedance	50		
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

Part # BM90681.*	*
Impedance 50	
Coax Dia105"	
# of Shields 1	
Replace ** with ANY length in Inches	



RG196A/U		
Part # BM90684.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

Bracke MFG

RG223/U	
Part # BM90677.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	



RG316-Double		
Part # BM	90749 . **	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U		
Part # BM90678.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG55B/U		
Part # BM90788.**		
Impedance	53.5	
Coax Dia.	.200"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BM90679.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	







RG142B/U	
Part # BM90427.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U	
Part # BM90431.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	
•	

RG178B/U		
Part # BM90434.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM90433.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188-Double	
Part # BM	90759 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

RG196A/U		
Part # BM90428.**		
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U	
Part # BM	90429 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U		
Part # BM90432.**		
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double		
Part # BM	90760 <u>.**</u>	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG400/U	
Part # BM	90430 .**
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM	90791 .**
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY	

RG58C/U		
Part # BM90426.**		
Impedan	се	50
Coax Di	a.	.195"
# of Shie	lds	1
Replace ** with ANY length in Inches		



SMA Male to BMA Jack Bulkhead Rear Mount



RG402/U		
Part # BM90983.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM90985.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex-Jacketed		
Part # BM90987.**		
Impedance	50	
Coax Dia.	.178"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG405/U	
Part # BM90989.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BMS	90991 . **
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex-Jacketed	
Part # BM	90993 . **
Impedance	50
Coax Dia.	.127"
# of Shields	2
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Male to 7/16 Din Male







RG142B/U	
Part # BM90497.**	
Impedance 50	
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG213/U	
Part # BM90503.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY	

length in Inches

RG214/U	
Part # BM	90504 <u>**</u>
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG223/U	
Part # BM90498.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM90505.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM90499.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG401/U	
Part # BM	90752 . *
Impedance	50
Coax Dia.	.250"
# of Shields	1
Replace ** with AN length in Inches	

RG401-Alum	
Part # BM90754.**	
Impedance	50
Coax Dia.	.250"
# of Shields 1	
Replace ** with ANY	

RG401-Flex		
Part # BM90753.**		
Impedance	50	
Coax Dia.	.250"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG402/U		
Part # BM90500.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Alum		
Part # BM90501.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex				
Part # BM90502.**				
Impedance	50			
Coax Dia.	.141"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG405/U				
Part # BM	90755 <u>.**</u>			
Impedance	50			
Coax Dia.	.085"			
# of Shields	1			
Replace ** with AN				

length in Inches

RG405-Alum				
Part # BM	90756 . **			
Impedance	50			
Coax Dia.	.085"			
# of Shields	1			
Replace ** length in	with ANY Inches			

RG405-Flex				
Part # BM90757.**				
Impedance	50			
Coax Dia.	.085"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG55B/U				
Part # BM90789.**				
Impedance	53.5			
Coax Dia.	.200"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG58C/U				
Part # BM90496.**				
Impedance 50				
Coax Dia.	.195"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG8A/U				
Part # BM	90751 <u>.**</u>			
Impedance	52			
Coax Dia.	.405"			
# of Shields	1			
Replace ** with ANY length in Inches				



SMA Male Right Angle to BNC Male

Bracke MFG



Bracke MFG

RG142B/U				
Part # BM90062.**				
Impedance	50			
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY				

length in Inches

RG174A/U				
Part # BM90064.**				
Impedance	50			
Coax Dia.	.100"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG178B/U				
Part # BM90068.**				
Impedance	Impedance 50			
Coax Dia072"				
# of Shields 1				
Replace ** with ANY length in Inches				

17	'8B/U	RG188A/U	
M	90068.**	Part # BM	90067.
Э	50	Impedance	50
	.072"	Coax Dia.	.105'
s	1	# of Shields	1
	with ANY	Replace ** with A	

**		Part # BM	90228 . **
	İ	Impedance	50
33		Coax Dia.	.118"
		# of Shields	2
NY		Replace **	

RG188-Double

RG196A/U				
Part # BM90229.**				
Impedance	50			
Coax Dia.	.072"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG223/U				
Part # BM9	90061 .**			
Impedance	50			
Coax Dia.	.211"			
# of Shields	2			
Replace ** with AN' length in Inches				

Part # BM90065.**			
Impedance	50		
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

BM59Mini-Blue Part # BM90887.** Impedance

RG316/U

ı	RG316-Dou	ble	RG400/U		
5 .**	Part # BM9006	6. <u>**</u>	Part # BM	90063.**	Part #
50 02"		14"	Impedance Coax Dia.	50 .195"	Imped
1	# of Shields	2	# of Shields	2	# of SI
ANY es	Replace ** with length in Inches		Replace ** length ir	with ANY Inches	Repla le
F Male to 75 Ohm BNC Male					

Part # BM90063.**			
i0			
95"			
2			
# of Shields 2 Replace ** with ANY length in Inches			

RG55B/U				
Part # BM90230.**				
Impedance 53.5				
Coax Dia.	.200"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG58C/U Part # BM90060.***				
Coax Dia.	.195"			
# of Shields	1			
Replace ** with ANY length in Inches				



Bracke MFG



BM59Mini-Black				
Part # BM90885.**				
Impedance	75			
Coax Dia.	.159"			
# of Shields	2			
Don't state and ANIX				

+		++
RG6A/U	RG11A/U	
length in Inches	length in Inches	
eplace ** with ANY	Replace ** with ANY	
of Shields 2	# of Shields	2
Coax Dia159"	Coax Dia.	.159"

		BM59Mii	ni-Green
		Part # BMS	90889 . **
Ī	ı	Impedance	75
		Coax Dia.	.159"
		# of Shields	2
		Replace ** length ir	

/lii	ni-Green		BM59Mini-Red	
M	90889.**		Part # BM	90891 <mark>.</mark> *
Э	75		Impedance	75
	.159"		Coax Dia.	.159"
S	2		# of Shields	2
	with ANY Inches		Replace ** with AN length in Inches	

Mini-Red		BM59Mi	ni-Whi
M90891.**		Part # BM	90893.
e 75]	Impedance	75
159"		Coax Dia.	.159"
is 2		# of Shields	2
** with ANY h in Inches		Replace ** length ir	with AN Inches
	_		
	1		

	BM59Mini-Yellow	
	Part # BM	90895 <u>**</u>
	Impedance	75
	Coax Dia.	.159"
	# of Shields	2
	Replace **	

	RG6A/U		
	Part # BM	90139 .* *	
	Impedance	75	
	Coax Dia.	.332"	
	# of Shields	2	
Replace ** with All length in Inches			

RG11A/U			
Part # BM90073.**			
Impedance	75		
Coax Dia.	.405"		
# of Shields	1		
Replace ** with ANY			

RG59B/U		
Part # BM90131.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG179B/U			
Part # BM90133.**			
Impedance	75		
Coax Dia.	.100"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG187A/U			
Part # BM90135.**			
Impedance	75		
Coax Dia.	.105"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG216/U Part # BM90137.**		
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



LC Male to N Male





RG142B/U		
Part # BM90947.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG214/U			
Part # BM90949.**			
Impedance	50		
Coax Dia.	.425"		
# of Shields	2		
Replace ** with ANY			

RG217/U		
Part # BM		
Impedance	50	
Coax Dia. # of Shields	.545"	
Replace ** with ANY length in Inches		

	RG218/U		
	Part # BM	90953 . **	
Ī	Impedance	50	
ľ	Coax Dia.	.870"	
[# of Shields	1	
	Replace ** with AN length in Inches		

	RG393/U		
	Part # BM	90955 <u>.**</u>	
	Impedance	50	
	Coax Dia.	.390"	
	# of Shields	2	
Replace ** with A			

	_		
RG400/U			
Part # BM90957.**			
Impedance	Impedance 50		
Coax Dia195"			
# of Shields 2			
Replace ** with ANY length in Inches			



LC Male	to	HN	Male
---------	----	----	------



RG142B/U		
Part # BM90959.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG142B/U

Part # BM90826.**

Replace ** with ANY

length in Inches

Impedance

of Shields

RG214/U		
Part # BM90961.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG217/U		
Part # BM90963.**		
Impedance	50	
Coax Dia545"		
# of Shields 2		
Replace ** with ANY length in Inches		

RG218/U		
Part # BM90965.**		
Impedance	50	
Coax Dia870"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG393/U		
Part # BM90967.**		
Impedance 50		
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

SMA Male to NMO Mount Female

RG400/U		
Part # BM90969.**		
Impedance 50		
Coax Dia195"		
# of Shields 2		
Replace ** with ANY length in Inches		


N Male to NMO Mount Female



RG17	74A/U	
Part # BM90822.**		Part :
Impedance 50		Impe
Coax Dia100"		Coa
# of Shields 1		# of \$







Bracke MFG

length in Inches 75 Ohm BNC Male to 75 Ohm N Male

Replace ** with ANY





МСХ	Plug to S	MA Male	
Bracke MFG		Bracke MFG	

RG11A/U		
Part # BM90661.**		
Impedance 75		
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG179B/U		
Part # BM90663.**		
Impedance 75		
Coax Dia100"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG187A/U		
Part # BM90664.**		
Impedance	75	
Coax Dia105"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG174A/U		
Part # BM90142.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG178B/U			R	G18	8A/U
rt# BM	90146 .**		Part #	BM	90145 <u>•*</u>
npedance	50		Impeda	ance	50
Coax Dia.	.072"		Coax	Dia.	.105"
of Shields	1		# of Sh	ields	1
	with ANY Inches				

RG216/U		
Part # BM90665.**		
Impedance	75	
Coax Dia425"		
# of Shields 2		
Replace ** with ANY length in Inches		


RG59B/U		
Part # BM90662.**		
Impedance 75		
Coax Dia242"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG6A/U		
Part # BM90660.**		
Impedance	75	
Coax Dia.	.332"	
# of Shields	2	
Replace ** with ANY length in Inches		

	RG196A/U			
Pa	Part # BM90147.**			
In	Impedance 50			
	Coax Dia072"			
#	# of Shields 1			
R	Replace ** with ANY length in Inches			

RG3	16/U		RG	316-	Douk	ole
t# BM	90143.**		Part #	BM	90144	**
pedance	50		Impeda	ance	50	<u> </u>
oax Dia.	.102"		Coax	Dia.	.11	4"
of Shields	1		# of Sh	ields	2	
eplace ** with ANY length in Inches					with #	
-4.4-	<u> </u>	7				

BNC Female Bulkhead Right Angle Front Mount to Open End



RG174A/U		
Part # BM90172.**		
Impedance 50		
Coax Dia100"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM90174.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG188-Double		
Part # BM	90176 . **	
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U	
Part # BM90178.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double		
Part # BM90180.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





4.1/9.5 Din Male to N Male

Bracke MFG



RG142B/U	
Part # BM	90034 <u>**</u>
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace **	with ANY
lenath in	Inches

RG214/U	
Part # BM	90036.**
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY	

length in Inches

RG223/U		
Part # BM90038.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	90040 <u>**</u>
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY	

RG400/U	
Part # BM	90042 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	

RG58C/U		
Part # BM90069.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



4.1/9.5 Din Male to SMA Male



RG142B/U	
Part # BM90119.**	
Impedance 50	
Coay Dia	105"

Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

RG214/U	
Part # BM90121.**	
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG174A/U

RG223/U		
Part # BM90123.**		
Impedance 50		
Coax Dia211"		
# of Shields 2		
Replace ** with ANY		

RG393/U		
Part # BM90125.**		
Impedance 50		
Coax Dia390"		
# of Shields 2		
Replace ** with ANY		

		_	
RG400/U			R
art # BM	90127 .**		Part# E
Impedance	50	[Impedan
Coax Dia.	.195"		Coax Di
# of Shields	2		# of Shiel
Replace ** with ANY length in Inches			Replace leng

RG58C/U			
Part # BM90129.**			
Impedance 50			
Coax Dia.			
# of Shields	1		
Replace ** with ANY length in Inches			



QMA Male Right Angle to SMA Male

Bracke MFG

RG142B/U		
Part # BM90128.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	

Coax Dia.	.195"	
# of Shields	2	
Replace **		

0128 .**	Р	art# I	BM	90130 .**
50		Impedar	nce	50
.195"		Coax D	ia.	.100"
2	7	of Shie	elds	1
with ANY Inches	F			with ANY Inches

RG188A/U		
Part # BM90132.**		
Impedance 50		
Coax Dia105"		
# of Shields 1		
Replace ** with ANY		





RG316-Double		
Part # BM90138.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		

Bracke MFG

RG400/U		
Part # BM90140.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG402/U		
Part # BM	90148 . **	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM90150.**		
Impedance 50		
Coax Dia141"		
# of Shields 1		
Replace ** with ANY length in Inches		

		RG40	2-Flex		RG4	05/U		
*		Part # BM	90150 . **		Part # BM	90152 . **		Р
	П	Impedance	50	l	Impedance	50		П
		Coax Dia.	.141"	ĺ	Coax Dia.	.085"		Г
	П	# of Shields	1	ı	# of Shields	1		7
Y		Replace ** length ir				with ANY Inches		F
MMCX Plug to SMA Male					•			

RG405-Flex		
Part # BM	90154 .**	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U Part # BM90156.**				
			Coax Dia.	.195"
			# of Shields	1
Replace ** with ANY length in Inches				

Bracke MFG

Bracke MFG



Part # BM90197.**		
Impedance	50	
Coax Dia.	.100"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG174A/U

RG178B/U			
Part # BM90200.**			
Impedance 50			
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG188A/U		
Part # BM90199.**		
Impedance 50		
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG196A/U			
Part # BM90201.**			
Impedance 50			
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG316/U			
Part # BM90198.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG316-Double		
Part # BM90787.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		
length in Inches		

RG405/U		
Part # BM	90205 <u>.**</u>	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace **	with ANY	

RG405-Alum			
Part # BM	90206 .**		
Impedance	50		
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG405-Flex			
Part # BM90207.**			
Impedance 50			
Coax Dia.	.085"		
# of Shields	1		
Replace ** with ANY length in Inches			

Semi-Rigid 047		
Part # BM	90202.**	
Impedance	50	
Coax Dia.	.047"	
# of Shields	1	
Replace ** with ANY length in Inches		

Semi-Rigio	l 047-Alum
Part # BMS	90203.**
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigid 047-Flex	
Part # BM90204.**	
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	



length in Inches

BNC Female Bulkhead Rear Mount to Open End

RG174A/U	
Part # BM90161.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Penlace ** with ANY	

RG188A/U	
Part # BM	90163 . **
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY length in Inches	

RG188-Double		
Part # BM90165.**		
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U	
Part # BM	90167 .**
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double		
Part # BM90169.**		
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



QMA Male to SMA Female



Bracke MFG



RG142B/U		
Part # BM90000.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U	
Part # BM90002.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U	
Part # BM	90004 <u>**</u>
Impedance	50
Coax Dia.	.105"
# of Shields	1
Replace ** with ANY	

RG223/U	
Part # BM90006.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG316/U	
Part # BM	90008 <u>**</u>
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double	
Part # BM	90010.**
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace **	k with ANY n Inches

RG400/U		
Part # BM90012.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG402/U	
Part # BM90014.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex		
Part # BM	90016 .**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405/U		
Part # BM90018.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM90029.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90032.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke MFG

QMA Male to SMA Male

Bracke MFG



RG142B/U		
Part # BM90070.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U	
Part # BM90072.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG188A/U		
Part # BM90106.**		
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		


RG223/U	
Part # BM	90108 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

KG310/U		
Part # BM	90110 .**	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

DC246/II

RG316-Double	
Part # BM	90112 .* *
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM90114.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	



RG402-Flex		
Part # BM90118.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		
O D D D		

RG405/U		
Part # BM90120.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex		
Part # BM90122.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BM90124.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	
length in inches	



Bracke MFG

QN Male to N Female

Bracke MFG



RG142B/U		
Part # BM90001.***		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG213/U		
Part # BM90003.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM	90005 <u>**</u>	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90007.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	90009.**
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM90011.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG402/U	
Part # BM90013.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum	
Part # BM	90015 <u>**</u>
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM	90017 <u>.**</u>
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG55B/U		
Part # BM90030.**		
Impedance	53.5	
Coax Dia.	.200"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U	
Part # BMS	90033 . **
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM90035.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	



RG6A/U

F Male to 75 Ohm N Male



RG59B/U	
Part # BM90153.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG179B/U	
Part # BM	90155 . **
Impedance	75
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	

RG187A/U		
Part # BM90157.**		
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG216/U		
Part # BM90159.**		
Impedance	75	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		



Impedance Coax Dia.

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



QN Male Right Angle to N Female

Bracke MFG





Bracke MFG





RG142B/U	
Part # BM	90189 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG213/U		
Part # BM90191.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM90183.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG142B/U		
Part # BM90212.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG213/U		
Part # BM90214.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM90216.**		
Impedance 50		
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY		

RG223/U		
Part # BM90185.**		
Impedance 50		
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM	90208 . **	
Impedance 50		
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

223/U	RG3	93/U	RG58C/U	J
И90185 -**	Part # BM	90208.**	Part # BM9018	37 .**
50	Impedance	50	Impedance	50
.211"	Coax Dia.	.390"	Coax Dia	195"
3 2	# of Shields	2	# of Shields	1
** with ANY in Inches		with ANY n Inches	Replace ** with length in Inch	
QMA Male to QN Male				

RG223/U		RG40	2-Flex
Part # BM90218.**		Part # BM90220.**	
Impedance 50		Impedance	50
Coax Dia211"		Coax Dia.	.141"
# of Shields 2		# of Shields	1
Replace ** with ANY length in Inches		Replace ** with AN length in Inches	

RG58C/U		
Part # BM90222.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Bracke MFG




QN Male to SMA Male



RG142B/U		
Part # BM90194.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches



RG400/U		
Part # BM90209.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG142B/U	
Part # BM	90217 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG213/U		
Part # BM90219.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields 1		
Replace ** with ANY		


DC242/II

RG214/U	
Part # BM90221.**	
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG402/U	
Part # BM90211.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	



RG58C/U	
Part # BM90215.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	



RG402-Flex	
Part # BM	90225 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

	RG58C/U	
	Part # BM	90227 . **
	Impedance	50
	Coax Dia.	.195"
	# of Shields	1
		with ANY n Inches
_		



Bracke MFG

QN Male to N Male **Bracke MFG**



RG142B/U	
Part # BM	90037 <u>.**</u>
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG213/U	
Part # BM	90039 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY	

RG214/U	
Part # BM	90041 . **
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG223/U		
Part # BM90043.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U	
Part # BM	90071 . **
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM	90107 <u>.**</u>
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG402/U	
Part # BM90109.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Alum	
Part # BM90111.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM90113.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG55B/U	
Part # BM	90115 .**
Impedance	53.5
Coax Dia.	.200"
# of Shields	2
Replace ** with ANY length in Inches	

RG58C/U	
Part # BM90117.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM90126.**	
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

Bracke MFG

Mini SMP Female to SMA Male





RG178B/U	
Part # BM	90897 <u>.**</u>
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace **	with ANY

RG196A/U	
art # BM9	90899 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	

RG405/U	
Part # BM90901.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex	
Part # BM90903.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigid 047	
Part # BM90905.**	
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	

Semi-Rigi	d 047-Flex
Part # BM	90907 . **
Impedance	50
Coax Dia.	.047"
# of Shields	1
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601




Mini 75 Ohm SMB Plug to 75 Ohm BNC Male

Bracke MFG

Bracke MFG












RG187A/U		
Part # BM90160.**		
Impedance	75	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY		

RG59B/U		
Part # BM90162.**		
Impedance	75	
Coax Dia.	.242"	
# of Shields	1	
Replace ** with ANY		

length in Inches

RG1/9B/U		R	
art# BM	90182 .**		Part #
Impedance	75	П	Impeda
Coax Dia.	.100"	Ш	Coax [
# of Shields 1			# of Shi
Replace ** with ANY length in Inches			Replac



length in Inches GR874 to BNC Male



Bracke MFG

Bracke MFG



~		
	Bracke MFG	


BNC Male Bracke MFG



RG214/U		
Part # BM	90812 . **	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	90814 .**	
Impedance 50		
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG58C/U		
Part # BM90810.**		
Impedance 50		
Coax Dia.	.195"	
# of Shields 1		
Replace ** with ANY length in Inches		



B/U		RG187A/U		RG5	9B/U
188 .**		Part # BM90190.**		Part # BM	90192 . **
75 .100" 1		Impedance Coax Dia. # of Shields	75 .105" 1	Impedance Coax Dia. # of Shields	75 .242" 1
rith ANY nches		Replace ** with ANY length in Inches		Replace ** length ir	with ANY n Inches
N Male to SMA Female					

	emal	е
	Replace ** length ir	with ANY Inches
	# of Shields	1
	COAX DIA.	.272

Bracke MFG




RG214/U






RG14	2B/U	
Part # BM	90193 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace **	with ANY	







Bracke MFG

INGZ	23/0
Part # BM	90808.**
Impedance 50	
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

PG223/II

	RG58C/U				
Part # BM90804.**					
	Impedance	50			
	Coax Dia.	.195"			
	# of Shields	1			
	Replace ** length in	with ANY Inches			
	I Mala to 7				





RG142B/U					
Part # BM90365.**					
Impedance	50				
Coax Dia.	.195"				
# of Shields	2				
Replace ** with ANY length in Inches					



RG214/U				
Part # BM90367.**				
Impedance	50			
Coax Dia.	.425"			
# of Shields 2				
Replace ** with ANY length in Inches				

RG217/U				
Part # BM90733.**				
Impedance 50				
.545"				
2				
Replace ** with ANY length in Inches				

RG218/U				
Part # BM90734.**				
Impedance	50			
Coax Dia.	.870"			
# of Shields	1			
Replace ** with ANY				

RG393/U				
Part # BM90368.**				
Impedance	50			
Coax Dia.	.390"			
# of Shields	2			
Replace ** with ANY length in Inches				

RG400/U				
Part # BM90736.**				
Impedance	50			
Coax Dia.	.195"			
# of Shields	2			
Replace ** with ANY length in Inches				

•				
RG401-Flex				
Part # BM90737.**				
Impedance 50				
Coax Dia.	.250"			
# of Shields	1			
Replace ** with ANY length in Inches				

**

RG402-Flex				
Part # BM	90738 . **			
Impedance	50			
Coax Dia.	.141"			
# of Shields	1			
Replace ** with ANY length in Inches				

		RG40	2-Flex		RG40	5-Flex		
<u>t</u>		Part # BM	90738 . **		Part # BM	90739 . **		Р
	İ	Impedance	50	İ	Impedance	50		Г
	ı	Coax Dia.	.141"		Coax Dia.	.085"		
		# of Shields	1		# of Shields	1		-
,			with ANY Inches			<u>*</u> with ANY n Inches		ı
(S	SMC	Plug	t	o SM	A Mal	E	•

RG58C/U				
Part # BM90364.**				
Impedance 50				
Coax Dia.	.195"			
# of Shields	1			
Replace ** with ANY length in Inches				

RG8A/U					
Part # BM90735.*					
Impedance	52				
Coax Dia.	.405"				
# of Shields	1				
Replace ** with AN' length in Inches					

Bracke MFG

RG174A/U	RG178B/L
# BM90177.**	Part # BM9094

Coax Dia.	.100"		Coax Dia.	.072"
# of Shields	1	ı	# of Shields	1
Replace ** length ir	with ANY Inches		Replace ** length in	with ANY n Inches

RG188A/U		
Part # BM	90943 .**	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG196A/U		
Part # BM90179.**		
Impedance	50	
Coax Dia072"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90181 .**	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-	Double	
Part # BM	90945 . **	
Impedance	50	
Coax Dia.	.114"	
# of Shields	2	
Replace ** with ANY length in Inches		



Part # BM90 Impedance

> **Bracke Manufacturing, LLC** PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





Reverse Polarity TNC Male to SMA Male

Bracke MFG



RG142B/U		
Part # BM	90830.**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	

Replace ** with ANY length in Inches

RG174A/U		
Part # BM	90832 . **	
Impedance	50	
Coax Dia.	.100"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM	90834 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM	90836.**	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	90838 . **	
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM90840.**		
50		
.102"		
1		
Replace ** with ANY length in Inches		

RG316-Double	
Part # BM	90842 .**
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM90844.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U		
Part # BM	90846 <u>**</u>	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		
D - I:4 7		

RG402-Flex		
Part # BM90850.**		
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		
10 11-1-4		

RG405-Flex		
Part # BM	90852.**	Part #
Impedance	50	Impe
Coax Dia.	.085"	Coax
# of Shields	1	# of S
Replace ** with ANY length in Inches		Repl
N Mala		

RG58C/U		
Part # BM	90848.**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



Reverse Polarity TNC Male to N Male



RG142B/U		
Part # BM	90854 . **	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG174A/U	
Part # BM	90856 . **
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** length ir	with ANY n Inches

RG213/U		
Part # BM	90858 . **	
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM90860.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

Part # BM90862.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U

RG316/U	
Part # BM	90864.**
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double			
Part # BM	90866 . **		
Impedance	50		
Coax Dia.	.114"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG393/U			
Part # BM90868.**			
Impedance			
Coax Dia390"			
# of Shields 2			
Replace ** with ANY length in Inches			


RG4	00/U	
Part # BM	90870.**	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG402-Flex			RG40	5-Flex		RG
Part # BM90874.**			Part # BM90876.**			Part # BN
Impedance	50]	Impedance	50		Impedance
Coax Dia.	.141"	ı	Coax Dia.	.085"	Ш	Coax Dia.
# of Shields	1	1	# of Shields	1	П	# of Shields
Replace ** length ir			Replace ** length ir	with ANY n Inches		Replace :
	MMC	X	Plug t	o BNC	;	Male

RG405-Flex				
Part # BMS	90876 .**			
Impedance	50			
Coax Dia.	.085"			
# of Shields 1				
Replace ** with ANY length in Inches				

RG5	RG58C/U				
Part # BM	90872 .**				
Impedance	50				
Coax Dia.	.195"				
# of Shields	1				
Replace ** with ANY length in Inches					

MCX Plug to BNC Male





<i>~</i> ∞∞1	7	
П₩И	Bracke	MFG
<u>~~~</u>		

Bracke MFG



RG174A/U				
Part # BM90803.**				
Impedance 50				
Coax Dia100"				
# of Shields 1				
Replace ** with ANY length in Inches				



RG188A/U				
Part # BM90807.**				
Impedance 50				
Coax Dia105"				
# of Shields 1				
Replace ** with ANY length in Inches				

RG174A/U				
Part # BM	90815 . **			
Impedance 50				
Coax Dia.	.100"			
# of Shields 1				
Replace ** with ANY length in Inches				

RG178B/U			
Part # BM90817.**			
Impedance 50			
Coax Dia072"			
# of Shields 1			
Replace ** with ANY length in Inches			

	RG188A/U						
	Part # BM	90819 . **					
	Impedance	50					
	Coax Dia.	.105"					
	# of Shields	1					
	Replace ** with ANY length in Inches						
_	lengar in mones						

RG19	6A/U	
Part # BM90809.**		
Impedance 50		
Coax Dia072"		
# of Shields	1	
Replace ** with ANY length in Inches		

Part # BM90811.** Impedance 50 Coax Dia102" # of Shields 1 Replace ** with ANY length in Inches	RG316/U				
Coax Dia102" # of Shields 1 Replace ** with ANY	Part # BM90811.**				
# of Shields 1 Replace ** with ANY					
Replace ** with ANY	Coax Dia102"				
	# of Shields 1				

RG316-Double				
d. d.				
Part # BM90813.**				
Impedance 50				
Coax Dia114"				
# of Shields 2				
Replace ** with ANY				
length in Inches				
length in inches				

RG196A/U			
Part # BM90821.**			
Impedance 50			
Coax Dia.	.072"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG316/U			
Part # BM90823.**			
Impedance 50			
Coax Dia.	.102"		
# of Shields	1		
Replace ** with ANY length in Inches			

RG316-Double Part # BM90825.**		
	RG316-	Double
Impedance 50	Part # BM	90825 . **
	Impedance	50
Coax Dia114"		.114"
# of Shields 2	# of Shields	2
Replace ** with ANY length in Inches		

SSMB Plug to SMA Male

Bracke MFG

Bracke MFG

RG17	'4A/U
Part # BM	90164.**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Ponlace **	with ANV

RG178B/U		
art # BM90935.**		
Impedance 50		
Coax Dia072"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG188A/U			
Part # BM90937.**			
Impedance 50			
Coax Dia105"			
# of Shields 1			
Replace ** with ANY length in Inches			

RG196A/U		
Part # BM90170.**		
Impedance 50		
Coax Dia072"		
# of Shields 1		
Replace ** with ANY length in Inches		

RG3	16/U	
Part # BM	90175 .**	
Impedance 50		
Coax Dia102"		
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-	Double
Part # BM	90939 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMA Male to BMA Jack Floating Panel Mount

Bracke MFG

Bracke MFG



RG142B/U			RG
Part # BM	90900.**		Part # E
Impedance	50	l	Impedan
Coax Dia.	.195"	Ш	Coax Dia
# of Shields	2	П	# of Shiel
Replace ** with ANY length in Inches			Replace leng

RG188A/U		
Part # BMS	90902 .**	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188-Double		
Part # BM	90904 . **	
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM	90906.**	
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90908.**	
Impedance	50	
Coax Dia.	.102"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG316-Double			
Part # BM	90910 <u>.**</u>		
Impedance	50		
Coax Dia.	.114"		
# of Shields	2		
Replace ** with ANY length in Inches			

RG402/U		
Part # BM	90912.**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex		
Part # BM	90914 .**	
Impedance	50	
Coax Dia.	.141"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG402-Flex-Jacketed		
Part # BM	90916 . **	
Impedance	50	
Coax Dia.	.178"	
# of Shields	2	
Replace ** with ANY length in Inches		
	4 - DN	

RG405/U		
Part # BM90918.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		
A Plua Bull		

RG405-Flex		
Part # BM90920.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex-Jacketed		
Part # BM90922.**		
Impedance	50	
Coax Dia.	.127"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke MFG

SMA Male to BMA



RG316/U

Part # BM90932.**

Replace ** with ANY

length in Inches

Impedance

of Shields

Coax Dia



RG316-Double

Part # BM90934.**

Replace ** with ANY

length in Inches

Impedance Coax Dia. # of Shields

RG142B/U		
Part # BM90924.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG402/U

Part # BM90936.**



RG188-Double		
Part # BM	90928.**	
Impedance	50	
Coax Dia.	.118"	
# of Shields	2	
Replace ** with ANY length in Inches		

Coax Dia.	.211
# of Shields	2
Replace ** with ANY length in Inches	
RG405/U	
Part # BM90942.**	
Impedance 50	
Coax Dia.	.085"

RG223/U

Part # BM90930.**

Impedance

RG40	5-Flex
Part # BM	90944.**
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace **	with ANY
I lenath ii	Inches

longann	1 11101100	
RG405-Fle	x-Jacketed	
Part # BM	90946 . **	
Impedance	50	
Coax Dia.	.127"	
# of Shields	2	
Replace **	with ANY	

Impedance Coax Dia. .141 # of Shields Replace ** with ANY length in Inches



	RG402-Fle	x-Jacketed
	Part # BM	90940.**
	Impedance	50
	Coax Dia.	.178"
	# of Shields	2
		with ANY Inches
4	4 - DM	IA I

RG405/U		
Part # BMS	90942 .**	
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

KG40	o-riex
Part # BM	90944 .**
Impedance	50
Coax Dia.	.085"
# of Shields	1
	with ANY n Inches



Bracke MFG

SMA Male to BMA Jack 2 Hole Panel Mount Bracke MFG



KG 142B/U	
Part # BM90948.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

DC1/2B/II



RG188-	Double
Part # BM	90952 . **
Impedance	50
Coax Dia.	.118"
# of Shields	2
Replace ** with ANY length in Inches	

Part # BM90954.**	
Impedance 50	
Coax Dia211"	
# of Shields 2	
Replace ** with ANY length in Inches	

RG316/U	
Part # BM	90956 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace **	with ANY

RG316-Double	
Part # BM	90958 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	

RG402/U	
Part # BM	90960.**
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Flex	
Part # BM	90962 . **
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG402-Fle	x-Jacketed
Part # BM	90964 . **
Impedance	50
Coax Dia.	.178"
# of Shields	2
Replace ** with ANY length in Inches	

RG405/U		
Part # BM90966.**		
Impedance	50	
Coax Dia.	.085"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG405-Flex	
Part # BM9	90968.**
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	

RG405-Flex-Jacketed	
Part # BM	90970.**
Impedance	50
Coax Dia.	.127"
# of Shields	2
Replace ** with ANY length in Inches	



10-32 Male to BNC Male



RG174A/U	
Part # BM90797.**	
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY length in Inches	
<u> </u>	

RG178B/U		
Part # BM	90799 . **	
Impedance	50	
Coax Dia.	.072"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM	90923 . **	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG196A/U	
Part # BM	90925 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY length in Inches	
length in Inches	

RG316/U	
Part # BM	90801 . **
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY length in Inches	

RG316-Double	
Part # BM	90927 . **
Impedance	50
Coax Dia.	.114"
# of Shields	2
Replace ** with ANY length in Inches	




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



BNC Male to UHF Male



Bracke MFG



RG142B/U	
Part # BM90100.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Impedance Coax Dia.	50

Replace ** with ANY length in Inches

RG174A/U	
Part # BM	90784 .**
Impedance	50
Coax Dia.	.100"
# of Shields	1
Replace ** with ANY	

length in Inches

RG188A/U		
Part # BM90785.**		
Impedance 50		
Coax Dia.	.105"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG213/U		
Part # BM90103.**		
Impedance 50		
Coax Dia405"		
# of Shields	1	
Replace ** with ANY		

length in Inches

RG214/U	
Part # BM	90104 . **
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY	

RG223/U		
Part # BM90099.**		
Impedance 50		
Coax Dia211"		
# of Shields 2		
Replace ** with ANY		

RG316/U	
Part # BM90786.**	
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace ** with ANY	

length in Inches

RG393/U	
Part # BM90725.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	

RG400/U	
Part # BM90101.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG58C/U	
Part # BM90098.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

RG59B/U	
Part # BM90105.**	
Impedance	75
Coax Dia.	.242"
# of Shields	1
Replace ** with ANY length in Inches	

RG8A/U	
Part # BM	90102 . **
Impedance	52
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	



7/16 DIN Male to HN Male




R	G142B/U
Part # BM90449.**	

Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY	


RG214/U		
Part # BM90451.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY		

RG217/U	
Part # BM	90453 . **
Impedance	50
Coax Dia.	.545"
# of Shields	2
Replace ** with ANY	



RG223/U		
Part # BM90457.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM90459.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		



Bracke MFG



Bracke MFG




RG142B/U		
Part # BM90442.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches


RG213/U	
Part # BM	90444 . **
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM90446.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90448.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		







Bracke MFG





RG142B/U		
Part # BM90454.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY		

length in Inches

RG213/U		
Part # BM90456.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM90458.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		


RG223/U		
Part # BM90460.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

Part # BM	90487 .**
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY	

RG393/U

RG58C/U	
Part # BM90489.**	
Impedance	50
Coax Dia.	.195"
# of Shields	1
Replace ** with ANY length in Inches	

20 kV Plug to 10 kV Plug



	10.9
Bracke MFG	



78		
0	Bracke MFG	
W		

20 kV Plug to SH

	Coax Dia. # of Shields	.195" 1	
	Replace ** with ANY		
	length in Inches		
V Plug			

RG213/U	
Part # BM90491.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace **	with ANY

length in Inches

RG214/U	
Part # BM90493.**	
Impedance	50
Coax Dia.	.425"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U		
Part # BM90495.**		
Impedance	50	
Coax Dia.	.390"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG213/U	
Part # BM90507.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM90509.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG393/U		
Part # BM90511.**		
Impedance 50		
Coax Dia390"		
# of Shields 2		
Replace ** with ANY length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



20 kV Plug to MHV Male



RG213/U		
Part # BM90515.**		
Impedance 50		
Coax Dia.	.405"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG214/U		
Part # BM	90518 .* *	
Impedance	50	
Coax Dia.	.425"	
# of Shields 2		
Replace ** with ANY		

RG393/U		
Part # BM	90520 . **	
Impedance	50	
Coax Dia390"		
# of Shields 2		
Replace ** with ANY length in Inches		

SMA Male to N Male Right Angle

Bracke MFG

RG142B/U		RG223/U		RG5	8C/U
Part # BM9	90564 <u>**</u>	Part # BM	Part # BM90562.**		90523 .**
Impedance	50	Impedance	50	Impedance	50
Coax Dia.	.195"	Coax Dia.	.211"	Coax Dia.	.195"
# of Shields	2	# of Shields	2	# of Shields	1
Replace <u>**</u> length ir			Replace ** with ANY length in Inches		★ with ANY n Inches



QMA Male to N Male





RG142B/U		
Part # BM90419.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG174A/U		
Part # BM90488.**		
Impedance 50		
Coax Dia.	.100"	
# of Shields 1		
Replace ** with ANY length in Inches		

RG188A/U		
Part # BM	90490 . **	
Impedance	50	
Coax Dia.	.105"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG223/U		
Part # BM90492.**		
Impedance	50	
Coax Dia.	.211"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG316/U		
Part # BM	90494.**	
Impedance	50	
Coax Dia.	.102"	
# of Shields 1		
Replace ** with ANY		

RG316-Double		
Part # BM	90506 . **	
Impedance	50	
Coax Dia.	.114"	
# of Shields 2		
Replace ** with ANY length in Inches		

RG400/U	
Part # BM90508.**	
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	



RG402-Flex	
Part # BM90519.**	
Impedance	50
Coax Dia.	.141"
# of Shields	1
Replace ** with ANY length in Inches	

RG405/U	
Part # BM90522.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	
# of Shields Replace **	1 with ANY

RG405-Flex	
Part # BM90524.**	
Impedance	50
Coax Dia.	.085"
# of Shields	1
Replace ** with ANY length in Inches	




HN Male to N Male





RG142B/U	
Part # BM	90526 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	



RG217/U	
Part # BM90530.**	
Impedance	50
Coax Dia.	.545"
# of Shields	2
Replace ** with ANY length in Inches	

RG218/U	
Part # BM90532.**	
Impedance	50
Coax Dia.	.870"
# of Shields	1
Replace ** with ANY length in Inches	

RG223/U	
Part # BM	90534 . **
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM90536.**	
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY length in Inches	



HN Male to SHV Plug





RG142B/U	
Part # BM	90538 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2
Replace ** with ANY length in Inches	

RG213/U	
Part # BM90540.**	
Impedance	50
Coax Dia.	.405"
# of Shields	1
Replace ** with ANY length in Inches	

RG214/U		
Part # BM	90542 . **	
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

	KG223/U		
Part # BM90544.**			
Imp	edance	50)
	ax Dia.		1"
# of	Shields	s 2	
Replace ** with ANY length in Inches			

DC222/LL

RG393/U	
Part # BM	90546 . **
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY	

RG58C/U		
Part # BM90548.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		



HN Male to MHV Male





RG142B/U		
Part # BM	90550 <u>**</u>	
Impedance	50	
Coax Dia.	.195"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG213/U		
Part # BM90552.**		
Impedance	50	
Coax Dia.	.405"	
# of Shields	1	
Replace ** with ANY length in Inches		

RG214/U		
Part # BM90554.**		
Impedance	50	
Coax Dia.	.425"	
# of Shields	2	
Replace ** with ANY length in Inches		

RG223/U	
Part # BM90556.**	
Impedance	50
Coax Dia.	.211"
# of Shields	2
Replace ** with ANY length in Inches	

RG393/U	
Part # BM	90558.**
Impedance	50
Coax Dia.	.390"
# of Shields	2
Replace ** with ANY	

RG58C/U		
Part # BM90560.**		
Impedance	50	
Coax Dia.	.195"	
# of Shields	1	
Replace ** with ANY length in Inches		
length in Inches		



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601




UMCX Plug RG178B/U to (see below)



Bracke MFG

Bracke MFG



SMA Male

Part # BM	90831 .* *
Impedance	50
Coax Dia.	.072"
# of Shields	1


Replace ** with ANY length in Inches



SMA Male Right Angle

Part # BM	90794 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Coax Dia.	


Replace ** with ANY length in Inches



SMA Female

Part # BM	90845 <u>**</u>
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches



SMA Female Bulkhead

*

Part # BM	90265 <u>.*</u>
Impedance	50
Coax Dia.	.072"
# of Shields	1


Replace ** with ANY length in Inches



SMA Female Bulkhead **Right Angle**

Part # BM	90287 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches



MCX Plug

Part # BM	90289 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1


Replace ** with ANY length in Inches



MCX Plug Right Angle

Part # BM	90291 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1


Replace ** with ANY length in Inches



MCX Jack Bulkhead

Part # BM	90294 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY	

length in Inches



Reverse Polarity SMA Male

Part # BM	90300.**
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace ** with ANY	



Reverse Polarity SMA Male Right Angle

Part # BM	90326 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1


Replace ** with ANY length in Inches



Reverse Polarity SMA Female

Part # BM	90328 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1


Replace ** with ANY length in Inches



Reverse Polarity SMA Female Bulkhead

Part # BM	90330.**
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches



Reverse Thread **SMA Male**

Part # BM	90332 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches



Reverse Thread SMA Male Right Angle

Part # BM	90334 .**
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches



length in Inches

Reverse Thread SMA Female

Part # BM	90336 . **
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace **	with ANY

length in Inches



Reverse Thread SMA Female Bulhead

Part # BM	90338 . **
Impedance	50
Coax Dia.	.072"
# of Shiolds	1


Replace ** with ANY length in Inches



MMCX Plug Right Angle

Part # BM	90340.**
Impedance	50
Coax Dia.	.072"
# of Shields	1

Replace ** with ANY length in Inches



SMP Female

Part # BM	90829 . **
Impedance	50
Coay Dia	072"

Replace ** with ANY length in Inches

of Shields

Coax Dia.

Bracke MFG



Bracke MFG

BNC Male to MHV Male





242

RG142B/U

Part # BM	90909 . **
Impedance	50
Coax Dia.	.195"
# of Shields	2

Replace ** with ANY length in Inches

RG174A/U

Part # BM90798.**

Replace ** with ANY

RG174A/U

Part # BM	90911 .* *
Impedance	50
Coax Dia.	.100"
# of Shields	1

Replace ** with ANY length in Inches

RG178B/U

Part # BM90800.**

Replace ** with ANY

lenath in Inches

RG223/U Part # BM90913.** Impedance Coax Dia

Replace ** with ANY length in Inches

RG316/U

Part# BM9	90915 . ~
Impedance	50
Coax Dia.	.102"
# of Shields	1

Replace ** with ANY length in Inches

RG58C/U

Part # BM	90917 .* *
Impedance	50
Coax Dia.	.195"
# of Shields	1

Replace ** with ANY length in Inches

RG5	9B/U
art # BM	90919.
mnedance	75

of Shields Replace ** with ANY length in Inches

10-32 Male to SMA Male







Replace ** with ANY length in Inches

RG196A/U

Part # BM	90931 .^^
Impedance	50
Coax Dia.	.072"
# of Shields	1
Replace **	with ANY

lenath in Inches

RG316/U

Part # BM!	90802 . ^^
Impedance	50
Coax Dia.	.102"
# of Shields	1
Replace **	with ANY

length in Inches

RG316-Double Part # BM90933.** Impedance Coax Dia.

Replace ** with ANY length in Inches



Impedance Coax Dia.

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



RF & Microwave Adapters Chart

	•	
1.0/2.3 Jack to:		PG#
75 Ohm BNC Male	BM51053	113
1.0/2.3 Plug to:		PG#
75 Ohm BNC Female SMA Female {SO}	BM51052 BM50133	113 82
1.0mm Female to:	DINIOU 100	PG#
1.85mm Female {P}	BM50840	106
1.85mm Male {P}	BM50839	105
1.0mm Male to:		PG#
1.85mm Female {P} 1.85mm Male {P}	BM50837 BM50838	105 105
1.6/5.6 Female to:	Dillococo	PG#
1.6/5.6 Female {BM}	BM50316	88
75 Ohm BNC Female (BM) 75 Ohm BNC Male	BM50308 BM50306	88 88
75 Ohm N Male	BM50309	88
1.6/5.6 Male to:		PG#
75 Ohm BNC Female	BM50307	88
1.85mm Female to:		PG#
1.0mm Female {P} 1.0mm Male {P}	BM50840	106
1.85mm Female (P)	BM50837 BM50260	105 86
1 85mm Male (P)	BM50258	86
2.4mm Female {P} 2.4mm Female {P}{RA}	BM50291 BM50948	87 109
2.4mm Male {P} 2.4mm Male {P}{RA}	BM50288	87
2.92mm Female (P)	BM50947 BM50305	109 88
2.92mm Female {P}{RA}	BM50962	110 88
2.92mm Male {P} 2.92mm Male {P}{RA}	BM50302 BM50963	110
I 3.5mm Female (F)	BM50243	86
3.5mm Male {P} Mini SMP Female {P}	BM50240 BM50989	86 110
Mini SMP Female {P} Mini SMP Male {FD}{P} Mini SMP Male {P}{SB}	BM50991	111
N Female {P}	BM50993 BM50264	111 86
N Female {P} N Male {P}	BM50261	86 81
SMA Female {P} SMA Male {P}	BM50104 BM50101	81
1.85mm Male to:		PG#
1.0mm Female {P}	BM50839	105
1.0mm Male {P} 1.85mm Female {P}	BM50838 BM50258	105 86
1 95mm Malo (P)	BM50259	86
2.4mm Female {P}	BM50289 BM50949	87 109
2.4mm Female {P}{RA} 2.4mm Male {P} 2.4mm Male {P}{RA}	BM50290	87
2.4mm Male {P}{RA} 2.92mm Female {P}	BM50946 BM50303	109 88
2.92mm Female {P} 2.92mm Female {P}{RA}	BM50961	110
2.92mm Male {P} 2.92mm Male {P}{RA}	BM50304 BM50960	88 110
	BM50241	86
3.5mm Male {P} Mini SMP Female {P}	BM50242 BM50988	86 110
Mini SMP Female {P} Mini SMP Male {FD}{P} Mini SMP Male {FD}{SP}	BM50990	111
Mini SMP Male {P}{SB} N Female {P}	BM50992 BM50262	111 86
N Male {P} SMA Female {P}	BM50263	86
SMA Perifale (P)	BM50103 BM50102	81 81
1 5/8" EIA to:		PG#
1 5/8" EIA	BM51081	114
1 5/8" EIA {RA} 3 1/8" EIA	BM51083 BM51048	114 112
7/16 DIN Female	BM51043	112
7/16 DIN Male 7/8" EIA	BM51044 BM51045	112 112
HN Female	BM51105	114
HN Male LC Female	BM51099 BM51071	114 113
LC Male	BM51076	113
N Female N Male	BM51041 BM51042	112 112
10-32 Female to:		PG#
10-32 Female	BM50668	100
10-32 Female 10-32 Female {BM} 10-32 Male {RA}	BM50669 BM50174	100 83
BNC Female (BM)	BM50639 BM50640	99 99
BNC Male SMA Male	BM50636	99
SMA Male SMB Plug	BM50940 BM50942	109 109
10-32 Male to:		PG#
10-32 Female {RA}	BM50174	83
BNC Female BNC Female {BM}	BM50637 BM50638	99 99
BNC Male	BM50641	99
SMA Female	BM50941 BM50394	109

MICIOWAVE Au	apte	15
2.4mm Female to:		PG#
1.85mm Female (P)	BM50291 BM50948	87 109
1.85mm Female {P}{RA} 1.85mm Male {P}	BM50289	87
1.85mm Male {P}{RA}	BM50949	109
2.4mm Female (BM)(HS)(P)	BM51066 BM50287	113 87
2.4mm Female {BM}{P} 2.4mm Female {P} 2.4mm Female {PM}{P}	BM50286	87
2.4mm Female (PM){P}	BM51025	112
2.4mm Female {P}{RA} 2.4mm Female NMD {P}	BM50951 BM50870	109 107
2.4mm Male {P}	BM50284	87
2.4mm Male {RA}{P} 2.4mm Male NMD {P}	BM50675 BM50937	100
2.92mm Female {P}	BM50301	88
2.92mm Female {P}{RA}	BM50958	109
2.92mm Female NMD {P} 2.92mm Male {P}	BM50860 BM50298	106 87
2.92mm Male {P}{RA}	BM50959	109
3.5mm Female {P} 3.5mm Female NMD {P}	BM50239 BM50850	85
3.5mm Male {P}	BM50236	106 85
7mm {P}	BM50296	87
Mini SMP Female {P} Mini SMP Male {FD}{P}	BM50983 BM50985	110 110
Mini SMP Male {P}{SB}	BM50987	110
N Female (P)	BM50295	87
N Male {P} SMA Female {P}	BM50292 BM50108	87 81
SMA Male (P)	BM50106	81
SMP Female (P)	BM51003	111
SMP Male {FD}{P} SMP Male {LD}{P}	BM51005 BM51007	111
SMP Male {P}{SB}	BM51009	111
2.4mm Female NMD to:		PG#
2.4mm Female {P}	BM50870	107
2.4mm Female NMD {P} 2.4mm Male {P}	BM50936 BM50869	109 106
2.4mm Male NMD (P)	BM50881	107
2.92mm Female {P} 2.92mm Male {P}	BM50848	106 107
3.5mm Female {P}	BM50877 BM50876	107
3.5mm Male {P}	BM50875	107
3.5mm Male NMD {P} N Female {P}	BM50882 BM50872	107 107
N Male {P}	BM50871	107
SMA Female {P}	BM50874	107
SMA Male {P}	BM50873	107
2.4mm Male to: 1.85mm Female {P}	BM50288	PG #
1.85mm Female {P}{RA} 1.85mm Male {P}	BM50947	109
I 1 95mm Malo JPUPAL	BM50290 BM50946	87 109
2.4mm Female {RA}{P}	BM50284	87
2.4mm Female {RA}{P}	BM50675	100
2.4mm Female NMD {P} 2.4mm Male {P} 2.4mm Male {P}{RA}	BM50869 BM50285	106 87
2.4mm Male {P}{RA}	BM50950	109
2.4mm Male NMD {P} 2.92mm Female {P}	BM50938 BM50299	109 87
2.92mm Female {P}{RA}	BM50957	109
1 2.3211111 Felliale NIVID 1F7	BM50859	106 88
2.92mm Male {P}	BM50300 BM50956	88 109
2.92mm Male {P} 2.92mm Male {P} 2.92mm Male {P}{RA} 3.5mm Female {P}	BM50300 BM50956 BM50237	88 109 85
2.92mm Male {P} 2.92mm Male {P} 2.92mm Male {P} 3.5mm Female {P} 3.5mm Female NMD {P}	BM50300 BM50956 BM50237 BM50849	88 109 85 106
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P){RA} 3.5mm Female (P) 3.5mm Female NMD (P) 3.5mm Male (P) 7mm (P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297	88 109 85 106 85 87
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P){RA} 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) 7mm {P} Mini SMP Female (P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50982	88 109 85 106 85 87 110
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P)(RA) 3.5mm Female (P) 3.5mm Female NMD (P) 3.5mm Male (P) 7mm (P) Mini SMP Female (P) Mini SMP Male (FD)(P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50982 BM50984	88 109 85 106 85 87 110 110
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P){RA} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Male {P} 7mm {P} Mini SMP Female {P} Mini SMP Male {FD}{P} Mini SMP Male {FD}{P} Mini SMP Male {P} SMP SMP Male {P} SMP SMP Male {P}	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50982 BM50984 BM50986 BM50986	88 109 85 106 85 87 110 110 110
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P){RA} 3.5mm Female (P) 3.5mm Female NMD (P) 3.5mm Male {P} 7mm {P} Mini SMP Female {P} Mini SMP Male {FD}{P} Mini SMP Male {P} N Female {P} N Female {P} N Female {P} N Male {P}	BM50300 BM50956 BM50237 BM50849 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294	88 109 85 106 85 87 110 110 110 87 87
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) 7mm {P} Mini SMP Female (P) Mini SMP Male (FD){P} Mini SMP Male (FD){P} Mini SMP Male (P){SB} N Female {P} SMA Female {P} SMA Male (P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50238 BM50982 BM50984 BM50986 BM50294 BM50294 BM50107	88 109 85 106 85 87 110 110 110 87 87
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) 7mm (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(SB) N Female (P) SMA Female (P) SMA Female (P) SMA Female (P) SMP Female (P)	BM50300 BM50956 BM50237 BM50249 BM50238 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294 BM50107 BM50105 BM50105	88 109 85 106 85 87 110 110 110 87 87 81 81
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female NMD {P} 3.5mm Male (P) 7mm (P) Mini SMP Female {P} Mini SMP Male {FD}{P} N Male {P} N Male {P} SMA Female {P} SMA Male {P} SMA Male {P} SMP Female {P} SMP Female {P} SMP Female {P}	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50986 BM50986 BM50986 BM50294 BM50107 BM50105 BM51002 BM51002	88 109 85 106 85 87 110 110 110 87 87 81 81 111
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) 7mm (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(SB) N Female (P) SMA Female (P) SMA Female (P) SMA Female (P) SMP Female (P)	BM50300 BM50956 BM50237 BM50249 BM50238 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294 BM50107 BM50105 BM50105	88 109 85 106 85 87 110 110 110 87 87 81 81
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) 7mm (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) SMA Female (P) SMA Pemale (P) SMP Male (P) SMP Male (P) SMP Male (P) SMP Male (P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50986 BM50986 BM50293 BM50294 BM50107 BM51002 BM51006	88 109 85 106 85 87 110 110 87 87 81 81 111 111
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) SMA Female (P) SMA Male (P) SMA Female (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male ND to: 2.4mm Female (P)	BM50300 BM50956 BM50237 BM50237 BM502849 BM50238 BM50297 BM50984 BM50986 BM50294 BM50107 BM50107 BM51004 BM51004 BM51008	88 109 85 106 85 87 110 110 110 87 87 81 81 111 111 111 PG #
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) Mini SMP Female (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) SMA Male (P) SMA Female (P) SMA Female (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male MMD to: 2.4mm Female (P) 2.4mm Female (P) 2.4mm Female (P) 2.4mm Female (P) 2.4mm Female (P) 2.4mm Female (P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50984 BM50984 BM50293 BM50107 BM50107 BM51006 BM51006 BM51006 BM51008	88 109 85 106 85 87 110 110 110 87 87 81 81 111 111 111 111 PG #
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) SMA Female (P) SMA Female (P) SMA Female (P) SMP Female (P) SMP Female (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male NMD to: 2.4mm Female (P) 2.4mm Female (P) 2.4mm Female (P) 2.4mm Female (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P) 2.4mm Male (P)	BM50300 BM50956 BM50237 BM50849 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294 BM50105 BM51002 BM51006 BM51006 BM51008 BM50098 BM50098 BM50098 BM50098 BM50098 BM50098 BM50098 BM50098 BM50098 BM50098	88 109 85 106 85 87 110 110 110 87 87 81 81 111 111 111 PG #
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) SMA Female (P) SMA Female (P) SMA Male (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male NMD to: 2.4mm Female (P) 2.4mm Female NMD (P) 2.4mm Female NMD (P) 3.5mm Female NMD (P)	BM50300 BM50956 BM50237 BM50849 BM50238 BM50297 BM50984 BM50984 BM50293 BM50107 BM50107 BM51006 BM51006 BM51006 BM51008	88 109 85 106 85 87 110 110 110 87 87 81 111 111 111 111 PG # 109
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) SMA Female (P) SMA Female (P) SMA Female (P) SMA Female (P) SMA Female (P) SMP Male (P) SMP Male (P) SMP Male (P) SMP Male (D)(P) SMP Male (LD)(P) SMP Male (LD)(P) SMP Male (LD)(P) SMP Male (LD)(P) SMP Male (P)(SB) 2.4mm Female (P) 2.4mm Female (P) 2.4mm Male NMD (P) 2.4mm Male NMD (P) 3.5mm Female NMD (P)	BM50300 BM50956 BM50237 BM50849 BM50297 BM50982 BM50984 BM50984 BM50986 BM50293 BM50105 BM50105 BM51004 BM51006 BM51008 BM51008 BM50830 BM50830 BM50830 BM50830 BM50830 BM50881	88 109 85 106 85 87 110 110 87 87 81 111 111 111 111 PG # 109 107
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) N Male (P) SMA Female (P) SMA Male (P) SMA Female (P) SMP Female (P) SMP Female (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male NMD to: 2.4mm Female NMD (P) 2.4mm Female NMD (P) 3.5mm Female NMD (P) 3.5mm Female NMD (P) 2.92mm Female to: 1.85mm Female (P)	BM50300 BM50956 BM50237 BM50849 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294 BM50105 BM51002 BM51006 BM51006 BM51008 BM51008 BM50879 BM50879	88 109 85 106 85 87 110 110 110 87 87 81 111 111 111 PG # 107 109 107 107 PG #
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Male (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) SMA Female (P) SMA Female (P) SMA Male (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male NMD to: 2.4mm Female (P) 2.4mm Female NMD (P) 2.4mm Female NMD (P) 3.5mm Female NMD (P) 3.5mm Female (P) 1.85mm Female (P) 1.85mm Female (P)	BM50300 BM50956 BM50237 BM50849 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294 BM50105 BM51005 BM51006 BM51006 BM51008 BM50801 BM508080 BM508080 BM50881 BM50881 BM50881 BM50881 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880 BM50880	88 109 85 106 85 87 110 110 87 87 81 81 111 111 111 111 119 107 107 107 107 107 107
2.92mm Male (P) 2.92mm Male (P) 2.92mm Male (P) 3.5mm Female (P) 3.5mm Female (P) 3.5mm Female (P) Mini SMP Female (P) Mini SMP Male (FD)(P) Mini SMP Male (FD)(P) Mini SMP Male (P) SMA Female (P) N Male (P) SMA Female (P) SMA Male (P) SMA Female (P) SMP Female (P) SMP Female (P) SMP Male (FD)(P) SMP Male (FD)(P) SMP Male (P)(SB) 2.4mm Male NMD to: 2.4mm Female NMD (P) 2.4mm Female NMD (P) 3.5mm Female NMD (P) 3.5mm Female NMD (P) 2.92mm Female to: 1.85mm Female (P)	BM50300 BM50956 BM50237 BM50849 BM50297 BM50982 BM50984 BM50986 BM50293 BM50294 BM50105 BM51002 BM51006 BM51006 BM51008 BM51008 BM50879 BM50879	88 109 85 106 85 87 110 110 110 87 87 81 111 111 111 PG # 107 109 107 107 PG #

2.92mm Female to:		PG#
2.4mm Female {P}{RA} 2.4mm Female NMD {P}	BM50958 BM50848	109 106
2.4mm Male {P}	BM50299	87
2.4mm Male {P} 2.4mm Male {P}{RA}	BM50957	109
2.92mm Female {BM}{HS}{P}	BM51065	113
2.92mm Female {BM}{P} 2.92mm Female {P}	BM50254	86 86
2.92mm Female {PM}{P}	BM50252 BM50253	86
2 02mm Famala (DA)(D)	BM50257	86
2.92mm Female {RRA}{P}	BM50622	98
2.92mm Female NMD {P}	BM50861	106
2.92mm Male {P} 2.92mm Male {RA}{P}	BM50250 BM50255	86 86
2.92mm Male {RRA}{P}	BM50814	105
3.5mm Female (P)	BM50235	85
3.5mm Female {P}{RA}	BM50954	109
3.5mm Female NMD {P}	BM50858	106
3.5mm Male {P} 3.5mm Male {P}{RA}	BM50232 BM50953	85 109
7mm {P}	BM50314	88
Mini SMP Female {P} Mini SMP Male {FD}{P}	BM50977	110
Mini SMP Male {FD}{P}	BM50979	110
Mini SMP Male (P)(SB)	BM50981 BM50313	110 88
N Female {P} N Male {P}	BM50310	88
SMA Female (P)	BM50794	104
SMA Female {RA}{P} SMA Male {P}	BM50927	108
SMA Male {P}	BM50791	104
SMA Male {RA}{P} SMP Female {P}	BM50925 BM50995	108 111
SMP Male {FD}{P}	BM50997	111
SMP Male {LD}{P}	BM50999	111
SMP Male {P}{SB}	BM51001	111
2.92mm Female NMD to:		PG#
2.4mm Female {P}	BM50860	106
2.4mm Male {P}	BM50859	106
2.92mm Female {P} 2.92mm Male {P}	BM50861	106 106
3.5mm Female {P}	BM50862 BM50868	106
3.5mm Male {P}	BM50867	106
N Female (P)	BM50864	106
N Male {P}	BM50863	106
SMA Female {P} SMA Male {P}	BM50866 BM50865	106 106
	DIVIDUOUS	PG #
2.92mm Male to:	DMESSO	
1.85mm Female {P}	BM50302	88
1.85mm Female {P} 1.85mm Female {P}{RA}	BM50963	88 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P}	BM50963 BM50304	88 110 88
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P}{RA}	BM50963	88 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P}	BM50963 BM50304 BM50960	88 110 88 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P}{RA} 2.4mm Female NMD {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877	88 110 88 110 87 109 107
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P} RA} 2.4mm Female {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300	88 110 88 110 87 109 107 88
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}(P) 2.4mm Female {P}(P) 2.4mm Female {P}(P) 3.4mm Male {P}(P) 3.4mm Male {P}(RA)	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956	88 110 88 110 87 109 107 88 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50250	88 110 88 110 87 109 107 88 109 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P} 2.4mm Female {P}{RA} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Female {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50250 BM50255	88 110 88 110 87 109 107 88 109 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P}{RA} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RRA}{P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50250 BM50255 BM50251	88 110 88 110 87 109 107 88 109 86 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P}{1.85mm Male {P}} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RRA}{P} 2.92mm Female {RRA}{P} 2.92mm Female RRAA}{P}	BM50963 BM50304 BM50960 BM50298 BM50877 BM50300 BM50956 BM50255 BM50255 BM50255 BM50814 BM50862	88 110 88 110 87 109 107 88 109 86 86 105
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.2mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RND {P} 2.92mm Female {RND {P} 2.92mm Female {P} 2.92mm Female {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50250 BM50255 BM50251	88 110 88 110 87 109 107 88 109 86 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P}{1.85mm Male {P}} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RRA}{P} 2.92mm Female {RRA}{P} 2.92mm Female RRAA}{P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50250 BM50250 BM50255 BM50255 BM50814 BM50862 BM50862 BM50851	88 110 88 110 87 109 107 88 109 86 86 105 106 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {P} 2.92mm Male {RA}{P} 2.92mm Male {RA}{P} 3.5mm Male {RA}{P} 3.5mm Female {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50255 BM50255 BM50255 BM50255 BM50251 BM50862 BM50251 BM50253 BM50251	88 110 88 110 87 109 107 88 109 86 86 105 106 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P}{RA} 1.85mm Male {P}{RA} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P}{P} 2.4mm Male {P}{RA} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female RAA}{P} 2.92mm Male {P} 2.92mm Male {P} 2.92mm Male {RA}{P} 2.92mm Male {RA}{P} 2.92mm Male {RA}{P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50255 BM50255 BM50255 BM50814 BM50862 BM50256 BM50256 BM50256 BM50256	88 110 88 110 87 109 107 88 109 86 105 106 86 86 98 85 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female RAP{P} 2.92mm Male {P} 2.92mm Male {P} 3.92mm Male {P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50959 BM50956 BM50250 BM50255 BM50251 BM50255 BM50255 BM50255 BM50255 BM50255 BM50255 BM50255 BM50255 BM50233 BM50233 BM50235 BM50233	88 110 88 110 87 109 107 88 109 86 86 105 106 86 98 85 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 3.92mm Male {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female NMD {P} 3.5mm Female NMD {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50255 BM50255 BM50255 BM50256 BM50256 BM50251 BM50253 BM50256 BM50256 BM50256 BM50256 BM50233 BM50333 BM50955 BM50955	88 110 88 110 87 109 107 88 109 86 86 105 106 86 98 85 109 106 85
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {P} 2.92mm Male {RA}{P} 3.5mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Male {P} 3.5mm Male {P}	BM50963 BM50304 BM50960 BM50959 BM50959 BM50959 BM50956 BM50250 BM50255 BM50251 BM50256 BM50251 BM50256 BM50623 BM50623 BM50623 BM50952 BM50857 BM50857	88 110 88 110 87 109 107 88 109 86 86 105 106 86 98 85 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female NMD {P} 3.5mm Female NMD {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50959 BM50956 BM50255 BM50255 BM50255 BM50251 BM50262 BM50256 BM50255 BM50233 BM50233 BM50233 BM50233 BM50857 BM50234 BM50234 BM50234 BM50234 BM50234 BM50234 BM50234 BM50234 BM50234	88 110 88 110 87 109 107 88 109 86 86 86 105 86 86 98 85 109 106 85 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.2mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {P} 3.92mm Male {P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50255 BM50255 BM50255 BM50256 BM50256 BM50256 BM50255 BM50257 BM50256 BM50233 BM50233 BM50955 BM50957 BM50957 BM50957 BM50957 BM50976	88 110 88 110 87 109 107 88 109 86 105 106 86 86 89 88 109 106 85 109 85 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.9mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P}	BM50963 BM50304 BM50960 BM50959 BM50959 BM50959 BM50956 BM50250 BM50255 BM50251 BM50266 BM50251 BM50256 BM50623 BM50253 BM50233 BM50955 BM50852 BM50955 BM50876 BM509576	88 110 88 110 109 107 88 86 86 105 106 88 86 98 85 109 106 85 109 88 110 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {RA} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Male {P} 4.5mm	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50255 BM50255 BM50255 BM50256 BM50256 BM50256 BM50255 BM50257 BM50256 BM50233 BM50233 BM50955 BM50957 BM50957 BM50957 BM50957 BM50976	88 110 88 110 87 109 107 88 109 86 105 106 86 86 89 88 109 106 85 109 85 109
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.9mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50255 BM50255 BM50261 BM50261 BM502623 BM50233 BM50233 BM50233 BM508623 BM50233 BM50955 BM50233 BM50955 BM50234 BM50955 BM50334 BM50978 BM50978 BM50978	88 110 88 110 107 88 109 107 88 86 105 106 86 86 98 85 109 88 110 109 88 110 1110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.3.5mm Male {P}{RA} 3.5mm Male {P} 4.5mm Male {P} 5.5mm Male {P} 6.5mm Male {P} 7.5mm Male {P} 8.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Female {P} 9.5mm	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50255 BM50255 BM50251 BM50261 BM50261 BM50263 BM50233 BM50233 BM50955 BM50837 BM50978 BM50978 BM50978 BM50978 BM50312 BM50312 BM50312 BM50312 BM50312	88 110 88 110 107 107 109 107 88 86 86 86 86 86 86 86 98 85 109 106 85 109 109 88 110 110 88 88
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.3.5mm Male {P}{RA} 3.5mm Male {P} 4.5mm Male {P} 5.5mm Male {P} 6.5mm Male {P} 7.5mm Male {P} 8.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Male {P} 9.5mm Female {P} 9.5mm	BM50963 BM50304 BM50960 BM50298 BM50959 BM50959 BM50956 BM50255 BM50255 BM50251 BM50255 BM50255 BM50255 BM50233 BM50233 BM50233 BM50233 BM50955 BM50234 BM50955 BM50955 BM50953 BM50953 BM50953 BM50953 BM50953 BM50953 BM50953 BM50953 BM50953 BM50953 BM50976 BM50976 BM50311 BM50312 BM50311 BM50312 BM50313 BM50980 BM50311 BM50312 BM50313	88 110 88 110 87 109 86 86 105 106 88 86 109 106 88 110 110 110 88 88 110 88 110 88 110 88 110 88 110 88 110 88 110 88 110 88 110 88 110 88 88 88 88 88 88 88 88 88 88 88 88 88
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {P} 2.92mm Male {RA}{P} 3.5mm Female {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.5mm Male {P} 5.5mm Male {P} 6.5m	BM50963 BM50304 BM50960 BM50959 BM50959 BM50959 BM50956 BM50250 BM50255 BM50251 BM50266 BM50623 BM50623 BM50623 BM50623 BM50955 BM50857 BM50957 BM50315 BM50976 BM50978 BM50978 BM50312 BM50312 BM50312 BM50312 BM50978 BM50978	88 110 88 110 87 109 88 109 105 86 86 86 86 86 98 85 109 106 88 109 106 88 109 109 88 85 109 88 85 109 86 86 109 86 86 86 86 109 86 86 86 86 86 86 86 86 86 86 86 86 86
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {P} 2.92mm Male {RA}{P} 3.5mm Female {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.5mm Male {P} 5.5mm Male {P} 6.5m	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50255 BM50255 BM50251 BM50261 BM50261 BM50263 BM50233 BM50233 BM50233 BM50233 BM50233 BM50978 BM50978 BM50978 BM50311 BM50312 BM50311 BM50312	88 110 88 110 87 109 86 105 106 86 86 98 85 109 106 85 110 110 88 88 110 110 110 88 88 110 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P}{RA} 2.2mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female RRA}{P} 2.92mm Male {P} 3.5mm Male {P} 3.5mm Female {P}{RA} 3.5mm Female {P} 3.5mm Male {P} 4.5mm Male {P} 5.5mm Male {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50959 BM50956 BM50250 BM50255 BM50251 BM50256 BM50255 BM50251 BM50255 BM50233 BM50233 BM50233 BM50952 BM50333 BM50952 BM50333 BM50952 BM503315 BM50976 BM50378 BM50378 BM50378 BM50378 BM503792 BM503792 BM503792 BM503792 BM503792 BM503792 BM503926 BM50994	88 110 88 110 87 109 88 86 105 86 86 86 86 86 87 109 88 85 109 88 85 109 88 85 109 88 85 109 88 85 109 88 85 109 109 88 88 109 88 88 88 88 88 88 88 88 88 88 88 88 88
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P}{RA} 2.2mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female RRA}{P} 2.92mm Male {P} 3.5mm Male {P} 3.5mm Female {P}{RA} 3.5mm Female {P} 3.5mm Male {P} 4.5mm Male {P} 5.5mm Male {P}	BM50963 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50255 BM50255 BM50251 BM50261 BM50261 BM50263 BM50233 BM50233 BM50233 BM50233 BM50233 BM50978 BM50978 BM50978 BM50311 BM50312 BM50311 BM50312	88 110 88 110 87 109 86 105 106 86 86 98 85 109 106 85 110 110 88 88 110 110 110 88 88 110 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P}{RA} 2.2mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female RRA}{P} 2.92mm Male {P} 3.5mm Male {P} 3.5mm Female {P}{RA} 3.5mm Female {P} 3.5mm Male {P} 4.5mm Male {P} 5.5mm Male {P}	BM50963 BM50304 BM50960 BM50959 BM50959 BM50959 BM50956 BM50250 BM50255 BM50251 BM50256 BM50251 BM50256 BM50623 BM50253 BM50623 BM50952 BM50233 BM50931 BM50931 BM50978 BM50978 BM509312 BM50931 BM509312 BM50931 BM509312 BM50931 BM50924 BM50994 BM50994 BM50994 BM50994 BM50996	88 110 88 110 87 109 109 88 86 86 86 86 86 86 85 109 106 88 110 110 88 110 110 88 110 110 110 11
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.5mm Female {P} 5.5mm Male {P} 5.	BM50963 BM50304 BM50309 BM50959 BM50959 BM50959 BM50956 BM50255 BM50255 BM50255 BM50251 BM50256 BM50255 BM50233 BM50233 BM50955 BM50233 BM50955 BM50331 BM50955 BM50331 BM50955 BM50976 BM50978 BM50976 BM509793 BM509793 BM50994 BM50994 BM50994 BM50994 BM50998	88 110 88 110 87 109 88 109 105 106 86 86 86 87 109 88 85 109 88 110 110 110 110 110 110 110 110 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P}{RA} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Female {P} 4.5mm {P} 4.5mm {P} 5.5mm Male {P} 5.5mm Male {P} 5.5mm Male {P} 5.5mm Male {P} 6.5mm Male {P} 7.5mm {P} 6.5mm	BM50963 BM50304 BM50960 BM50298 BM50959 BM50959 BM50959 BM50956 BM50255 BM50256 BM50256 BM50261 BM50261 BM502623 BM50263 BM50263 BM50263 BM50231 BM50256 BM50234 BM50952 BM50315 BM50978 BM50978 BM50978 BM50978 BM50996 BM50996 BM50998 BM50998 BM50998	88 110 88 110 87 109 86 86 86 105 106 86 86 86 87 109 109 88 110 110 110 110 88 110 110 110 110 1
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {P} 3.92mm Male {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} Mini SMP Female {P} Mini SMP Female {P} Mini SMP Female {P} Mini SMP Female {P} Mini SMP Male {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Female {P} SMA Male {P} SMA Female {P} SMA Male {P} SMA Female {P} SMA Male {P} SMA Pemale {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB Male {P} SMB ElA	BM50963 BM50304 BM50304 BM50960 BM50298 BM50959 BM50956 BM50255 BM50255 BM50251 BM50256 BM50255 BM50233 BM50256 BM50233 BM50233 BM50234 BM50234 BM50234 BM50234 BM50315 BM50976 BM50976 BM50978 BM50976 BM509793 BM509793 BM50994 BM50994 BM50994 BM50998 BM51048 BM51048 BM51048	88 110 88 110 87 109 86 86 86 105 86 86 86 87 109 106 88 85 109 109 88 85 109 110 110 110 110 110 110 110 110 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.5mm Female {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.5mm Female {P} 3.5mm Male {P} 5.5mm Male {P} 6.5	BM50963 BM50304 BM50309 BM50959 BM50959 BM50959 BM50956 BM50250 BM50255 BM50814 BM50862 BM50251 BM50256 BM50623 BM50233 BM50233 BM50952 BM50234 BM50952 BM50312 BM50978 BM50978 BM50978 BM50978 BM50978 BM50994 BM50994 BM50994 BM50994 BM50998 BM51048 BM51048 BM51048 BM51048 BM51048 BM51048 BM51082 BM51088	88 110 88 110 87 109 88 109 105 106 86 86 86 86 87 109 106 88 110 110 110 88 110 110 110 110 110 1
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Female {P}{RA} 2.4mm Male {P}{P}{RA} 2.4mm Male {P}{P}{RA} 2.2mm Female {P} 2.4mm Male {P}{2.4mm Male {P}} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 3.92mm Male {P} 3.5mm Female {P} 3.5mm Female {P}{RA} 3.5mm Female {P}{RA} 3.5mm Female {P}{RA} 3.5mm Female {P}{RA} 3.5mm Female {P} 3.5mm Male {P}{SB} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 3.5mm Male {P} 4.5mm {P} 5.5mm Male {P} 5.5mm Mal	BM50963 BM50304 BM50304 BM50960 BM50298 BM50959 BM50956 BM50255 BM50255 BM50251 BM50256 BM50255 BM50233 BM50256 BM50233 BM50233 BM50234 BM50234 BM50234 BM50234 BM50315 BM50976 BM50976 BM50978 BM50976 BM509793 BM509793 BM50994 BM50994 BM50994 BM50998 BM51048 BM51048 BM51048	88 110 88 110 87 109 86 86 86 105 86 86 86 87 109 106 88 85 109 109 88 85 109 110 110 110 110 110 110 110 110 110
1.85mm Female {P} 1.85mm Female {P}{RA} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 1.85mm Male {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Female {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.4mm Male {P} 2.92mm Female {P} 2.92mm Female {P} 2.92mm Female {RA}{P} 2.92mm Female {RA}{P} 2.92mm Male {RA}{P} 3.5mm Female {RA}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P} 4.5mm Female {P} 3.5mm Male {P} 5.5mm Male {P} 6.5	BM50963 BM50304 BM50304 BM50960 BM50298 BM50959 BM50877 BM50300 BM50956 BM50255 BM50814 BM50862 BM50256 BM50256 BM50256 BM50231 BM50256 BM50231 BM50256 BM50231 BM50231 BM50231 BM50231 BM50231 BM50231 BM50231 BM50978 BM50978 BM50978 BM50978 BM509793 BM509793 BM50994 BM50994 BM50994 BM50994 BM50994 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM50998 BM51000	88 110 88 110 87 109 86 105 106 86 86 86 98 109 106 85 109 110 110 88 88 110 110 110 110 110 110 1

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



3.5mm Female to:	DM50040	PG#
1.85mm Female {P} 1.85mm Male {P}	BM50243 BM50241	86 86
2.4mm Female {P}	BM50239	85
2.4mm Female NMD {P}	BM50876	107
2.4mm Male {P} 2.92mm Female {P}	BM50237 BM50235	85 85
2.92mm Female {P} 2.92mm Female {P}{RA}	BM50954	109
2.92mm Female NMD {P} 2.92mm Male {P}	BM50868	106
2.92mm Male {P} 2.92mm Male {P}{RA}	BM50233 BM50955	85 109
2.92mm Male {P}{RA} 3.5mm Female {BM}{P} 3.5mm Female {P} 3.5mm Female {P} 3.5mm Female {P}{RA} 3.5mm Female {PM}{P}	BM50193	84
3.5mm Female {P}	BM50191	84
3.5mm Female {P}{RA} 3.5mm Female {PM}{P}	BM50966 BM50192	110 84
3.5mm Female NMD (P)	BM50856	106
3.5mm Male {BM}{P} 3.5mm Male {BM}{P}{SO}	BM50188	84
3.5mm Male {BM}{P}{SO} 3.5mm Male {P}	BM51034 BM50187	112 84
3.5mm Male {P}{RA}	BM50965	110
3.5mm Male NMD (P)	BM51019	111
7mm {P}	BM50248	86
N Female {P} N Male {P}	BM50247 BM50244	86 86
SMA Female {P}	BM50116	81
SMA Male {P}	BM50114	81
3.5mm Female NMD to:		PG#
2.4mm Female {P}	BM50850	106
2.4mm Male {P} 2.4mm Male NMD {P}	BM50849 BM50879	106 107
2.92mm Female {P}	BM50858	107
2.92mm Male {P}	BM50857	106
3.5mm Female {P} 3.5mm Male {P}	BM50856	106
3.5mm Male {P} 3.5mm Male NMD {P}	BM50855 BM50878	106
N Female {P}	BM50852	106
N Male {P}	BM50851 BM50854	106
SMA Female {P} SMA Male {P}	BM50854 BM50853	106 106
3.5mm Male to:		PG#
1.85mm Female {P}	BM50240	86
1 85mm Male (P)	BM50242	86
2.4mm Female {P}	BM50236	85
2.4mm Female NMD {P} 2.4mm Male {P}	BM50875 BM50238	107 85
2.92mm Female {P}	BM50232	85
2.92mm Female {P}{RA}	BM50953	109
2.92mm Female NMD {P}	BM50867	106
2.92mm Male {P} 2.92mm Male {P}{RA}	BM50234 BM50952	85 109
3.5mm Female {BM}{P} 3.5mm Female {BM}{P}{SO}	BM50188	84
3.5mm Female (BM){P}{SO}	BM51034	112
3.5mm Female {P} 3.5mm Female {P}{RA}	BM50187 BM50965	84 110
3.5mm Female NMD {P} 3.5mm Male {BM}{P} 3.5mm Male {P} 3.5mm Male {P} (P) 3.5mm Male {P}(RA)	BM50855	106
3.5mm Male {BM}{P}	BM50190	84
3.5mm Male {P}	BM50189 BM50964	84 110
3.5mm Male NMD {P}	BM50883	107
7mm {P}	BM50249	86
N Female {P} N Male {P}	BM50245	86
SMA Female {P}	BM50246 BM50115	86 81
SMA Male {P}	BM50113	81
3.5mm Male NMD to:		PG#
2.4mm Female NMD {P}	BM50882	107
3.5mm Female (P)	BM51019	111
3.5mm Female NMD {P} 3.5mm Male	BM50878 BM50883	107 107
		PG#
4.1/9.5 Din Female to:	PME0400	
4.1/9.5 Din Female Low PIM	BM50496 BM50426	94
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA}	BM50426 BM50759	94 92 103
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM	BM50426 BM50759 BM50495	94 92 103 94
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM	BM50426 BM50759 BM50495 BM50761	94 92 103 94 103
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (BM) 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM "T", Female to Female to Female "T", Female to Male to Female 7/16 Din Female	BM50426 BM50759 BM50495 BM50761 BM50760 BM50754	94 92 103 94
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM "T" Female to Female to Female "T", Female to Male to Female 7/16 Din Female 7/16 Din Female T/16 Din Female	BM50426 BM50759 BM50495 BM50761 BM50760 BM50754 BM50634	94 92 103 94 103 103 103 99
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (BM) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM "T", Female to Female to Female "T", Female to Male to Female 7/16 Din Female 7/16 Din Female Low PIM 7/16 Din Female Low PIM (BM)	BM50426 BM50759 BM50495 BM50761 BM50760 BM50754 BM50634 BM50428	94 92 103 94 103 103 103 99 92
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM "T", Female to Female to Female "T", Female to Male to Female 7/16 Din Female 7/16 Din Female Low PIM 7/16 Din Female Low PIM {BM} 7/16 Din Male	BM50426 BM50759 BM50495 BM50761 BM50760 BM50754 BM50634 BM50428 BM50753	94 92 103 94 103 103 103 99 92 103
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM "T", Female to Female to Female "T", Female to Male to Female 7/16 Din Female Low PIM 7/16 Din Female Low PIM {BM} 7/16 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male 7/16 Din Male	BM50426 BM50759 BM50761 BM50760 BM50764 BM50754 BM50634 BM50753 BM50633 BM50758	94 92 103 94 103 103 103 99 92 103 99
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male to Female 6.1/1 Female to Male to Female 6.1/1 Female Low PIM 6.1/1 Din Female Low PIM {BM} 6.1/1 Din Male 7/16 Din Male Low PIM 6.1/1 Din Male 7/16 Din Male Low PIM 6.1/1 Din Male 7/16 Din Male Low PIM 6.1/1 Din Male 7/16 Din Male Low PIM 7/1 Din Male Low PIM 7/1 Din Male Low PIM	BM50426 BM50759 BM50761 BM50761 BM50760 BM50754 BM50634 BM50428 BM50753 BM50633 BM50758 BM50499	94 92 103 94 103 103 103 99 92 103 99 103 94
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (BM) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM "T", Female to Female to Female "T", Female to Male to Female 7/16 Din Female 7/16 Din Female Low PIM 7/16 Din Female Low PIM (BM) 7/16 Din Male 7/16 Din Male 7/16 Din Male N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM	BM50426 BM50759 BM50495 BM50761 BM50766 BM50754 BM50634 BM50428 BM50753 BM50633 BM50758 BM50499 BM50427	94 92 103 94 103 103 103 99 92 103 99 103 94 92
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 6.1/9.5 Din Female Din Hemale 6.1/16 Din Female Low PIM 6.1/16 Din Female Low PIM 6.1/16 Din Male 6.1/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM 7/16 Din Male N Female N Female Low PIM N Female N Female Low PIM N Female Low PIM N Female Low PIM N Male	BM50426 BM50759 BM50761 BM50761 BM50765 BM50754 BM50428 BM50753 BM50633 BM50633 BM50758 BM50499 BM50499 BM50427 BM50757	94 92 103 94 103 103 103 99 92 103 99 103 94 92 103
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM {BM} 4.1/9.5 Din Male {RA} 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male to Female 4.1/9.5 Din Male to Female 4.1/9.5 Din Female to Male to Female 4.1/9.5 Din Female Low PIM 7/16 Din Female Low PIM {BM} 7/16 Din Male 7/16 Din Male 7/16 Din Male Low PIM N Female N Female Low PIM N Female Low PIM {BM} N Female Low PIM {BM} N Male N Male	BM50426 BM50759 BM50495 BM50761 BM50766 BM50754 BM50634 BM50428 BM50753 BM50633 BM50758 BM50499 BM50427	94 92 103 94 103 103 103 99 92 103 99 103 94 92 103 94
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (8M) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male RA) 4.1/9.5 Din Male Low PIM "T". Female to Female to Female "T", Female to Male to Female 7/16 Din Female Low PIM 7/16 Din Female Low PIM (8M) 7/16 Din Male Low PIM (8M) N Female N Female Low PIM (8M) N Female Low PIM (8M) N Female Low PIM (8M) N Female Low PIM (8M) N Male Low PIM (8M) N Male Low PIM 4.1/9.5 Din Male to:	BM50426 BM50759 BM50495 BM50761 BM50760 BM50754 BM50634 BM50633 BM50633 BM50633 BM50758 BM50428 BM50428 BM50429 BM50427 BM50427 BM50427 BM50427	94 92 103 94 103 103 103 99 92 103 99 103 94 92 103 94 94 96 PG #
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (8M) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male to Female 4.1/9.5 Din Male to Female 4.1/9.5 Din Male Low PIM (8M) 4.1/9.5 Din Male Low PIM (8M) N Female N Female Low PIM (8M) N Female Low PIM (8M) N Female Low PIM (8M) N Female Low PIM (8M) N Female Low PIM (8M) N Male N Male Low PIM (8M) 4.1/9.5 Din Male to: 4.1/9.5 Din Female (RA) 4.1/9.5 Din Female Low PIM	BM50426 BM50759 BM50495 BM50760 BM50760 BM50754 BM50634 BM50634 BM50633 BM50758 BM50429 BM50429 BM50429 BM50429 BM50429 BM50427 BM50495	94 92 103 94 103 103 99 92 103 94 92 103 94 PG #
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (8M) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male to Female 7/16 Din Female Low PIM 7/16 Din Female Low PIM (8M) 7/16 Din Female Low PIM (8M) 7/16 Din Male N Female N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM Low PIM 4.1/9.5 Din Male to: 4.1/9.5 Din Female (RA) 4.1/9.5 Din Female (RA) 4.1/9.5 Din Female (RA)	BM50426 BM50759 BM50769 BM50761 BM50760 BM50754 BM50634 BM50753 BM50753 BM50429 BM50759 BM50759 BM50759 BM50759 BM50759 BM50497	94 92 103 94 103 103 103 99 92 103 99 103 94 PG #
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (8M) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 6.1/16 Din Female Dow PIM 6.1/16 Din Female Low PIM 6.1/16 Din Male Low PIM 7/16 Din Male Low PIM 7/16 Din Male Low PIM N Female N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Temale Low PIM N Temale Low PIM Low PIM 4.1/9.5 Din Male to: 4.1/9.5 Din Female RA 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 6.1/9.5 Din Female Low PIM 6.1/9.5 Din Female Low PIM 6.1/9.5 Din Male Low PIM	BM50426 BM50759 BM50769 BM50761 BM50760 BM50754 BM50634 BM50753 BM50753 BM50427 BM50497 BM50497 BM50499 BM50495 BM50497 BM50497 BM50497 BM50497 BM50497	94 92 103 94 103 103 103 99 92 103 94 92 103 94 92 103 94 103
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (8M) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male to Female 4.1/9.5 Din Male to Female 6.1/16 Din Female Low PIM 6.1/16 Din Female Low PIM 7/16 Din Female Low PIM 7/16 Din Male Low PIM N Female N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM Sommer	BM50426 BM50759 BM50769 BM50761 BM50760 BM50754 BM50634 BM50753 BM50753 BM50429 BM50759 BM50759 BM50759 BM50759 BM50759 BM50497	94 92 103 94 103 103 103 99 92 103 99 103 94 PG # 103 94
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (8M) 4.1/9.5 Din Male (RA) 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 4.1/9.5 Din Male Low PIM 6.1/16 Din Female Dow PIM 6.1/16 Din Female Low PIM 6.1/16 Din Male Low PIM 7/16 Din Male Low PIM 7/16 Din Male Low PIM N Female N Female Low PIM N Female Low PIM N Female Low PIM N Female Low PIM N Temale Low PIM N Temale Low PIM Low PIM 4.1/9.5 Din Male to: 4.1/9.5 Din Female RA 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM 6.1/9.5 Din Female Low PIM 6.1/9.5 Din Female Low PIM 6.1/9.5 Din Male Low PIM	BM50426 BM50759 BM50769 BM50761 BM50760 BM50754 BM50754 BM50753 BM50428 BM50753 BM50499 BM50427 BM50500 BM50499 BM50497 BM50497 BM50497 BM50497 BM50497 BM50497 BM50497 BM50497 BM50497 BM50497 BM50769	94 92 103 94 103 103 103 103 99 92 103 94 92 103 94 94 103 94 103 94 103 94 103

	apte	-
4.1/9.5 Din Male to:		PG#
N Female N Female Low PIM	BM50755 BM50498	103 94
N Male	BM50756	103
N Male Low PIM	BM50501	94
4.3/10 Din Female to: 4.3/10 Din Female Low PIM	BM50906	PG #
4.3/10 Din Female Low PIM {BM} 4.3/10 Din Male Low PIM {RA}	BM50907	108
4.3/10 Din Male Low PIM {RA} 7/16 Din Female Low PIM	BM50905 BM50899	108
7/16 Din Male Low PIM	BM50897	107
N Female Low PIM N Male Low PIM	BM50903 BM50901	108 108
SMA Male Low PIM	BM50909	108
4.3/10 Din Male to:		PG#
4.3/10 Din Female Low PIM {RA} 7/16 Din Female Low PIM	BM50905 BM50900	108 108
7/16 Din Male Low PIM	BM50898	107
N Female Low PIM N Male Low PIM	BM50904 BM50902	108 108
SMA Female Low PIM	BM50908	108
7/16 Din Female to:		PG#
1 5/8" EIA 3 1/8" EIA	BM51043 BM51057	112 113
4.1/9.5 Din Female	BM50754	103
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Female Low PIM (BM)	BM50634 BM50428	99 92
4.1/9.5 Din Male	BM50751 BM50632	103
4.1/9.5 Din Male Low PIM 4.3/10 Din Female Low PIM	BM50899	99 107
4.3/10 Din Male Low PIM	BM50900 BM50413	108
7/16 Din Female 7/16 Din Female {BM}	BM50414	91
7/16 Din Female Low PIM	BM50787	104
7/16 Din Female Low PIM {BM} 7/16 Din Male {RA}	BM50788 BM50416	104 91
7/16 Din Male Low PIM	BM50786 BM50134	104 82
"T", Female to Male to Female	BM50417	91 91
"T", Female to Female to Female 7/8" EIA	BM50418	91 112
C Male HN Female	BM51039 BM51085 BM51088	114
HN Female HN Male	BM51088 BM50419	114 91
LC Female LC Male	BM51075	113
N Female	BM51073 BM50321	113
N Female (PM)	BM50805	104
N Female Low PIM N Male	BM50783 BM50319	104 88
N Male I ow PIM	BM50781	104
SC Female SC Male	BM50083 BM50678	80 100
SC Male SMA Female Low PIM SMA Male	BM50///	103
SMA Male Low PIM	BM50118 BM50775	81 103
7/16 Din Male to:		PG#
1 5/8" EIA	BM51044	112
4.1/9.5 Din Female	BM50753 BM50633 BM50752 BM50630 BM50897 BM50897	103 99
4.1/9.5 Din Female Low PIM 4.1/9.5 Din Male	BM50752	103
4.1/9.5 Din Male Low PIM 4.3/10 Din Female Low PIM 4.3/10 Din Male Low PIM 7/16 Din Female (RA) 7/16 Din Female Low PIM 7/16 D	BM50630 BM50897	99 107 107
4.3/10 Din Male Low PIM	BM50898	107
7/16 Din Female (RA)	BM50416 BM50786 BM50134	91 104
	BM50134	82 91
7/16 Din Male 7/16 Din Male Low PIM	BM50415 BM50785	104
"T", Female to Male to Female 7/8" EIA	BM50417 BM51040	91 112
C Female	BM51086	114
HN Female	BM50420	92
IN Male LC Female LC Male N Female N Female (RA) N Female Low PIM N Male N Male	BM50420 BM51087 BM51074	92 114 113
LC Male N Female	BM51107 BM50318 BM50830	114 88
N Female (RA)	BM50830	105
N Female Low PIM N Male	BM50782 BM50320 BM50784	104 88
	BM50784	104
SC Female SC Male	BM50675	100 100
SMA Female	BM50117	81
SMA Female SMA Female Low PIM SMA Male Low PIM TNC Female	BM50117 BM50774 BM50776	103 103
TNC Female	BM50425	92
7/8" EIA to:		PG#
1 5/8" EIA 3 1/8" EIA	BM51045 BM51047	112 112
1 5/5" EIA 3 1/8" EIA 7/16 DIN Female 7/16 DIN Male	BM51047 BM51039	112 112 112
7/16 DIN Male 7/8" EIA 7/8" EIA {RA}	BM51040	112 114
1 1/2 1 1/2 / 1 1 1	DM51046	114 112
7/8"_EIA {RA}	DIVIS 1040	
HN Female	BM51080 BM51046 BM51098 BM51097	114
HN Female HN Male LC Female	BM51097	114
HN Female	BM51098 BM51097 BM51069 BM51070 BM51037 BM51038	114 114 113 113 112 112

1.09.23 Plug			_
1,695.6 Female (BM)	75 Ohm BNC Female to:		PG#
1.6/5.6 Male	1.0/2.3 Plug		
75 Ohm BNC Female (BM) 75 Ohm BNC Female (BM) 75 Ohm BNC Female (BM)HF)(G) 75 Ohm BNC Female (BM)HF)(G) 75 Ohm BNC Female (BM)HF)(G) 75 Ohm BNC Female (BM)HF)(G) 75 Ohm BNC Female (BM) 75 Ohm BNC Female (PM) 75 Ohm BNC Female (PM) 75 Ohm BNC Female (PM) 75 Ohm BNC Female (PM) 75 Ohm BNC Female (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm BNC Male (PM) 75 Ohm SNC Male (PM) 75 Ohm NFemale (PM) 75 Ohm NFEMALE (PM) 75 Ohm NFEMALE (PM) 75 Ohm SMB Jack 75 Ohm SMB Jack 75 Ohm SMB Jack 75 Ohm SMB SHUg 7	1.6/5.6 Male		
75 Ohm BNC Female (BM)(HF)(RA) BM51055 113 75 Ohm BNC Female (BM)(IG) BM51056 131 75 Ohm BNC Female (P) BM50743 102 75 Ohm BNC Male (P) BM50743 102 75 Ohm BNC Male (P) BM50741 102 75 Ohm BNC Male (HF) BM50546 96 77 Ohm BNC Male (HF) BM50741 102 75 Ohm BNC Male (HF) BM50544 98 77 Ohm BNC Male (RA) BM50544 98 77 Ohm BNC Male (RA) BM50544 98 77 Ohm BNC Male (RA) BM50544 98 77 Ohm NA Female DM310 BM50549 96 78 Ohm NA Female DM310 BM50549 96 79 Ohm NA Female DM310 BM50549 97 75 Ohm N Female DM310 BM50747 102 75 Ohm N Female PM310 BM50749 194 75 Ohm N Female PM310 BM50749 194 75 Ohm N Male BM50366 90 F Female (P) BM50746 102 F Female (P) BM50766 102 F Female (P) BM50756 102 F Male PM310 BM50551 96 F Male PM310 BM50551 96 F Male PM310 BM50551 96 F M310 BM50551 96 F	75 Ohm BNC Female	BM50545	96
75 Ohm BNC Female (BM}{IG} 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (HF)(RA) 75 Ohm BNC Male (RA) 75 Ohm BNC Male (RA) 75 Ohm SNC Male (RA) 75 Ohm SNC Male (RA) 75 Ohm NF Gemale BM50549 75 Ohm NF Female to Male 75 Ohm NF Female BM50549 75 Ohm NF Female BM50494 75 Ohm NF Female BM50494 75 Ohm N Female BM50494 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 8 BM50491 75 Ohm N Male 8 BM50366 96 F Female (P) 8 BM50766 96 F Female (P) 8 BM50765 97 F Male 9 BM50765 97 F Male 9 BM50766 96 F Male 9 BM50360 97 F Male (P) 8 BM50760 97 F Male (P) 8 BM50760 97 F Male (P) 8 BM50761 97 F Male (P) 98 F Male (P) 9	75 Ohm BNC Female (BM): 75 Ohm BNC Female (BM):(HF):(RA)		
75 Ohm BNC Female (PM)	75 Ohm BNC Female (BM)HF){IG}	BM51056	
75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm BNC Male {RA} 75 Ohm BNC Male {RA} 8M50544 96 "T', Female to Male to Female "Y', Male to Female to Male 8M50549 96 "T', Female to Male to Female BM50549 97 75 Ohm N Female {P} 8M50747 102 75 Ohm N Female {P} 8M50747 102 75 Ohm N Male PF BM50745 102 FF Female BM50365 96 FFemale {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50745 102 FF Female {P} 8M50736 96 FF Male BM50363 96 FMale {P} 8M50726 102 Mini 75 Ohm SMB Jack BM50736 Mini 75 Ohm SMB Plug BM50736 103 Mini 75 Ohm SMB Plug BM50736 103 Mini 75 Ohm SMB Plug BM50736 104 105 105 105 105 105 105 105 105 105 105	75 Ohm BNC Female {BM}{IG}		
75 Ohm BNC Male {P} 75 Ohm BNC Male {RA} 75 Ohm BNC Male {RA} 75 Ohm BNC Male {RA} 75 Ohm BNC Male {RA} 96 "Y", Male to Female to Male 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female {P} 75 Ohm N Female {P} 75 Ohm N Female 75 Ohm N Female {P} 75 Ohm N Male 96 8M50343 91 75 Ohm N Male 97 97 98 98 99 90 90 91 91 91 91 91 91 91 91 91 91 91 91 91	75 Ohm BNC Female (P)		
75 Ohm BNC Male {RA} BM50544 96 "Y", Male to Female to Male BM50549 96 "Y", Male to Female to Male BM5032 112 75 Ohm N Female {P} BM50747 102 75 Ohm N Female {P} BM50747 102 75 Ohm N Male (P) BM50745 102 75 Ohm N Male (P) BM50745 102 75 Ohm N Male (P) BM50745 102 75 Ohm N Male (P) BM50745 102 75 Ohm N Male (P) BM50365 90 F Female {P} BM50365 90 F Male BM50363 90 F Male (P) BM50726 102 Micro BNC Female {BM50363 90 Mini 75 Ohm SMB Plug BM50553 96 Mini 75 Ohm SMB Plug BM50553 96 Mini 75 Ohm SMB Plug BM50551 96 75 Ohm BNC Male to: PG # 1.0/2.3 Jack BM51050 113 Mis (1.6/5.6 Female {P} BM50366 88 75 Ohm BNC Female {P} BM50366 88 75 Ohm BNC Female {P} BM50344 103 75 Ohm BNC Female {RA} BM50544 96 75 Ohm BNC Female {RA} BM50544 96 75 Ohm BNC Female {RA} BM50543 96 75 Ohm BNC Female {RA} BM50543 96 75 Ohm BNC Male to Female BM50360 88 75 Ohm BNC Male {P} BM50742 102 "T", Female to Male to Female BM50362 112 75 Ohm N Female {P} BM50744 102 "T", Female to Male BM50364 96 "Y", Male to Female to Male BM50364 102 75 Ohm N Female {P} BM50744 102 "TS Ohm SMB BM5044 96 "Y" Male to Female BM50369 94 75 Ohm N Female {P} BM50744 102 Micro BNC Female {P} BM50744 102 Micro BNC Female BM50365 96 Mini 75 Ohm SMB Jack BM50565 96 Mini 75 Ohm SMB Plug BM50564 96 F Female {P} BM50744 102 Micro BNC Female BM50364 94 75 Ohm N Female BM50364 94 75 Ohm N Female BM50364 94 75 Ohm N Female BM50364 94 75 Ohm SMB Plug BM50764 102 75 Ohm N Female BM5048 94 75 Ohm BNC Female BM5048 94 75 Ohm SMB Plug BM50569 96 Mini 75 Ohm SMB Plug BM50769 102 75 Ohm N Female BM5048 94 75 Ohm N Female BM5048 94 75 Ohm N Female BM5048 94 75 Ohm N Female BM5048 94 75 Ohm N Female BM5048 94 75 Ohm SMB Plug BM50749 102 75 Ohm N Female BM5048 94 75 Ohm N Female BM5048 94 75 Ohm N Male (P) BM50774 102 75 Ohm N Male (P) BM50774 102 75 Ohm N Male (P) BM50774 102 75 Ohm N Male (P) BM50774 102 75 Ohm SMB Plug BM50480	75 Ohm BNC Male {P}		
"T', Female to Male to Female BM50549 96 "Y', Male to Female to Male BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50491 94 75 Ohm N Male BM50747 102 75 Ohm N Male BM50747 102 75 Ohm N Male BM50745 102 75 Ohm N Male BM50365 96 F Female P BM50766 96 F Female P BM50366 96 F Male BM50363 90 F Male P BM50726 102 Micro BNC Female (BM){IG} BM51050 113 Mini 75 Ohm SNB Jack BM50551 96 Mini 75 Ohm SNB Plug BM50551 96 Mini 75 Ohm BNC Male to: PG # 1.0/2.3 Jack BM51053 113 1.6/5.6 Female P BM50741 102 75 Ohm BNC Female (HF){RA} BM50541 96 75 Ohm BNC Female (HF){RA} BM50541 96 75 Ohm BNC Female (RA} BM50541 96 75 Ohm BNC Female (P) BM50741 102 "T" Female to Male to Female BM50549 96 "Y", Male to Female to Male BM50492 94 75 Ohm N Female BM50362 96 T5 Ohm N Female to Male BM50492 94 75 Ohm N Female (P) BM50741 102 "T" Female to Male to Female BM50492 94 75 Ohm N Female (P) BM50741 102 "T" Female to Male BM50492 94 75 Ohm N Female BM50492 94 75 Ohm N Female BM50493 94 75 Ohm N Female BM50493 94 75 Ohm N Female BM50493 94 75 Ohm N Female BM50493 94 75 Ohm N Male P BM50744 102 Micro BNC Female BM50493 94 75 Ohm N Male P BM50744 102 Micro BNC Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Female BM50494 94 75 Ohm N Male (P) BM5074 102 75 Ohm N Male (P) BM5074 102 75 Ohm N Male (P) BM5074 102 75 Ohm N Male (P) BM5074 102 75 Ohm N Male (P) BM5074 102 75 Ohm N Male BM50494 94 75 Ohm SMB Jack BM50494 94 75 Ohm SMB Jack BM50494	75 Ohm BNC Male {HF}{RA}		
75 Ohm N Female (P) BM50747 102 75 Ohm N Male (P) BM50747 102 75 Ohm N Male (P) BM50745 102 F Female (P) BM50365 90 F Female (P) BM50365 90 F Female (P) BM50363 90 F Male (P) BM50363 90 F Male (P) BM50726 102 Micro BNC Female (BM){IG} BM51050 113 Mini 75 Ohm SMB Jack BM50553 96 Mini 75 Ohm SMB Jack BM50553 96 Mini 75 Ohm SMB Plug BM50551 96 75 Ohm BNC Male to: PG # 1.07.2.3 Jack BM51053 113 1.67.6 Female (BF) BM50306 88 75 Ohm BNC Female (P) BM50741 102 75 Ohm BNC Female (P) BM50741 102 75 Ohm BNC Female (RA) BM50543 96 75 Ohm BNC Female (RA) BM50544 96 75 Ohm BNC Male to Female BM5049 96 WY", Male to Female to Male BM5049 96 WY", Male to Female BM5049 96 WY", Male to Female BM5049 394 75 Ohm N Female (P) BM50744 102 TT', Female to Male to Female BM5049 394 75 Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female BM50493 94 TS Ohm N Male (P) BM50746 102 TF Gemale BM50493 94 TS Ohm N Male (P) BM50746 102 TF Gemale BM50493 94 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm BNC Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm BNC Female (P) BM50749 102 TS Ohm BNC Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm SMB Jack BM50480 94 TS Ohm SMB Jack BM50480 94 TS Ohm SMB Jack BM50480 94 TS Ohm SMB Jack BM50480 94 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Female BM50480 94 TS Ohm SMB	"T' Female to Male to Female		
75 Ohm N Female (P) BM50747 102 75 Ohm N Male (P) BM50747 102 75 Ohm N Male (P) BM50745 102 F Female (P) BM50365 90 F Female (P) BM50365 90 F Female (P) BM50363 90 F Male (P) BM50363 90 F Male (P) BM50726 102 Micro BNC Female (BM){IG} BM51050 113 Mini 75 Ohm SMB Jack BM50553 96 Mini 75 Ohm SMB Jack BM50553 96 Mini 75 Ohm SMB Plug BM50551 96 75 Ohm BNC Male to: PG # 1.07.2.3 Jack BM51053 113 1.67.6 Female (BF) BM50306 88 75 Ohm BNC Female (P) BM50741 102 75 Ohm BNC Female (P) BM50741 102 75 Ohm BNC Female (RA) BM50543 96 75 Ohm BNC Female (RA) BM50544 96 75 Ohm BNC Male to Female BM5049 96 WY", Male to Female to Male BM5049 96 WY", Male to Female BM5049 96 WY", Male to Female BM5049 394 75 Ohm N Female (P) BM50744 102 TT', Female to Male to Female BM5049 394 75 Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female (P) BM50746 102 TS Ohm N Female BM50493 94 TS Ohm N Male (P) BM50746 102 TF Gemale BM50493 94 TS Ohm N Male (P) BM50746 102 TF Gemale BM50493 94 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Male (P) BM50746 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm BNC Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm BNC Female (P) BM50749 102 TS Ohm BNC Female (P) BM50749 102 TS Ohm N Female (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm SMB Jack BM50480 94 TS Ohm SMB Jack BM50480 94 TS Ohm SMB Jack BM50480 94 TS Ohm SMB Jack BM50480 94 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Male (P) BM50749 102 TS Ohm N Female BM50480 94 TS Ohm SMB	"Y", Male to Female to Male		112
75 Ohm N Male P	75 Ohm N Female		
To Dim N Male (P)			
F Female (P)	75 Ohm N Male {P}	BM50745	
F Male (P)	F Female		
FMale {P}	F Female (F)		
Mini 75 Ohm SMB Plug	F Male {P}	BM50726	102
Mini 75 Ohm SMB Plug	Micro BNC Female (BM){IG}		
75 Ohm BNC Male to:	Mini 75 Ohm SMB Jack		96
1.0/2.3 Jack			
1.6/5.6 Female		BM51053	
75 Ohm BNC Female {RA} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 8M50543 96 "Y", Male to Female to Male 8M50549 96 "Y", Male to Female to Male 9M50492 94 75 Ohm N Female {P} 8M50746 102 75 Ohm N Mele 9M50746 102 75 Ohm N Male 9M503493 94 75 Ohm N Male {P} 8M50362 90 Female {P} 8M50364 90 Female {P} 8M50364 90 Female {P} 8M50364 90 Finale {P} 8M50364 90 Finale {P} 8M50365 96 Mini 75 Ohm SMB Jack 8M50550 Mini 75 Ohm SMB Plug 75 Ohm N Female {P} 8M50365 96 Mini 75 Ohm SMB Plug 9M50550 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm N Female {P} 9M50666 75 Ohm N Female {P} 9M50676 75 Ohm BNC Female {P} 8M50747 102 75 Ohm BNC Female {P} 8M50746 102 75 Ohm SNC Female {P} 8M50747 102 75 Ohm SNC Female {P} 8M50747 102 75 Ohm N Female {P} 8M50746 102 75 Ohm N Female {P} 8M50747 102 75 Ohm N Female {P} 8M50747 102 75 Ohm N Female {P} 8M50748 103 105 105 105 105 105 105 105 105 105 105	1 6/5 6 Female	BM50306	88
75 Ohm BNC Female {RA} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 8M50543 96 "Y", Male to Female to Male 8M50549 96 "Y", Male to Female to Male 9M50492 94 75 Ohm N Female {P} 8M50746 102 75 Ohm N Mele 9M50746 102 75 Ohm N Male 9M503493 94 75 Ohm N Male {P} 8M50362 90 Female {P} 8M50364 90 Female {P} 8M50364 90 Female {P} 8M50364 90 Finale {P} 8M50364 90 Finale {P} 8M50365 96 Mini 75 Ohm SMB Jack 8M50550 Mini 75 Ohm SMB Plug 75 Ohm N Female {P} 8M50365 96 Mini 75 Ohm SMB Plug 9M50550 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm SMB Plug 9M50565 96 Mini 75 Ohm N Female {P} 9M50666 75 Ohm N Female {P} 9M50676 75 Ohm BNC Female {P} 8M50747 102 75 Ohm BNC Female {P} 8M50746 102 75 Ohm SNC Female {P} 8M50747 102 75 Ohm SNC Female {P} 8M50747 102 75 Ohm N Female {P} 8M50746 102 75 Ohm N Female {P} 8M50747 102 75 Ohm N Female {P} 8M50747 102 75 Ohm N Female {P} 8M50748 103 105 105 105 105 105 105 105 105 105 105	75 Ohm BNC Female (P)		
75 Ohm BNC Male {P}	75 Ohm BNC Female {RA}		
75 Ohm N Female P BM50492 94 75 Ohm N Male P BM50746 102 75 Ohm N Male P BM50744 102 75 Ohm N Male P BM50744 102 75 Ohm N Male BM50363 94 75 Ohm N Male P BM50362 90 Female P BM50362 90 Female P BM50364 96 F Male BM50364 96 F Male BM50364 96 F Male BM50365 96 Mini 75 Ohm SMB Jack BM50555 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50352 96 Mini 75 Ohm SMB Plug BM50352 96 Mini 75 Ohm SMB Plug BM50344 94 75 Ohm N Female BM50444 94 75 Ohm BNC Female BM50492 94 75 Ohm BNC Male BM50492 94 75 Ohm BNC Male BM50446 102 75 Ohm N Female BM50446 94 75 Ohm N Female BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female P BM50749 102 75 Ohm N Melae BM50486 94 75 Ohm N Male BM50486 94 75 Ohm N Male BM50481 94 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50748 102 75 Ohm SMB Plug BM50482 94 75 Ohm SMB Plug BM50482 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50561 96 75 Ohm SMB Plug BM50750 101 F Male P BM50743 102 75 Ohm N Male P BM50744 102 75 Ohm N Female P BM50743 102 75 Ohm N Female P BM50743 102 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50744 102 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50744 102 75 Ohm N Female P BM50745 101 75 Ohm N Female P BM50745 101 75 Ohm SMB Plug BM50481 94 75 Ohm N Female P	75 Ohm BNC Male	BM50543	96
75 Ohm N Female P BM50492 94 75 Ohm N Male P BM50746 102 75 Ohm N Male P BM50744 102 75 Ohm N Male P BM50744 102 75 Ohm N Male BM50363 94 75 Ohm N Male P BM50362 90 Female P BM50362 90 Female P BM50364 96 F Male BM50364 96 F Male BM50364 96 F Male BM50365 96 Mini 75 Ohm SMB Jack BM50555 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50352 96 Mini 75 Ohm SMB Plug BM50352 96 Mini 75 Ohm SMB Plug BM50344 94 75 Ohm N Female BM50444 94 75 Ohm BNC Female BM50492 94 75 Ohm BNC Male BM50492 94 75 Ohm BNC Male BM50446 102 75 Ohm N Female BM50446 94 75 Ohm N Female BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female P BM50749 102 75 Ohm N Melae BM50486 94 75 Ohm N Male BM50486 94 75 Ohm N Male BM50481 94 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50748 102 75 Ohm SMB Plug BM50482 94 75 Ohm SMB Plug BM50482 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50561 96 75 Ohm SMB Plug BM50750 101 F Male P BM50743 102 75 Ohm N Male P BM50744 102 75 Ohm N Female P BM50743 102 75 Ohm N Female P BM50743 102 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50744 102 75 Ohm SMB Plug BM50481 94 75 Ohm SMB Plug BM50744 102 75 Ohm N Female P BM50745 101 75 Ohm N Female P BM50745 101 75 Ohm SMB Plug BM50481 94 75 Ohm N Female P	75 Ohm BNC Male {P}		
75 Ohm N Female P BM50492 94 75 Ohm N Male P BM50746 102 75 Ohm N Male P BM50744 102 75 Ohm N Male P BM50744 102 75 Ohm N Male BM50363 94 75 Ohm N Male P BM50362 90 Female P BM50362 90 Female P BM50364 96 F Male BM50364 96 F Male BM50364 96 F Male BM50365 96 Mini 75 Ohm SMB Jack BM50550 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm SMB Plug BM50481 105 75 Ohm N Female BM50494 94 75 Ohm BNC Female BM50494 94 75 Ohm BNC Female BM50492 94 75 Ohm BNC Male BM50492 94 75 Ohm SNC Male BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female BM50486 94 75 Ohm N Female P BM50749 102 75 Ohm N Female P BM50749 102 75 Ohm N Male BM50486 94 75 Ohm N Male BM50486 94 75 Ohm N Male BM50481 94 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50748 102 75 Ohm N Male P BM50749 102 75 Ohm N Male P BM50748 102 75 Ohm SMB Plug BM50482 94 75 Ohm SMB Plug BM50482 94 75 Ohm SMB Plug BM50480 94 75 Ohm SMB Plug BM50750 101 F Male P BM50761 96 75 Ohm SMB Plug BM50761 96 75 Ohm SMB Plug BM50743 102 75 Ohm SMB Plug BM50744 102 75 Ohm SMB Plug BM50743 102 75 Ohm SMB Plug BM50743 102 75 Ohm SMB Plug BM50743 102 75 Ohm SMB Plug BM50744 102 75 Ohm SMB Plug BM50745 101 F Male P BM50745 101 F Male BM50481 94 75 Ohm SMB Plug BM50743 94 75 Ohm SMB Plug BM50744 102 75 Ohm SMB Plug BM50745 101 F Male BM50483 94 75 Ohm N Female BM50483 94 75 Ohm SMB Plug BM50744 1	"Y". Male to Female to Male		
75 Ohm N Male (P) BM50744 102 Micro BNC Female BM50362 90 F Female BM50364 96 F Male BM50364 96 F Male BM50364 96 F Male BM50364 96 F Male BM50365 96 Mini 75 Ohm SMB Jack BM50550 96 Mini 75 Ohm SMB Plug BM50555 96 Mini 75 Ohm SMB Plug BM50555 96 F Male BM50364 90 F Male PAL Female BM50352 96 Mini 75 Ohm SMB Plug BM50550 96 Mini 75 Ohm SMB Plug BM50552 96 Mini 75 Ohm BNC Plug to: PAL Female BM50344 94 F 5 Ohm BNC Female BM50449 94 F 5 Ohm BNC Female PBM50747 102 F 5 Ohm BNC Male BM50747 102 F 5 Ohm BNC Male BM50482 94 F 5 Ohm BNC BM50 BM50749 102 F 5 Ohm SMB Plug BM50749 102 F 5 Ohm SMB Plug BM50749 102 F 5 Ohm N Female BM50484 94 F 5 Ohm N Female BM50485 94 F 5 Ohm N Female BM50486 94 F 5 Ohm N Female BM50486 94 F 5 Ohm N Female BM50481 105 F 5 Ohm N Female BM50481 94 F 5 Ohm N Female BM50481 94 F 5 Ohm N Male BM50482 94 F 5 Ohm N Male BM50482 94 F 5 Ohm N Male BM50481 102 F 5 Ohm N Male BM50481 102 F 5 Ohm N Male BM50481 102 F 5 Ohm N Male BM50481 94 F 5 Ohm N Male BM50481 102 F 5 Ohm N Male BM50481 102 F 5 Ohm SMB Plug BM50749 102 F 5 Ohm SMB Jack BM50482 94 F 5 Ohm SMB Jack BM50489 94 F 5 Ohm SMB Jack BM50559 96 F F F F F BMB BM BMB BM50481 94 F 5 Ohm SMB Plug BM50745 102 F Male BM50745 102 F Male BM50745 102 F Male BM50745 102 F Ohm SMB Plug BM50745 102 F Ohm SMB Plug BM50745 102 F Ohm N F Emale BM50481 94 F 5 Ohm SMB Plug BM50745 102 F Ohm N F Emale BM50481 94 F 5 Ohm SMB Plug BM50743 102 F 5 Ohm SMB Plug BM50744 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50744 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F Emale PBM50743 102 F 5 Ohm N F	75 Ohm N Female	BM50492	94
75 Ohm N Male P			
Micro BNC Female	75 Ohm N Male {P}		
F Female (P)	Micro BNC Female		112
F Male (P) BM50364 90 F Male (P) BM50565 96 Mini 75 Ohm SMB Jack BM50550 96 Mini 75 Ohm SMB Plug BM50552 96 F Male (P) BM50552 96 F Male (P) BM50552 96 F Mini 75 Ohm SMB Plug BM50552 96 F Mini 75 Ohm SMB Plug BM50552 96 F Male (P) BM50747 102 F Ohm BNC Female BM50494 94 F Ohm BNC Female BM50494 94 F Ohm BNC Male (P) BM50747 102 F Ohm BNC Male (P) BM50746 102 F Ohm BNC Male (P) BM50746 102 F Ohm SNE Female (BM) (HS) BM50486 94 F Ohm N Female (BM) (HS) BM50486 94 F Ohm N Female (BM) (HS) BM50486 94 F Ohm N Female (BM) (HS) BM50486 94 F Ohm N Female (P) BM50749 102 F Ohm N Male BM50684 100 F Ohm N Male (P) BM50749 102 F Ohm N Male (P) BM50749 102 F Ohm N Male (P) BM50749 102 F Ohm N Male (P) BM50749 102 F Ohm N Male (P) BM50748 102 F Ohm SMB Plug BM5082 94 F Ohm SMB Female (BM) BM5082 94 F Ohm SMB Female (BM) BM5082 112 F Ohm SMB Plug BM50797 101 F Ohm SMB Plug BM50797 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50704 102 F Ohm N Female (P) BM50743 102 F Ohm N Female (P) BM50745 102 F Ohm N Male (P) BM50745 102 F Ohm N Male (P) BM50745 102 F Ohm N	F Female /P\		
F Male {P}	F Male		
Mini 75 Ohm SMB Plug to: PG #	F Male {P}	BM50565	
75 Ohm MCX Plug to: PAL Female PAL Female PS Ohm N Female to: PG # 75 Ohm BNC Female PBM50494 75 Ohm BNC Female PBM50492 75 Ohm BNC Male PS BM50747 70 Ohm BNC Male BM50492 PS Ohm BNC Male BM50494 PS Ohm N Female BBM50484 PS Ohm N Female BM50485 PS Ohm N Female BM50486 PS Ohm N Female BM50486 PS Ohm N Female BM50486 PS Ohm N Female BM50486 PS Ohm N Female BM50486 PS Ohm N Female BM50486 PS Ohm N Male PS Ohm SMB Plug PS Ohm SMB Plug PS Ohm SMB Plug PS OHM SMB Plug PS	Mini 75 Ohm SMB Jack		
PAL Female	Willi 75 Ollili SWB Flug		
75 Ohm N Female to: 75 Ohm BNC Female BM50494 94 75 Ohm BNC Female BM50747 102 75 Ohm BNC Male BM50747 102 75 Ohm BNC Male BM50746 102 75 Ohm SNC Male BM50746 102 75 Ohm N Female BM50481 94 75 Ohm N Female BM50481 94 75 Ohm N Female BM50481 94 75 Ohm N Female BM50481 94 75 Ohm N Female BM5088 94 75 Ohm N Female BM5088 102 75 Ohm N Male BM5088 102 75 Ohm N Male BM5088 102 75 Ohm N Male BM5088 102 75 Ohm N Male CD BM50748 102 75 Ohm N Male CD BM50748 102 75 Ohm N Male CD BM50748 102 75 Ohm N Male CD BM50882 94 75 Ohm SMB Plug BM50748 102 75 Ohm SMB Plug BM50488 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Plug BM50559 96 75 Ohm SMC Plug BM50705 101 F Male CD BM50681 96 Mini 75 Ohm SMB Plug BM50705 101 F Male CD BM50681 96 Mini 75 Ohm SMB Plug BM50705 101 F Male CD BM50681 96 Mini 75 Ohm SMB Plug BM50705 101 F Male CD BM50681 96 Mini 75 Ohm SMB Plug BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 101 F Male CD BM50705 102 T Ohm N Male to: T Ohm SMB Plug BM50741 102 T Ohm N Female BM50483 94 T Ohm N Female BM50481 94 T Ohm N Female BM50482 94 T Ohm N Female BM50483 94 T Ohm N Female BM50483 94 T Ohm N Female BM50483 94 T Ohm N Male P BM50703 101 T Ohm SMB Plug BM50703 101 T Ohm SMB Plug BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Female BM50483 94 T Ohm N Female BM50483 94 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N Male P BM50703 101 T Ohm N M BMB Plug BM50489 94 T Ohm N Male P BM50703 101 T O	75 Ohm MCV Divertor		
75 Ohm BNC Female			PG#
75 Ohm BNC Female {P}	PAL Female		PG # 105
75 Ohm BNC Male {P} BM50492 94 75 Ohm BNC Male {P} BM50746 102 75 Ohm N Female {BM}{HS} BM50485 94 75 Ohm N Female {BM}{IG} BM50485 94 75 Ohm N Female {BM}{IG} BM50486 94 75 Ohm N Female {BM}{IG} BM50486 94 75 Ohm N Female {P} BM50749 102 50 Ohm N Male BM50684 100 75 Ohm N Male BM50684 100 75 Ohm N Male {P} BM50748 102 75 Ohm N Male {P} BM50748 102 75 Ohm N Male {QD} BM51026 112 75 Ohm N Male {RA} BM50482 94 75 Ohm SMB Female {BM} BM50482 94 75 Ohm SMB Jack BM50483 94 75 Ohm SMB Jack BM50488 94 75 Ohm SMB Jack BM50559 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50707 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50707 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male {P} BM50708 101 F Male BM50481 94 75 Ohm N Male to: 1.675.6 Female BM50481 94 75 Ohm BNC Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {P} BM50748 102 75 Ohm N Male {P} BM50748 102 75 Ohm SMB Plug BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug	PAL Female 75 Ohm N Female to:	BM50818	PG # 105 PG #
75 Ohm N Female (BM}(HS) BM50485 94 75 Ohm N Female (BM)(IG) BM50485 94 75 Ohm N Female (BM)(IG) BM50486 94 75 Ohm N Female (P) BM50749 102 75 Ohm N Male BM50684 100 75 Ohm N Male BM50684 194 75 Ohm N Male (P) BM50748 102 75 Ohm N Male (P) BM50748 102 75 Ohm N Male (QD) BM50748 102 75 Ohm N Male (RA) BM50482 94 75 Ohm SMA Female (BM) BM51028 112 75 Ohm SMB Jack BM50482 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Jack BM50559 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50707 101 F Male BM50707 101 F Male BM50706 101 F Male Plug BM50561 96 Mini 75 Ohm SMB Plug BM50563 96 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB Plug BM50483 94 75 Ohm SMC Female BM50491 94 75 Ohm BNC Female BM50491 94 75 Ohm BNC Male (P) BM50745 102 75 Ohm BNC Male (P) BM50743 102 75 Ohm BNC Male (P) BM50743 102 75 Ohm N Female (P) BM50743 102 75 Ohm N Female (P) BM50743 102 75 Ohm N Female (P) BM50743 102 75 Ohm N Female (P) BM50743 102 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female	BM50818	PG # 105 PG # 94
75 Ohm N Female (BM}(HS) BM50485 94 75 Ohm N Female (BM)(IG) BM50486 94 75 Ohm N Female (P) BM50749 102 50 Ohm N Male BM50684 100 75 Ohm N Male BM50684 100 75 Ohm N Male BM50684 102 75 Ohm N Male (P) BM50748 102 75 Ohm N Male (QD) BM51026 112 75 Ohm N Male (RA) BM50482 94 75 Ohm SMA Female (BM) BM50482 94 75 Ohm SMB Flug BM50488 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Jack BM50559 96 75 Ohm SMC Plug BM50577 101 F Male (P) BM50706 101 F Male BM50705 101 F Male (P) BM50706 101 F Male (P) BM50707 101 F Male BM50683 96 Mini 75 Ohm SMB Plug BM50561 96 F SOHN SMB Plug BM50705 101 F Male (P) BM50705 101 F Male (P) BM50705 101 F Male (P) BM50706 101 F Male (P) BM50706 101 F Male (P) BM50707 104 F Male (P) BM50706 101 F Male (P) BM50706 101 F Male (P) BM50706 101 F Male (P) BM50706 101 F Male (P) BM50706 101 F Male (P) BM50706 101 F Male (P) BM50708 196 F SOHM SMB Plug BM50561 96 F SOHM SMB Plug BM50743 102 F SOHM SME Plug BM50483 94 75 Ohm BNC Male (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Female (P) BM50743 102 F OHM N Male (P) BM50743 104 F OHM N Male (P) BM50743 104 F OHM N Male (P) BM50745 103 F OHM N MALE (P) BM50745 103 F OHM N MALE (P) BM50745 103 F OHM N MALE (P) BM50745 104 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50745 105 F OHM N MALE (P) BM50750 103 F OHM N MALE (P) BM50750 103 F OHM N MALE (P) BM50750 103 F OHM N MALE (P) BM50750 103 F OHM N MALE (P) BM50750 103 F OHM N MALE (P) BM50750 103 F OHM N MALE (P) BM50750 103 F OHM N MA	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female {P} 75 Ohm BNC Male	BM50818 BM50494 BM50747 BM50492	PG # 105 PG # 94 102 94
75 Ohm N Female (BM)(IG) BM50486 94 75 Ohm N Female (P) BM50749 102 50 Ohm N Male BM50684 100 75 Ohm N Male BM50684 100 75 Ohm N Male BM50681 94 75 Ohm N Male (P) BM50748 102 75 Ohm N Male (QD) BM51026 112 75 Ohm N Male (RA) BM50482 94 75 Ohm SMA Female (BM) BM50482 94 75 Ohm SMB Jack BM50490 94 75 Ohm SMB Plug BM50559 96 75 Ohm SMC Plug BM50557 96 F Female (P) BM50707 101 F Male BM50706 101 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB DB BM5088 94 75 Ohm SMC Plug BM50557 96 F Female (P) BM50707 101 F Male BM50706 101 Mini 75 Ohm SMB BM BM5088 96 Mini 75 Ohm SMB Plug BM50561 96 Mini 75 Ohm SMB Plug BM50683 96 Mini 75 Ohm SMB Plug BM50681 96 Mini 75 Ohm SMB Plug BM50681 96 Mini 75 Ohm SMB Plug BM50681 96 Mini 75 Ohm SMB Plug BM50681 96 Mini 75 Ohm SMB Plug BM50481 94 75 Ohm BNC Female BM50493 94 75 Ohm BNC Male (P) BM50744 102 75 Ohm N Female BM50683 102 75 Ohm N Female BM50831 94 75 Ohm N Female (P) BM50738 102 75 Ohm N Female BM50831 94 75 Ohm N Female (P) BM50738 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50483 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female {P} 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male	BM50818 BM50494 BM50747 BM50492 BM50746	PG # 105 PG # 94 102 94 102
50 Ohm N Male	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female (P) 75 Ohm N Female (BM){HS}	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484	PG # 105 PG # 94 102 94 102 94
75 Ohm N Male (P) BM50748 1 94 75 Ohm N Male (QD) BM50748 102 75 Ohm N Male (QD) BM50748 102 75 Ohm N Male (RA) BM50482 94 75 Ohm SMA Female (BM) BM51028 112 75 Ohm SMA Female (BM) BM50482 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Jack BM50559 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50707 101 75 Male BM50706 101 75 Male BM50706 101 75 Male BM50706 101 75 Ohm SMB Plug BM50561 96 75 Ohm SMC Plug BM50561 96 75 Ohm SMC BMB Plug BM50708 101 75 Ohm SMB Plug BM50706 101 75 Ohm SMB Plug BM50561 96 75 Ohm N Male to: 1.6/5.6 Female BM50309 88 75 Ohm BNC Female BM50491 94 75 Ohm BNC Female BM50491 94 75 Ohm BNC Male (P) BM50745 102 75 Ohm BNC Male (P) BM50743 102 75 Ohm N Female BM50481 94 75 Ohm N Female BM50683 100 75 Ohm N Female BM50683 100 75 Ohm N Female BM50683 102 75 Ohm N Female BM50683 102 75 Ohm N Female (P) BM50744 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50483 94 75 Ohm N Female (P) BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50704 101 F Female (P) BM50703 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50705 103	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female (P) 75 Ohm N Female (BM){HS}	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50488 BM50486	PG # 105 PG # 94 102 94 102 94 94 94 94
75 Ohm N Male {P} BM50748 102 75 Ohm N Male {QD} BM51026 112 75 Ohm N Male {RA} BM50482 94 75 Ohm SMA Female {BM} BM50482 94 75 Ohm SMB Female {BM} BM50482 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Jack BM50559 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50707 101 F Male BM50705 101 F Male BM50705 101 F Male BM50706 101 F Male {P} BM50706 101 F Male BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50706 101 F Male {P} BM50740 101 F Male {P} BM50743 102 F Ohm BNC Female BM50493 94 F Ohm BNC Male {P} BM50743 102 F Ohm BNC Male {P} BM50743 102 F Ohm N Female BM50483 100 F Ohm N Female BM50483 100 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Female {P} BM50743 102 F Ohm N Male {P} BM50743 102 F Ohm N Male {P} BM50743 102 F Ohm N Male {P} BM50745 103 F Ohm SMB Plug BM50489 94 F Ohm SMB Plug BM50489 94 F Ohm SMB Plug BM50489 94 F Ohm SMB Plug BM50489 94 F Ohm SMC Jack BM50456 96 F F Female {P} BM50704 101 F Male {P} BM50704	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female {P} 75 Ohm BNC Male 75 Ohm BNC Male {P} 75 Ohm N Female 75 Ohm N Female {BM}{HS} 75 Ohm N Female {BM}{IG} 75 Ohm N Female {BM}	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50486 BM50749	PG # 105 PG # 94 102 94 102 94 94 94 102
75 Ohm N Male {RA} 75 Ohm S Male {RA} 75 Ohm S MA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMB Jack 75 Ohm SMB Plug 8M50482 75 Ohm SMB Plug 8M50559 96 75 Ohm SMC Jack 8M50559 96 Female {P} 8M50707 101 F Male P Male F Male P M50706 Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Plug 8M50563 96 75 Ohm N Male to: 1.6/5.6 Female 8M50561 96 75 Ohm N Male to: 1.6/5.6 Female P M50705 PG# 75 Ohm SMB Jack M50706 PG# 75 Ohm SMB Plug 8M50706 PG# 75 Ohm N Male to: 1.6/5.6 Female 8M50491 PG# 75 Ohm SMC Pemale PS M50745 PG M50744 PS M50745 PS M50745 PS M50745 PS Ohm N Female PS M50745 PS Ohm N Female PS M50745 PS Ohm N Female PS Ohm N Female PS M50745 PS Ohm N Female PS M50748 PS Ohm N Female (P) PS M50748 PS Ohm N Female (P) PS Ohm N Female PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Female (P) PS Ohm N Male (P) PS Ohm N Male (P) PS Ohm N Male (P) PS Ohm SMB Jack BM50483 P4 PS Ohm SMB Jack BM50487 PS Ohm SMB Plug BM50730 PS Ohm SMB Plug BM50730 PS Ohm SMB Plug BM50748 PS Ohm SMB Plug BM50748 PS Ohm SMB Plug BM50748 PS Ohm SMB Plug BM50749 PS Ohm SMB Plug BM50749 PS Ohm SMB Plug BM50749 PS Ohm SMB Plug BM50749 PS Ohm SMB Plug BM50749 PS Ohm SMB Plug BM50749 PS Ohm SMB Plug BM50740 PS Ohm SMB Plug BM50745 PS	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM){IS} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG}	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50485 BM50486 BM50486 BM50486	PG # 105 PG # 94 102 94 102 94 94 102 100
75 Ohm SMA Female {BM} BM51028 112 75 Ohm SMB Jack BM50490 94 75 Ohm SMB Jack BM50490 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Jack BM50559 96 75 Ohm SMC Plug BM50577 101 F Male BM50707 101 F Male P BM50705 101 F Male {P} BM50705 101 Mini 75 Ohm SMB Jack BM50563 96 Mini 75 Ohm SMB Plug BM50561 96 75 Ohm N Male to: PG # 1.6/5.6 Female BM50309 88 75 Ohm BNC Female BM50491 94 75 Ohm BNC Female BM50493 94 75 Ohm BNC Alle BM50683 100 75 Ohm N Female PBM50745 102 75 Ohm N Female BM50491 94 75 Ohm SMB C BM50683 100 75 Ohm N Female BM50493 94 75 Ohm SMC BM64 PBM50481 94 75 Ohm SMC BM64 PBM50481 94 75 Ohm N Female BM50483 94 75 Ohm N Female PBM50483 94 75 Ohm N Female (PBM50484 102 75 Ohm N Female (PBM50748 102 75 Ohm N Female (PBM50483 94 75 Ohm N Female (PBM50484 94 75 Ohm N Female (PBM50483 94 75 Ohm N Female (PBM50483 94 75 Ohm N Female (PBM50483 94 75 Ohm N Male PBM50483 94 75 Ohm SMB Jack BM50489 94 75 Ohm SMB Jack BM50489 94 75 Ohm SMB Jack BM50704 101 F Female {P} BM50704 101 F Female {P} BM50704 101 F Female {P} BM50704 101 F Female {P} BM50704 101 F Female {P} BM50704 101 F Female {P} BM50705 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM) 75 Ohm N Female (BM) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male	BM50818 BM50747 BM50747 BM50749 BM50746 BM50484 BM50486 BM50749 BM50684 BM50684 BM50748	PG # 105 PG # 94 102 94 102 94 102 94 102 100 94 102
75 Ohm SMB Plug BM50488 94 75 Ohm SMB Plug BM50488 94 75 Ohm SMC Jack BM50559 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50557 96 75 Ohm SMC Plug BM50707 101 F Male BM50707 101 Mini 75 Ohm SMB Jack BM50706 101 Mini 75 Ohm SMB Plug BM50706 96 Mini 75 Ohm SMB Plug BM50561 96 75 Ohm N Male to: 1.6/5.6 Female BM50309 88 75 Ohm BNC Female BM50491 94 75 Ohm BNC Female BM50491 94 75 Ohm BNC Male BM50493 94 75 Ohm BNC Male PBM50493 94 75 Ohm SMC Female BM50493 94 75 Ohm N Female BM50481 94 75 Ohm N Female BM50481 94 75 Ohm N Female CABB BM50481 94 75 Ohm N Female CABB BM50481 94 75 Ohm N Female CABB BM50481 94 75 Ohm N Female CABB BM50483 94 75 Ohm N Female CABB BM50483 94 75 Ohm N Female CABB BM50483 94 75 Ohm N Female CABB BM50483 94 75 Ohm N Male CABB BM50483 94 75 Ohm N Male CABB BM50487 94 75 Ohm SMB Plug BM50749 101 F Ohm SMB Plug BM50704 101 F Female CABB BM50489 94 75 Ohm SMB Plug BM50704 101 F Female CABB BM50703 101 F Female CABB BM50704 101 F Female CABB BM50650 96 BM50650 96 BM50650 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm NFemale (P) 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){IS} 75 Ohm N Female (BM){IS} 75 Ohm N Female (P) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male	BM50494 BM50747 BM50747 BM50748 BM50748 BM50485 BM50485 BM50486 BM50749 BM50684 BM50749 BM50684 BM50748 BM50748	PG # 105 PG # 94 102 94 102 94 102 100 94 102 112
75 Ohm SMC Plug BM50559 96 75 Ohm SMC Plug BM50557 96 F Female (P) BM50707 101 F Male BM50705 101 F Male BM50705 101 F Male BM50706 101 Mini 75 Ohm SMB Jack BM50663 96 Mini 75 Ohm SMB Plug BM50561 96 75 Ohm N Male to: 1.6/5.6 Female BM50309 88 75 Ohm BNC Female BM50491 94 75 Ohm BNC Female BM50491 94 75 Ohm BNC Female BM50493 94 75 Ohm BNC Female BM50493 94 75 Ohm BNC Male (P) BM50744 102 75 Ohm N Female BM50483 100 75 Ohm N Female BM50483 100 75 Ohm N Female BM50483 100 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (P) BM50483 94 75 Ohm N Male (P) BM50487 94 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB Plug BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Female (P) BM50704 101 F Male (P) BM50704 101 F Male (P) BM50704 101 F Male (P) BM50704 101 F Male (P) BM50704 101 F Male (P) BM50660 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){IG} 75 Ohm N Female (P) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (QD)	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50486 BM50749 BM50684 BM50748 BM50748 BM50748 BM50748 BM50748	PG # 105 PG # 102 94 102 94 102 94 102 100 94 102 112 94
75 Ohm SMC Plug BM50557 96 F Female {P} BM50707 101 F Male F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50705 101 F Male {P} BM50761 96 F Mini 75 Ohm SMB Plug BM50561 96 F Mini 75 Ohm SMB Plug BM50561 96 F S Ohm N Male to: 1.6/5.6 Female BM50309 88 F S Ohm BNC Female BM50491 94 F S Ohm BNC Female {P} BM50745 102 F S Ohm BNC Male {P} BM50745 102 F S Ohm SNC Male {P} BM50744 102 F S Ohm N Female BM50683 109 F S Ohm N Female {P} BM50744 102 F S Ohm N Female {P} BM50743 102 F S Ohm N Female {P} BM50743 102 F S Ohm N Female {P} BM50748 102 F S Ohm N Female {P} BM50748 102 F S Ohm N Female {P} BM50748 102 F S Ohm N Female {P} BM50748 102 F S Ohm N Male {P} BM50748 102 F S Ohm N Male {P} BM50748 102 F S Ohm N Male {P} BM50750 103 F S Ohm SMB Jack BM50483 94 F S Ohm SMB Plug BM50489 94 F S Ohm SMB Plug BM50489 94 F S Ohm SMC Jack BM50456 96 F Female {P} BM50704 101 F Male {P} BM50704 101 F Male {P} BM50760 96 F BM50650 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM)	BM50818 BM50494 BM50747 BM50495 BM50746 BM50748 BM50485 BM50486 BM50749 BM50684 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50481	PG # 105
F Female {P} BM50707 101 F Male F Mal	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SMB Jack 75 Ohm SMB Jack 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50485 BM50486 BM50749 BM50684 BM50748 BM50748 BM50128 BM50128 BM50482 BM50482 BM50480	PG # 105 PG # 94 102 94 102 94 102 100 94 102 1102 94 102 112 94 112 94
F Male {P}	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){IS} 75 Ohm N Female (BM){IS} 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SM Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMB Flug 75 Ohm SMB Flug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50482 BM51026 BM51026 BM51028 BM51028 BM50482 BM50482 BM50482 BM50482 BM505488 BM505488 BM50559	PG # 105 PG # 94 102 94 102 94 102 100 94 102 1102 112 94 112 94 94 96
Mini 75 Ohm SMB Jack BM50563 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm SNC Male 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){IG} 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male 75 Ohm SMB JOAC 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Jack 75 Ohm SMC Jack	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50482 BM50482 BM50482 BM50499 BM50489 BM50499 BM50499 BM50499 BM50499 BM50499 BM50557 BM50797	PG # 105 PG # 94 102 94 102 94 102 100 94 112 94 112 94 112 94 112 94 110 94 111
Mini 75 Ohm SMB Plug	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){G} 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (QD) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMB Jack 75 Ohm SMB Jack 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50485 BM50485 BM50749 BM50684 BM50748 BM50748 BM50748 BM50748 BM50748 BM50578 BM50557 BM50487 BM50557 BM50705	PG # 105 PG # 94 102 94 102 94 94 102 1100 94 112 94 112 94 112 94 1101 101
1.6/5.6 Female	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (QD) 75 Ohm N Male (QD) 75 Ohm SMB Female (BM) 75 Ohm SMB Jack 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female {P} F Male F Male F Male	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50486 BM50749 BM50684 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM507048 BM50707 BM50707 BM50707 BM50706	PG # 105 PG # 94 102 94 94 102 100 94 102 1102 94 102 1102 94 101 111 94 96 96 101 101
75 Ohm BNC Female BM50491 94 75 Ohm BNC Female P BM50745 102 75 Ohm BNC Male BM50745 102 75 Ohm BNC Male BM50744 102 75 Ohm BNC Male P BM50744 102 75 Ohm N Female BM50683 100 75 Ohm N Female BM50481 94 75 Ohm N Female QD BM50748 102 75 Ohm N Female QD BM50748 102 75 Ohm N Female QD BM50482 94 75 Ohm N Male BM50482 94 75 Ohm N Male BM50483 94 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMC Jack BM50489 94 75 Ohm SMC Jack BM50703 101 F Female P BM50704 101 F Female P BM50704 101 F Male P BM50704 101 F Male P BM50705 96 96 96 96 96 96 96 9	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Female (BM)(HS) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (QD) 75 Ohm N Male (QD) 75 Ohm SMB Female (BM) 75 Ohm SMB Jack 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female {P} F Male F Male F Male	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50486 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM5079 BM50748 BM5079 BM50482 BM51028 BM51028 BM51028 BM51028 BM50482 BM51028 BM50482 BM50482 BM50482 BM50482 BM50707 BM50705 BM50705 BM50705 BM50705 BM50705	PG # 105 PG # 94 102 94 102 94 102 100 94 102 112 94 112 94 112 94 110 101 101 101 101
75 Ohm BNC Female {P}	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (QD) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male (P) Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50486 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM5079 BM50748 BM5079 BM50482 BM51028 BM51028 BM51028 BM51028 BM50482 BM51028 BM50482 BM50482 BM50482 BM50482 BM50707 BM50705 BM50705 BM50705 BM50705 BM50705	PG # 105 PG # 94 102 94 102 94 102 100 100 100 111 101 101 101 101 96 96
75 Ohm BNC Male BM50493 94 75 Ohm BNC Male {P} BM50744 102 50 Ohm N Female BM50683 100 75 Ohm N Female BM50481 94 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {QD} BM51026 112 75 Ohm N Female {RA} BM50482 94 75 Ohm N Male BM50483 94 75 Ohm SMB Jack BM50750 103 75 Ohm SMB Jack BM50487 94 75 Ohm SMC Jack BM50489 94 75 Ohm SMC Jack BM50703 101 F Female {P} BM50704 101 F Female {P} BM50704 101 F Male {P} BM50650 96 Mini 75 Ohm SMB Jack BM50650 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm SNC Male 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){IG} 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Plug F Female (P) F Male F Female (P) Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Plug 75 Ohm N Male to: 1.6/5.6 Female	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50749 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50482 BM50480 BM50490 BM50480 BM50559 BM50559 BM50559 BM50559 BM50559 BM50705 BM50705 BM50706 BM50706 BM50706 BM50706	PG # 105 PG # 94 102 94 102 94 102 100 94 102 110 100 110 100 110 110 101 101 101
75 Ohm BNC Male {P} BM50744 102 50 Ohm N Female BM50683 100 75 Ohm N Female (P) BM50481 94 75 Ohm N Female (P) BM50748 102 75 Ohm N Female (QD) BM51026 112 75 Ohm N Female (RA) BM50482 94 75 Ohm N Male BM50483 94 75 Ohm N Male {P} BM50750 103 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMC Jack BM50556 96 F Female {P} BM50703 101 F Male {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50650 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm NF Emale (BM) (HS) 75 Ohm N Female (BM) (G) 75 Ohm N Female (BM) (G) 75 Ohm N Female (BM) (G) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMB Plug 75 Ohm SMB Jack 75 Ohm SMC Plug F Female (P) F Male F Male (P) Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50749 BM50748 BM50749 BM50748 BM50748 BM50748 BM50763 BM50486 BM50763 BM50486 BM50486 BM50486 BM50481 BM50557 BM50707 BM50705 BM50705 BM50705 BM50705 BM50705 BM50705 BM50706 BM50563 BM50561	PG # 105 PG # 102 94 102 94 102 94 102 102 94 102 100 94 100 110 110 110 110 101 96 96 PG # 88
50 Ohm N Female BM50683 100 75 Ohm N Female BM50481 94 75 Ohm N Female {P} BM50748 102 75 Ohm N Female {QD} BM51026 112 75 Ohm N Female {RA} BM50482 94 75 Ohm N Male BM50483 94 75 Ohm N Male {P} BM50470 103 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Jack BM50489 94 75 Ohm SMC Jack BM50556 96 F Female {P} BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMC Jack 75 Ohm SMC Jack 75 Ohm SMC Plug Female (P) F Male	BM50818 BM50494 BM50747 BM50492 BM50749 BM50484 BM50485 BM50485 BM50486 BM50749 BM50684 BM50748 BM50684 BM50748 BM50748 BM50748 BM50708 BM501028 BM50490 BM50490 BM50557 BM50705 BM50706 BM50561 BM50309 BM50309 BM50309 BM50309 BM50309 BM50309	PG # 105 PG # 94 102 94 102 94 102 94 102 100 94 102 100 100 101 101 96 PG # 88 94 102 101 101 101 101 96
75 Ohm N Female (P) BM50748 102 75 Ohm N Female (QD) BM51026 112 75 Ohm N Female (RA) BM50482 94 75 Ohm N Male BM50483 94 75 Ohm N Male (P) BM50750 103 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMC Jack BM50565 96 F Female BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male (P) Mini 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50746 BM50484 BM50485 BM50485 BM50749 BM50684 BM50748 BM50748 BM50748 BM50748 BM50758 BM50765 BM50486 BM50765 BM50705	PG # 105 PG # 94 102 94 102 94 102 100 94 102 94 102 94 102 94 102 94 112 94 112 94 96 96 101 101 101 101 101 101 96 96 96 96 97 88 88 89 94 102 94
75 Ohm N Female (RA)	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female (BM){(G) 75 Ohm N Female (BM){(G) 75 Ohm N Female (BM){(G) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (QD) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMA Female 75 Ohm SMC Jack 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male F Male F Male F Male F Male (P) Mini 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Plug F Female F Male F Ohm BNC Female F Ohm BNC Female F Ohm BNC Male F Ohm F Female	BM50818 BM50494 BM50747 BM50492 BM50749 BM50484 BM50484 BM50484 BM50486 BM50748 BM50748 BM50748 BM50486 BM50748 BM50486 BM50482 BM50482 BM50480 BM50480 BM50480 BM50557 BM50707 BM50707 BM50707 BM50706 BM50563 BM50706 BM50561 BM503493 BM50493 BM50493 BM50493 BM50745	PG # 105 PG # 102 94 102 94 102 94 102 94 102 94 102 94 102 95 96 96 101 101 101 96 96 96 96 96 101 101 101 96 96 96 96 96 101 101 101 96 96 96 96 96 101 101 101 101 96 96 96 96 101 101 101 101 96 96 96 96 101 101 101 101 101 101 101 101 101 10
75 Ohm N Male BM50483 94 75 Ohm N Male {P} BM50750 103 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMC Jack BM50565 96 F Female BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female (BM){(G) 75 Ohm N Female (BM){(G) 75 Ohm N Female (BM){(G) 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (QD) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMA Female 75 Ohm SMC Jack 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male F Male F Male F Male F Male (P) Mini 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Plug F Female F Male F Ohm BNC Female F Ohm BNC Female F Ohm BNC Male F Ohm F Female	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM506482 BM50482 BM50482 BM50482 BM50482 BM50483 BM50483 BM50557 BM50707 BM50705 BM50706 BM50563 BM503683 BM50481	PG # 105 PG # 94 102 94 102 94 102 94 102 94 102 94 102 96 100 96 97 100 97 100 98 98 99 100 96 96 96 96 96 96 97 98 98 99 99 99 99 99 99 99 99 99 99 99
75 Ohm N Male BM50483 94 75 Ohm N Male {P} BM50750 103 75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMC Jack BM50565 96 F Female BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){IG} 75 Ohm N Female (BM){IG} 75 Ohm N Female (P) 50 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Plug F Female (P) F Male F Female (P) Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Plug 75 Ohm SMC Plug F Female (P) Mini 75 Ohm SMB Jack Mini 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NBM Plug 75 Ohm NF Pemale 75 Ohm NF Plug 75 Ohm Plug 75 Ohm Plug 75 Ohm Plug 75 Ohm P	BM50818 BM50494 BM50747 BM50492 BM50749 BM50494 BM50484 BM50485 BM50486 BM50748 BM50481 BM50481 BM50481 BM50481 BM50481 BM50481 BM50482 BM50482 BM50483 BM50559 BM50557 BM50705 BM50706 BM505561 BM50706 BM50561 BM50706 BM50563 BM50744 BM50483 BM50481 BM50483 BM50491 BM50745 BM50745 BM50745 BM50745 BM50745 BM50745 BM50745 BM50493 BM50491 BM50745 BM50493 BM50493 BM50744 BM50683 BM50481 BM50744	PG # 105 PG # 102 94 102 94 102 112 94 102 112 94 102 112 94 102 112 94 101 101 101 101 101 101 101 101 101 10
75 Ohm SMB Jack BM50487 94 75 Ohm SMB Plug BM50489 94 75 Ohm SMB C Jack BM50556 96 F Female BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm BNC Male (P) 75 Ohm NF Emale (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM){HS} 75 Ohm N Female (BM) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male (P) Mini 75 Ohm SMB Plug 75 Ohm N Male to: 1.6/5.6 Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female	BM50818 BM50494 BM50747 BM50492 BM50749 BM50484 BM50485 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50482 BM50559 BM50557 BM50705 BM50481 BM50744 BM50683 BM50744 BM50683 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748	PG # 105 PG # 94 102 94 102 94 102 94 102 100 94 102 94 102 94 102 94 112 94 96 96 101 101 101 101 101 101 101 101 101 10
F Female BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm N Female {BM}{HS} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Male {P} 75 Ohm N Male {P} 75 Ohm N Male {P} 75 Ohm N Male {Q} 75 Ohm N Male {Q} 75 Ohm N Male {RA} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug Female {P} F Male {P} Mini 75 Ohm SMB Plug 75 Ohm SMC Plug F Female {P} F Male {P} Mini 75 Ohm SMB Plug 75 Ohm SMC Plug F Female {P} F Male {P} Mini 75 Ohm SMB Plug 75 Ohm SMC Plug 75 Ohm SMC Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm N SMB Plug 75 Ohm N Male to: 1.6/5.6 Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm N Female {P} 75 Ohm N Male	BM50818 BM50494 BM50747 BM50492 BM50748 BM50484 BM50485 BM50748 BM50486 BM50748 BM50881 BM50748 BM50881 BM50748 BM50487 BM50748 BM50559 BM50559 BM50559 BM50559 BM50559 BM50706 BM50706 BM50707 BM50705 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50708 BM50708 BM50745 BM50748	PG # 105 PG # 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 101 101 96 96 96 96 101 101 101 101 96 96 96 96 102 112 94 102 94 102 94 102 94 102 94 102 94
F Female BM50703 101 F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female {BM}{HS} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male {P} 75 Ohm N Male {RA} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female {P} F Male F Ohm N Male to: 1.6/5.6 Female 75 Ohm N Male 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female	BM50818 BM50494 BM50747 BM50492 BM50749 BM50492 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50482 BM5082 BM50749 BM50763 BM50763 BM50763 BM50763 BM50763 BM50765 BM50764 BM50765 BM50765 BM507663 BM507663 BM507663 BM50748	PG # 105 PG # 94 102 94 102 94 102 94 102 94 102 94 102 94 102 102 94 102 102 94 102 102 94 101 101 101 101 101 101 101 101 101 10
F Female {P} BM50704 101 F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male {P} 75 Ohm BNC Male {P} 75 Ohm N Female {BM}{HS} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Female {BM}{G} 75 Ohm N Male {P} 75 Ohm N Male {P} 75 Ohm N Male {P} 75 Ohm N Male {Q} 75 Ohm N Male {Q} 75 Ohm N Male {RA} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMA Female {BM} 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug Female {P} F Male {P} Mini 75 Ohm SMB Plug 75 Ohm SMC Plug F Female {P} F Male {P} Mini 75 Ohm SMB Plug 75 Ohm SMC Plug F Female {P} F Male {P} Mini 75 Ohm SMB Plug 75 Ohm SMC Plug 75 Ohm SMC Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm N SMB Plug 75 Ohm N Male to: 1.6/5.6 Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm N Female {P} 75 Ohm N Male	BM50818 BM50494 BM50747 BM50492 BM50747 BM50492 BM50748 BM50484 BM50484 BM50484 BM50481 BM50481 BM50481 BM50481 BM50482 BM50487 BM50559 BM50557 BM50706 BM50563 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50768 BM50748 BM50748 BM50493 BM50748 BM50493 BM50748 BM50493 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748	PG # 105 PG # 94 102 94 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 101 101 101 96 96 PG # 88 94 102 102 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94
F Male {P} BM50615 98 Mini 75 Ohm SMB Jack BM50560 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm BNC Female (P) 75 Ohm NF Emale (BM) (G) 75 Ohm N Female (BM) (G) 75 Ohm N Female (BM) (G) 75 Ohm N Female (BM) (G) 75 Ohm N Female (BM) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (QD) 75 Ohm N Male (RA) 75 Ohm SMA Female (BM) 75 Ohm SMA Female (BM) 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male (P) Mini 75 Ohm SMB Plug 75 Ohm N Male to: 1.6/5.6 Female 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm SMC Male 75 Ohm N Female (P) 75 Ohm N Female 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Male (P) 75 Ohm SMB Jack 75 Ohm SMB Jack	BM50818 BM50494 BM50747 BM50494 BM50749 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50481 BM50748 BM50482 BM50482 BM50483 BM50559 BM505563 BM50707 BM50706 BM50706 BM50707 BM50706 BM50707 BM50706 BM50707 BM50706 BM50707 BM50706 BM50707 BM50706 BM50707 BM50706 BM50707 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50748 BM50482 BM50482 BM50482 BM50483 BM50750 BM50487 BM50487	PG # 105 PG # 94 102 94 102 94 102 100 94 102 100 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 101 101 101 101 101 101 101 101 101 10
Mini 75 Ohm SMB Jack BM50560 96 Mini 75 Ohm SMB Plug BM50562 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm NF Emale 75 Ohm N Female (BM){IS} 75 Ohm N Female (BM){IS} 75 Ohm N Female (BM){IS} 75 Ohm N Female (P) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50749 BM50494 BM50484 BM50485 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50559 BM50557 BM50705 BM50706 BM50563 BM50761 BM50706 BM50481 BM50748 BM50795 BM50748 BM50795 BM50795 BM50796 BM50748 BM50748 BM50796 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748 BM50481 BM50748	PG # 105 PG # 94 102 94 102 94 102 94 102 102 94 102 112 94 102 111 96 96 96 96 96 101 101 101 101 91 102 112 94 102 94 102 112 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 94 102 94 94 94 94
MINI /5 ONM SMB Plug BM50562 96	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female (P) 75 Ohm BNC Female (P) 75 Ohm BNC Male (P) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Female (BM) (HS) 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm N Male (P) 75 Ohm SMB (RA) 75 Ohm SMB Female (BM) 75 Ohm SMB Plug 75 Ohm SMC Jack 75 Ohm SMC Plug F Female (P) F Male F Male (P) Mini 75 Ohm SMB Plug 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm N Female (P) 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50749 BM50492 BM50748 BM50484 BM50485 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50482 BM50749 BM50748 BM50748 BM50748 BM50765 BM50707 BM50705 BM50707 BM50705 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50707 BM50707 BM50706 BM50706 BM50706 BM50706 BM50706 BM50706 BM50707 BM50707 BM50707 BM50708 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50748 BM50788 BM50788 BM50788 BM50788 BM50487 BM50487 BM50487 BM50487 BM50487 BM50487	PG # 105 PG # 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 101 101 101 101 101 101 101 101 101 10
	PAL Female 75 Ohm N Female to: 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Female 75 Ohm BNC Male 75 Ohm BNC Male 75 Ohm NFemale 75 Ohm N Female 75 Ohm N Female [BM]{IS} 75 Ohm N Female [BM]{IS} 75 Ohm N Female [BM]{IS} 75 Ohm N Female [P] 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm N Male 75 Ohm SMB Plug 75 Ohm N Female 75 Ohm SMB Plug 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female 75 Ohm N Female {P} 75 Ohm N Female 75 Ohm N Female {P} 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug	BM50818 BM50494 BM50747 BM50492 BM50749 BM50494 BM50484 BM50485 BM50748 BM50486 BM50748 BM50486 BM50748 BM50481 BM50481 BM50482 BM50480 BM50480 BM50480 BM50557 BM50707 BM50705 BM50706 BM50561 BM50399 BM50491 BM50748 BM50750 BM50487	PG # 105 PG # 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 101 101 96 96 96 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 102 94 103 94 103 94 101 98

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



	_	
75 Ohm SMA Female to:		PG#
75 Ohm N Female (BM)	BM51028	112
75 Ohm SMB Jack to:		PG#
75 Ohm N Female	BM50490	94
75 Ohm N Male 75 Ohm SMB Jack	BM50487 BM50502	94
BNC Female	BM50528	95
BNC Male	BM50525 BM50614	95 98
Mini 75 Ohm SMB Plug	DW30014	PG#
75 Ohm SMB Plug to: 75 Ohm N Female	BM50488	94
75 Ohm N Male	BM50489	94
BNC Female	BM50526	95 95
BNC Male Mini 75 Ohm SMB Jack	BM50527 BM50613	98
75 Ohm SMC Jack to:		PG#
75 Ohm N Female	BM50559	96
75 Ohm N Male	BM50556 BM51020	96 112
75 Ohm SMC Jack 75 Ohm SMC Jack {BM}	BM51021	112
"T", Jack to Plug to Jack	BM50635	99
BNC Female BNC Male	BM50511 BM50508	95 94
75 Ohm SMC Plug to:		PG#
75 Ohm N Female	BM50557	96
"T", Jack to Plug to Jack BNC Female	BM50635 BM50509	99
BNC Male	BM50509	95
75 Ohm TNC Female to:		PG#
75 Ohm TNC Female (BM)(HS)	BM51104	114
7mm to:		PG#
2.4mm Female {P}	BM50296	87
2.4mm Male {P} 2.92mm Female {P}	BM50297 BM50314	87 88
I 2.92mm Male {P}	BM50315	88
3.5mm Female {P} 3.5mm Male {P}	BM50248 BM50249	86 86
3.5mm Male {P} BMA Jack {P} BMA Plug {P}	BM50835 BM50834	105 105
	BM50407	91
BNC Male {P} N Female {P} N Male {P}	BM50408 BM50194	91 84
N Male {P}	BM50195	84
SMA Female {P}	BM50141	82
I SMA Female {PM}{P}	BM50142	82
SMA Female {PM}{P} SMA Male {P}	BM50142	82 82 82
SMA Female {P} SMA Female {PM}{P} SMA Male {P} SMA Male {P} SMA Male {P}(PM) SSMA Female {P}(PM)	BM50142 BM50143 BM50422 BM50282	82 92 87
SMA Female {PM}{P} SMA Male {P} SMA Male {P} SMA Female {P} TNC Female {P} TNC Male {P}	BM50142 BM50143 BM50422 BM50282 BM50423	82 92 87
TNC Female {P} TNC Male {P}	BM50142 BM50143 BM50422 BM50282	82 92 87 92 92
SSMA Female (F) TNC Female (P) TNC Male (P) Binding Post to:	BM50142 BM50143 BM50422 BM50282 BM50423	82 92 87
TNC Female {P} TNC Male {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424	82 92 87 92 92 PG # 93 93
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to:	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464	82 92 87 92 92 PG # 93 93
SSMA Female {F} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464	82 92 87 92 92 PG # 93 93 PG #
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464	82 92 87 92 92 PG # 93 93 PG #
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Female BNC Male BNA Jack to:	BM50142 BM50143 BM50422 BM50282 BM50282 BM50423 BM50424 BM50466 BM50464	82 92 87 92 92 PG # 93 93 PG #
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P}	BM50142 BM50143 BM50422 BM50282 BM50282 BM50423 BM50464 BM50464 BM50468 BM50468 BM50470	82 92 87 92 92 93 93 93 PG# 105 97
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNC Male BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50470 BM50835 BM50599 BM50599	82 92 87 92 92 92 93 93 93 PG # 93 93 PG #
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P}	BM50142 BM50143 BM50422 BM50282 BM50282 BM50423 BM50464 BM50464 BM50468 BM50470	82 92 87 92 92 93 93 93 PG# 105 97
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Male {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50467 BM50468 BM50470	92 92 92 92 93 93 93 93 93 93 93 93 93 93
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Male {P} SMA Plug to: 7mm {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50467 BM50468 BM50470	92 92 92 93 93 93 94 93 93 95 97 97 101 97
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50470 BM50835 BM50596 BM50596 BM50597 BM50597	92 92 92 93 93 93 93 93 93 97 105 97 97 105 105
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P} SMA Pemale {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50469 BM50599 BM50599 BM50599 BM50599 BM50599 BM50597	92 92 92 93 93 93 93 93 93 PG# 93 97 101 97 PG# 105 97 97
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Male {P} SMA Plug to: 7mm {P}	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50470 BM50835 BM50596 BM50596 BM50597 BM50597	92 92 92 93 93 93 93 93 93 93 93 97 97 101 97 PG # 105 105 105
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} BMA Plug to: 7mm {P} SMA Female {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Male {P} BMB Jack to:	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50470 BM50596 BM50596 BM50597 BM50597	82 92 87 92 87 92 93 93 93 93 93 93 93 93 95 97 97 105 97 97 105 97 97 97 97 97 97 97 97 97 97
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNC Male BNC Male BNC Male BNC Femal	BM50142 BM50143 BM50422 BM50423 BM50424 BM50466 BM50464 BM50464 BM50464 BM50469 BM50599 BM50599 BM50599 BM50599 BM50599 BM50833 BM50833 BM50833 BM50833 BM50834 BM50833	82 92 92 92 92 93 93 93 93 PG # 97 105 97 105 97 105 97 105 97 105 97
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Male {P} SMA Female {BM}{P} SMA Male {P} SMA Male {BM}{P} SMA Female SMA Female	BM50142 BM50143 BM50282 BM50423 BM50424 BM50466 BM50466 BM50464 BM50470 BM50835 BM50596 BM50596 BM50597 BM50597 BM50597 BM50597	82 87 92 87 92 92 93 93 93 93 93 PG # 105 97 101 97 105 105 105 105 105 105 105 105
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Male {P} SMA Male {P} BMB Jack to: N Female SMA Female BMB Plug to:	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50470 BM50835 BM50599 BM50599 BM50599 BM50599 BM50833 BM50833 BM50833 BM50834 BM50833 BM50834 BM50833 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834	82 92 87 92 92 93 93 93 93 93 93 PG # 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 97 105 105 105 105 105 105 105 105
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Fem	BM50142 BM50143 BM50422 BM50423 BM50424 BM50466 BM50464 BM50464 BM50464 BM50469 BM50599 BM50599 BM50599 BM50599 BM50599 BM50833 BM50833 BM50833 BM50833 BM50834 BM50833	82 87 92 92 92 93 93 93 93 93 93 97 105 105 97 105 105 97 105 105 97 105 105 97 105 105 105 105 105 105 105 105
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Male {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50469 BM50835 BM50599 BM50599 BM50597 BM50834 BM50833 BM50833 BM50833 BM50833 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834	82 92 87 92 92 92 93 93 93 93 93 93 97 105 97 105 105 105 105 105 105 105 105 105 105
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Bale {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Male {P} SMA Female {P} S	BM50142 BM50143 BM50422 BM50282 BM50423 BM50464 BM50464 BM50464 BM50460 BM50470 BM50596 BM50596 BM50596 BM50596 BM50596 BM50597 BM50596 BM50596 BM50596 BM50596 BM50596 BM50596 BM50596 BM50597	82 92 87 92 92 93 93 93 93 93 93 93 95 97 97 97 105 97 105 97 97 105 105 105 105 105 105 105 107 107 108 109 109 109 109 109 109 109 109
SSMA Female {P} TNC Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Male {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50469 BM50835 BM50599 BM50599 BM50597 BM50834 BM50833 BM50833 BM50833 BM50833 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834 BM50834	82 92 87 92 92 92 93 93 93 93 93 93 97 105 97 105 105 105 105 105 105 105 105 105 105
SSMA Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM} Themale {P} SMA Female {BM} SMA Female {BM} SMA Female {P} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} SMA Female {BM} 10-32 Female {BM} 10-32 Male {BM} 75 Ohm SMB Jack	BM50142 BM50143 BM50422 BM50423 BM50424 BM50466 BM50464 BM50464 BM50466 BM50468 BM50470 BM50599 BM50599 BM50599 BM50599 BM50597 BM50834 BM50833 BM50833 BM50834 BM50834 BM50837 BM50834	82 92 87 92 92 93 93 93 93 93 93 93 95 97 97 105 97 105 97 105 97 97 105 97 97 97 97 97 97 97 98 98 98 98 98 98 98 98 98 98
SSMA Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Male {BM}{P} SMA Male {BM} SMA Female SMA	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50468 BM50470 BM50599 BM50599 BM50599 BM50599 BM50597 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50831 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50839 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508 BM508	82 87 92 87 92 92 93 93 93 93 93 93 93 93 105 97 101 97 105 97 97 105 97 97 97 97 97 97 97 97 97 97
SSMA Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM} Jack TNC Female BMB Plug to: TNC Female BNC Female to: 10-32 Female 10-32 Female {BM} 10-32 Male 10-32 Male 10-32 Male 10-32 Male 10-30 MB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMB Plug 75 Ohm SMC Plug	BM50142 BM50143 BM50422 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50464 BM50469 BM50599 BM50599 BM50599 BM50599 BM50591 BM50833 BM50833 BM50833 BM50833 BM50834 BM50834 BM50834 BM50835 BM50834 BM50836 BM50856 BM508	82 92 87 92 92 92 93 93 93 93 93 93 93 97 97 105 97 105 97 105 97 105 97 105 97 105 97 97 97 97 97 97 97 97 97 97 97 97 97
SSMA Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {P}{SMA Female {P}} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {BM} Jost to: TNC Female BNC Female BNC Female BNC Female 10-32 Female 10-32 Female 10-32 Male {BM} 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMC Plug 7mm {P} Tmm {P}	BM50142 BM50143 BM50422 BM50423 BM50424 BM50466 BM50464 BM50464 BM50466 BM50467 BM50835 BM50596 BM50709 BM50596 BM50709 BM50834 BM50833 BM50834 BM50834 BM50838	82 87 92 87 92 92 93 93 93 93 93 93 93 95 97 97 97 97 105 97 105 97 105 97 105 97 105 97 97 105 99 99 99 99 99 99 99 99 99 9
SSMA Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BMA Jack to: 7mm {P} SMA Female {BM}{P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Male {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Male {BM}{P} SMA Female	BM50142 BM50143 BM50422 BM50282 BM50282 BM50423 BM50424 BM50466 BM50464 BM50464 BM50469 BM50599 BM50599 BM50599 BM50599 BM50597 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50833 BM50834 BM50834 BM50834 BM50835 BM50834 BM50836 BM50836 BM50836 BM50836 BM50836 BM50836 BM50836 BM50836 BM50836 BM50836 BM50836 BM50838 BM50836 BM50838 BM508 BM	82 87 92 87 92 92 93 93 93 93 93 93 93 93 105 97 105 97 105 97 105 97 105 97 105 97 97 105 97 97 105 97 97 97 97 97 97 97 97 97 97
SSMA Female {P} TNC Male {P} Binding Post to: BNC Male, Black BNC Male, Black BNC Male, Red Binding Posts to: BNC Female BNC Male BNA Jack to: 7mm {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM}{P} SMA Female {BM} SMA Male (BM) SMA Male (BM) SMA Female BMB Plug to: TNC Female BMC Female to: 10-32 Female 10-32 Female {BM} 10-32 Male {BM} 75 Ohm SMB Jack 75 Ohm SMB Plug 75 Ohm SMB Jack 75 Ohm SMC Jack 75 Ohm SMC Jack 75 Ohm SMC Plug 7mm {P} Binding Posts	BM50142 BM50143 BM50422 BM50423 BM50424 BM50466 BM50464 BM50464 BM50466 BM50468 BM50470 BM50599 BM50599 BM50599 BM50599 BM50599 BM50597 BM50832 BM50833 BM50833 BM50834 BM50834 BM50834 BM50836 BM50831 BM50836 BM50831 BM50838	82 92 87 92 92 93 93 93 93 93 93 93 95 97 97 105 97 105 97 105 97 105 97 98 99 99 99 99 99 99 99 99 99

	AP CO.	
BNC Female to:		PG#
BNC Female {P}	BM50734	102
BNC Female (PM)	BM50354	89
BNC Male	BM50349	89
BNC Male {45°}	BM50893	107
BNC Male {P} BNC Male {RA}	BM50733	102
	BM50350	89
"T", Female to Female "T", Female to Female to Male "T". Female to Male to Female	BM50360	90
. ,	BM50359 BM50358	89 89
"V" Female to Male to Female	BM50361	90
"T", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female {RA}	BM50789	104
BNC Triax Male	BM51029	112
C Female	BM50714	101
C Female (BM)	BM50715	101
C Male	BM50711	101
Double Banana Plug	BM50469	93
FME Jack	BM50891	107
FME Plug	BM50892	107
GR874 HN Male	BM50697 BM50453	101 93
MCX Jack	BM50604	98
MCX Jack (BM)	BM50605	98
MCX Jack {BM} MCX Plug	BM50607	98
MHV Male	BM50390	91
Mini UHF Male	BM50656	99
MMCX Jack	BM50647	99
N Female	BM50214	85
N Female (BM)	BM50217	85
N Female (BM)	BM50216	85
N Female (P)	BM50215	85
N Female (PM)	BM50218	85
N Male	BM50203	84
N Male {P} N Male {PM}	BM50204 BM50205	84 84
N Male {RA}	BM50206	84
Phono Plug	BM50366	90
Phono Plug {RA}	BM50740	102
Reverse Polarity BNC Male	BM50512	95
Reverse Polarity BNC Male SC Female	BM50590	97
SC Male	BM50588	97
Single Banana Plug	BM50465	93
Single Banana Plug	BM50463	93
SMA Female	BM50127	82
SMA Female (BM)	BM50130	82
SMA Female (BM)	BM50129	82
SMA Female {P} SMA Female {PM}	BM50128 BM50610	82 98
SMA Male	BM50125	82
SMA Male {P}	BM50126	82
SMB Jack	BM50372	90
SMR lack (RM)	BM50373	90
SMB Plug	BM50370	90
SIVIB Plug (DIVI)	BM50371	90
SMC Jack	BM50660	100
SMC Jack (BM)	BM50661	100
SMC Plug	BM50657	99
SMC Plug (BM)	BM50672	100
SSMA Female SSMA Male	BM50731 BM50270	102 87
SSMB Plug	BM50505	94
SSMC Jack	BM50507	94
SSMC Plug	BM50945	109
TNC Female	BM50429	92
TNC Female (BM){HS}	BM50430	92
TNC Male	BM50433	92
TNC Male {RA}	BM50434	92
TPS Male	BM50681	100
UHF Female	BM50412	91
UHF Male	BM50410	91
BNC Male to:		PG#
10-32 Female	BM50636	99
10-32 Male	BM50641	99
75 Ohm SMB Jack	BM50525	95
75 Ohm SMB Plug	BM50527	95
		94
75 Ohm SMC Jack	BM50508	
75 Ohm SMC Jack 75 Ohm SMC Plug	BM50510	95
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm {P}	BM50510 BM50408	95 91
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm {P} Binding Post	BM50510 BM50408 BM50466	95 91 93
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm (P) Binding Post Binding Post	BM50510 BM50408 BM50466 BM50464	95 91 93 93
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm (P) Binding Post Binding Post Binding Posts	BM50510 BM50408 BM50466 BM50464 BM50470	95 91 93 93 93
75 Ohm SMC Jack 75 Ohm SMC Plug 75 Ohm SMC Plug 7mm (P) Binding Post Binding Post Binding Post Binding Posts BMC Female	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349	95 91 93 93 93 89
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm (P) Binding Post Binding Post Binding Post Bind Post BNC Female BNC Female BNC Female (45°)	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50893	95 91 93 93 93 89 107
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm (P) Binding Post Binding Post Binding Posts Binding Posts BNC Female BNC Female (45°) BNC Female (P)	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50893 BM50733	95 91 93 93 93 89 107 102
75 Ohm SMC Jack 75 Ohm SMC Plug 7mm (P) Binding Post Binding Post Binding Posts Binding Posts BNC Female BNC Female (45°) BNC Female (P)	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50893 BM50733 BM50350	95 91 93 93 93 89 107 102 89
75 Ohm SMC Jack 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts BNC Female BNC Female (45°) BNC Female {P} BNC Female {RA} BNC Male	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50893 BM50733 BM50350 BM50351	95 91 93 93 93 89 107 102 89
75 Ohm SMC Jack 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts BNC Female BNC Female {45°} BNC Female {P} BNC Female {RA} BNC Male BNC Male	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50893 BM50733 BM50350 BM50351 BM50351	95 91 93 93 93 89 107 102 89 89
75 Ohm SMC Jack 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts Binding Posts BNC Female BNC Female {45°} BNC Female {7} BNC Female {RA} BNC Male BNC Male (P)	BM50510 BM50408 BM50466 BM50464 BM50349 BM50359 BM50350 BM50351 BM50355 BM50355	95 91 93 93 93 89 107 102 89 89 102 89
75 Ohm SMC Jack 75 Ohm SMC Plug 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts BNC Female BNC Female {45°} BNC Female {47} BNC Female {48} BNC Male BNC Male {P} BNC Male {RA} BNC Male {RA} "T", Female to Female to Male	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50893 BM50733 BM50351 BM50351 BM50352 BM50352 BM50352	95 91 93 93 93 89 107 102 89 102 89
75 Ohm SMC Jack 75 Ohm SMC Plug 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts BNC Female BNC Female {45°} BNC Female {47} BNC Female {48} BNC Male BNC Male {P} BNC Male {RA} BNC Male {RA} "T", Female to Female to Male	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50333 BM50733 BM50350 BM50351 BM50355 BM50359 BM50359 BM50359 BM50359	95 91 93 93 93 89 107 102 89 102 89 89
75 Ohm SMC Jack 75 Ohm SMC Plug 775 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Post BNC Female BNC Female {45°} BNC Female {45°} BNC Female {RA} BNC Male {P} BNC Male {P} BNC Male {RA} "T", Female to Female to Male "T", Female to Male to Female "Y", Female to Male to Female	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50339 BM50350 BM50351 BM50355 BM50352 BM50358 BM50358 BM50358 BM50358	95 91 93 93 93 89 107 102 89 102 89 89 89 90
75 Ohm SMC Jack 75 Ohm SMC Plug 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Post BNC Female BNC Female {45°} BNC Female {P} BNC Female {P} BNC Male BNC Male (P) BNC Male (P) BNC Male (PA) "T", Female to Female to Male "T", Female to Male to Female "Y", Female to Male to Female	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50339 BM50350 BM50351 BM50352 BM50352 BM50352 BM50358 BM50358 BM50358 BM50358 BM50358 BM50358 BM50358	95 91 93 93 93 89 107 102 89 89 102 89 89 89 104
75 Ohm SMC Jack 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts BNC Female BNC Female {45°} BNC Female {P} BNC Female {RA} BNC Male {P} BNC Male {P} BNC Male {RA} "T", Female to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50393 BM50351 BM50351 BM50355 BM50352 BM50359 BM50359 BM50359 BM50359 BM50368 BM50369 BM50368 BM50369 BM50368	95 91 93 93 93 89 107 102 89 102 89 102 89 89 104 86
75 Ohm SMC Jack 75 Ohm SMC Plug 77 Mm (P) Binding Post Binding Post Binding Post BNC Female BNC Female {BNC Female {P} BNC Male BNC Male {P} BNC Male {P} BNC Male {P} FOR MALE BNC MAL	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50333 BM50733 BM50351 BM50351 BM50352 BM50352 BM50353 BM50359 BM50359 BM50359 BM50359 BM50359 BM50789 BM50789 BM50789 BM50789 BM50789	95 91 93 93 93 89 107 102 89 102 89 89 104 86 101
75 Ohm SMC Jack 75 Ohm SMC Plug 77mm (P) Binding Post Binding Post Binding Posts BNC Female BNC Female {45°} BNC Female {P} BNC Female {RA} BNC Male {P} BNC Male {P} BNC Male {RA} "T", Female to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female "Y", Female to Male to Female	BM50510 BM50408 BM50466 BM50464 BM50470 BM50349 BM50393 BM50351 BM50351 BM50355 BM50352 BM50359 BM50359 BM50359 BM50359 BM50368 BM50369 BM50368 BM50369 BM50368	95 91 93 93 93 89 107 102 89 102 89 89 104 89

DNO Mala ta		DO "
BNC Male to:	DMEGGGG	PG #
FME Plug GR874	BM50890 BM50698	107
HN Female	BM50452	93
HN Male	BM50454	93
MCX Jack	BM50603 BM50606	98 98
MHV Female	BM50391	91
Mini UHF Female	BM50655	99
MMCX Jack	BM50646	99
MMCX Plug (BM)	BM51072	113
N Female N Female {P}	BM50210 BM50211	85 85
N Female (PM)	BM50212	85
N Female {RA}	BM50213	85
N Male	BM50207	84 84
N Male {P} N Male {RA}	BM50208 BM50209	84
Phono Jack	BM50367	90
Phono Jack {RA}	BM50739	102
Reverse Polarity BNC Female	BM50513	95
SC Male SMA Female	BM50589 BM50121	97 82
SMA Female {P}	BM50122	82
SMA Male	BM50123	82
SMA Male {P}	BM50124	82
SMB Jack SMB Plug	BM50368 BM50369	90
SMC Jack	BM50658	99
SMC Plug	BM50659	99
SSMA Female	BM50269	86
SSMA Male SSMB Jack	BM50271 BM50504	87 94
SSMB Plug	BM50504	94
SSMC Jack	BM50608	98
TNC Female	BM50432	92
TNC Female {RA} TNC Male	BM50701 BM50431	101 92
TPS Female	BM50680	100
UHF Female	BM50409	91
UHF Male	BM50411	91
BNC Triax Female to:		PG#
BNC Male	BM50265	86
BNC Triax Female	BM50268	86
BNC Triax Female (BM)	BM50935	109
BNC Triax Female (BM)(IG) BNC Triax Male (RA)	BM50266 BM50934	86 109
"T", Female to Male to Female	BM50267	86
BNC Triax Male to:	Dilloczor	PG#
BNC Female	BM51029	112
BNC Triax Female {RA}	BM50934	109
"T", Female to Male to Female	BM50267	86
BNC Twinax Jack to:		PG#
BNC Twinax Jack	BM50455	93
BNC Twinax Jack (BM)	BM50456	93
BNC Twinax Plug {RA}	BM50457	93
"T", Jack to Jack to Jack	BM50459	93
"T", Jack to Plug to Jack	BM50458	93
BNC Twinax Plug to:		PG#
BNC Twinax Jack {RA}	BM50457	93
BNC Twinax Plug	BM50460	93
"T", Jack to Plug to Jack	BM50458	93
C Female to:	DME4000	PG #
7/16 Din Male BNC Female	BM51086 BM50714	101
BNC Female (BM)	BM50715	101
BNC Male	BM50712	101
C Female	BM50392	91
C Female (BM) C Male (RA)	BM50393 BM50395	91 91
	BM51091	114
"T", Female-Female-Female "T", Female to Male to Female	BM50396	91
HN Male	BM50717	101
N Female N Male	BM50441 BM50437	92 92
N Male {RA}	BM50438	92
TNC Male	BM50436	92
C Male to:		PG#
7/16 Din Female	BM51085	114
BNC Female	BM50711	101
C Female {RA}	BM50395 BM50398	91 91
"T", Female to Male to Female	BM50396	91
HN Female	BM50716	101
HN Male	BM50718	101
N Female	BM50440	92
N Male SMA Female	BM50439 BM50685	92 100
- C I Gillalo	20000	

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



CRC9 Male to:		PG#
Reverse Polarity SMA Female	BM50808	104
SMA Female	BM50809	104
Double Banana Plug to:		PG#
BNC Female BNC Male	BM50469 BM50467	93 93
F Female to:	DINIOUTO	PG#
75 Ohm BNC Female	BM50365	90
75 Ohm BNC Female {P}	BM50566	96
75 Ohm BNC Male 75 Ohm BNC Male {P}	BM50362	90
75 Ohm N Female {P}	BM50564 BM50707	96 101
75 Ohm N Male	BM50703	101
75 Ohm N Male {P} F Female	BM50704 BM50401	101 91
F Female (BM)	BM50403	91
F Female {P}	BM50402 BM50405	91 91
F Male {P} F Male {RA}	BM50406	91
F Male (SO) N Male	BM50404 BM50643	91
PAL Female	BM50619	98
PAL Male	BM50616	98
Phono Jack Phono Plug	BM50621 BM50620	98 98
SMA Female	BM50167	83
SMA Male	BM50165	83
UHF Female UHF Male	BM50524 BM50523	95 95
F Male to:		PG#
75 Ohm BNC Female	BM50363	90
75 Ohm BNC Female (P)	BM50726	102
75 Ohm BNC Male 75 Ohm BNC Male {P}	BM50364 BM50565	90 96
75 Ohm N Female	BM50705	101
75 Ohm N Female {P}	BM50706 BM50615	101 98
75 Ohm N Male {P} F Female {P} F Female {RA}	BM50405	91
F Female {RA} F Female {SO}	BM50406	91
F Male	BM50404 BM50399	91 91
F Male {P}	BM50400	91
N Female PAL Female	BM50642 BM50617	99
PAL Female (RA)	BM50819	105
PAL Male	BM50618	98
SMA Female SMA Male	BM50166 BM50317	83 88
UHF Female	BM50542	96
FME Jack to:		PG#
BNC Female	BM50891	107
BNC Male SMA Female	BM50889 BM50887	107 107
SMA Male	BM50884	107
FME Plug to:		PG#
BNC Female	BM50892	107
BNC Male	BM50890	107
N Male SMA Female	BM50888 BM50886	107
SMA Male	BM50885	107
GMS Plug to:		PG#
SMA Female {P}{PM}	BM50841	106
GR874 to:		PG#
BNC Female	BM50697	101
I DNC Mala	DIVIDUOS	
BNC Male	BM50698	101
HN Female N Female		101 101
HN Female N Female N Male	BM50698 BM50702 BM50695 BM50694	101 101 101
HN Female N Female N Male SMA Female	BM50698 BM50702 BM50695 BM50694 BM50159	101 101 101 83
HN Female N Female N Male	BM50698 BM50702 BM50695 BM50694	101 101 101
HN Female N Female N Male SMA Female SMA Female SMA Female	BM50698 BM50702 BM50695 BM50694 BM50159 BM50033	101 101 101 83 79
HN Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA	BM50698 BM50702 BM50694 BM50694 BM50159 BM50033 BM50160	101 101 101 83 79 83 PG #
HN Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female	BM50698 BM507695 BM50694 BM50694 BM50159 BM50033 BM50160	101 101 101 83 79 83 PG # 114 114
HN Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male	BM50698 BM507695 BM50694 BM50694 BM50159 BM50160 BM50160 BM51105 BM51088 BM51408	101 101 101 83 79 83 PG # 114 114 92
HN Female N Female N Hale SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/8" EIA BNC Male	BM50698 BM50795 BM50694 BM50159 BM50159 BM50133 BM50160 BM51105 BM51088 BM510420 BM510420 BM510420	101 101 83 79 83 PG # 114 114 92 114 93
HN Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/18" EIA BNC Male C Male C Male	BM50698 BM50702 BM50695 BM50695 BM50694 BM50159 BM50159 BM50160 BM51088 BM50420 BM51098 BM50425 BM50452 BM50702	101 101 101 83 79 83 PG # 114 114 92 114
HN Female N Female N Female SMA Female SMA Female {PM} SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/8" EIA BNC Male C Male GR874 HN Female	BM50698 BM50702 BM50695 BM50695 BM50159 BM50159 BM50160 BM51105 BM51105 BM51088 BM50420 BM51098 BM50452 BM50452 BM50716 BM50716 BM50716	101 101 101 83 79 83 PG # 114 114 92 114 93 101 101
HN Female N Female N Female SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male 7/18 DIA BNC Male C Male GR874 HN Female {BM}	BM50698 BM50702 BM50695 BM50695 BM50159 BM50159 BM50160 BM51105 BM51105 BM51088 BM50420 BM51098 BM50452 BM50452 BM50716 BM50716 BM50716	101 101 101 83 79 83 PG # 114 114 92 114 93 101 101 92
HN Female N Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male 7/18 Din Male 7/8" EIA BNC Male C Male GR874 HN Female {BM} HN Female {BM}	BM50698 BM50702 BM50695 BM50695 BM50159 BM50159 BM50160 BM51105 BM51086 BM51086 BM50420 BM50450 BM50450 BM50454 BM50446 BM50447 BM51035 BM50444 BM50447	101 101 101 83 79 83 PG # 114 114 114 92 114 93 101 101 92 92 112 92
HN Female N Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male 7/18 Din Male 7/8" EIA BNC Male C Male GR874 HN Female {BM} HN Female {BM}	BM50698 BM50702 BM50695 BM50695 BM50159 BM50159 BM50160 BM51088 BM50420 BM50452 BM50446 BM50447 BM50447 BM50443 BM50442 BM50445 BM50443 BM50443 BM50444	101 101 101 83 79 83 PG # 114 114 114 92 114 93 101 101 92 92 112 92
HN Female N Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male 7/18 Din Male 7/8" EIA BNC Male C Male GR874 HN Female {BM} HN Female {BM}	BM50698 BM50695 BM50695 BM50695 BM50694 BM50159 BM50159 BM50160 BM51105 BM51088 BM50420 BM51088 BM50425 BM50716 BM50702 BM50702 BM50446 BM50443 BM50443 BM50444 BM50444 BM50444 BM50444 BM50444	101 101 101 83 79 83 PG # 114 92 114 93 101 101 92 92 112 92 92
HN Female N Female N Female N Male SMA Female SMA Female {PM} SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male 7/18 Din Male 6 C Male GR874 HN Female {BM} HN Female {BM} HN Female {BM} HN Female {BM} HN Male HN Male HN Male HN Male {RA} "T", Female-Female "T", Male to Female "T", Male to Female to Male	BM50698 BM50702 BM50695 BM50695 BM50694 BM50159 BM50159 BM50160 BM51088 BM51088 BM50429 BM50442 BM507102 BM50447 BM50443 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444	101 101 101 83 79 83 PG # 114 114 92 114 92 1101 92 92 92 92 92 92 93
HN Female N Female N Female N Male SMA Female SMA Female (PM) SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male T/8" EIA BNC Male C Male C Male GR874 HN Female {BM} HN Female {BM} HN Female {BM} HN Female {BM} HN Female {BM} FF Female {BM} HN Male T"", Female To Male to Female "T", Female-Female "T", Female Female "T", Female Female To Male "T", Male to Female To Male LC Male	BM50698 BM50702 BM50695 BM50695 BM50694 BM50159 BM50159 BM50160 BM51105 BM51086 BM51086 BM50452 BM50452 BM50464 BM50452 BM50464 BM50452 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50445 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50445 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50445	101 101 101 83 79 83 PG # 114 114 92 114 93 101 92 92 92 92 92 92 93
HN Female N Female N Female N Male SMA Female SMA Female {PM} SMA Male HN Female to: 1 5/8" EIA 7/16 Din Female 7/16 Din Male 7/18 Din Male 6 C Male GR874 HN Female {BM} HN Female {BM} HN Female {BM} HN Female {BM} HN Male HN Male HN Male HN Male {RA} "T", Female-Female "T", Male to Female "T", Male to Female to Male	BM50698 BM50702 BM50695 BM50695 BM50694 BM50159 BM50159 BM50160 BM51088 BM51088 BM50429 BM50442 BM507102 BM50447 BM50443 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444 BM50444	101 101 101 83 79 83 PG # 114 114 92 1101 101 92 112 92 92

HN Female to:	Microwave Ad	a	9	I	Œ)	5
SHV Plug	HN Female to:						PG#
SMA Female SMA Male SMS MA Male SMS MA Male SMS MA Male SMS MA Male SMS MS Male SMS MS Male SMS MS MS MS MS MS MS MS MS MS MS MS MS	SHV Jack						106
SMA Male to:							
1.5/8" EIA		В	M	50	14	5	
7/16 Din Female							_
Times	7/16 Din Fomalo	B	M	51 50	<u>09</u> 141	9	
C Male	7/16 Din Male	B	M	51	08	7	111
C Male	BNC Female	B	M	50	45	3	93
DMS0/142 92	BNC Male C Female	B	M	50 50	145 171	4	93 101
HN Male (RA)	C Male	B	М	50	71	8	101
HN Male (RA)	HN Female HN Female {RA}	B	M	50 50	44	3	92
C Female BM S04 A 3 3 3 3 3 3 3 3 3	LINI Mala (DA)	шв	M	50	144	4	92
C Female BM S04 A 3 3 3 3 3 3 3 3 3	I I , Felliale to Male to Felliale	B	M	50	44	ğ	92
MHV Female	LC Female	B	M	50 50	45	4	93
N Female	LC Male MHV Female	B	M	51 50	10	8	114 93
SHV Jack	N Female	B	M	50	05	ġ	79
SMA Maile	SHV Jack	B	M	50 50	105 184	4	106
SMA Male	SHV Plug	B	M	50	84	5	106
NC Male	SMA Male	B	M	50	14	7	82
7/16 Din Female		JB	M	<u>50</u>	168	2	100
7/8" EIA	7/16 Din Female	E	3 M	51	07	5	
HN Male	7/16 Din Male	E	BM	51	07	4	113
LC Female	15/8" EIA	E	BM	51	07	1	113
N Male	HN Male LC Female						93 93
N Male	LC Male (RA)	Ē	M	50	47	3	93
7/16 DIN Female							
7/16 DIN Male 7/18" EIA BM51070 113 1 5/8" EIA BM51076 113 HN Female BM50475 93 HN Male BM50473 93 LC Female {BM50474 93 N Female BM50471 93 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50198 84 N Female BM50106 114 LT Female BM50106 114 LT Female BM50109 1109 MC-Card Plug to: SMA Female BM50109 1109 MCX Jack to: BMC Female BM50100 98 BMC Female BM50100 98 BMC Female BM50604 98 BMC Female BM50605 98 MCX Jack BM50605 98 MCX Jack BM50605 98 MCX Jack BM50606 97 MCX Plug BM50685 97 MCX Plug BM50685 100 MMCX Plug BM50685 100 MMCX Jack BM50606 100 MMCX Plug BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50665 100 MMCX Jack BM50661 100 MF Female BM50167 83 Reverse Polarity SMA Female BM50811 98 Reverse Polarity SMA Female BM50167 83 SMA Male BM50167 83 SMA Pemale BM50619 98 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jack BM50609 99 MCX Jac	LC Male to:						
HN Female	7/16 DIN Female	В	M	51	07	3	113
HN Female	7/16 DIN Male 7/8" EIA	B	M	51 51	07	6	113
N Female (RA) BM501933 109 N Male BM51106 114 LT Female to: PG # LT Female BM51109 114 LT Female BM51109 114 MC-Card Plug to: PG # SMA Female BM5010 105 MCX Jack to: PG # BNC Female BM50604 98 BNC Female BM50604 98 BNC Female BM50604 98 BNC Male BM50605 98 MCX Jack BM50605 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Plug BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50606 100 N Female BM50606 100 N Female BM50606 100 N Female BM50617 100 N Female BM50617 100 N Female BM50617 100 SMA Male BM50617 100 SMA MB000617 100 SMA MB000617 100 SMA MB0007 100 SMA MB00	1 5/8" EIA HN Female	B	M	51 50	07 147	5	113 93
N Female (RA) BM501933 109 N Male BM51106 114 LT Female to: PG # LT Female BM51109 114 LT Female BM51109 114 MC-Card Plug to: PG # SMA Female BM5010 105 MCX Jack to: PG # BNC Female BM50604 98 BNC Female BM50604 98 BNC Female BM50604 98 BNC Male BM50605 98 MCX Jack BM50605 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Jack BM50606 98 MCX Plug BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50605 100 N Female BM50606 100 N Female BM50606 100 N Female BM50606 100 N Female BM50617 100 N Female BM50617 100 N Female BM50617 100 SMA Male BM50617 100 SMA MB000617 100 SMA MB000617 100 SMA MB0007 100 SMA MB00	HN Male	B	М	51	10	8	114
N Female (RA) BM501933 109 N Male BM51106 114 LT Female to: PG # LT Female BM51109 114 LT Female BM51109 114 MC-Card Plug to: PG # SMA Female BM5010 105 MCX Jack to: PG # BNC Female BM50604 98 BNC Female BM50604 98 BNC Female BM50604 98 BNC Male BM50605 98 MCX Jack BM50605 98 MCX Jack BM50605 98 MCX Jack BM50606 98 MCX Jack BM50605 99 MCX Plug BM50685 97 MCX Plug BM50685 97 MCX Plug BM50685 97 MMCX Plug BM50685 97 MMCX Plug BM50685 100 N Female BM7 N Female BM8 BM50685 100 N Female BM7 N Female BM8 BM50685 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50681 100 N Female BM8 BM50167 83 SWA Male BM50161 98 TNC Female BM8 BM50167 83 SMA Male BM50161 98 TNC Female BM8 BM50609 98 MCX Plug to: BM50609 98 MCX Plug to: PG # BNC Male BM50555 96 Reverse Polarity SMA Female BM50661 198 TNC Female BM8 BM50665 100 MCX Jack BM50669 100 MCX Plug to: PG # BNC Male BM50659 96 MCX Jack BM50659 97 MCX Plug BM50664 100 MMCX Plug BM50664 100 MMCX Plug BM50665 100 MMCX Plug BM50664 100 MM50644 100 MM50644 100 MM50644 100		B	M	50 50	1 <u>47</u> 147	1	93
LT Female to:	N Female	B	M	50	119	8	84
LT Female	N Male	B	М	<u>51</u>	10	ĕ	114
MC-Card Plug to:							
SMA Female		B	M	51	10	9	
MCX Jack to:					0.4		
BNC Female BM50604 98 BNC Female {BM}			IVI	οu	011	•	
BNC Female {BM} BM50605 98 BNC Male		IF	RM	50	60.	4	
MCX Jack BM50586 97 MCX Jack (BM) BM50587 97 MCX Plug BM50585 97 "T" Jack to Jack to Jack BM50397 91 MMCX Jack BM50665 100 MMCX Plug BM50663 100 MMCX Plug BM50663 100 MF Female BM50554 96 N Female BMS0180 BM50168 113 N Female BMS0345 88 Reverse Polarity SMA Female BM50341 105 SMA Female BM50157 83 SMA Female BM50156 83 SMA Male BM50157 83 SMA Male RA} BM50157 83 TNC Female BM50611 98 TNC Female BMS0611 98 MKS0612 98 MCX Plug to: PG # BNC Female BM50609 98 MCX Jack BM50609 98 MCX Jack BM50662 90 MMCX Jack BM50662 1	BNC Female (BM)	E	BM	50	60	5	98
MCX Jack (BM)	MCX Jack	E	3M	50	58	6	98
MMCX Jack	I MCX .lack {BIVI}						
MMCX Plug		E	BM	50	39	7	91
N Female (BM) BM50554 96. N Female (BM) BM51068 113 N Male BM50345 89. Reverse Polarity SMA Female BM50812 105. SMA Female BM50811 105. SMA Female BM50157 83. SMA Male BM50157 83. SMA Male BM50157 104. TNC Female BM50611 98. TNC Female BM50612 98. TNC Female BM50612 98. TNC Female BM50610 98. BNC Y lug to: BNC Female BM50606 98. BNC Male BM50606 98. MCX Jack BM50606 98. MCX Jack BM50606 98. MCX Jack BM50606 98. MCX Jack BM50606 98. MCX Jack BM50601 98. SMA Female BM50601 100. MMCX Plug BM50601 100. MMCX Plug BM50602 100. MMCX Plug BM50603 100. MMCX Jack BM50603 100. MMCX Jack BM50603 100. MMCX Jack BM50604 100. MMCX Jack BM50605 96. MMCX Jack BM50605 100. MMCX Jack BM50605 100. MMCX Jack BM50663 100. MMCX Jack BM50663 100. MMCX Jack BM50663 100. MMCX Jack BM50663 100. MMCY Jack BM50664 100. MMCY Jack BM50664 100. MMCX Jack BM50664 100. MMCY Jack BM50664 100. M	MMCX Jack	E	S M	50 50	66	3	100
N Male	N Female	E	BM	50	55	4	96
Reverse Polarity SMA Male	I N Male	Ē	M	50	34	5	89
SMA Female BM50156 83 SMA Male BM50157 83 SMA Male (RA) BM50157 83 SMA Male (RA) BM50737 104 TNC Female BM50611 98 TNC Female (BM) BM50612 98 MCX Plug to: PG # BNC Female BM50609 98 BNC Male BM50606 98 MCX Jack BM50665 97 MMCX Jack BM50662 100 MMCX Plug BM50664 100 MMCX Plug BM50665 96 MMCX Jack BM50665 90 MMCX Plug BM50665 90 MMCX Plug BM50665 90 MMCX Plug BM50155 96 Reverse Polarity SMA Female BM50155 83 SMA Female {RA} BM50158 83 MHV Female to: PG # BNC Male BM50158 90 HIV Male BM50382 90 MHV Female (BM){HS}<							
SMA Male {RA}	SMA Female	E	BM	50	15	6	83
TNC Female	SMA Male {RA}	E	BM	50	79	7	104
TNC Male	TNC Female						
BNC Female	TNC Male						98
MMCX Jack							
MMCX Jack	BNC Male	I E	BM	50	60	6	98
N Male	MCX Jack	E	BM	50	58	5	97
N Male	MMCX Plug	E	BM	50	66	4	100
SMA Female BM50155 83 SMA Female {RA} BM50798 104 SMA Panale {BM50798 104 104 SMA Male BM50158 83 MHV Female to: PG # BNC Male BM50391 91 HN Male BM50451 93 MHV Female BM50382 90 MHV Female {BM}{HS} BM50383 90 MHV Male {RA} BM50384 90	N Male						
SMA Male BM50158 83 MHV Female to: PG # BNC Male BM50391 91 HN Male BM50451 93 MHV Female BM50382 90 MHV Female {BM}{HS} BM50383 90 MHV Male {RA} BM50384 90	I SMA Female	E	BM	50	115	5	83
MHV Female to: PG # BNC Male BM50391 91 HN Male BM50451 93 MHV Female BM50382 90 MHV Female {BM}{HS} BM50383 90 MHV Male {RA} BM50384 90							
BNC Male BM50391 91 HN Male BM50451 93 MHV Female BM50382 90 MHV Female {BM}{HS} BM50383 90 MHV Male {RA} BM50384 90							
MHV Female BM50382 90 MHV Female {BM}{HS} BM50383 90 MHV Male {RA} BM50384 90							
MHV Male {RA} BM50384 90	MHV Female	E	BM	50	38	2	90
"T". Female to Male to Female BM50385 90 SHV Jack BM50388 90 SHV Plug BM50387 90	MHV Male {RA}	E	BM	50	38	4	
SHV Plug BM50387 90	"T", Female to Male to Female	Ē	M	50	38	5	90
	SHV Plug	E	3 M	50 50	38	7	

		"
MHV Male to:		PG#
BNC Female	BM50390	91
MHV Female {RA} "T", Female to Male to Female	BM50384 BM50385	90
SHV Jack	BM50386	90
SHV Plug	BM50389	90
Micro BNC Female to:		PG#
75 Ohm BNC Female {BM}{IG}	BM51050	113
75 Ohm BNC Male	BM51030	112
Micro BNC Female (BM){IG}	BM51051	113
Mini 75 Ohm SMB Jack to:		PG#
75 Ohm BNC Female	BM50553	96
75 Ohm BNC Male	BM50550	96
75 Ohm N Female	BM50563	96
75 Ohm N Male	BM50560	96
75 Ohm SMB Plug	BM50613	98
Mini 75 Ohm SMB Jack	BM50652	99
Mini 75 Ohm SMB Jack (BM)	BM50653	99
Mini 75 Ohm SMB Plug	BM50651	99
Mini 75 Ohm SMB Plug to:		PG#
75 Ohm BNC Female	BM50551	96
75 Ohm BNC Male	BM50552	96
75 Ohm N Female	BM50561	96
75 Ohm N Male 75 Ohm SMB Jack	BM50562 BM50614	96 98
Mini 75 Ohm SMB Jack	BM50651	99
Mini 75 Ohm SMB Jack	BM50654	99
Mini SMP Female to:		PG#
1.85mm Female {P}	BM50989	110
1.85mm Male {P}	BM50988	110
2.4mm Female {P}	BM50983	110
2.4mm Male {P}	BM50982	110
2.92mm Female {P}	BM50977	110
2.92mm Male {P}	BM50976	110
SMA Female {P} SMA Male {P}	BM50971 BM50970	110
1	DIVIDUDITO	PG#
Mini SMP Male to:	DMESSON	111
1.85mm Female (FD)(P) 1.85mm Female (P)(SB)	BM50991 BM50993	111
1.85mm Male {FD}{P}	BM50990	111
1.85mm Male {P}{SB}	BM50992	111
2.4mm Female (FD)(P)	BM50985	110
2.4mm Female {P}{SB}	BM50987	110
2.4mm Male {FD}{P} 2.4mm Male {P}{SB}	BM50984 BM50986	110 110
2.92mm Female (FD)(P)	BM50979	110
2.92mm Female (P)(SB)	BM50981	110
2.92mm Male {FD}{P}	BM50978	110
2.92mm Male {P}{SB}	BM50980	110
SMA Female (FD)(P)	BM50972	110
SMA Female {P}{SB} SMA Male {FD}{P}	BM50975 BM50973	110 110
SMA Male {P}{SB}	BM50974	110
Mini UHF Female to:		PG#
BNC Male	BM50655	99
Mini UHF Female	BM50555	99
Mini UHF Male {RA}	BM50593	97
"T", Female to Female	BM50595	97
"T", Female to Male to Female	BM50594	97
N Male	BM50538	95
TNC Male	BM50667	100
UHF Male	BM50650	99
Mini UHF Male to:		PG#
		99
BNC Female	BM50656	
BNC Female Mini UHF Female {RA}	BM50593	97
BNC Female Mini UHF Female {RA} "T", Female to Male to Female	BM50593 BM50594	97 97
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female	BM50593	97
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female	BM50593 BM50594 BM50537	97 97 95
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female	BM50593 BM50594 BM50537 BM50666	97 97 95 100 99
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female	BM50593 BM50594 BM50537 BM50666	97 97 95 100
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to:	BM50593 BM50594 BM50537 BM50666 BM50649	97 97 95 100 99 PG#
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to: MMBX Plug MMCX Jack to:	BM50593 BM50594 BM50537 BM50666 BM50649	97 97 95 100 99 PG # 101
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to: MMBX Plug	BM50593 BM50594 BM50537 BM50666 BM50649	97 97 95 100 99 PG #
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to: MMBX Plug MMCX Jack to: BNC Female	BM50593 BM50594 BM50537 BM50666 BM50649 BM50713	97 97 95 100 99 PG # 101 PG #
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to: MMBX Plug MMCX Jack to: BNC Female BNC Male MCX Jack MCX Plug	BM50593 BM50594 BM50666 BM50669 BM50713 BM50647 BM50646 BM50665 BM50665	97 97 95 100 99 PG # 101 PG # 99 100 100
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to: MMBX Plug MMCX Jack to: BNC Female BNC Male MCX Jack MCX Plug MMCX Jack MCX Plug MMCX Jack	BM50593 BM50594 BM50594 BM50666 BM50649 BM50713 BM50647 BM50647 BM50665 BM50665 BM50662	97 97 95 100 99 PG # 101 PG # 99 100 100 98
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female WMBX Plug to: MMBX Plug to: MMBX Plug MMCX Jack to: BNC Female BNC Male MCX Jack MCX Jack MCX Jack MMCX Jack MMCX Jack MMCX Jack	BM50593 BM50594 BM50597 BM50666 BM50649 BM50713 BM50647 BM50646 BM50665 BM50665 BM50601 BM50601 BM50602	97 97 95 100 99 PG # 101 PG # 99 100 100 98 98
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female MMBX Plug to: MMBX Plug to: MMBX Plug MMCX Jack to: BNC Female BNC Male MCX Jack MCX Plug MMCX Jack MCX Jack MMCX Jack MMCX Jack MMCX Jack {BM} MMCX Jack	BM50593 BM50594 BM50594 BM50666 BM50669 BM50713 BM50647 BM50646 BM50665 BM50662 BM50602 BM50602 BM50600	97 97 95 100 99 PG # 101 PG # 99 99 100 100 98 98
BNC Female Mini UHF Female {RA} "T", Female to Male to Female N Female TNC Female UHF Female WMBX Plug to: MMBX Plug to: MMBX Plug MMCX Jack to: BNC Female BNC Male MCX Jack MCX Jack MCX Jack MMCX Jack MMCX Jack MMCX Jack	BM50593 BM50594 BM50597 BM50666 BM50649 BM50713 BM50647 BM50646 BM50665 BM50665 BM50601 BM50601 BM50602	97 97 95 100 99 PG # 101 PG # 99 100 100 98 98

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



MMCX Plug to:	DMETORS	PG:
BNC Male {BM} MCX Jack	BM51072 BM50663	113
MCX Plug	BM50664	100
MMCX Jack	BM50600	98
PAL Female	BM50820	105
SMA Female	BM50186	84
SMA Female {RA}	BM50799	104
SMA Male	BM50184	84
N Female to:		PG:
1.85mm Female {P}	BM50264	86
1.85mm Male {P} 1.5/8" EIA	BM50262 BM51041	86 112
3 1/8" EIA	BM51041	113
2.4mm Female {P}	BM50295	87
2.4mm Female NMD {P}	BM50872	107
2.4mm Male {P}	BM50293	87
2.92mm Female {P}	BM50313	88
2.92mm Female NMD {P} 2.92mm Male {P}	BM50864 BM50311	106 88
3.5mm Female {P}	BM50247	86
3.5mm Female NMD {P}	BM50852	106
3.5mm Male {P}	BM50245	86
4.1/9.5 Din Female	BM50758	103
4.1/9.5 Din Female Low PIM	BM50499	94
4.1/9.5 Din Female Low PIM (BM)	BM50427	92
4.1/9.5 Din Male 4.1/9.5 Din Male Low PIM	BM50755 BM50498	103
4.3/10 Din Female Low PIM	BM50903	108
4.3/10 Din Male Low PIM	BM50904	108
7/16 Din Female	BM50321	88
7/16 Din Female {PM}	BM50805	104
7/16 Din Female Low PIM	BM50783	104
7/16 Din Male	BM50318	88 105
7/16 Din Male {RA} 7/16 Din Male Low PIM	BM50830 BM50782	104
7/8" EIA	BM51037	112
75 Ohm N Male	BM50683	100
7mm {P}	BM50194	84
BMB Jack	BM50347	89
BNC Female	BM50214	85
BNC Female {BM} BNC Female {BM}	BM50217 BM50216	85 85
BNC Female (P)	BM50215	85
BNC Female (PM)	BM50218	85
BNC Male	BM50210	85
BNC Male {P}	BM50211	85
BNC Male (PM)	BM50212	85
BNC Male {RA} C Female	BM50213 BM50441	85 92
C Male	BM50440	92
F Male	BM50642	99
GR874	BM50695	101
HN Female	BM50053	79
HN Female (PM)	BM50054	79
HN Male LC Female	BM50050 BM50197	79 84
LC Male	BM50197	84
LC Male {RA}	BM50933	109
MCX Jack	BM50554	96
MCX Jack {BM}	BM51068	113
Mini UHF Male	BM50537	95
N Female N Female {BM}	BM50000 BM51031	78 112
N Female {BM}{HS}	BM50002	78
N Female (BM){HS}	BM50003	78
N Female {BM}{HS}	BM50732	102
N Female {BM}{HS}{P}	BM51061	113
N Female (BM)(HS)(RA)	BM50696	101
N Female {BM}{IG} N Female {BM}{P}	BM50005 BM50004	78 78
N Female {BM}{P}	BM50435	92
N Female (P)	BM50001	78
N Female {P}{RRA}	BM50700	101
	BM50006	78
N Female (PM)		78
N Female {PM} N Female {PM}{P}	BM50007	
N Female {PM} N Female {PM}{P} N Female {RA}	BM50008	78
N Female {PM} N Female {PM}{P} N Female {RA} N Female {RA} N Female {RA}	BM50008 BM50009	78
N Female {PM} N Female {PM}{P} N Female {RA} N Female {RA}BM} N Female {RA}{P}	BM50008 BM50009 BM50923	78 108
N Female (PM) N Female (PM){P} N Female (RA) N Female (RA){BM} N Female (RA){F} N Female (RA){P}	BM50008 BM50009 BM50923 BM50779	78 108 103
N Female {PM} N Female {PM}{P} N Female {RA} N Female {RA}BM} N Female {RA}{P}	BM50008 BM50009 BM50923	78 108

N Male (RA)	Microwave Ada	apte	rs
N Male (RA)	N Female to:		PG#
N Male (RRA){P}		BM50014	78
N Male Low PIM			78
N Male Low PIM			108
Nale Low PIM			
"Cross", Female to Female to Female to Female to Female to Female to Female			
Female to Female		BM50780	104
"Cross", Female to Female to Male	"Cross", Female to Female to	BM50024	78
To Male			
### Fig. Female to Female BM50021 78 ### Tim, Female to Female to Male BM50022 78 ### Tim, Female to Male BM50022 78 ### Tim, Female to Male BM50022 78 ### Male to Female to Male BM50022 78 ### Male to Female to Male BM50022 71 NMO Mount Female (BM) BM50048 99 QMA Female BM50762 10 QMA Male BM50762 10 QN Male BM50768 10 QN Male BM50529 95 Reverse Polarity N Male BM50529 95 Reverse Polarity SMA Female BM50049 79 Reverse Polarity Thro Male BM50569 96 Reverse Polarity Thro Male BM50569 96 Reverse Polarity Thro Male BM50569 96 Reverse Thread Thro Male BM50643 10 SC Female BM50728 10 SC Female BM50728 10 SC Male BM50721 10 SC Male BM50721 10 SMA Female (BM) BM50042 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50044 79 SMA Female (BM) BM50045 79 SMA Female (BM) BM50047 79 SMA Female (BM) BM50047 79 SMA Female (BM) BM50047 79 SMA Male (BM) BM50047 79 SMA Male (BM) BM50047 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 79 SMA Male (BM) BM50038 70 SMA Male (BM) BM50038 70 SMA Male (BM) BM		BM50023	78
TT', Female to Male to Female		BM50021	78
TT', Female to Male to Female	"T". Female to Female to Male		
TT' Male to Female (BM) BM50048 99 QMA Female BM50762 10; QMA Female BM50768 10; QMA Female BM50768 10; QM Male BM50768 10; QN Male BM50578 10; QN Male BM50529 Reverse Polarity N Male BM50522 97 Reverse Polarity SMA Female BM500769 10; QN Male BM50522 97 Reverse Polarity SMA Female BM50049 79 Reverse Polarity TNC Male BM50569 96 Reverse Polarity TNC Male BM50569 96 Reverse Polarity TNC Male BM50569 96 SC Female BM501049 79 SC Male SC Female BM50728 10; SC Female BM50728 10; SC Male P BM50728 10; SC Male P BM50728 10; SMA Female BM50040 79 SMA Female BM50040 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50044 79 SMA Female BM50045 79 SMA Female BM50045 79 SMA Female BM50045 79 SMA Female BM50045 79 SMA Female BM50045 79 SMA Female PM\$ BM50045 79 SMA Female PM\$ BM50045 79 SMA Female PM\$ BM50047 79 SMA Female PM\$ BM50047 79 SMA Female PM\$ BM50047 79 SMA Female PM\$ BM50047 79 SMA Female PM\$ BM50047 79 SMA Male PM\$ BM50033 79 SMA Male PM\$ BM50034 79 SMA Male PM\$ BM50035 79 SMA Male PM\$ BM50035 79 SMA Male PM\$ BM50035 79 SMA Male PM\$ BM50035 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50037 79 SMA Male PM\$ BM50322 85 TMC Female PM\$ BM50223 85 TMC Female PM\$ BM50322 85 TMC Male PM\$ BM50323 85 TMC Female PM\$ BM50322 85 TMC Male PM\$ BM50323 85 TMC Female PM\$ BM50324 86 TMC Female PM\$ BM50324 86 TMC Female PM\$ BM50324 87 TMC Female PM\$ BM50324 87 TMC Male PM\$	"T". Female to Male to Female		78
NMO Mount Female (BM)	"T". Male to Female to Male		112
QMA Female	NMO Mount Female (BM)		99
QMA Male			103
QN Male	QMA Male	BM50764	103
Reverse Polarity N Male	QN Female	BM50768	103
Reverse Polarity SMA Female	QN Male	BM50529	95
Reverse Polarity SMA Male	Reverse Polarity N Male	BM50572	97
Reverse Polarity TNC Male	Reverse Polarity SMA Female	BM50816	105
Reverse Thread TNC Male	Reverse Polarity SMA Male	BM50049	79
SC Female	Reverse Polarity TNC Male	BM50569	96
SC Female {P}	Reverse Thread TNC Male		106
SC Male {P}			84
SC Male {P}			102
SMA Female BMS BMS BMS SMA Female BMS BMS BMS SMA Female BMS BMS BMS SMA Female BMS SMA Female BMS SMA Female BMS SMA Female BMS PS BMS SMA Female BMS PS BMS SMA Female BMS PS BMS SMA Female BMS PS BMS SMA Female SMS PS BMS SMA Female SMS PS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA Female PMS BMS SMA MA SMA Male BMS PMS BMS SMA MA SMA MA SMA SMA MA SMA SMA MA SMA SMA MA SMA SMA MA SMA SMA MA SMA SMA MA SMA SMA MA SMA SMA MA S			84
SMA Female (BM) BM50042 79			102
SMA Female (BM)	SMA Female		
SMA Female (BM){(HS){P} BM51062 11: SMA Female (BM){(HS){P} BM51063 17: SMA Female (BM){P} BM50043 79: SMA Female (BM){P} BM50044 79: SMA Female (PM) BM50044 79: SMA Female (PM) BM50044 79: SMA Female (PM) BM50044 79: SMA Female (PM) BM50045 79: SMA Female (PM){P} BM50047 79: SMA Female (PM){P} BM50047 79: SMA Female (RA){P} BM50024 79: SMA Female (RA){P} BM50034 79: SMA Male (BM){P} BM50033 79: SMA Male (BM){P} BM50033 79: SMA Male (PM){P} BM50035 79: SMA Male (PM){P} BM50035 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50037 79: SMA Male (PM){P} BM50032 88: SMB Jack (BM) BM50329 88: SMB Jack (BM) BM50329 88: SMB Jack (BM) BM50327 88: SMB Jack (BM) BM50327 88: SMC Jack (BM) BM50327 88: SMC Jack (BM) BM50327 88: SMC Jack (BM) BM50032 10: SMA Female BM50275 87: SMA Male BM50273 87: TNC Female (BM) BM50229 85: TNC Female (BM) BM50229 85: TNC Female (PM) BM50228 85: TNC Female (PM) BM50228 85: TNC Female (PM) BM50228 85: TNC Female (PM) BM50228 85: TNC Female (PM) BM50228 85: TNC Male (RA){P} BM50228 85: TNC Male (RA){P} BM50228 85: TNC Male (RA){P} BM50228 85: TNC Male (RA){P} BM50228 85: TNC Male (RA){P} BM50228 85: TNC Male (RA){P} BM50228 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P} BM50229 85: TNC Male (RA){P}			
SMA Female (BM){(HS){P} BM51063 11: SMA Female (BM){P} BM50045 79			
SMA Female (BM){P} BM50045 79	SMA Female (BM) ((HS) (D)		
SMA Female (BM){P} BM50045 79			
SMA Female (PM) BM50041 79			
SMA Female (PM)			
SMA Female (PM)(P) BM50047 79 SMA Female (RA)(P) BM50920 100 SMA Male BM50034 79 SMA Male (BM)(P) BM50038 79 SMA Male (BM)(P) BM50038 79 SMA Male (BM)(P) BM50036 79 SMA Male (PM) BM50036 79 SMA Male (PM)(P) BM50037 79 SMA Male (PM)(P) BM50037 79 SMA Male (RA)(P) BM50037 79 SMA Male (RA)(P) BM50037 79 SMA Male (RA)(P) BM50037 79 SMA Male (RA)(P) BM50948 101 SMA Male (RA)(P) BM50948 101 SMB Jack (BM) BM50329 88 SMB Jack (BM) BM50327 83 SMB Jack (BM) BM50327 83 SMB Jack (BM) BM50327 83 SMC Jack (BM) BM50327 83 SMC Jack (BM) BM50327 83 SMC Jack (BM) BM50272 87 SMA Male BM50272 87 SMA Male BM50272 87 TNC Female (BM) BM50229 85 TNC Female (BM) BM50229 85 TNC Female (P)(PM) BM50220 85 TNC Female (P)(PM) BM50221 85 TNC Male (P)(PM) BM50222 85 TNC Male (P)(PM) BM50223 85 TNC Male (RA)(P) BM50223 85 TNC Male (RA)(P) BM50223 85 TNC Male (RA)(P) BM50223 85 TNC Male (RA)(P) BM50325 88 UHF Male (RA)(P) BM50325 88 UHF Male (RA)(P) BM50326 86 158" EIA BM50292 87 TNC Male (RA)(P) BM50326 88 UHF Male (RA) BM50329 87 SMM Male (P) BM50329 87 SMM Male (P) BM50321 88 SM50292 87 SMM Male (P) BM50321 88 SM50292 87 SMM Male (P) BM50321 88 SM50310 82 SMM Male (P) BM50310 82 SMM Male (P) BM50310 83 SMM Mal			
SMA Female (RA){P} BM50920 10			
SMA Male			108
SMA Male (BM){P} BM50039 79			
SMA Male (BM)(P) BM50038 79			
SMA Male {P}			79
SMA Male {PM}			79
SMA Male {RA}{P}		BM50036	79
SMA Male (SO)	SMA Male {PM}{P}	BM50037	79
SMB Jack BM50329 88 SMB Jack {BM} BM50796 10 SMB Jack {PM} BM50796 10 SMB Jack {PM} BM50327 88 SMB Plug BM50327 88 SMC Plug BM50822 10 SMC Plug BM50822 10 SSMA Female BM50275 87 SSMA Male BM50272 87 TNC Female BM50227 87 TNC Female (BM) BM50229 85 TNC Female (BM) BM50229 85 TNC Female (PM) BM50228 85 TNC Female (PM) BM50228 85 TNC Male (PM) BM50221 85 TNC Male (PM) BM50221 85 TNC Male (PM) BM50222 85 TNC Male (P) BM50223 85 TNC Male (RA) BM50222 85 TNC Male (RAA) BM50223 85 TNC Male (RRA){P} BM50673 10 TPS Female BM50324	SMA Male {RA}{P}	BM50918	108
SMB Jack (BM) BM50796 10.		BM50968	110
SMB Jack {PM} BM51033 11: SMB Plug BM50327 88 SMS Jack {BM} BM50327 88 SMC Jack {BM} BM50822 10: SMC Plug BM50540 96 SSMA Female BM50272 87 SSMA Male BM50272 87 TNC Female {BM} BM50225 85 TNC Female {BM} BM50222 85 TNC Female {BM} BM50228 85 TNC Female {P} BM50228 85 TNC Female {P} BM50228 85 TNC Female {P} BM50228 85 TNC Female {P} BM50228 85 TNC Female {P} BM50228 85 TNC Female {P} BM50228 85 TNC Female {P} BM50223 85 TNC Female {P} BM50223 85 TNC Male BM50223 85 TNC Male {P} BM50223 85 TNC Male {P} BM50223 85 TNC Male {P} BM50223 85 TNC Male {RA} BM50224 85 TNC Male {RA} BM50224 85 TNC Male {RA} BM50234 89 TPS Female BM50673 10 UHF Female BM50325 88 UHF Male BM50325 88 UHF Male (P) BM50325 88 UHF Male (P) BM50236 86 1.85mm Female {P} BM50236 87 2.4mm Female {P} BM50236 87 2.4mm Female {P} BM50236 87 2.4mm Female {P} BM50236 87 2.4mm Female {P} BM50236 87 2.4mm Female {P} BM50310 87 2.92mm Female {P} BM50310 87 2.92mm Female {P} BM50310 87 2.92mm Female {P} BM50310 87 2.92mm Female {P} BM50310 88 2.92mm Female {P} BM50310		BM50329	88
SMB Plug			104
SMC Jack (BM)			112
SMC Plug			
SSMA Female BM50275 87 SSMA Male BM50272 87 TNC Female BM50222 85 TNC Female (BM) BM50229 85 TNC Female (BM) BM50220 85 TNC Female (PP) BM50228 85 TNC Female (PM) BM50221 85 TNC Female (PM) BM50222 85 TNC Male (PM) BM50222 85 TNC Male (PM) BM50222 85 TNC Male (RA) BM50222 85 TNC Male (RA) BM50223 85 TNC Male (RA) BM50223 85 TNC Male (RRA)(P) BM50673 10 TPS Female BM50348 89 TPS Male BM50679 10 UHF Female BM50325 88 UHF Male (RA) BM50325 88 UHF Male BM50325 88 UHF Male (RA) BM50325 88 UHF Male (RA) BM50232 88 UHF Male (RA) BM50232<			
SSMA Male			
TNC Female BM50225 85 TNC Female (BM) BM50229 85 TNC Female (BM) BM50220 85 TNC Female (P) BM50226 85 TNC Female (P) BM50228 85 TNC Female (P) BM50228 85 TNC Female (PM) BM50223 85 TNC Male (P) BM50223 85 TNC Male (P) BM50223 85 TNC Male (P) BM50223 85 TNC Male (RA) BM50224 85 TNC Male (RA) BM50224 85 TNC Male (RA) BM50673 101 TPS Female BM50348 88 TPS Male BM50679 101 UHF Female BM50325 88 UHF Male (RA) BM50737 101 TNC Male (RA) BM50737 102 TNC Male (RA) BM50737 103 TNC Male (RA) BM50737 103 TNC Male (RA) BM50737 103 TNC Male (RA) BM50737 103 TNC Male (RA) BM50737 103 TNC Male (P) BM50263 86 1.85mm Female (P) BM50292 87 2.4mm Female (P) BM50292 87 2.4mm Female (P) BM50292 87 2.92mm Female (P) BM50310 88 2.92mm Female (P) BM50311 88 2.92mm Female (P) BM50311 88 2.92mm Female (P) BM50311 88 3.5mm Female (P) BM50314 86 3.5mm Female (P) BM50344 86 3.5mm Female (P) BM50346 86 4.19.5 Din Female (P) BM50757 103 50 50 50 50 50 66 66 4.19.5 Din Female (P) BM50757 104 50 50 50 50 66 66 66 66			
TNC Female (BM)			
TNC Female (BM)			
TNC Female {P}			
TNC Female (P)FM BM50228 85			
TNC Female (PM)	TNC Female {P}{PM}		85
TNC Male	TNC Female (PM)		85
TNC Male {P}	TNC Male		85
TNC Male {RA}			85
TNC Male {RRA}{P}	TNC Male {RA}		85
TPS Female			100
TPS Male			89
UHF Male	TPS Male	BM50679	100
UHF Male {RA} BM50737 10; N Male to: PG 1.85mm Female {P} BM50261 86 1.85mm Male {P} BM50263 86 1.85mm Male {P} BM50263 86 1.85mm Male {P} BM50263 86 1.85mm Female {P} BM50292 87 2.4mm Female {P} BM50292 87 2.4mm Female NMD {P} BM50871 10 2.4mm Male {P} BM50310 88 2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50310 88 2.92mm Female P} BM50310 88 3.5mm Female {P} BM50341 88 3.5mm Female {P} BM50244 86 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50244 86 4.19.5 Din Female BM50757 10 10 10 10 10 10 10 1		BM50325	88
N Male to: PG 1.85mm Female {P} BM50261 86 1.85mm Male {P} BM50263 86 1.58mm Male {P} BM50263 86 1.58mm Male {P} BM50263 86 1.58mm Female {P} BM50292 87 2.4mm Female NMD {P} BM50871 10 2.4mm Male {P} BM50294 87 2.92mm Female {P} BM50294 87 2.92mm Female NMD {P} BM50310 88 2.92mm Female NMD {P} BM50363 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50344 86 3.5mm Female NMD {P} BM50861 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10 10 10 10 10 10 10 1			88
1.85mm Female {P} BM50261 86 1.85mm Male {P} BM50263 86 1.5/8" EI.A BM51042 11. 2.4mm Female {P} BM50292 87 2.4mm Female NMD {P} BM50871 10 2.4mm Male {P} BM50294 87 2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50314 88 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10 4.1/9.5 Din Female BM50757 10 5.5mm Male {P} BM50757 10 6.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P	UHF Male {RA}	BM50737	102
1.85mm Female {P} BM50261 86 1.85mm Male {P} BM50263 86 1.5/8" EI.A BM51042 11. 2.4mm Female {P} BM50292 87 2.4mm Female NMD {P} BM50871 10 2.4mm Male {P} BM50294 87 2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50314 88 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10 4.1/9.5 Din Female BM50757 10 5.5mm Male {P} BM50757 10 6.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P} 10 8.5mm Male {P	N Male to:		PG#
1.85mm Male {P} BM50263 86 1.5/8" EIA BM51042 11. 2.4mm Female {P} BM50292 87 2.4mm Female NMD {P} BM50871 10 2.4mm Male {P} BM50294 87 2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50315 10 3.5mm Female NMD {P} BM50851 10 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10 4.1/9.5 Din Female BM50757 10 5.5mm Female {P} BM50757 10 6.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 7.5mm Male {P} BM50757 10 8.5mm Male {P} BM50757 10		BM50261	86
1 5/8" EIA BM51042 11: 2.4mm Female {P} BM50292 87: 2.4mm Female NMD {P} BM50292 87: 2.4mm Male {P} BM50294 87: 2.92mm Female {P} BM50310 88: 2.92mm Female NMD {P} BM50310 88: 2.92mm Female P} BM50312 88: 3.5mm Female {P} BM50341 88: 3.5mm Female {P} BM50244 86: 3.5mm Female NMD {P} BM50851 10: 3.5mm Male {P} BM50248 68: 4.1/9.5 Din Female BM50757 10: 4.1/9.5 Din Female BM50757 10: 5.4.1/9.5 Din Female BM50757 10: 5.4.1/9.5 Din Female BM50757 10: 5.4.1/9.5 Din Female BM50757 10: 5.4.1/9.5 Din Female BM50757 10: 6.4.1/9.5 Din Female BM50757 10: 6.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female BM50757 10: 7.4.1/9.5 Din Female 10: 7.4.1/9.5			86
2.4mm Female {P} BM50292 87 2.4mm Female NMD {P} BM50871 10 2.4mm Male {P} BM50294 87 2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50312 88 3.5mm Female {P} BM50244 86 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10 4.1/9.5 Din Female BM50757 10 5.4 5.4 5.4 5.4 5.4 5.4 6.5 6.5 6.5 7.5 7.5 6.5 7.5 7.5 7.5 8.5 7.5 7.5	1 5/8" EIA	BM51042	112
2.4mm Female NMD {P} BM50871 10" 2.4mm Male {P} BM50294 87 2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female NMD {P} BM50851 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10 4.1/9.5 Din Female BM50757 10 5.4 5.4 5.4 6.5 6.5 6.5 7.5 7.5 7.5 7.6 7.5 7.5 8.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 7.5 9.5 7.5 9.5 7.5 7.5	2.4mm Female (P)		87
2.92mm Female {P} BM50310 88 2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50244 86 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10	2.4mm Female NMD {P}		107
2.92mm Female NMD {P} BM50863 10 2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50244 86 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10	2.4mm Maie {P}		
2.92mm Male {P} BM50312 88 3.5mm Female {P} BM50244 86 3.5mm Female NMD {P} BM50851 10 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 10			
3.5mm Female {P} BM50244 86 8.5mm Female NMD {P} BM50851 10 8.5mm Alale {P} BM50246 86 4.1/9.5 Din Female BM50757 10 10 10 10 10 10 10 1			
3.5mm Female NMD {P} BM50851 100 3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 103 104 105	3.5mm Female (P)		86
3.5mm Male {P} BM50246 86 4.1/9.5 Din Female BM50757 103	3.5mm Female NMD (P)	BM50851	106
4.1/9.5 Din Female BM50757 103	3.5mm Male {P}	BM50246	86
LA 4/D E Din Esmala Law DIM DMECESS CA	4.1/9.5 Din Female	BM50757	103
	4.1/9.5 Din Female Low PIM	BM50500	94 103

N Male to:		PG#
4.1/9.5 Din Male Low PIM	BM50501	94
4.3/10 Din Female Low PIM	BM50901	108
4.3/10 Din Male Low PIM	BM50902	108
7/16 Din Female	BM50319	88
7/16 Din Female Low PIM	BM50781	104
7/16 Din Male 7/16 Din Male Low PIM	BM50320	88
7/8" EIA	BM50784 BM51038	104 112
75 Ohm N Female	BM50684	100
7mm {P}	BM50195	84
DNC Fomalo	BM50203	84
BNC Female {P} BNC Female {PM}	BM50204	84
BNC Female (PM)	BM50205	84
BNC Female {RA}	BM50206	84
BNC Male	BM50207	84
BNC Male {P}	BM50208	84
BNC Male {RA}	BM50209	84
C Female C Female {RA}	BM50437	92 92
C Male (RA)	BM50438	
F Female	BM50439 BM50643	92 99
FME Plug	BM50888	107
GR874	BM50694	101
HN Female	BM50051	79
HN Male	BM50052	79
LC Female	BM50196	84
LC Male	BM51106	114
MCX Jack	BM50345	89
MCX Plug	BM50555	96
Mini UHF Female	BM50538	95
N Female	BM50012	78
N Female Low PIM	BM50780	104
N Female (45°)	BM50896	107
N Female {BM} N Female {P}	BM50015 BM50013	78 78
N Female {QD}	BM50014	78
N Female {RA}	BM50010	78
N Female {RA}{P}	BM50921	108
N Female {RRA}{P}	BM50011	78
N Female (SO)	BM50131	82
N Male	BM50016	78
N Male Low PIM	BM50778	103
N Male {P}	BM50017	78
N Male {P}{RRA}	BM50699	101
N Male {RA}	BM50018	_78_
N Male {RA}{P}	BM50922	108
"Cross", Female to Female to Female to Male	BM50023	78
Female to Male "T", Female to Female to Male "T", Female to Male to Female	BM50022	78
"T". Female to Male to Female	BM50020	78
"T", Female to Female to Male "T", Female to Male to Female "T", Male to Female to Male "T", Male to Male to Male	BM51027	112
"T", Male to Male to Male	BM50019	78
QMA Female	BM50530	95
QMA Male	BM50763	103
QN Female	BM50531	95
QN Male	BM50769	103
Reverse Polarity N Female	BM50571	97
Reverse Polarity SMA Female	BM50048	79
Reverse Polarity SMA Male	BM50815	105 97
Reverse Polarity TNC Female SC Female	BM50570 BM50200	84
SC Female {P}	BM50720	102
SC Male	BM50202	84
SC Male SC Male {P}	BM50722	102
SMA Female	BM50025	78
SMA Female (BM)	BM50027	78
SMA Female {P}	BM50026	78
SMA Female (PM)	BM50029	78
SMA Female (PM){P}	BM50030	79
SMA Female (QD)	BM50028	78
SMA Female (RA){P}	BM50919	108 104
SMA Female {RRA}{P} SMA Female {SO}	BM50795 BM50967	110
SMA Male	BM50031	79
SMA Male {P}	BM50032	79
SMA Male {P}{PM}	BM50153	83
SMA Male {RA}{P}	BM50917	108
SMB Jack	BM50326	88
SMB Plug	BM50328	88
SMC Jack	BM50539	95
SMC Plug	BM50541	96
SSMA Female	BM50274	87
SSMA Male	BM50273	87
TNC Female (P)	BM50219	85
TNC Female {P} TNC Female {RA}	BM50220 BM50221	85 85
TNC Female {RA} TNC Female {RRA}{P}	BM50674	100
TNC Male	BM50230	85
TNC Male TNC Male {P}	BM50231	85
TPS Female	BM51094	114
UHF Female	BM50323	88
UHF Female {RA}	BM50738	102
UHF Male	BM50324	88
imited Detent (D) Precision (DM) E	Panel Mount	

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



NMO Mount Female to:		PG#
N Female (BM) UHF Female	BM50648	99
	BM51078	113
PAL Female to: 75 Ohm MCX Plug	DMEOOAO	PG#
F Female	BM50818 BM50619	105 98
F Male	BM50617	98
F Male (RA) MMCX Plug	BM50819 BM50820	105 105
PAL Male {RA}	BM50817	105
SMA Male	BM50821	105
SMB Jack SMB Plug	BM50806 BM50807	104 104
PAL Male to:	Dividuoti	PG#
F Female	BM50616	98
F Male	BM50618	98
PAL Female {RA}	BM50817	105
Phono Jack to:		PG#
BNC Male	BM50367	90
BNC Male {RA}	BM50739	102
F Female	BM50621	98
Phono Plug to:		PG#
BNC Female	BM50366	90
BNC Female {RA}	BM50740	102
F Female	BM50620	98
QMA Female to:		PG#
N Female	BM50762	103
N Male QMA Female	BM50530	95 103
QMA Male	BM50773 BM50771	103
QMA Male {RA}	BM50771	103
SMA Female	BM50767	103
SMA Female (BM)	BM50558	96
SMA Male	BM50765	103
QMA Male to:		PG#
N Female	BM50764	103
N Male	BM50763	103
QMA Female QMA Female {RA}	BM50771 BM50772	103
QMA Male	BM50772	103
SMA Female	BM50644	99
SMA Male	BM50766	103
QN Female to:		PG#
N Female	BM50768	103
N Male	BM50531	95
QN Male to:		PG#
N Female	BM50529	95
N Male	BM50769	103
Reverse Polarity BNC Female to:		
BNC Male Standard		PG#
	BM50513	95
Reverse Polarity BNC Female	BM50801	95 104
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM}	BM50801 BM50671	95 104 100
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA}	BM50801	95 104
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM}	BM50801 BM50671 BM50800	95 104 100 104
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female	BM50801 BM50671 BM50800 BM50804	95 104 100 104 104
Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard	BM50801 BM50671 BM50800 BM50804	95 104 100 104 104 104
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA)	BM50801 BM50671 BM50800 BM50804 BM50803 BM50512 BM50800	95 104 100 104 104 104 PG # 95 104
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male	BM50801 BM50671 BM50800 BM50804 BM50803 BM50512 BM50800 BM50802	95 104 100 104 104 104 PG # 95 104 104
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male "T", Female to Male to Female	BM50801 BM50671 BM50800 BM50804 BM50803 BM50512 BM50800	95 104 100 104 104 104 PG # 95 104 104
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity NF Male "T", Female to Male to Female Reverse Polarity N Female to:	BM50801 BM508071 BM50800 BM50804 BM50803 BM50803 BM50512 BM50800 BM50802 BM50803	95 104 100 104 104 104 PG# 95 104 104 PG#
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity NF Emale (RA) Reverse Polarity NF Female to: N Male Standard	BM50801 BM50671 BM50800 BM50804 BM50803 BM50812 BM50800 BM50802 BM50803 BM50871	95 104 100 104 104 104 PG# 95 104 104 104 PG#
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female	BM50801 BM508071 BM50800 BM50804 BM50803 BM50803 BM50812 BM50800 BM50802 BM50803	95 104 100 104 104 104 PG # 95 104 104 104 PG # 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to:	BM50801 BM50671 BM50800 BM50804 BM50803 BM50802 BM50800 BM50802 BM50803 BM50871 BM50571	95 104 100 104 104 104 95 104 104 104 PG# 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard	BM50801 BM50671 BM50800 BM50804 BM50803 BM50803 BM50802 BM50802 BM50803 BM50571 BM50573	95 104 100 104 104 104 PG # 95 104 104 104 PG # 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to:	BM50801 BM50671 BM50800 BM50804 BM50803 BM50803 BM50800 BM50802 BM50803 BM50571 BM50573	95 104 100 104 104 104 PG # 95 104 104 PG # 97 97 PG # 97
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity N Male	BM50801 BM50671 BM50800 BM50804 BM50803 BM50802 BM50802 BM50803 BM50803 BM50871 BM50573 BM50572 BM50574	95 104 100 104 104 104 95 104 104 104 PG # 97 97 PG #
Reverse Polarity BNC Female Reverse Polarity BNC Female {BM} Reverse Polarity BNC Male {RA} "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female {RA} Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to:	BM50801 BM50671 BM50800 BM50804 BM50803 BM50803 BM50800 BM50802 BM50803 BM50571 BM50573	95 104 100 104 104 104 PG # 95 104 104 PG # 97 97 PG # 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity NF Male "T", Female to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug	BM50801 BM50671 BM50800 BM50804 BM50803 BM50802 BM50802 BM50803 BM50871 BM50573 BM50574 BM50808 BM50808 BM50808 BM50808 BM50813	95 104 100 104 104 104 104 105 106 107 97 97 97 97 97 97 97 97 97 97 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female "T", Female Standard Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity N Male CRC9 Male MCX Jack MCX Plug N Female Standard	BM50801 BM50671 BM50800 BM50804 BM50803 BM50802 BM50802 BM50802 BM50871 BM50571 BM50572 BM50574 BM50812 BM50812 BM50818	95 104 100 104 104 104 104 104 104 104 105 97 97 97 97 97 97 97 97 97 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male (RA) Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity NF Female Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard N Male Standard	BM50801 BM50671 BM50800 BM50804 BM50803 BM50803 BM50802 BM50802 BM50803 BM50571 BM50573 BM50574 BM50814 BM50816 BM50818 BM50816 BM50818 BM50816 BM50818	95 104 100 104 104 104 105 104 104 104 105 97 97 97 97 97 97 97 97 97 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female "T", Female Standard Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard N Male Standard Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female (BM)	BM50801 BM50671 BM50800 BM50803 BM50803 BM50803 BM50802 BM50802 BM50803 BM50571 BM50573 BM50574 BM50874 BM50816 BM50818 BM50816 BM50818 BM50816 BM50948 BM50938	95 104 100 104 104 104 104 95 104 104 104 107 97 97 97 97 97 97 97 97 97 97 97 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male (RA) Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to: N Female Standard Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female	BM50801 BM50801 BM50800 BM50804 BM50803 BM50802 BM50802 BM50803 BM50871 BM50572 BM50574 BM50808 BM50808 BM50808 BM50812 BM50813 BM50838 BM50838 BM50838 BM50838	95 104 100 104 104 104 104 104 104 104 107 97 97 97 97 97 97 105 105 105 79 95 95
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female Reverse Polarity BNC Male (RA) Reverse Polarity BNC Male "T", Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity NF Female Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Female Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male	BM50801 BM50671 BM50800 BM50804 BM50803 BM50802 BM50802 BM50803 BM50571 BM50573 BM50574 BM50813 BM50818 BM5085 BM508	95 104 100 104 104 104 104 104 104 104 107 97 97 97 97 97 97 97 97 97 97 97 97 97
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male (RA) Reverse Polarity BNC Male "T", Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female (BM) Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male (RA) Reverse Polarity TNC Male	BM50801 BM50671 BM50800 BM50804 BM50803 BM50801 BM50802 BM50803 BM50871 BM50572 BM50573 BM50574 BM50808 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50818 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50888	95 104 100 104 104 104 104 104 104 105 105 105 105 105 105 105 105 105 105
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male to: BNC Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male to: N Female Standard Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard N Male Standard Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female (BM) Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity TNC Female Reverse Polarity TNC Female Reverse Polarity TNC Female Reverse Polarity TNC Female Reverse Polarity TNC Male SMA Male Standard	BM50801 BM50671 BM50800 BM50803 BM50803 BM50803 BM50802 BM50802 BM50803 BM50871 BM50572 BM50574 BM50813 BM50816 BM50815 BM50813 BM50816 BM50833 BM50833 BM50833 BM506833 BM506833 BM506833 BM50688	95 104 100 104 104 104 104 104 104 104 109 97 97 97 97 97 97 97 97 99 105 105 105 95 95 95 95 95 95 98 83
Reverse Polarity BNC Female Reverse Polarity BNC Female (BM) Reverse Polarity BNC Male (RA) "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female Reverse Polarity BNC Male (RA) Reverse Polarity BNC Male "T", Female Standard Reverse Polarity BNC Female (RA) Reverse Polarity BNC Male "T", Female to Male to Female Reverse Polarity N Female to: N Male Standard Reverse Polarity N Female Reverse Polarity N Male to: N Female Standard Reverse Polarity N Male Reverse Polarity SMA Female to: CRC9 Male MCX Jack MCX Plug N Female Standard Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female (BM) Reverse Polarity SMA Female (BM) Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male Reverse Polarity SMA Male (RA) Reverse Polarity TNC Male	BM50801 BM50671 BM50800 BM50804 BM50803 BM50801 BM50802 BM50803 BM50871 BM50572 BM50573 BM50574 BM50808 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50813 BM50818 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50838 BM50888	95 104 100 104 104 104 104 104 104 105 97 97 97 97 97 97 97 97 105 105 105 105 95 95 95 95 95

MICIOWAVE Au	apte	13
Reverse Polarity SMA Male to:		PG#
MCX Jack	BM50811	105
N Female Standard	BM50049	79
N Male Standard Reverse Polarity SMA Female	BM50815 BM50532	105 95
Reverse Polarity SMA Female (RA)	BM50533	95
Reverse Polarity SMA Male Reverse Polarity TNC Female Reverse Polarity TNC Male	BM50534	95
Reverse Polarity TNC Female	BM50687	100
SMA Female Standard	BM50689 BM50179	100 83
TNC Female Standard	BM50582	97
TNC Male Standard	BM50583	97
Reverse Polarity TNC Female to:		PG#
N Male Standard	BM50570	97
Reverse Polarity SMA Female	BM50690	101
Reverse Polarity SMA Male	BM50687	100
Reverse Polarity TNC Male {RA}	BM50693	101
SMA Female Standard SMA Male Standard	BM50169 BM50170	83 83
TNC Male Standard	BM50691	101
UMCX Jack (BM)	BM51101	114
Reverse Polarity TNC Male to:		PG#
N Female Standard	BM50569	96
Reverse Polarity SMA Female	BM50688	100
Reverse Polarity SMA Male	BM50689	100
Reverse Polarity TNC Female {RA} SMA Female Standard	BM50693	101 83
SMA Female Standard SMA Male Standard	BM50168 BM50171	83
TNC Female Standard	BM50692	101
Reverse Thread SMA Female to:		PG#
SMA Male Standard	BM50176	83
Reverse Thread SMA Male to:		PG#
	DME0477	
SMA Female Standard	BM50177	83
Reverse Thread TNC Male to:		PG#
N Female	BM50843	106
SMA Female	BM50842	106
SC Female to:		PG#
7/16 Din Female	BM50083	80
7/16 Din Male BNC Female	BM50676	100
N Female	BM50590 BM50201	97 84
N Female {P}	BM50728	102
N Male	BM50200	84
N Male {P}	BM50720	102
SC Female	BM50578	97
SC Female (BM)	BM50579	97
SC Female {BM}{HS} SC Female {P}	BM51064 BM50727	113 102
SC Male	BM50575	97
SC Male {RA}	BM50576	97
"T", Female to Male to Female	BM50580	97
SC Male to:		PG#
7/16 Din Female	BM50678	100
7/16 Din Male	BM50677	100
BNC Female	BM50588	97
N Female	BM50589 BM50199	97
N Female {P}	BM50199	84 102
N Male	BM50202	84
N Male {P}	BM50722	102
SC Female	BM50575	97
SC Female {RA}	BM50576	97
"T", Female to Male to Female	BM50577 BM50580	97 97
SHV Jack to:	20000	PG#
HN Female	BM50847	106
HN Male	BM50847	106
MHV Female	BM50388	90
MHV Male	BM50386	90
SHV Jack	BM50478	93
SHV Jack (BM){HS} SHV Plug	BM50479	93
SHV Plug {RA}	BM50476 BM50477	93
"T", Jack to Plug to Jack	BM50480	94
SHV Plug to:		PG#
HN Female	BM50846	106
HN Male	BM50845	106
MHV Female	BM50387	90
MHV Male	BM50389	90
SHV Jack	BM50476	93
SHV Jack {RA} "T", Jack to Plug to Jack	BM50477 BM50480	93 94
i , sack to ring to sack	DIVIDU400	J=+

Single Banana Plug to:		PG#
BNC Female	BM50465	93
BNC Female	BM50463	93
SMA Female to:	DMESTOS	PG#
1.0/2.3 Plug {SO} 1.85mm Female {P}	BM50133 BM50104	82 81
1.85mm Male {P} 2.4mm Female {P}	BM50103 BM50108	81 81
2.4mm Female NMD {P}	BM50874	107
2.4mm Male {P} 2.92mm Female {P}	BM50107 BM50794	81 104
2.92mm Female {P} 2.92mm Female {RA}{P}	BM50927	108
2.92mm Female NMD {P} 2.92mm Male {P} 2.92mm Male {RA}{P}	BM50866 BM50793	106 104
2.92mm Male (RA){P}	BM50926	108
3.5mm Female {P} 3.5mm Female NMD {P}	BM50116 BM50854	81 106
3.5mm Male {P} 4.3/10 Din Male Low PIM	BM50115 BM50908	81 108
7/16 Din Female Low PIM	BM50777	103
7/16 Din Male 7/16 Din Male Low PIM	BM50117 BM50774	81 103
7mm {P} 7mm {PM}{P}	BM50141	82
7mm {PM}{P} 10-32 Male	BM50142 BM50941	82 109
BMB Jack BMA Jack {BM}{P}	BM51022	112
BMA Jack {BM}{P} BMA Jack {P} BMA Jack {P}{PM}	BM50599 BM50596	97 97
BMA Jack {P}{PM} BMA Plug {BM}{P}	BM50709 BM50833	101 105
BMA Plug {P}	BM50598	97
BNC Female BNC Female {BM}	BM50127 BM50130	82 82
BNC Female (BM)	BM50129	82
BNC Female {P} BNC Female {PM}	BM50128 BM50610	82 98
BNC Male BNC Male {P}	BM50121	82
C Male	BM50122 BM50685	82 100
CRC9 Male	BM50809	104
F Female F Male	BM50167 BM50166	83 83
FME Jack FME Plug	BM50887 BM50886	107 107
GMS Plug {P}{PM}	BM50841	106
GR874 {PM}	BM50159 BM50033	83 79
HN Female	BM50146	82
HN Male MC-Card Plug	BM50144 BM50810	82 105
MCX Jack MCX Plug	BM50156 BM50155	83 83
MCX Plug {RA}	BM50798	104
Mini SMP Female {P} Mini SMP Male {FD}{P}	BM50971 BM50972	110 110
Mini SMP Male {P}{SB}	BM50975	110
MMCX Jack MMCX Plug	BM50185 BM50186	84 84
MMCX Plug {RA} N Female	BM50799 BM50040	104 79
	BM50042	79
N Female {BM} N Female {BM} N Female {BM}{HS} N Female {BM}{HS}{P} N Female {BM}{F} N Female {BM}{P} N Female {BM}{P}	BM50044 BM51062	79 113
N Female {BM}{HS}{P}	BM51063	113
N Female {BM}{P} N Female {BM}{P}	BM50043 BM50045	79 79
N Female {P} N Female {PM}	BM50041	79
N Female (PM)(P)	BM50046 BM50047	79 79
N Female {RA}{P}	BM50920	108 78
N Male N Male {BM}	BM50025 BM50027	78
N Male {P} N Male {PM}	BM50026 BM50029	78 78
N Male {PM}{P}	BM50030	79
N Male (QD) N Male (RA)(P)	BM50028 BM50919	78 108
N Male {RRA}{P}	BM50795	104
N Male (SO) QMA Female	BM50967 BM50767	110 103
QMA Female (BM)	BM50558	96
QMA Male Reverse Polarity SMA Male	BM50644 BM50179	99 83
Reverse Polarity SMA Male Reverse Polarity TNC Female Reverse Polarity TNC Male Reverse Thread SMA Male	BM50169 BM50168	83 83
Reverse Thread SMA Male	BM50177	83
SMA Female	BM50842 BM50055	106 79
SMA Female Knurled (P)	BM50058	79
SMA Female Knurled {P} SMA Female {BM} SMA Female {BM}	BM50790 BM50061	104 80
SMA Female (BM)(HS)	BM50062	80
SMA Female (BM)(HS) SMA Female (BM)(HS)(RA) SMA Female (BM)(HS)(RA) SMA Female (BM)(IG) SMA Female (BM)(P)	BM50710 BM50063	101 80
SMA Female (BM)(P) SMA Female (BM)(P)	BM50059	79
SMA Female {BM}{F}	BM50060 BM50056	80 79

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



	-	
SMA Female to:		PG#
SMA Female {P}	BM50057	79
SMA Female (PM)	BM51079	113
SMA Female (PM)	BM50064	80
SMA Female (PM)(P)	BM50065	80
SMA Female {PM}{P}	BM50929	108
SMA Female {PM}{P} SMA Female {PM}{RA}	BM51036 BM50686	112
SMA Female (RA)	BM50073	80
SMA Fomalo (PAVP)	BM50075	80
SMA Female {RJ}{P} SMA Female {RJ}{P}	BM50928	108
SMA Female (RJ)(P)	BM50932	109
SMA Female {RRA}{P}	BM50074	80
SMA Male	BM50079	80
SMA Male (45°)	BM50895	107
SMA Male (45°){P} SMA Male (BM)	BM50072 BM50461	93
SMA Male (BM)	BM50084	80
SMA Male {P}	BM50080	80
SMA Male {P}	BM50081	80
SMA Male {PM}{P}	BM50085	80
SMA Male (QD)	BM50082	80
SMA Male {RA}	BM50069	80
SMA Male {RA}{P}	BM50071	80
SMA Male {RJ}{P}	BM50930	109
SMA Male {RRA} SMA Male {RRA}{P}	BM51077 BM50070	113 80
SMA Male (SO)	BM50132	82
	BM50939	109
	BM50086	80
	BM51093	114
"T", Female to Male to Female "T", Male to Female to Male	BM50087	80
"T", Male to Female to Male	BM50088	80
SMB Jack SMB Plug	BM50138	82
SMC Jack	BM50136 BM50151	82 83
SMC Plug	BM50149	82
SMP Female {P}	BM50729	102
SMP Female {P}	BM50725	102
SMP Male (FD)(P)	BM51011	111
SMP Male {FD}{P}{PM}	BM51016	111
SMP Male {LD}{P} SMP Male {LD}{P}{PM}	BM51013	111
SMP Male {LD}{P}{PM}	BM51017	111
SMP Male {LD}{P} SMP Male {P}{PM}{SB}	BM50152 BM51018	83 111
SMP Male {P}{SB}	BM51015	111
SSMA Female	BM50112	81
SSMA Male	BM50111	81
SSMB Jack	BM50283	87
SSMB Plug	BM50140	82
SSMC Jack	BM50823	105
SSMC Plug TNC Female	BM50824 BM50097	105 81
TNC Fomalo (RM)	BM50100	81
TNC Female (BM)	BM50161	83
TNC Female (BM) (HS) TNC Female (BM)(HS) TNC Female (BM)(P) TNC Female (BM)(P) TNC Female (PM) TNC Female (PM)	BM51067	113
TNC Female (BM){P}	BM50162	83
TNC Female (BM){P}	BM50164	83
TNC Female (PM)	BM50098 BM50099	81 81
	BM50163	83
TNC Female {PM}{P} TNC Female {PM}{RA}	BM50421	92
TNC Female {RA}{P}	BM50910	108
TNC Male	BM50095	81
TNC Male {P} TNC Male {RA}{P}	BM50096 BM50911	81 108
TPS Female	BM50911 BM51090	114
TPS Male	BM51096	114
UHF Male	BM50119	81
UMCX Jack	BM50181	84
UMCX Jack (BM)	BM50503	94
UMCX Jack (BM) UMCX Plug	BM51102 BM50182	114
	DIVIOU 162	84 BC:
SMA Male to:	DMES (S.	PG:
1.85mm Female {P}	BM50101	81
1.85mm Male {P} 2.4mm Female {P}	BM50102 BM50106	81 81
2.4mm Female NMD {P}	BM50873	107
2.4mm Male {P}	BM50105	81
2.92mm Female {P}	BM50791	104
2.92mm Female {RA}{P}	BM50925	108
2.92mm Female NMD (P)	BM50865	106
2.92mm Male {P}	BM50792	104
2.92mm Male {RA}{P}	BM50924	108
3.5mm Female {P}	BM50114	81
3.5mm Female NMD {P}	BM50853	106
3.5mm Male {P} 4.3/10 Din Female Low PIM	BM50113 BM50909	81 108
7/16 Din Female	BM50118	81
7/16 Din Female Low PIM	BM50775	103
7/16 Din Male I ow PIM	BM50776	103
7mm {P} 7mm {P}{PM}	BM50143	82
/ mm fr f	BM50422	92

morowave Au	ирсс	
SMA Male to: BMA Jack {P}	BM50597	PG #
BMA Plug {BM}{P}	BM50832	105
BMA Plug {P}	BM50831	105
BNC Female	BM50125	82
BNC Female {P} BNC Male	BM50126 BM50123	82 82
BNC Male {P}	BM50124	82
F Female	BM50165	83
F Male	BM50317	88
FME Jack FME Plug	BM50884 BM50885	107 107
GR874	BM50160	83
HN Female	BM50145	82
HN Male	BM50147	82
MCX Jack MCX Jack {RA}	BM50157 BM50797	83 104
MCX Plug	BM50158	83
Mini SMP Female (P)	BM50970	110
Mini SMP Male (FD)(P)	BM50973	110
Mini SMP Male {P}{SB} MMCX Jack	BM50974 BM50183	110 84
MMCX Plug	BM50184	84
N Female	BM50034	79
N Female (BM)(P)	BM50039	79
N Female {BM}{P} N Female {P}	BM50038 BM50035	79 79
N Female (PM)	BM50036	79
N Female (PM)(P)	BM50037	79
N Female {RA}{P}	BM50918	108
N Female (SO) N Male	BM50968 BM50031	110 79
N Male {P}	BM50031	79
N Male {P} N Male {P}{PM}	BM50153	83
N Male {RA}{P}	BM50917	108
PAL Female QMA Female	BM50821	105
QMA Female QMA Male	BM50765 BM50766	103
Reverse Polarity SMA Female	BM50178	83
Reverse Polarity TNC Female	BM50170	83
Reverse Polarity TNC Male	BM50171 BM50176	83
Reverse Thread SMA Female SMA Female	BM50176 BM50079	83 80
SMA Female (45°)	BM50895	107
SMA Female {45°}{P}	BM50072	80
SMA Female (DIVI)	BM50461	93
SMA Female {BM} SMA Female {P}	BM50084 BM50081	80 80
SMA Female {P}	BM50080	80
SMA Female {PM}{P}	BM50085	80
SMA Female (QD)	BM50082	80
SMA Female {RA} SMA Female {RA}{P}	BM50069 BM50071	80 80
SMA Female {RJ}{P}	BM50930	109
SMA Female {RRA}{P}	BM50070	80
SMA Female {RRA}{P}	BM51077	113
SMA Female (SO) SMA Female (SO)(BM)	BM50132 BM50939	82 109
SMA Male	BM50066	80
SMA Male (P)	BM50067	80
SMA Male {P}{PM}	BM50068	80
SMA Male {RA} SMA Male {RA}{P}	BM50077 BM50078	80 80
SMA Male {RJ}{P}	BM50931	109
SMA Male {RRA}{P}	BM50076	80
SMA Male {RRA}{P} "T", Female to Female to Male "T", Female to Male to Female "T", Male to Female to Male	BM51093	114
"T", Female to Male to Female "T". Male to Female to Male	BM50087 BM50088	80 80
"T", Male to Male to Male	BM50089	80
SMB Jack	BM50135	82
SMB Plug	BM50137	82
SMC Jack SMC Plug	BM50148 BM50150	82 83
SMP Female {P}	BM50150	83
SMP Female {P} SMP Female {P}	BM50175	83
SMP Male {FD}{P} SMP Male {LD}{P} SMP Male {LD}{P} SMP Male {LD}{P} SMP Male {LD}{P}	BM51010	111
SMP Male (LD)(P)	BM51012	111
SMP Male {PXSB}	BM50724 BM51014	102 111
SMP Male (LD)(F)(FM)	BM51024	112
SSMA Female	BM50110	81
SSMA Male	BM50109	81
SSMB Jack SSMC Jack	BM50139 BM50736	82 102
SSMC Plug	BM50825	105
TNC Female	BM50090	81
TNC Female (P)	BM50091	81
TNC Female {PM} TNC Female {RA}{P}	BM50092 BM50912	81 108
TNC Female (RA)(F) TNC Male	BM500912 BM50093	81
TNC Male {P}	BM50094	81
TNC Male {RA}{P}	BM50913	108
TPS Female	BM51095	114
UHF Female UMCX Jack	BM50120 BM50180	82 84
vuon	211100100	U-T

SMR lack to:		DC #
SMB Jack to: 10-32 Male	BM50394	PG #
BNC Female	BM50394	90
BNC Female (BM)	BM50373	90
BNC Male N Female	BM50368 BM50329	90 88
N Female (BM)	BM50796	104
N Female (PM)	BM51033	112
N Male PAL Female	BM50326 BM50806	88 104
SMA Female	BM50138	82
SMA Male	BM50135	82
SMB Jack SMB Jack {BM}	BM50376 BM50377	90
SMB Jack (BM) (HS)	BM50670	100
	BM50374	90
"T", Jack to Jack to Jack "T", Jack to Jack to Plug	BM50378	90
"T", Jack to Jack to Plug "T", Jack to Plug to Jack	BM50380 BM50379	90
SMC Jack	BM50517	95
SMC Plug	BM50514	95
TNC Female {BM} SMB Plug to:	BM50836	105 PG #
10-32 Female	BM50942	109
BNC Female	BM50370	90
BNC Female (BM)	BM50371	90
BNC Male	BM50369 BM50327	90
N Female N Male	BM50327 BM50328	88
PAL Female	BM50807	104
SMA Female	BM50136	82
SMA Male SMB Jack	BM50137 BM50374	82 90
SMB Plug	BM50374 BM50375	90
"T", Jack to Jack to Plug	BM50380	90
"T", Jack to Plug to Jack "T", Plug to Plug to Plug	BM50379	90
"T", Plug to Plug to Plug SMC Jack	BM50381 BM50515	90 95
SMC Plug	BM50516	95
SMC Jack to:		PG#
BNC Female	BM50660	100
BNC Female (BM)	BM50661	100
N Female (BM)	BM50658 BM50822	99 105
N Male	BM50539	95
SMA Female	BM50151	83
SMA Male SMB Jack	BM50148 BM50517	82 95
SMB Plug	BM50517	95
SMC Jack	BM50627	98
SMC Jack (BM) SMC Plug	BM50628 BM50624	98 98
	BM50624 BM50625	98
"T", Jack to Jack to Jack	BM50631	99
"T", Jack to Jack to Plug "T", Jack to Plug to Jack	BM50708	101
"T", Jack to Plug to Jack SMC Plug to:	BM50629	98 PG #
BNC Female	BM50657	PG #
BNC Female BNC Female {BM}	BM50657 BM50672	100
BNC Male	BM50659	99
N Female	BM50540	96
N Male	BM50541 BM50149	96 82
SMA Female SMA Male	BM50149 BM50150	82
SMB Jack	BM50514	95
SMB Plug	BM50516	95
SMC Jack (PA)	BM50624	98
SMC Jack {RA} SMC Plug	BM50625 BM50626	98 98
"T", Jack to Jack to Plug	BM50708	101
"T", Jack to Plug to Jack	BM50629	98
SMP Female to:		PG#
2.4mm Female {P}	BM51003	111
2.4mm Male {P}	BM51002	111
2.92mm Female {P}	BM50995	111
2.92mm Male {P}	DIMOUNAN	
2.92mm Male {P} SMA Female {P}	BM50994 BM50725	102
SMA Female {P} SMA Female {P}	BM50725 BM50729	102
SMA Female {P} SMA Female {P} SMA Male {P}	BM50725 BM50729 BM50154	102 83
SMA Female {P} SMA Female {P} SMA Male {P} SMA Male {P}	BM50725 BM50729 BM50154 BM50175	102 83 83
SMA Female {P} SMA Female {P} SMA Male {P}	BM50725 BM50729 BM50154	102 83
SMA Female {P}	BM50725 BM50729 BM50154 BM50175 BM50723	102 83 83 102

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



SMP Male to:		PG#
2.4mm Female (FD)(P)	BM51005	111
2.4mm Female {LD}{P}	BM51007	111
2.4mm Female {P}{SB} 2.4mm Male {FD}{P}	BM51009 BM51004	111
2.4mm Male {LD}{P}	BM51004	111
2.4mm Male {P}{SB}	BM51008	111
2.92mm Female (FD)(P)	BM50997	111
2.92mm Female {LD}{P}	BM50999	111
2.92mm Female {P}{SB} 2.92mm Male {FD}{P}	BM51001 BM50996	111
2.92mm Male {LD}{P}	BM50998	111
2.92mm Male {P}{SB}	BM51000	111
SMA Female (FD)(P)	BM51011	111
SMA Female {FD}{P}{PM} SMA Female {LD}{P}	BM51016 BM51013	111
SMA Female (LD){P}{PM}	BM51017	111
SMA Female {LD}{P}	BM50152	83
SMA Female {P}{PM}{SB}	BM51018	111
SMA Female {P}{SB} SMA Male {FD}{P}	BM51015 BM51010	111
SMP Male {FD}{P}{PM}{SB}	BM51010	112
SMA Male {LD}{P}	BM51012	111
SMA Male {LD}{P}	BM50724	102
SMA Male {LD}{P}{PM}	BM51024	112
SMA Male {P}{SB}	BM51014	111
SSMA Female to:	D1150000	PG#
7mm {P} BNC Female	BM50282 BM50731	87 102
BNC Male	BM50269	86
N Female	BM50275	87
N Male	BM50274	87
SMA Female SMA Male	BM50112	81
SSMA Female	BM50110 BM50279	81 87
SSMA Female (BM)	BM50280	87
SSMA Male	BM50276	87
SSMA Male {QD}	BM50277	87
SSMA Male (RA)	BM50281	87
SSMA Male (RA) SSMA Male to:	BM50281	87 PG #
SSMA Male (RA)		87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female	BM50281 BM50270 BM50271 BM50272	87 PG # 87 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male	BM50281 BM50270 BM50271 BM50272 BM50273	87 PG # 87 87 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female	BM50270 BM50271 BM50271 BM50272 BM50273 BM50111	87 PG # 87 87 87 87 81
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Male	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109	87 PG # 87 87 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Male SSMA Female SSMA Female SSMA Female SSMA Female	BM50270 BM50271 BM50271 BM50272 BM50273 BM50111	87 PG # 87 87 87 87 81 81
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female SSMA Female {QD} SSMA Female {RA}	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281	87 PG # 87 87 87 87 81 81 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female SSMA Female SSMA Female {QD} SSMA Female {RA}	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277	87 PG # 87 87 87 81 81 81 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Female {RA}	BM50270 BM50270 BM50277 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50277	87 PG # 87 87 87 87 81 81 87 87 87 87 PG #
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female SSMB Jack to: BNC Male	BM50281 BM50270 BM50271 BM50272 BM50273 BM50109 BM50109 BM50276 BM50277 BM50281 BM50278	87 PG # 87 87 87 87 81 81 87 87 87 87 87 94
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Male SSMA Female {RA} SSMA Male	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50277 BM50281 BM50278 BM50278	87 PG # 87 87 87 81 81 87 87 87 87 87 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMA Female SSMB Jack to: BNC Male SMA Female SMA Female SSMB Jack {BM}	BM50281 BM50270 BM50271 BM50272 BM50273 BM50109 BM50109 BM50276 BM50277 BM50281 BM50278	87 PG # 87 87 87 87 81 81 87 87 87 87 87 94
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female SSMA Female {RA} SSMA Female {RA} SSMA Male SSMB Jack to: BNC Male SMA Female SSMB Jack Male	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50283 BM50283 BM50283 BM50139	87 PG # 87 87 87 81 81 87 87 87 87 87 87 87 87 87 87 88 94 87 82 105 83
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female SSMA Female SSMA Female SSMA Female SSMA Female SSMB Jack to: BNC Male SMA Female SMA Male SSMB Jack {BM} SSMB Plug SSMB Plug to:	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50281 BM50281 BM50288 BM5084 BM50848 BM50839 BM50829	87 PG # 87 87 87 81 81 87 87 87 87 87 87 87 87 87 87 88 94 87 82 105 83
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Female {RA} SSMA Male SSMB Jack to: BNC Male SMA Female SMA Female SSMB Jack {BM} SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug to: BNC Female	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50283 BM50173 BM50829 BM50173	87 PG # 87 87 87 87 81 81 87 87 87 87 87 87 87 87 87 94 87 82 105 83 PG #
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMB Jack {BM} SSMB Plug SSMB Plug to: BNC Female BNC Female BNC Male	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50281 BM50283 BM50139 BM50829 BM50173 BM50505 BM50506	87 PG # 87 87 87 87 81 81 87 87 87 87 87 87 87 94 82 105 83 PG #
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMC Female BNC Female BNC Female BNC Male SMA Female SMA Female	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50281 BM50281 BM50281 BM50139 BM50829 BM50173 BM50829 BM50173	87 PG # 87 87 87 87 81 81 87 87 87 87 87 87 94 87 82 94 94 94 94 83
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMB Jack {BM} SSMB Plug SSMB Plug to: BNC Female BNC Female BNC Male	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50281 BM50283 BM50139 BM50829 BM50173 BM50505 BM50506	87 PG # 87 87 87 87 81 81 81 87 87 87 87 87 87 87 87 87 87 94 87 94 94 94 94
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMA Male SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMB Jack {BM} SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Female BNC Female BNC Male SSMA Female SSMA Female SSMB Jack	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50139 BM50139 BM50173	87 PG # 87 87 87 87 81 81 87 87 87 87 87 87 82 105 83 PG # 94 94 94 82 83 83
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SSMA Female SSMB Jack {BM} SSMB Plug SSMB Plug to: BNC Female BNC Female SMA Female SSMB Female SSMB Female SSMB Female SSMB SSMB Female SSMB SSMB Female SSMB SSMB Female SSMB SSMB Female SSMB SSMB Female SSMB SSMB Female SSMB Female SSMB Female SSMB Female SSMB Female SSMB Female SSMB Female SSMB Female SSMB Female	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50139 BM50139 BM50173	87 PG # 87 87 87 87 81 81 87 87 87 87 87 87 82 105 83 PG # 94 82 83 83 83
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SSMB Jack {BM} SSMB Jack {BM} SSMB Jack {BM} SSMB Jack {BM} SSMB Plug SSMB Plug to: BNC Female BNC Male SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Plug SSMC Jack to: BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50139 BM50139 BM50139 BM50173 BM50505 BM50173 BM50505 BM50173 BM50140 BM50173 BM50172	87 PG # 87 87 87 87 88 88 87 87 87 87
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug SSMB Plug to: BNC Female BNC Male SSMB Plug to: BNC Female BNC Male SSMB Plug to: BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female BNC Female	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50278 BM50278 BM50281 BM50139 BM50139 BM50173 BM50506 BM50140 BM50506 BM50140 BM50140 BM50140 BM50140 BM50140 BM50140 BM50140 BM50140 BM50140 BM50173	87 PG # 87 87 87 87 88 88 87 88 87 88 87 88 94 94 94 94 94 94 94 94 94 94
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SSMB Jack to: BNC Male SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Female BNC Male SMA Female BNC Female BNC Female BNC Female BNC Female BNC Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50281 BM50283 BM50139 BM50829 BM50173 BM50506 BM50173 BM50173 BM50172 BM50608 BM50172 BM50608 BM50173	87 PG # 87 87 87 87 88 88 87 88 87 88 87 88 89 48 94 94 94 83 83 PG # 94 94 94 94 95 96 96 97 98 98 98 98 98 98 98 98 98 98
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Jack SSMB Plug SSMC Jack to: BNC Female BNC Male SSMC Jack to: BNC Female BNC Male SSMC Jack to: BNC Female BNC Male SSMC Jack to: BNC Female BNC Male SSMC Jack to: BNC Female BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50278 BM50278 BM50139 BM50139 BM50829 BM50173 BM50173 BM50173 BM50173 BM50172 BM50507 BM50608 BM50608 BM50828 BM50736 BM50828	87 PG # 87 87 87 87 88 87 88 87 88 87 88 87 88 89 40 40 40 40 40 40 40 40 40 40
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SSMB Jack {BM} SSMB Jack {BM} SSMB Plug SSMB Plug to: BNC Female BNC Male SSMB Plug to: BNC Female BNC Female BNC Female SMA Female SSMB Jack SSMB Plug SSMC Jack to: BNC Female BNC Male SMA Female	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50281 BM50283 BM50139 BM50829 BM50173 BM50506 BM50173 BM50173 BM50172 BM50608 BM50172 BM50608 BM50173	87 PG # 87 87 87 87 88 88 88 87 88 87 88 89 48 94 82 83 83 83 PG # 94 94 94 95 86 87 87 87 87 88 87 88 87 88 88
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female {QD} SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug to: BNC Female BNC Male SMA Female SSMB Jack SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Female SMA Female SMA Female SSMB Jack SSMB Plug SSMB Plug SSMC Jack to: BNC Female BNC Male SMA Female SMA Female SMA Female SMA Female SMA SSMB SMA Female	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50277 BM50281 BM50278 BM50139 BM50139 BM50139 BM50173 BM50140 BM50140 BM50140 BM50173 BM50172 BM50173 BM50172	87 PG # 87 87 87 81 81 81 87 87 87 87 89 4 94 94 94 94 92 105 105 105 105 105 105 105 105 105 105
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Male SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SSMB Jack {BM} SSMB Jack {BM} SSMB Plug SSMB Plug to: BNC Female BNC Male SSMB Plug to: BNC Female BNC Female BNC Female SMA Female SSMB Jack SSMB Plug SSMC Jack to: BNC Female BNC Male SMA Female	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50278 BM50278 BM50139 BM50139 BM50829 BM50173 BM50173 BM50173 BM50173 BM50172 BM50507 BM50608 BM50608 BM50828 BM50736 BM50828	87 PG # 87 87 87 87 88 88 88 87 88 87 88 89 48 94 82 83 83 83 PG # 94 94 94 95 86 87 87 87 87 88 87 88 87 88 88
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male N Female SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMB Jack to: BNC Male SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Female SSMB Jack {BM} SSMB Plug SSMB Plug SSMB Plug SSMB Plug to: BNC Female BNC Male SMA Female SMA Female SSMB Jack SSMB Plug SSMB Plug SSMC Jack to: BNC Female SMA Female SMA Female SMA Female SMA Female SMA Female SMA Plug SSMC Jack {BM} SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SSMC Plug SMA Female	BM50281 BM50270 BM50271 BM50272 BM50272 BM50273 BM50111 BM50109 BM50276 BM50277 BM50281 BM50278 BM50278 BM50173 BM50139 BM50173 BM50140 BM50173 BM50505 BM50506 BM50506 BM50506 BM50506 BM50506 BM50506 BM50507 BM50506 BM50506 BM50506 BM50507 BM50506 BM50507 BM50608 BM50828 BM50828 BM50828 BM50828 BM50828	87 PG # 87 87 87 87 81 81 81 87 87 87 82 105 83 83 PG # 94 94 94 95 105 105 105 105 105 105 105 105 105 10
SSMA Male {RA} SSMA Male to: BNC Female BNC Male N Female N Male SMA Female SMA Female SSMA Female SSMA Female {QD} SSMA Female {RA} SSMA Female {RA} SSMA Male SSMB Jack to: BNC Male SMA Female {SMA Female SMA Female SMA Female SMA Female SMA Female SSMB Jack to: BNC Male SSMB Jack to: BNC Male SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Plug SSMB Jack	BM50281 BM50270 BM50271 BM50272 BM50273 BM50111 BM50109 BM50276 BM50278 BM50281 BM50281 BM50281 BM50283 BM50139 BM50829 BM50173 BM50109 BM50173 BM50506 BM50173 BM50506 BM50173 BM50173 BM50173 BM50173 BM50173 BM50174	87 PG # 87 87 87 87 88 88 87 88 87 88 87 88 87 88 87 88 89 48 89 48 94 82 83 83 PG # 94 82 83 84 85 86 87 87 87 87 87 87 87 87 87 87

THO Execute to	арте	DO "
TNC Female to: 7mm {P}	BM50423	PG #
7/16 Din Male	BM50425	92
BMB Plug	BM50346	89
BNC Female	BM50429	92
BNC Female (BM){HS}	BM50430	92
BNC Male BNC Male {RA}	BM50432	92
MCX Jack	BM50701 BM50611	101 98
MCX Jack (BM)	BM50612	98
Mini UHF Male	BM50666	100
N Female	BM50225	85
N Female (BM)	BM50229	85
N Female (BM)	BM50730	102
N Female (P)	BM50226 BM50228	85
N Female {P}{PM} N Female {PM}	BM50227	85 85
N Male	BM50219	85
N Male {P}	BM50220	85
N Male {RA}	BM50221	85
N Male {RRA}{P}	BM50674	100
Reverse Polarity SMA Female	BM50584	97
Reverse Polarity SMA Male	BM50582	97
Reverse Polarity TNC Male	BM50692 BM50097	101 81
SMA Female SMA Female (BM)	BM50097	81
SMA Female (BM)	BM50161	83
SMA Female (BM){HS}	BM51067	113
SMA Female (BM){P}	BM50162	83
SMA Female (BM){P}	BM50164	83
SMA Female (P)	BM50098	81
SMA Female (PM)	BM50099	81
SMA Female (PM)(PA)	BM50163	83
SMA Female {PM}{RA} SMA Female {RA}{P}	BM50421 BM50910	92 108
SMA Male	BM50090	81
SMA Male {P}	BM50091	81
SMA Male (PM)	BM50092	81
SMA Male {RA}{P}	BM50912	108
SMB Jack (BM)	BM50836	105
TNC Female	BM50337	89
TNC Female (BM){P}	BM51059	113
TNC Female {BM}{HS} TNC Female {BM}{HS}{IG}	BM50339 BM51060	89 113
TNC Female (BM)(IG)	BM50340	89
TNC Female {P}	BM50338	89
TNC Female {P}{PM}	BM50645	99
		22
TNC Female (PM)	BM50341	89
TNC Female {PM} TNC Female {RA}{P}	BM50915	89 108
TNC Female {PM} TNC Female {RA}{P} TNC Male	BM50915 BM50330	89 108 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {45°}	BM50915 BM50330 BM50894	89 108 89 107
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {45°}	BM50915 BM50330 BM50894 BM50331	89 108 89 107 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD}	BM50915 BM50330 BM50894 BM50331 BM50332	89 108 89 107 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA}	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333	89 108 89 107 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {45°} TNC Male {QD} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P}	BM50915 BM50330 BM50894 BM50331 BM50332	89 108 89 107 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RRA}{P} TNC Male {RRA}{P} TNC Male {RRA}{P} TNC Male {RRA}{P} "T", Female to Female to Female	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914	89 108 89 107 89 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RRA}{P} TNC Male {RRA}{P} TNC Male {RRA}{P} TNC Male {RRA}{P} "T", Female to Female to Female	BM50915 BM50330 BM50894 BM50331 BM50332 BM50914 BM50914 BM50462 BM50343 BM50344	89 108 89 107 89 89 89 108 93 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {45°} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RRA}{P} TNC Male TRABALE TO Female to Female "T", Female to Female to Male "T", Female to Male to Female	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50344	89 108 89 107 89 89 108 93 89 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA}{TNC Male {RA}{P} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male TRA {P} TNC Male TRA {P} "T", Female to Female to Female "T", Female to Female to Male "T", Female to Male to Female TPS Female	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50344 BM50969	89 108 89 107 89 89 108 93 89 89 89 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male {RA}P) TNC Male TPS Female to Female to Female TPS Female TPS Male	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50344 BM50344 BM50969 BM50944	89 108 89 107 89 89 108 93 89 89 89 89 110
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {QP} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male TO Female to Female "T", Female to Female to Male "T", Female to Male TPS Female TPS Male UHF Male	BM50915 BM50330 BM50894 BM50333 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50344 BM50969 BM50969 BM509644 BM50567	89 108 89 107 89 89 108 93 89 89 89 110 109 96
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {45°} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male TABALE TO Female to Female "T", Female to Female to Male "T", Female to Male TPS Female TPS Male UHF Male UMCX Jack {BM}	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50344 BM50344 BM50969 BM50944	89 108 89 107 89 89 108 93 89 89 89 89 110
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA}{TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male {RAA}{P} TNC Male to Female to Female TP, Female to Female to Male TPS Female TPS Male UHF Male UMCX Jack {BM} UMCX Jack {BM}	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50342 BM50969 BM50969 BM50969 BM50969 BM50969 BM50969	89 108 89 107 89 89 108 93 89 89 89 110 109 96 114 114
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {QD} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}P} TNC Male {RA}P} TNC Male {RA}P} TNC Male {RA}P} TNC Male {RA}P} TNC Male {RA}PP TNC Male {RA}PP TNC Male {RA}PP TNC Male {RA}PP TNC Male TPP TNC Male TPP TPS Female TO Female TPS Female TPS Male UHF Male UMCX Jack (BM) TNC Male to:	BM50915 BM50330 BM50894 BM503331 BM50332 BM50914 BM50462 BM50343 BM50344 BM50344 BM50969 BM50969 BM50969 BM50567 BM51100	89 108 89 107 89 89 108 93 89 89 89 110 109 96
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} "T", Female to Female to Female "T", Female to Female to Male "T", Female to Male to Female TPS Female TPS Male UHF Male UHF Male UMCX Jack {BM} UMCX Jack {BM} TNC Male to: 7mm {P} BNC Female	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50462 BM50343 BM50344 BM50342 BM50969 BM50969 BM50969 BM51100 BM51103	89 108 89 107 89 89 108 93 89 89 110 109 96 114 114 PG #
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {P} TNC Male {QD} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male to Female to Female TTP, Female to Male to Female TPS Male UHF Male UHF Male UMCX Jack (BM) TNC Male to: Tmm {P} BNC Female BNC Female BNC Female	BM50915 BM50330 BM50894 BM50331 BM50333 BM509914 BM50342 BM50343 BM50344 BM50344 BM50969 BM50969 BM51100 BM51100 BM51103	89 108 89 107 89 89 108 93 89 110 109 96 114 114 PG # 92 92
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male TO Female to Female T'T', Female to Female to Female T'T', Female to Male to Female TPS Female TPS Male UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: TMM {P} BNC Female BNC Female BNC Female BNC Male BNC Male BNC Male	BM50915 BM50330 BM50894 BM50331 BM50332 BM50333 BM50914 BM50342 BM50344 BM50344 BM50969 BM50969 BM50910 BM51100 BM51103	89 108 89 107 89 89 89 108 93 89 100 109 96 114 114 PG # 92 92 92
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male to Female to Female TP, Female to Female to Male TPS Female TPS Male UHF Male UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: 7mm {P} BNC Female BNC Female BNC Female BNC Female C Female	BM50915 BM50330 BM50894 BM503331 BM503332 BM503333 BM50914 BM50342 BM50344 BM50344 BM50342 BM50969 BM50969 BM50944 BM50103 BM501103	89 108 89 107 89 89 108 93 89 89 110 109 96 114 114 114 PG # 92 92 92 92
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male TO Female to Female to Female "T", Female to Female to Female "T", Female to Male "T", Female to Male TPS Female TPS Male UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: TMM {P} BNC Female BNC Female BNC Female C Female HN Male UHCX Male C Female HN Male MCX Jack	BM50915 BM50330 BM50894 BM50333 BM50333 BM50914 BM50342 BM50344 BM50344 BM50964 BM50964 BM51100 BM51103 BM50434 BM50434 BM50431 BM50434 BM50433 BM50434 BM50433 BM50434	89 108 89 107 89 89 89 108 89 89 89 110 109 96 114 114 PG# 92 92 92 92 92 92 98
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}P TNC Male {RA}{P} "T", Female to Female to Female "T", Female to Female to Male "T", Female to Male to Female TPS Female TPS Male UHF Male UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: 7mm {P} SNC Female BNC Female BNC Female BNC Female HN Male C Female HN Male MCX Jack Mini UHF Female	BM50915 BM50330 BM50894 BM503331 BM503332 BM503332 BM50914 BM50342 BM50344 BM50344 BM50342 BM50969 BM50944 BM50567 BM51100 BM51103	89 108 89 89 89 108 89 108 89 89 89 110 109 96 114 PC# 92 92 92 92 92 92 100
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male to Female to Female T", Female to Female to Female TPS Female UHF Male UHF Male UMCX Jack {BM} TNC Male to: TMM {P} BNC Female BNC Female BNC Female {RA} BNC Male C Female HN Male MCX Jack Mini UHF Female N Female	BM50915 BM50330 BM50331 BM50333 BM50333 BM50914 BM50342 BM50344 BM50344 BM50969 BM50969 BM50454 BM50434 BM50434 BM50434 BM50434 BM50433 BM50434 BM50434 BM50436 BM50434 BM50436 BM50434 BM50436 BM5044 BM504 BM504 BM50	89 108 89 89 89 89 89 89 89 110 109 96 114 114 PG # 92 92 92 92 100 98 100 85
TNC Female {PM} TNC Female {RA}{P} TNC Male TNC Male {A5°} TNC Male {P} TNC Male {QD} TNC Male {QD} TNC Male {RA}{P} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC MALE TPS Female UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: TMM {P} BNC Female BNC Female BNC Female TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TNC Male TRA TRA TRA TRA TRA TRA TRA TRA TRA TRA	BM50915 BM50330 BM50894 BM50333 BM50333 BM50914 BM50462 BM50343 BM50344 BM50944 BM50969 BM51100 BM51103 BM50434 BM50434 BM50434 BM50434 BM50434 BM50436 BM50436 BM50682 BM50667 BM50667 BM506223	89 108 89 89 89 89 89 110 109 96 114 114 114 PG # 92 92 92 92 92 93 85 88 89 89 89 89 89 89 89 89 89 89 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male {45°} TNC Male {P} TNC Male {P} TNC Male {RA}{P} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female TPS Female TPS Male UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: 7mm {P} SNC Female BNC Female BNC Female BNC Female HN Male C Female HN Male HN Male HN Male MCX Jack Mini UHF Female	BM50915 BM50330 BM50331 BM50333 BM50333 BM50914 BM50342 BM50344 BM50344 BM50969 BM50969 BM50454 BM50434 BM50434 BM50434 BM50434 BM50433 BM50434 BM50434 BM50436 BM50434 BM50436 BM50434 BM50436 BM50446 BM5044 BM504 BM504 BM504 BM504 BM504	89 108 89 89 89 89 89 89 89 110 109 96 114 114 PG # 92 92 92 92 100 98 100 85
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male (P) TNC Male (P) TNC Male (P) TNC Male (RA) TNC Male (RA) TNC Male (RA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male to Female to Female TP, Female to Male to Female TPS Male UHF Male UHF Male UHCX Jack (BM) UMCX Jack (BM) TNC Male to: 7mm {P} BNC Female BNC Female BNC Female BNC Female HN Male MCX Jack Mini UHF Female N Female N Female N Female N Female {P} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Female {RAA} N Male	BM50915 BM50330 BM50894 BM50333 BM50333 BM509344 BM50342 BM50969 BM50944 BM50969 BM50944 BM50944 BM50943 BM50944 BM50943 BM50943 BM50434 BM50434 BM50434 BM50432 BM50432 BM50434 BM50432 BM50434 BM5044 BM5044 BM504 BM504 BM504 BM504 BM504 BM504 BM504 BM504 BM504 BM504 BM504 BM504 BM504 B	89 108 89 107 89 89 108 93 89 89 110 109 96 114 114 92 92 92 92 92 100 85 85 85 85 85
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {P} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male {RA}{P} TNC Male to Female to Female TP, Female to Male to Female TPS Male UHF Male UMCX Jack {BM} TNC Male to: Tmm {P} BNC Female BNC Female RNC Female HN Male MCX Jack Mini UHF Female N Female {RA} N Female {RA} N Female {RA} N Female {RA} N Female {RA} N Female {RRA}{P} N Male N Male N Male N Male	BM50915 BM50330 BM50331 BM50333 BM50333 BM509344 BM50342 BM50344 BM50969 BM50969 BM50103 BM50451 BM50433 BM50667 BM50667 BM50223 BM50223 BM50223 BM50233 BM50233	89 108 89 107 89 89 108 89 108 89 110 109 96 1114 PG # 92 92 92 92 100 85 85 85 85
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {P} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male TRA TNC MALE TP, Female to Female to Female TPS Male UHF Male UHF Male UHCX Jack {BM} UMCX Jack {BM} TNC Male to: Tmm {P} BNC Female BNC Female BNC Female RNC Female RNC Female TNC Male TNC Male TNC Male TNC Male TNC Male TNC Female TNC FEMALE	BM50915 BM50330 BM50331 BM50333 BM50333 BM50914 BM50342 BM50344 BM50344 BM50969 BM50969 BM50143 BM50434 BM50434 BM50430 BM50431 BM50436 BM50431 BM50436 BM50431 BM50436 BM50431 BM50436 BM50431 BM50436 BM50436 BM50436 BM50436 BM50667 BM50682 BM506923 BM50222 BM50223 BM50223 BM50230 BM50230 BM50230 BM50230 BM50231	89 108 89 107 89 89 108 89 89 89 110 109 96 114 114 92 92 92 92 92 92 92 92 98 100 98 100 98 100 98 98 100 98 98 98 99 98 99 99 99 99 99 99 99 99
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} "T", Female to Female to Female "T", Female to Male to Female "T", Female to Male to Female TPS Female TPS Male UHF Male UHF Male UHCX Jack (BM) UMCX Jack (BM) TNC Male to: 7mm {P} BNC Female BNC Female BNC Female HN Male NC Female HN Male NC Female HN Male NFemale {RA} NFemale {RA} NFemale {RA} NFemale {RA} NFemale {RA} N Female {RA} N Female {RA} N Female {RA} N Female {RA} N Male	BM50915 BM50330 BM50331 BM50333 BM50333 BM509344 BM50342 BM50344 BM50969 BM50969 BM50103 BM50451 BM50433 BM50667 BM50667 BM50223 BM50223 BM50223 BM50233 BM50233	89 108 89 107 89 89 108 89 108 89 110 109 96 1114 PG # 92 92 92 92 100 85 85 85 85
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male (45°) TNC Male (P) TNC Male (P) TNC Male (RA) TNC Male (RA) TNC Male (RA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male (RAA) TNC Male to Female to Female T", Female to Female to Male "T", Female to Male to Female TPS Male UHF Male UHF Male UHCX Jack (BM) UMCX Jack (BM) TNC Male to: 7mm {P} BNC Female BNC Female BNC Female BNC Female HN Male MCX Jack Mini UHF Female N Female N Female N Female N Female {P} N Female {RA}	BM50915 BM50330 BM50331 BM50333 BM50333 BM50914 BM50342 BM50344 BM50344 BM50364 BM50969 BM50964 BM50103 BM50969 BM5045 BM5045 BM50431 BM50434 BM50434 BM50434 BM50436 BM50436 BM50437 BM50437 BM50438 BM50438 BM50438 BM50687 BM50682 BM50689	89 108 89 107 89 89 108 89 89 89 89 110 109 96 114 114 114 PG # 92 92 92 92 92 92 93 100 85 85 85 85 85 85 85 85 100 85 85 85 85 85 85 85 85 85 85 85 85 85
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {QD} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}P TNC Male {RA}P TNC Male {RA}P TNC Male {RA}P TNC Male {RA}P TNC Male {RA}P TNC Male to Female to Female "T", Female to Female to Male "T", Female to Male to Female TPS Female TPS Female TPS Male UHF Male UMCX Jack {BM} UMCX Jack {BM} TNC Male to: 7mm {P} BNC Female BNC Female BNC Female HN Male NC Male C Female HN Male N Female {RA}	BM50915 BM50330 BM50331 BM50333 BM50914 BM50343 BM50344 BM50344 BM50342 BM50969 BM50969 BM51100 BM51103 BM50434 BM50434 BM50434 BM50431 BM50431 BM50431 BM50431 BM50431 BM50431 BM50431 BM50691 BM50691 BM50691 BM50691 BM50096	89 108 89 107 89 89 108 89 108 89 89 110 109 96 1114 1114 PG # 92 92 92 100 98 85 85 85 100 85 85 85 87 101 86 87 88 89 89 89 89 89 89 89 89 89 89 89 89
TNC Female {PM} TNC Female {RA}{P} TNC Female {RA}{P} TNC Male TNC Male TNC Male {45°} TNC Male {P} TNC Male {P} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA} TNC Male {RA}{P} TNC Male {RA}{P} "T", Female to Female to Female "T", Female to Female to Male "T", Female to Male to Female TPS Male UHF Male UHF Male UHCX Jack {BM} UMCX Jack {BM} UMCX Jack {BM} UMCX Jack {BM} TNC Male to: 7mm {P} BNC Female BNC Female BNC Female BNC Female HN Male MCX Jack Mini UHF Female N Female N Female {R} N Female {R} N Female {R} N Female {RA} N Female {RRA}{P} N Male N Male N Male N Male N Male N Male {P} Reverse Polarity SMA Female Reverse Polarity SMA Male Reverse Polarity TNC Female	BM50915 BM50330 BM50331 BM50333 BM50333 BM50914 BM50342 BM50344 BM50344 BM50364 BM50969 BM50964 BM50103 BM50969 BM5045 BM5045 BM50431 BM50434 BM50434 BM50434 BM50436 BM50436 BM50437 BM50437 BM50438 BM50438 BM50438 BM50687 BM50682 BM50689	89 108 89 107 89 89 108 89 89 89 89 110 109 96 114 114 114 PG # 92 92 92 92 92 92 93 100 85 85 85 85 85 100 85 85 100 85 85 85 85 85 85 85 85 85 85 85 85 85

SMA Male (RA){P}	TNO Mala day		DO #
SMA Male (RA){P}	TNC Male to:	D1450004	PG#
TNC Female (45°)			_
TNC Female {QD}			
TNC Female {RA} BM50332 89 TNC Female {RA}{P} BM50933 89 TNC Female {RA}{P} BM50914 108 TNC Female {RA}{P} BM509462 93 TNC Male BM50334 89 TNC Male {P} BM50335 89 TNC Male {RA} BM50336 89 TNC Male {RA}{P} BM50336 89 TNC Male {RA}{P} BM50336 89 TNC Male {RA}{P} BM50336 89 TNC Male {RA}{P} BM50336 89 TNC Male {RA}{P} BM50344 89 "T", Female to Female to Male BM50342 89 TPS Female BM50943 109 UHF Female BM50368 96 ZMA Jack {P} BM50309 112 TNC Triax Female {BM} BM5068 96 ZMA Jack {P} BM5030 112 TNC Triax Female {BM} BM50348 89 TNC Male BM50348 89 N Female BM50348 89 N Female BM50349 114 TPS Female BM50348 89 N Female BM50348 89 N Female BM50349 114 TPS Female BM50349 114 TNC Triax Female BM50349 114 TNC Triax Female BM50349 110 SMA Female BM50349 110 SMA Male BM51099 114 TNC Female BM50999 110 TNC Male BM50993 110 TNC Male BM50943 109 TPS Male to: BNC Female BM50681 100 TPS Male BM50999 110 TPS Male BM50999 110 TPS Female BM50999 110 TPS Female BM50999 110 TPS Female BM50999 110 TPS Female BM50999 110 TPS Male to: BNC Female BM50999 110 TPS Female BM50999 114 TPS Female BM50999 114 TPS Female BM50999 114 TPS Female BM50999 110 TPS Female	TNC Female {45°}	BM50894	107
TNC Female {RA}			
TNC Female {RA}{P}			
TNC Male P			
TNC Male {RA}			
TNC Male {RA}	TNC Male		
TNC Male (RA)(P)			
"T", Female to Female to Male			
### Female to Male to Female			
TPS Female			
TNC Triax Female to:			
TNC Triax Female to:			
TNC Triax Female (BM)		BM51030	
TPS Female to:			
BNC Male		BM51092	
N Female			
N Male			
SMA Female			
SMA Male			
TNC Male	SMA Male		114
TPS Male to:			
TPS Male to:			
BNC Female		BM51089	
N Female		DMEGGG	
SMA Female			
TNC Female			
BNC Female			
BNC Female	TPS Female	BM51089	114
BNC Male			PG#
F Female			
F Male			
Mini UHF Male			
N Female BM50325 88 N Male BM50323 38 N Male {RA} BM50738 102 NMO Mount Female {BM} BM50178 113 SMA Male BM50168 96 UHF Female BM50568 96 UHF Female {BM} BM50519 95 UHF Male {RA} BM50521 95 "T", Female to Male to Female BM50522 95 UHF Male to: PG # BNC Female BM50410 91 BNC Female BM50411 91 BNC Female BM50522 95 Mini UHF Female BM50523 95 Mini UHF Female BM50523 95 N Female {RA} BM50324 88 SMA Female BM50131 102 N Male BM50119 81 TNC Female {RA} BM50121 95 UHF Pemale {RA} BM50520 95 "T", Female to Male to Female BM50520 95 "T", Female to Male to Female {BM}			
N Male {RA}			
NMO Mount Female {BM}			
SMA Male			
TNC Male			
UHF Female BM50518 95 UHF Female {BM} BM50519 95 UHF Female {RA} BM50521 95 "T", Female to Male to Female BM50522 95 UHF Male to:			
UHF Male {RA}			
#T", Female to Male to Female BM50522 95 UHF Male to: PG # BNC Female BM50410 91 BNC Male BM50411 91 F Female BM50523 95 Mini UHF Female BM50650 99 N Female BM50322 88 N Female BM50322 88 N Female BM50324 88 SMA Female BM50324 88 SMA Female BM50324 88 SMA Female BM50324 88 UHF Female BM50567 96 UHF Female RA} BM5019 95 UHF Male BM50521 95 UHF Male BM50521 95 UHF Male BM50521 95 UHF Male BM50521 95 UHCX Jack to: Reverse Polarity TNC Female BM50522 95 WMCX Jack to: Reverse Polarity TNC Female BM50503 94 SMA Female BM50503 94 SMA Female BM50503 94 SMA Female BM50503 94 TNC Female (BM) BM50100 114 SMA Male BM50180 84 TNC Female BMB BM50180 84 TNC Female BMB BM50180 114 UMCX Plug to: SMA Female BMS BM50182 84 ZMA Jack to: PG #			
DHF Male to:			
BNC Female BM50410 91 BNC Male BM50411 91 F Female BM50523 95 Mini UHF Female BM50650 99 N Female BM50322 88 N Female BM50322 88 N Female BM50324 88 SMA Female BM50324 88 SMA Female BM50324 88 TNC Female BM50119 81 TNC Female BM50527 96 UHF Female {RA} BM50527 96 UHF Male BM50520 95 "T", Female to Male to Female BM50520 95 "T", Female to Male to Female BM50520 95 WMCX Jack to: PG# Reverse Polarity TNC Female {BM} BM51101 114 SMA Female BM50520 95 SMA Female (BM) BM50130 34 SMA Female (BM) BM50130 34 TNC Female (BM) BM50180 34 TNC Female (BM) BM50180 34 TNC Female (BM) BM50110 114 SMA Male BM50180 34 TNC Female (BM) BM51101 114 UMCX Plug to: PG# SMA Female BM50180 34 UMCX Plug to: PG#		BM50522	
BNC Male			
F Female			
Mini UHF Female BM50650 99 N Female RM50322 88 N Female RM50324 88 N Female RM50324 88 SMA Female BM50139 81 TNC Female BM50567 96 UHF Female {RA} BM50567 95 UHF Female to Male to Female BM50520 95 "T", Female to Male to Female BM50520 95 "T", Female to Male to Female BM50520 95 WMCX Jack to: PG # Reverse Polarity TNC Female {BM} BM51101 114 SMA Female (BM) BM50181 84 SMA Female (BM) BM51102 114 SMA Male BM50180 84 TNC Female {BM} BM51100 114 TNC Female {BM} BM51100 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #			
N Female			
N Male			
SMA Female			
TNC Female BM50567 96			
UHF Female {RA}			
UHF Male			
#T", Female to Male to Female			
Reverse Polarity TNC Female {BM} BM51101 114 SMA Female BM50181 84 SMA Female (BM) BM50503 94 SMA Female (BM) BM51102 114 SMA Male BM50180 84 TNC Female {BM} BM51100 114 TNC Female {BM} BM51103 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG # PG # SMA Female BM50182 84 ZMA Jack to: PG # SMA SMA FEMALE PG # PG # SMA FEMALE PG # PG # PG # PG # PG # PG # PG # PG			
SMA Female BM50181 84 SMA Female (BM) BM50503 94 SMA Female (BM) BM51102 114 SMA Male BM50180 84 TNC Female (BM) BM51100 114 TNC Female (BM) BM51103 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #	UMCX Jack to:		PG#
SMA Female (BM) BM50503 94 SMA Female (BM) BM51102 114 SMA Male BM50180 84 TNC Female (BM) BM51100 114 TNC Female (BM) BM51103 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #		BM51101	
SMA Female (BM) BM51102 114 SMA Male BM50180 84 TNC Female (BM) BM51100 114 TNC Female (BM) BM51103 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #			
SMA Male			
TNC Female {BM} BM51100 114 TNC Female {BM} BM51103 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #			
TNC Female {BM} BM51103 114 UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #			
UMCX Plug to: PG # SMA Female BM50182 84 ZMA Jack to: PG #			
SMA Female BM50182 84 ZMA Jack to: PG #			PG#
ZMA Jack to: PG #		BM50182	
			PG#
		BM51030	

{BM} Bulkhead Mount, {FD} Full Detent, {HF} High Frequency, {HS} Hermetically Sealed, {IG} Isolated Ground, {LD} Limited Detent, {P} Precision, {PM} Panel Mount, {QD} Quick Disconnect, {RA} Right Angle, {RJ} Rotary Joint, {RRA} Radius Right Angle, {SB} Smooth Bore, {SO} Slide On




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





N Female to N Female
Brass Nickel Plated Body
Gold Plated Contact



N Female to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



N Female to N Female Bulkhead Hermetically Sealed

Brass Nickel Plated Body Gold Plated Contact



N Female to N Female Bulkhead Mount, Hermetically Sealed, 1" Max Panel

Brass Nickel Plated Body Silver Plated Contact




N Female to N Female Bulkhead, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact



N Female to N Female Bulkhead Isolated Ground Brass Nickel Plated Body Gold Plated Contact



N Female to N Female Panel Mount

Brass Nickel Plated Body Gold Plated Contact




N Female to N Female Panel Mount, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Bod


Passivated Stainless Steel Body Gold Plated Contact Part # BM50008 Standard

N Female to N Female Right Angle

Brass Nickel Plated Body Gold Plated Contact



N Female to N Female Right Angle Bulkhead Brass Nickel Plated Body Gold Plated Contact



N Female to N Male Right Angle

Brass Nickel Plated Body Gold Plated Contact




N Female to N Male Radius Right Angle, Max VSWR 1.30:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



N Female to N Male
Brass Nickel Plated Body
Gold Plated Contact




N Female to N Male, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



N Female to N Male Quick Disconnect

Brass Nickel Plated Body

Brass Nickel Plated Body Gold Plated Contact



N Female to N Male Bulkhead Mount Brass Nickel Plated Body


Gold Plated Contact

art # BM50016 Standard

N Male to N Male
Brass Nickel Plated Body
Gold Plated Contact



N Male to N Male, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



N Male to N Male Right Angle Brass Nickel Plated Body Gold Plated Contact Part # BM50019 Standard

N "T" Male to Male to Male Brass Nickel Plated Body Silver Plated Contact



N "T" Female to Male to Female

Brass Nickel Plated Body Gold Plated Contact




N "T" Female to Female to Female

Brass Nickel Plated Body Gold Plated Contact




N "T" Female to Female to Male

Brass Nickel Plated Body Silver Plated Contact




N Cross Female to Female to Female to Male

Brass Nickel Plated Body Silver Plated Contact



N Cross Female to Female to Female to Female

Brass Nickel Plated Body Gold Plated Contact



SMA Female to N Male
Brass Nickel Plated Body
Gold Plated Contact



SMA Female to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact




SMA Female to N Male Bulkhead Mount

Brass Nickel Plated Body Gold Plated Contact



SMA Female to N Male Quick Disconnect Passivated Stainless Steel Body Gold Plated Contact



SMA Female to N Male, Panel Mount

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601





SMA Female to N Male, Panel Mount, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body **Gold Plated Contact**



SMA Male to N Male Brass Nickel Plated Body Gold Plated Contact




SMA Male to N Male, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



SMA Female to GR874, Panel Mount

Brass Nickel Plated Body Gold/Nickel Plated Contact



SMA Male to N Female Brass Nickel Plated Body Gold Plated Contact



SMA Male to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Male to N Female Panel Mount

Brass Nickel Plated Body Gold Plated Contact



SMA Male to N Female Panel Mount, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50038 Precision


SMA Male to N Female Bulkhead With Hardware On SMA Side, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Male to N Female Bulkhead With Hardware On N Side, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact



SMA Female to N Female Brass Nickel Plated Body Gold Plated Contact

Part # BM50041 Precision

SMA Female to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50042 Standard


SMA Female to N Female Bulkhead

Brass Nickel Plated Body **Gold Plated Contact**



SMA Female to N Female Bulkhead with Hardware on N Side, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to N Female Bulkhead with Hardware on SMA Side

Brass Nickel Plated Body Gold Plated Contact



SMA Female to N Female Bulkhead With Hardware on SMA Side, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact

Part # BM50046 Standard



SMA Female to N Female Panel Mount

Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50047 Precision



SMA Female to N Female Panel Mount, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50048 Standard




N Male to Reverse Polarity SMA Female

Brass Nickel Plated Body Gold Plated Contact Part # BM50053 Standard



N Female to Reverse Polarity SMA Male

Brass Nickel Plated Body **Gold Plated Contact**



HN Male to N Female Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50051 Standard

HN Female to N Male Brass Nickel Plated Body Part # BM50052 Standard

HN Male to N Male Brass Nickel Plated Body


HN Female to N Female

Brass Nickel Plated Body Silver Plated Contact



HN Female to N Female, Panel Mount

Brass Nickel Plated Body Gold Plated Contact



SMA Female to SMA Female

Passivated Stainless Steel Body Gold Plated Contact



Gold Plated Contact

SMA Female to SMA Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



Silver Plated Contact

SMA Female to SMA Female, Max VSWR 1,20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Female Knurled Center, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Female Bulkhead, Max VSWR 1.25:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





SMA Female to SMA Female Bulkhead, Max VSWR 1.25:1 @ 27 GHz Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Female Bulkhead with O-Ring

Passivated Stainless Steel Body Gold Plated Contact




SMA Female to SMA Female Bulkhead Hermetically Sealed Stainless Steel Gold Plated Body Gold Plated Contact

SMA Female to SMA Female Bulkhead Isolated Ground

> Brass Nickel Plated Body Gold Plated Contact


Part # BM50064 Standard

SMA Female to SMA Female Panel Mount Passivated Stainless Steel Body Gold Plated Contact






SMA Female to SMA Female Panel Mount, Max VSWR 1.10:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



SMA Male to SMA Male Passivated Stainless Steel Body Gold Plated Contact




SMA Male to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Male to SMA Male Panel Mount, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact



SMA Female to SMA Male Right Angle Brass Nickel Plated Body


Gold Plated Contact

Part # BM50070 Precision




SMA Female to SMA Male Radius Right Angle, Max VSWR 1.30:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50071 Precision



SMA Female to SMA Male Right Angle, Max VSWR 1.35:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Male 45 Degree, Max VSWR 1.30:1 @ 26 GHz

Passivated Stainless Steel Body Gold Plated Contact




SMA Female to SMA Female Right Angle Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Female Radius Right Angle, Max VSWR 1.25:1 @ 18 GHz


Passivated Stainless Steel Body Gold Plated Contact

Part # BM50075 Precision



SMA Female to SMA Female Right Angle, Max VSWR 1.35:1 @ 27 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50076 Precision



SMA Male to SMA Male Radius Right Angle, Max VSWR 1.30:1 @ 18 GHz Passivated Stainless Steel Body **Gold Plated Contact**


Part # BM50077 Standard



SMA Male to SMA Male Right Angle

Passivated Stainless Steel Body **Gold Plated Contact**


Part # BM50078 Precision



SMA Male to SMA Male Right Angle, Max VSWR 1.<u>35:1</u> @ 27 GHz


Passivated Stainless Steel Body Gold Plated Contact





SMA Female to SMA Male Brass Nickel/Passivated Body Gold Plated Contact

Part # BM50080 Precision



SMA Female to SMA Male, Max VSWR 1.15:1 @ 18

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMA Male Quick Disconnect

Brass Nickel/Passivated Body Gold Plated Contact

Part # BM50083 Standard



7/16 Din Female to SC Female


Brass Nickel Plated Body Gold Plated Contact



SMA Male to SMA Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact

BM50085 Precision



SMA Female to SMA Male, Panel Mount, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body Part # BM50086 Standard




SMA "T" Female to Female to Female

Brass Nickel Plated Body Gold Plated Contact



SMA "T" Female to Male to Female

Brass Nickel Plated Body Gold Plated Contact





SMA "T" Male to Female to Male

Brass Nickel Plated Body Gold Plated Contact



SMA "T" Male to Male to Male

> Brass Nickel Plated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601









TNC Female to SMA Male, Max VSWR 1.15:1 @ 18

Passivated Stainless Steel Body Gold Plated Contact




SMA Male to TNC Female Panel Mount

Passivated Stainless Steel Body Gold Plated Contact



TNC Male to SMA Male Brass Nickel Plated Body Gold Plated Contact



TNC Male to SMA Male, Max VSWR 1.15:1 @ 18 GH₂

Passivated Stainless Steel Body Gold Plated Contact



TNC Male to SMA Female Brass Nickel Plated Body Gold Plated Contact




TNC Male to SMA Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



TNC Female to SMA Female

Brass Nickel Plated Body Gold Plated Contact




TNC Female to SMA Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact




SMA Female to TNC Female Panel Mount Brass Nickel Plated Body Gold Plated Contact



SMA Female to TNC Female Bulkhead Brass Nickel Plated Body Part # BM50101 Precision


1.85mm Female to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



1.85mm Male to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact




1.85mm Male to SMA Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



1.85mm Female to SMA Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



Gold Plated Contact


2.4mm Male to SMA Male, Max VSWR 1.20:1 @ 27

Passivated Stainless Steel Body **Gold Plated Contact**



2.4mm Female to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body **Gold Plated Contact**



2.4mm Male to SMA Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body **Gold Plated Contact**




2.4mm Female to SMA Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact




SSMA Male to SMA Male Brass Nickel/Passivated Body Gold Plated Contact



SMA Male to SSMA Female

Passivated Stainless Steel Body Gold Plated Contact




SSMA Male to SMA Female

Passivated Stainless Steel Body Gold Plated Contact




SSMA Female to SMA Female

Brass Nickel Plated Body Gold Plated Contact




SMA Male to 3.5mm Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Male to 3.5mm Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to 3.5mm Male, Max VSWR 1,20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to 3.5mm Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



7/16 Din Male to SMA Female

Brass Nickel Plated Body Gold Plated Contact



7/16 Din Female to SMA Male

Brass Nickel Plated Body Gold Plated Contact



UHF Male to SMA Female Brass Nickel Plated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601






UHF Female to SMA Male Brass Nickel Plated Body **Gold Plated Contact**




BNC Male to SMA Female Brass Nickel Plated Body Gold Plated Contact




BNC Male to SMA Female, Max VSWR 1.15:1 @ 8 GH₂



Brass Nickel/Passivated Body Gold Plated Contact




BNC Male to SMA Male Brass Nickel Plated Body Gold Plated Contact




BNC Male to SMA Male, Max VSWR 1.25:1 @ 8 GH₂

Brass Nickel/Passivated Body Gold Plated Contact




BNC Female to SMA Male Brass Nickel Plated Body Gold Plated Contact




BNC Female to SMA Male, Max VSWR 1.25:1 @ 8 GHz

Brass Nickel/Passivated Body Gold Plated Contact




BNC Female to SMA Female

Brass Nickel Plated Body Gold Plated Contact



BNC Female to SMA Female, Max VSWR 1.25:1 @ 8 GHz

Brass Nickel/Passivated Body Gold Plated Contact



SMA Female to BNC Female Bulkhead with Harware on SMA Side

Brass Nickel Plated Body Gold Plated Contact



BNC Female Bulkhead Mount to SMA Female Brass Nickel Plated Body

Gold Plated Contact




N Male Slide On to N Female

Brass Nickel Plated Body Gold Plated Contact



SMA Male Slide On to SMA Female

Stainless Steel Gold Plated Body Gold Plated Contact




1.0/2.3 Slide On Plug to SMA Female

Beryllium Copper Gold Plated Gold Plated Contact




7/16 Din Male to 7/16 Din Female Right Angle Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact




SMA Male to SMB Jack Brass Nickel Plated Body **Gold Plated Contact**




SMA Female to SMB Plug Brass Nickel Plated Body **Gold Plated Contact**




SMA Male to SMB Plug Brass Nickel Plated Body **Gold Plated Contact**



SMA Female to SMB Jack Brass Nickel Plated Body **Gold Plated Contact**



SMA Male to SSMB Jack Brass Nickel Plated Body Gold Plated Contact



SMA Female to SSMB Plug

Brass Nickel Plated Body Gold Plated Contact



7mm to SMA Female. Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact



SMA Female to 7mm, Panel Mount, Max VSWR 1.08:1 @ 18 GHz


Passivated Stainless Steel Body Gold Plated Contact




7mm to SMA Male. Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body




Gold Plated Contact



HN Male to SMA Female Brass Nickel Plated Body Gold Plated Contact




HN Female to SMA Male Brass Nickel Plated Body Gold Plated Contact




HN Female to SMA Female Brass Nickel Plated Body Gold Plated Contact



HN Male to SMA Male Brass Nickel Plated Body Gold Plated Contact



SMA Male to SMC Jack Brass Nickel Plated Body Gold Plated Contact



SMA Female to SMC Plug Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



SMP Male Limited Detent

VSWR 1.20:1 @ 18 GHz

SMA Male to MCX Jack


Brass Nickel Plated Body


Gold Plated Contact

Pass SS/BeCu Au Plated Body

Gold Plated Contact

to SMA Female, Max










SMA Female to F Female Brass Nickel Plated Body **Gold Plated Contact**



SSMB Plug to SSMB Plug Brass Nickel Plated Body Gold Plated Contact



Part # BM50153 Precision

SMA Male to N Male Panel

Passivated Stainless Steel Body

Gold Plated Contact

Part # BM50158 Standard

SMA Male to MCX Plug

SMA Female to TNC

Female Panel Mount, Max

Passivated Stainless Steel Body

Gold Plated Contact

Part # BM50168 Standard

VSWR 1.35:1 @ 18 GHz

Brass Nickel Plated Body


Gold Plated Contact

Part # BM50163 Precision

Mount, Max VSWR 1.15:1

@ 18GHz

SSMB Plug to SSMB Jack Brass Nickel Plated Body Gold Plated Contact





Part # BM50154 Precision

SMP Female to SMA Male, Max VSWR 1.20:1 @ 18

Pass SS/BeCu Au Plated Body

Gold Plated Contact

Part # BM50159 Standard

SMA Female to GR874

SMA Female to TNC

Female Bulkhead, Max

VSWR 1.35:1 @ 18 GHz

Passivated Stainless Steel Body

Gold Plated Contact


Part # BM50169 Standard

Brass Nickel Plated Body

Gold Plated/Nickel Plated Contact

Part # BM50164 Precision

Female Right Angle Brass Nickel Plated Body Gold Plated Contact



Brass Nickel Plated Body

Gold Plated Contact


SMA Male to Reverse

Polarity TNC Female

Part # BM50170 Standard

Max VSWR 1.25:1 @ 26.5 Pass SS/Brass Gold Plated Body

Gold Plated Contact



Brass Nickel Plated Body

Gold Plated Contact

SMA Male to Reverse

Polarity TNC Male

Part # BM50171 Standard

Reverse Thread SMA Female to SMA Male Brass Nickel Plated Body Gold Plated Contact



Reverse Thread SMA Male to SMA Female Brass Nickel Plated Body

Gold Plated Contact



Reverse Polarity SMA Female to Standard SMA

Brass Nickel/Passivated Body Gold Plated Contact



Reverse Polarity SMA Male to Standard SMA Female Brass Nickel/Passivated Body Gold Plated Contact





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601











3.5mm Female to 3.5mm Female Panel Mount, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 3.5mm Female Bulkhead, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50183 Standard

MMCX Jack to SMA Male

Brass Nickel Plated Body

Gold Plated Contact

Part # BM50188 Precision

3.5mm Female to 3.5mm

VSWR 1.25:1 @ 34.5 GHz

Passivated Stainless Steel Body

Gold Plated Contact

Male Bulkhead, Max



Part # BM50184 Standard

MMCX Plug to SMA Male

Brass Nickel Plated Body

Gold Plated Contact

Part # BM50189 Precision


3.5mm Male to 3.5mm

@ 34.5 GHz

Male, Max VSWR 1.25:1

Passivated Stainless Steel Body


Gold Plated Contact



Passivated Stainless Steel Body

Gold Plated Contact





3.5mm Female to 3.5mm

@ 34.5 GHz

Female, Max VSWR 1.25:1

Passivated Stainless Steel Body

Gold Plated Contact

N Male to LC Female Brass Nickel Plated Body Silver Plated Contact



N Female to LC Female Brass Nickel Plated Body Silver Plated Contact




LC Male to N Female Brass Nickel Plated Body Gold Plated Contact



SC Male to N Female Brass Nickel Plated Body Silver Plated Contact



N Male to SC Female Brass Nickel Plated Body Silver Plated Contact



N Female to SC Female Brass Nickel Plated Body Silver Plated Contact



SC Male to N Male Brass Nickel Plated Body Silver Plated Contact




N Male to BNC Female Brass Nickel Plated Body Gold Plated Contact



Max VSWR 1.15:1 @ 8 GHz Brass Nickel/Passivated Body

Gold Plated Contact



N Male to BNC Female Panel Mount

Brass Nickel Plated Body Gold Plated Contact



N Male to BNC Female Right Angle Brass Nickel Plated Body

Gold Plated Contact



BNC Male to N Male Brass Nickel Plated Body Gold Plated Contact



BNC Male to N Male. Max VSWR 1.15:1 @ 8 GHz Brass Nickel/Passivated Body Gold Plated Contact



N Male to BNC Male Right Angle Brass Nickel Plated Body

Silver Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





BNC Male to N Female Brass Nickel Plated Body **Gold Plated Contact**



BNC Male to N Female, Max VSWR 1.15:1 @ 8

Brass Nickel/Passivated Body Gold Plated Contact




N Female to BNC Male, Panel Mount

Brass Nickel Plated Body Silver Plated Contact




N Female to BNC Male Right Angle

Brass Nickel Plated Body Gold Plated Contact



N Female to BNC Female Brass Nickel Plated Body Gold Plated Contact




BNC Female to N Female, Max VSWR 1.15:1 @ 8 GHz

Brass Nickel/Passivated Body Gold Plated Contact



N Female to BNC Female Bulkhead with Hardware on N Side

Brass Nickel Plated Body Gold Plated Contact




N Female to BNC Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact



N Female to BNC Female, Panel Mount

Brass Nickel Plated Body Gold Plated Contact



TNC Female to N Male Brass Nickel Plated Body Gold Plated Contact



TNC Female to N Male, Max VSWR 1.15:1 @ 18

Passivated Stainless Steel Body **Gold Plated Contact**



N Male to TNC Female Right Angle

Brass Nickel Plated Body Gold Plated Contact



TNC Male to N Female Brass Nickel Plated Body Gold Plated Contact



TNC Male to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



TNC Male to N Female Right Angle

Brass Nickel Plated Body Gold Plated Contact



TNC Female to N Female Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50226 Precision



TNC Female to N Female, Max VSWR 1.15:1 @ 18 GH₂

Passivated Stainless Steel Body **Gold Plated Contact**



N Female to TNC Female, Panel Mount

Brass Nickel Plated Body Silver Plated Contact




TNC Female to N Female Panel Mount, Max VSWR 1.15:1 @ 18GHz

Passivated Stainless Steel Body **Gold Plated Contact**



N Female to TNC Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact



TNC Male to N Male Brass Nickel Plated Body Gold Plated Contact

Part # BM50231 Precision



TNC Male to N Male. Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50232 Precision


3.5mm Male to 2.92mm Female, Max VSWR 1,25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 2.92mm Male, Max VSWR 1,25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact




3.5mm Male to 2.92mm Male, Max VSWR 1.25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 2.92mm Female, Max VSWR 1,25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact




3.5mm Male to 2.4mm Female, Max VSWR 1.25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 2.4mm Male, Max VSWR 1,25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Male to 2.4mm Male, Max VSWR 1,25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 2.4mm Female, Max VSWR 1,25:1 @ 34.5 GHz

Passivated Stainless Steel Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601






3.5mm Male to 1.85mm Female, Max VSWR 1.30:1 @ 34 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 1.85mm Male, Max VSWR 1.30:1 @ 34 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Male to 1.85mm Male, Max VSWR 1.30:1 @ 34 GHz

Passivated Stainless Steel Body Gold Plated Contact




3.5mm Female to 1.85mm Female, Max VSWR 1.30:1 @ 34 GHz

Passivated Stainless Steel Body Gold Plated Contact




3.5mm Female to N Male, Max VSWR 1.15:1 @ 18

Passivated Stainless Steel Body **Gold Plated Contact**



3.5mm Male to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Male to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female to 7mm, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Male to 7mm, Max VSWR 1.15:1 @ 18 GHz



Passivated Stainless Steel Body **Gold Plated Contact**



2.92mm Male to 2.92mm Male, Max VSWR 1.25:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Female to 2.92mm Female, Max VSWR 1.25:1 @ 40 GHz


Passivated Stainless Steel Body Gold Plated Contact


2.92mm Female to


Gold Plated Contact



Passivated Stainless Steel Body Gold Plated Contact







2.92mm Male to 2.92mm Male Right Angle, Max VSWR 1.40:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50257 Precision



Angle, Max VSWR 1.20:1

Passivated Stainless Steel Body **Gold Plated Contact**



2.92mm Female Panel Mount, Max VSWR 1.25:1 @ 40 GHz

Passivated Stainless Steel Body



2.92mm Female to 2.92mm Female Bulkhead Mount with O-Ring, Max VSWR 1.25:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Male to 2.92mm Female Right Angle, Max VSWR 1.40:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**



2.92mm Female to 2.92mm Female Right @ 40 GHz



1 85mm Male to 1 85mm Female, Max VSWR 1.40:1 @ 65 GHz

Passivated Stainless Steel Body Gold Plated Contact



1.85mm Male to 1.85mm Male, Max VSWR 1.40:1 @ 65 GHz

Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50260 Precision




1.85mm Female to 1.85mm Female, Max VSWR 1.40:1 @ 65 GHz Passivated Stainless Steel Body


Part # BM50261 Precision



1.85mm Female to N Male, Max VSWR 1.25:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact





1.85mm Male to N Female, Max VSWR 1.25:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact





1.85mm Male to N Male, Max VSWR 1.25:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



1.85mm Female to N Female, Max VSWR 1.25:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Gold Plated Contact Part # BM50265 Standard



BNC Male to BNC Triax Female, 3 Lugs Brass Nickel Plated Body

Part # BM50266 Standard




BNC Triax Female to BNC Triax Female Bulkhead. Isloated Ground, 3 Lugs Brass Nickel Plated Body Gold Plated Contact

Part # BM50267 Standard



BNC Triax "T" Female to Male to Female, 3 Lugs Brass Nickel Plated Body Gold Plated Contact

BM50268 Standard Part



BNC Triax Female to BNC Traix Female, 3 Lugs Brass Nickel Plated Body Gold Plated Contact



SSMA Female to BNC Male

Brass Nickel/Passivated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601









Part # BM50274 Standard


Brass Nickel/Passivated Body Gold Plated Contact

BM50276 Standard


SSMA Male to N Female Brass Nickel Plated Body Gold Plated Contact

SSMA Male to N Male Brass Nickel Plated Body Gold Plated Contact


SSMA Female to N Male Passivated Stainless Steel Body Gold Plated Contact



Part #



Part # BM50278 Standard



SSMA Female to N Female Passivated Stainless Steel Body Gold Plated Contact


SSMA Male to SSMA Female Brass Nickel Plated Body Gold Plated Contact


SSMA Female to SSMA Male Quick Disconnect Brass Nickel/Passivated Body Gold Plated Contact

SSMA Male to SSMA Male Brass Nickel Plated Body Gold Plated Contact

Female Brass Nickel Plated Body Gold Plated Contact







Part # BM50283 Standard



SSMA Female to SSMA Female Bulkhead Mount Stainless Steel Gold Plated Body **Gold Plated Contact**

SSMA Male to SSMA Female Right Angle Brass Nickel Plated Body Gold Plated Contact

SSMA Female to 7mm, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

SMA Female to SSMB Jack Brass Nickel Plated Body Gold Plated Contact

2.4mm Male to 2.4mm Female, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body







Part # BM50288 Precision

Gold Plated Contact Part # BM50289 Precision

2.4mm Male to 2.4mm Male, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body

2.4mm Female to 2.4mm Female, Max VSWR 1.30:1 @ 50 GHz

2.4mm Female to 2.4mm Female Bulkhead, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body

2.4mm Male to 1.85mm Female, Max VSWR 1.35:1 @ 50 GHz

Passivated Stainless Steel Body

2.4mm Female to 1.85mm

Gold Plated Contact

Male, Max VSWR 1.35:1 @ 50 GHz Passivated Stainless Steel Body





Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50291 Precision





Part # BM50293 Precision



2.4mm Male to 1.85mm Male, Max VSWR 1.35:1 @ 50 GHz

2.4mm Female to 1.85mm Female, Max VSWR 1.35:1 @ 50 GHz Passivated Stainless Steel Body Passivated Stainless Steel Body

2.4mm Female to N Male,

2.4mm Male to N Female, Max VSWR 1.15:1 @ 18 Max VSWR 1.15:1 @ 18 GHz

2.4mm Male to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

GHz

Passivated Stainless Steel Body Gold Plated Contact

Passivated Stainless Steel Body Gold Plated Contact Part # BM50299 Precision

Part # BM50295 Precision

Gold Plated Contact





Gold Plated Contact



2.4mm Male to 7mm. Max VSWR 1.15 @ 18 GHz



@ 40 GHz

949.756.1601




2.4mm Female to 2.92mm Male, Max VSWR 1,25:1

2.4mm Male to 2.92mm Female, Max VSWR 1,25:1 @ 40 GHz Passivated Stainless Steel Body

Passivated Stainless Steel Body Gold Plated Contact Gold Plated Contact

2.4mm Female to N Female, Max VSWR 1.15:1 @18 GHz Passivated Stainless Steel Body

Gold Plated Contact



Gold Plated Contact








www.brackemfg.com sales@brackemfg.com

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658







2.4mm Female to 2.92mm Female, Max VSWR 1.25:1 @ 40 GHz

Passivated Stainless Steel Body
Gold Plated Contact




2.92mm Male to 1.85mm Female, Max VSWR 1.30:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact




2.92mm Female to 1.85mm Male, Max VSWR 1.30:1 @ 40 GHz

Passivated Stainless Steel Body
Gold Plated Contact



2.92mm Male to 1.85mm Male, Max VSWR 1.30:1 @ 40 GHz


Passivated Stainless Steel Body Gold Plated Contact



2.92mm Female to 1.85mm Female, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact




75 Ohm BNC Male to 1.6/5.6 Female Brass Nickel/Gold Plated Body Gold Plated Contact



75 Ohm BNC Female to 1.6/5.6 Male

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Female to 1.6/5.6 Female Bulkhead Gold/Brass Nickel Plated Body Gold Plated Contact




75 Ohm N Male to 1.6/5.6 Female Brass Nickel/Gold Plated Body Gold Plated Contact



2.92mm Female to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Male to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Male to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Female to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Female to 7mm, Max VSWR 1.10:1 @ 18 GHz


Passivated Stainless Steel Body Gold Plated Contact



2.92mm Male to 7mm, Max VSWR 1.10:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



1.6/5.6 Female to 1.6/5.6 Female Bulkhead Gold/Brass Nickel Plated Body Gold Plated Contact



SMA Male to F Male
Brass Nickel Plated Body
Gold Plated Contact



N Female to 7/16 DIN Male
Brass Nickel Plated Body
Gold Plated Contact



N Male to 7/16 DIN Female
Brass Nickel Plated Body
Gold Plated Contact



N Male to 7/16 DIN Male
Brass Nickel Plated Body
Gold Plated Contact



N Female to 7/16 DIN Female


Brass Nickel Plated Body Gold Plated Contact



N Female to UHF Male
Brass Nickel Plated Body
Gold Plated Contact




N Male to UHF Female
Brass Nickel Plated Body
Gold Plated Contact




N Male to UHF Male
Brass Nickel Plated Body
Gold Plated Contact



N Female to UHF Female
Brass Nickel Plated Body
Gold Plated Contact



N Male to SMB Jack
Brass Nickel Plated Body
Gold Plated Contact




N Female to SMB Plug
Brass Nickel Plated Body
Gold Plated Contact



N Male to SMB Plug

Brass Nickel Plated Body

Gold Plated Contact



N Female to SMB Jack
Brass Nickel Plated Body
Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601






TNC Male to TNC Female Brass Nickel Plated Body **Gold Plated Contact**




TNC Male to TNC Female, Max VSWR 1.15:1 @ 18

Passivated Stainless Steel Body Gold Plated Contact




TNC Female to TNC Male Quick Disconnect

Brass Nickel/Passivated Body Gold Plated Contact




TNC Female to TNC Male Right Angle

Brass Nickel Plated Body Gold Plated Contact



TNC Male to TNC Male Brass Nickel Plated Body Gold Plated Contact



TNC Male to TNC Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



TNC Male to TNC Male Right Angle

Brass Nickel Plated Body Gold Plated Contact




TNC Female to TNC Female

Brass Nickel Plated Body Gold Plated Contact



TNC Female to TNC Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



TNC Female to TNC Female Bulkhead Hermetically Sealed

Brass Nickel Plated Body Gold Plated Contact



TNC Female to TNC Female Bulkhead Mount, Isolated Ground

Brass Nickel Plated Body **Gold Plated Contact**



TNC Female to TNC Female, Panel Mount

Brass Nickel Plated Body Gold Plated Contact



TNC "T" Female to Male to Female

Brass Nickel Plated Body **Gold Plated Contact**



TNC "T" Female to Female to Female

Brass Nickel Plated Body Gold Plated Contact




TNC "T" Female to Female to Male

Brass Nickel Plated Body Gold Plated Contact



N Male to MCX Jack

Brass Nickel Plated Body **Gold Plated Contact**



Stainless Steel Gold Plated Body **Gold Plated Contact**


TNC Female to BMB Plug





N Female to BMB Jack Passivated Stainless Steel Body

Gold Plated Contact




N Female to TPS Female Brass Silver Plated Body

Gold Plated Contact



BNC Male to BNC Female Brass Nickel Plated Body **Gold Plated Contact**



BNC Male to BNC Female Right Angle

Brass Nickel Plated Body Gold Plated Contact




BNC Male to BNC Male Brass Nickel Plated Body

Gold Plated Contact



BNC Male to BNC Male Right Angle

Brass Nickel Plated Body Gold Plated Contact



BNC Female to BNC Female

Brass Nickel Plated Body Gold Plated Contact



BNC Female to BNC Female. Panel Mount

Brass Nickel Plated Body Gold Plated Contact



BNC Female to BNC Female Bulkhead Hermetically Sealed

Brass Nickel Plated Body Gold Plated Contact



BNC Female to BNC Female Bulkhead Mount, Hermetically Sealed, 1" Max Panel

Brass Nickel Plated Body Silver Plated Contact



BNC Female to BNC Female Bulkhead Isolated Ground

Brass Nickel Plated Body Gold Plated Contact



BNC "T" Female to Male to Female

Brass Nickel Plated Body Gold Plated Contact



BNC "T" Female to Female to Male

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601







Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658

Brass Nickel Plated Body

Gold Plated Contact



Phone 949.756.1600 949.756.1601



Brass Nickel Plated Body

Gold Plated Contact


www.brackemfg.com sales@brackemfg.com

Brass Nickel Plated Body


Silver Plated Contact

Brass Nickel Plated Body


Gold Plated Contact



MHV Male to BNC Female Brass Nickel Plated Body **Gold Plated Contact**




MHV Female to BNC Male Brass Nickel Plated Body Gold Plated Contact



C Female to C Female Brass Nickel Plated Body Gold Plated Contact



C Female to C Female Bulkhead Mount Brass Nickel Plated Body Gold Plated Contact



10-32 Male to SMB Jack Stainless Steel Gold Plated Body **Gold Plated Contact**



C Female to C Male Right Angle

Brass Nickel Plated Body Silver Plated Contact



C "T" Female to Male to Female

Brass Nickel Plated Body Silver Plated Contact




MCX "T" Jack to Jack to Jack

Brass Nickel Plated Body Gold Plated Contact




C Male to C Male

Brass Nickel Plated Body Silver Plated Contact



F Male to F Male Brass Nickel Plated Body Gold Plated Contact




F Male to F Male, Max VSWR 1.30:1 @ 3 GHz Brass Nickel Plated Body

Nickel Plated Contact




F Female to F Female Brass Nickel Plated Body **Gold Plated Contact**




F Female to F Female, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel/Passivated Body Gold Plated Contact




F Female to F Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact



F Female to F Male Slide

Brass Nickel Plated Body Gold Plated Contact



F Male to F Female, Max VSWR 1.30:1 @ 3 GHz Brass Nickel Plated Body Nickel Plated Contact

Part # BM50406 Standard

F Female to F Male Right

Brass Nickel Plated Body **Gold Plated Contact**



BNC Female to 7mm, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact



BNC Male to 7mm, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



BNC Male to UHF Female Brass Nickel Plated Body **Gold Plated Contact**



BNC Female to UHF Male Brass Nickel Plated Body Gold Plated Contact



BNC Male to UHF Male Brass Nickel Plated Body Gold Plated Contact



BNC Female to UHF Female

Brass Nickel Plated Body Gold Plated Contact



7/16 Din Female to 7/16 Din Female

Brass Nickel Plated Body Gold Plated Contact



7/16 Din Female to 7/16 Din Female Bulkhead Mount

Brass Nickel Plated Body Silver Plated Contact



7/16 Din Male to 7/16 Din

Brass Nickel Plated Body Silver Plated Contact



7/16 Din Female to 7/16 Din Male Right Angle Brass Nickel Plated Body

Gold Plated Contact



7/16 Din "T" Female to Male to Female

Brass Nickel Plated Body Silver Plated Contact



7/16 Din "T" Female to Female to Female

Brass Nickel Plated Body Silver Plated Contact



7/16 Din Female to HN Male

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





7/16 Din Male to HN Female

Brass Nickel Plated Body **Gold Plated Contact**



SMA Female to TNC Female Right Angle, Panel Mount

Brass Nickel/Passivated Body Gold Plated Contact



SMA Male to 7mm, Panel Mount, Max VSWR 1.15:1 @ 18 GHz


Passivated Stainless Steel Body Gold Plated Contact



TNC Female to 7mm, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



TNC Male to 7mm, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body **Gold Plated Contact**






TNC Female to 7/16 Din

Brass Nickel Plated Body Gold Plated Contact




4.1/9.5 Din Female to 4.1/9.5 Din Female **Bulkhead Low PIM** Brass Tri-Metal Plated Body

4.1/9.5 Din Female to N Female Bulkhead Low PIM Brass Tri-Metal Plated Body Silver Plated Contact Silver Plated Contact



4.1/9.5 Din Female to 7/16 Din Female Bulkhead Low

Brass Tri-Metal Plated Body Silver Plated Contact



TNC Female to BNC Female

Brass Nickel Plated Body Gold Plated Contact





TNC Female Bulkhead Mount to BNC Female, Hermetically Sealed


Brass Nickel Plated Body **Gold Plated Contact**




TNC Male to BNC Male Brass Nickel Plated Body Gold Plated Contact



TNC Female to BNC Male Brass Nickel Plated Body Gold Plated Contact




TNC Male to BNC Female Brass Nickel Plated Body Gold Plated Contact



TNC Male to BNC Female Right Angle

Brass Nickel Plated Body Gold Plated Contact

Part # BM50435 Precision



N Female to N Female Bulkhead, 1.20" Max Panel, Max VSWR 1.25:1 @ 18 GHz

Passivated Stainless Steel Body **Gold Plated Contact**



TNC Male to C Female Brass Nickel Plated Body Silver Plated Contact



C Female to N Male Brass Nickel Plated Body **Gold Plated Contact**




C Female to N Male Right Angle

Brass Nickel Plated Body Silver Plated Contact




C Male to N Male Brass Nickel Plated Body

Part # BM50440 Standard



C Male to N Female

Brass Nickel Plated Body Gold Plated Contact



C Female to N Female Brass Nickel Plated Body

Gold Plated Contact



HN Male to HN Female

Brass Nickel Plated Body Silver Plated Contact Part # BM50447 Standard



HN Female to HN Male Right Angle

Brass Nickel Plated Body Gold Plated Contact



Gold Plated Contact

HN Male to HN Male


Brass Nickel Plated Body Gold Plated Contact

Part # BM50445 Standard



HN Male to HN Male Right Angle

Brass Nickel Plated Body Silver Plated Contact



HN Female to HN Female Brass Nickel Plated Body Silver Plated Contact

HN Female to HN Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact



HN "T" Female to Female to Female

Brass Nickel Plated Body Silver Plated Contact



HN "T" Female to Male to Female

Brass Nickel Plated Body Silver Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



RF & Microwave Adapters Part # BM50452 Standard

HN Female to BNC Male


Brass Nickel Plated Body


Gold Plated Contact

Part # BM50457 Standard

BNC Twinax Plug to BNC

Twinax Jack Right Angle





Part #

Black

Part # BM50451 Standard

Gold Plated Contact

BNC Male to Binding Post

Brass Nickel Plated Body

Nickel Plated Contact


Part # BM50471 Standard

LC Male to LC Male


Brass Nickel Plated Body

Silver Plated Contact

BM50476 Standard









LC Female to LC Female Brass Nickel Plated Body Silver Plated Contact




BNC Female to Binding

Brass Nickel Plated Body

Posts

Right Angle Brass Nickel Plated Body Silver Plated Contact





BNC Male to Binding Posts

Brass Nickel Plated Body


Gold Plated Contact


BNC Female to Single

Brass Nickel Plated Body **Gold Plated Contact**


Part # BM50470 Standard

Banana Plug Black







SHV Jack to SHV Plug Right Angle Brass Nickel Plated Body Gold Plated Contact



SHV Jack to SHV Jack Brass Nickel Plated Body Gold Plated Contact



HN Male to BNC Male Brass Nickel Plated Body Silver Plated Contact



Part # BM50453 Standard

HN Male to BNC Female

BNC Twinax "T" Jack to


Brass Nickel Plated Body


Brass Nickel Plated Body

Plug to Jack

Brass Nickel Plated Body

BNC Twinax "T" Jack to Jack to Jack Brass Nickel Plated Body Gold Plated Contacts








Brass Nickel Plated Body





Jack Bulkhead Mount. Hermetically Sealed Brass Nickel Plated Body Silver Plated Contact





Phone 949.756.1600 949.756.1601






SHV "T" Jack to Plug to Jack

> Brass Nickel Plated Body **Gold Plated Contact**



75 Ohm N Male to 75 Ohm N Female


> Brass Nickel Plated Body Gold Plated Contact



75 Ohm N Male to 75 Ohm N Female Right Angle


Brass Nickel Plated Body Gold Plated Contact

Part # BM50487 Standard



75 Ohm N Male to 75 Ohm N Male

Brass Nickel Plated Body Gold Plated Contact



75 Ohm N Female to 75 Ohm N Female

> Brass Nickel Plated Body Gold Plated Contact



75 Ohm N Female to 75 Ohm N Female Bulkhead Mount, Hermetically Sealed

Brass Nickel Plated Body Silver Plated Contact




75 Ohm N Female to 75 Ohm N Female Bulkhead Mount, Isolated Ground Brass Nickel Plated Body

Silver Plated Contact

75 Ohm SMB Jack to 75 Ohm N Male


Brass Nickel Plated Body Gold Plated Contact



75 Ohm SMB Plug to 75 Ohm N Female


Brass Nickel Plated Body

Gold Plated Contact



75 Ohm SMB Plug to 75 Ohm N Male

Brass Nickel Plated Body Gold Plated Contact



75 Ohm SMB Jack to 75 Ohm N Female

Brass Nickel Plated Body **Gold Plated Contact**



75 Ohm BNC Female to 75 Ohm N Male

Brass Nickel Plated Body **Gold Plated Contact**




75 Ohm BNC Male to 75 Ohm N Female

Brass Nickel Plated Body Gold Plated Contact




75 Ohm BNC Male to 75 Ohm N Male

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Female to 75 Ohm N Female

Brass Nickel Plated Body Gold Plated Contact




4.1/9.5 Din Male to 4.1/9.5 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



4.1/9.5 Din Female to 4.1/9.5 Din Female Low

Brass Tri-Metal Plated Body Silver Plated Contact



4.1/9.5 Din Male to 4.1/9.5 Din Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact




4.1/9.5 Din Male to N Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



4.1/9.5 Din Female to N Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact




4.1/9.5 Din Female to N Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



4.1/9.5 Din Male to N Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



75 Ohm SMB Jack to 75 Ohm SMB Jack

Brass Nickel Plated Body Gold Plated Contact



UMCX Jack to SMA Female Bulkhead

Brass Gold Plated Body Gold Plated Contact



BNC Male to SSMB Jack Brass Nickel Plated Body



BNC Female to SSMB

Brass Nickel Plated Body Gold Plated Contact



BNC Male to SSMB Plug Brass Nickel Plated Body Gold Plated Contact



BNC Female to SSMC Jack

Brass Nickel Plated Body Gold Plated Contact



BNC Male to 75 Ohm SMC Jack

Brass Nickel Plated Body Gold Plated Contact



BNC Female to 75 Ohm SMC Plug

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601








to Standard BNC Female

Part # BM50512 Standard Reverse Polarity BNC Male

Part # BM50513 Standard


Reverse Polarity BNC Female to Standard BNC Male

Brass Nickel Plated Body Gold Plated Contact



SMB Jack to SMC Plug Brass Gold Plated Body **Gold Plated Contact**


Gold Plated Contact



Brass Nickel Plated Body

Gold Plated Contact


SMB Plug to SMC Plug Brass Gold Plated Body Gold Plated Contact



Brass Nickel Plated Body


Gold Plated Contact

SMB Jack to SMC Jack Brass Gold Plated Body Gold Plated Contact



UHF Female to UHF Female

Brass Nickel Plated Body Gold Plated Contact



UHF Female to UHF Female Bulkhead Mount Brass Nickel Plated Body Gold Plated Contact



UHF Male to UHF Male Brass Nickel Plated Body **Gold Plated Contact**



UHF Female to UHF Male Right Angle

Brass Nickel Plated Body Gold Plated Contact




UHF "T" Female to Male to Female

Brass Nickel Plated Body **Gold Plated Contact**



UHF Male to F Female Brass Nickel Plated Body Gold Plated Contact



UHF Female to F Female Brass Nickel Plated Body Gold Plated Contact




BNC Male to 75 Ohm SMB Jack

Brass Nickel Plated Body **Gold Plated Contact**




BNC Female to 75 Ohm SMB Plug

Brass Nickel Plated Body **Gold Plated Contact**



BNC Male to 75 Ohm SMB

Brass Nickel Plated Body **Gold Plated Contact**



BNC Female to 75 Ohm SMB Jack

Brass Nickel Plated Body Gold Plated Contact



N Female to QN Male Brass Tri-Metal Plated Body Gold Plated Contact



N Male to QMA Female Brass Tri-Metal Plated Body **Gold Plated Contact**



N Male to QN Female Brass Tri-Metal Plated Body Gold Plated Contact



Reverse Polarity SMA Male to Reverse Polarity SMA Female

Passivated Stainless Steel Body Gold Plated Contact



Reverse Polarity SMA Male to Reverse Polarity SMA Female Right Angle

Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity SMA Male to Reversé Polarity SMA Male

Passivated Stainless Steel Body Gold Plated Contact



Female to Reverse Polarity SMA Female Passivated Stainless Steel Body




Reverse Polarity SMA Female to Reverse Polarity SMA Female Bulkhead Passivated Stainless Steel Body Gold Plated Contact




N Female to Mini UHF Male Brass Nickel Plated Body

Gold Plated Contact



N Male to Mini UHF Female

Brass Nickel Plated Body Gold Plated Contact



N Male to SMC Jack Brass Nickel Plated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601







N Female to SMC Plug Brass Nickel Plated Body **Gold Plated Contact**



N Male to SMC Plug Brass Nickel Plated Body Gold Plated Contact



F Male to UHF Female Brass Nickel Plated Body Gold Plated Contact




75 Ohm BNC Male to 75 Ohm BNC Male

Brass Nickel Plated Body Gold Plated Contact




75 Ohm BNC Male to 75 Ohm BNC Female Right Angle

Brass Nickel Plated Body Gold Plated Contact




75 Ohm BNC Female to 75 Ohm BNC Female Brass Nickel Plated Body

Gold Plated Contact



75 Ohm BNC Female to 75 Ohm BNC Female, Panel Mount

Brass Nickel Plated Body Gold Plated Contact




75 Ohm BNC Female to 75 Ohm BNC Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Female to 75 Ohm BNC Female Bulkhead Mount, Isolated Ground

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC "T" Female to Male to Female

Brass Nickel Plated Body Gold Plated Contact



Mini 75 Ohm SMB Jack to 75 Ohm BNC Male

Brass Nickel Plated Body **Gold Plated Contact**



Mini 75 Ohm SMB Plug to 75 Ohm BNC Female

Brass Nickel Plated Body Gold Plated Contact




Mini 75 Ohm SMB Plug to 75 Ohm BNC Male

Brass Nickel Plated Body Gold Plated Contact



Mini 75 Ohm SMB Jack to 75 Ohm BNC Female

Brass Nickel Plated Body Gold Plated Contact



N Female to MCX Jack Brass Nickel Plated Body Gold Plated Contact




N Male to MCX Plug

Brass Nickel Plated Body **Gold Plated Contact**




75 Ohm SMC Jack to 75 Ohm N Male

Brass Nickel Plated Body **Gold Plated Contact**



75 Ohm SMC Plug to 75 Ohm N Female

Brass Nickel Plated Body **Gold Plated Contact**



QMA Female to SMA Female Bulkhead

Brass Nickel Plated Body Gold Plated Contact



75 Ohm SMC Jack to 75 Ohm N Female

Brass Nickel Plated Body Gold Plated Contact



Mini 75 Ohm SMB Jack to 75 Ohm N Male

Brass Nickel Plated Body Gold Plated Contact




Mini 75 Ohm SMB Plug to 75 Ohm N Female

Brass Nickel Plated Body Gold Plated Contact



Mini 75 Ohm SMB Plug to 75 Ohm N Male

Brass Nickel Plated Body Gold Plated Contact



Mini 75 Ohm SMB Jack to 75 Ohm N Female

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Male to F Female, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Male to F Male, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel Plated Body Gold/Silver Plated Contact



75 Ohm BNC Female to F Female, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel Plated Body Gold Plated Contact



TNC Female to UHF Male Brass Nickel Plated Body Gold Plated Contact



TNC Male to UHF Female Brass Nickel Plated Body Gold Plated Contact

Part # BM50569 Standard

Reverse Polarity TNC Male to N Female

Brass Nickel Plated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601









N Female



Reverse Polarity N Female to Reverse Polárity N Female


Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity N Male to Reverse Polarity N Male Brass Nickel Plated Body Gold Plated Contact








SC Male to SC Female Right Angle Brass Nickel Plated Body Silver Plated Contact




Brass Nickel Plated Body

Gold Plated Contact

SC Male to SC Male Brass Nickel Plated Body Silver Plated Contact



SC Female to SC Female Brass Nickel Plated Body Silver Plated Contact




SC Female to SC Female **Bulkhead Mount** Brass Nickel Plated Body Silver Plated Contact




SC "T" Female to Male to

Female Brass Nickel Plated Body Silver Plated Contact



Reverse Polarity SMA Female to TNC Male Brass Nickel Plated Body Gold Plated Contact




Reverse Polarity SMA Male to TNC Female

Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity SMA Male to TNC Male


Brass Nickel Plated Body Gold Plated Contact




Reverse Polarity SMA Female to TNC Female Brass Nickel Plated Body Gold Plated Contact




MCX Plug to MCX Jack Brass Gold Plated Body **Gold Plated Contact**



MCX Jack to MCX Jack Brass Gold Plated Body **Gold Plated Contact**




MCX Jack to MCX Jack **Bulkhead Mount** Brass Gold Plated Body **Gold Plated Contact**




SC Male to BNC Female Brass Nickel Plated Body Silver Plated Contact



SC Male to BNC Male Brass Nickel Plated Body Silver Plated Contact




SC Female to BNC Female Brass Nickel Plated Body Gold Plated Contact




SMP Female to SMP Female, Max VSWR 1.50:1 @ 40 GHz

Beryllium Copper Gold Plated Gold Plated Contact




Mini UHF Female to Mini UHF Female

Brass Nickel Plated Body Gold Plated Contact



Mini UHF Male to Mini UHF Female Right Angle

Brass Nickel Plated Body Gold Plated Contact



Mini UHF "T" Female to Male to Female

Brass Nickel Plated Body Gold Plated Contact




Mini UHF "T" Female to Female to Female

Brass Nickel Plated Body Gold Plated Contact



SMA Female to BMA Jack, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Male to BMA Jack, Max VSWR 1.15:1 @18 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to BMA Plug, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



Bulkhead. Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body

Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601







Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601






4.1/9.5 Din Male to 7/16 Din Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



SMC "T" Jack to Jack to Jack

> Brass Gold Plated Body Gold Plated Contact



4.1/9.5 Din Male to 7/16 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact

4.1/9.5 Din Female to 7/16 Din Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact




4.1/9.5 Din Female to 7/16 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



75 Ohm SMC "T" Jack to Plug to Jack

Brass Nickel Plated Body Gold Plated Contact



BNC Male to 10-32 Female Brass Nickel Plated Body Gold Plated Contact


Part # BM50637 Standard

BNC Female to 10-32 Male Brass Nickel Plated Body Gold Plated Contact

Part # BM50638 Standard


BNC Female to 10-32 Male Bulkhead

Brass Nickel Plated Body Gold Plated Contact



BNC Female to 10-32 Female

Brass Nickel Plated Body Gold Plated Contact




BNC Female to 10-32 Female Bulkhead Mount

Brass Nickel Plated Body **Gold Plated Contact**



BNC Male to 10-32 Male Brass Nickel Plated Body **Gold Plated Contact**



N Female to F Male Brass Nickel Plated Body Gold Plated Contact



F Female to N Male Brass Nickel Plated Body Gold Plated Contact

Part # BM50644 Standard

SMA Female to QMA Male Brass Tri-Metal Plated Body Gold Plated Contact



TNC Female to TNC Female Panel Mount, Max VSWR 1.15:1 @ 18 GHz Passivated Stainless Steel Body **Gold Plated Contact**

BM50646 Standard Part #

BNC Male to MMCX Jack Brass Nickel Plated Body **Gold Plated Contact**



BNC Female to MMCX Jack

Brass Nickel Plated Body **Gold Plated Contact** Part # BM50652 Standard



N Female to NMO Mount Female Bulkhead

Brass Nickel Plated Body Gold Plated Contact




Mini UHF Male to UHF Female

Brass Nickel Plated Body Gold Plated Contact



Mini UHF Female to UHF Male

Brass Nickel Plated Body Gold Plated Contact



Mini 75 Ohm SMB Jack to Mini 75 Ohm SMB Plug Brass Gold Plated Body

Gold Plated Contact

Mini 75 Ohm SMB Jack to Mini 75 Ohm SMB Jack

Brass Gold Plated Body Gold Plated Contact




Mini 75 Ohm SMB Jack to Mini 75 Ohm SMB Jack Bulkhead

Brass Gold Plated Body Gold Plated Contact



Mini 75 Ohm SMB Plug to Mini 75 Ohm SMB Plug Brass Gold Plated Body Gold Plated Contact




BNC Male to Mini UHF Female

> Brass Nickel Plated Body Gold Plated Contact



BNC Female to Mini UHF Male


> Brass Nickel Plated Body Gold Plated Contact



BNC Female to SMC Plug Brass Nickel Plated Body Gold Plated Contact

Part # BM50658 Standard

BNC Male to SMC Jack Brass Nickel Plated Body Gold Plated Contact



BNC Male to SMC Plug Brass Nickel Plated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601







BNC Female to SMC Jack Brass Nickel Plated Body **Gold Plated Contact**




BNC Female Bulkhead Mount to SMC Jack Brass Nickel Plated Body Gold Plated Contact




MCX Plug to MMCX Jack Brass Nickel Plated Body Gold Plated Contact




MCX Jack to MMCX Plug Brass Nickel Plated Body Gold Plated Contact



MCX Plug to MMCX Plug Brass Nickel Plated Body Gold Plated Contact



MCX Jack to MMCX Jack Brass Nickel Plated Body Gold Plated Contact



Mini UHF Male to TNC Female

Brass Nickel Plated Body Gold Plated Contact



Mini UHF Female to TNC

Brass Nickel Plated Body Gold Plated Contact




10-32 Female to 10-32 Female

Brass Nickel Plated Body Gold Plated Contact



10-32 Female to 10-32 Female Bulkhead Mount Brass Nickel Plated Body Gold Plated Contact



SMB Jack to SMB Jack **Bulkhead Hermetically** Sealed

Brass Gold Plated Body **Gold Plated Contact**




Reverse Polarity BNC Female to Reverse Polarity **BNC Female Bulkhead** Mount

Brass Nickel Plated Body Gold Plated Contact



BNC Female to SMC Plug Bulkhead

Brass Nickel Plated Body **Gold Plated Contact**



TNC Male to N Female Radius Right Angle, Max VSWR 1.25:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



TNC Female to N Male Radius Right Angle, Max VSWR 1.25:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



Female Right Angle, Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body **Gold Plated Contact**



7/16 Din Male to SC Female Brass Nickel Plated Body **Gold Plated Contact**




7/16 Din Male to SC Male Brass Nickel Plated Body **Gold Plated Contact**




7/16 Din Female to SC Male


Brass Nickel Plated Body Gold Plated Contact



TPS Male to N Female Brass Silver Plated Body **Gold Plated Contact**



TPS Female to BNC Male Brass Gold Plated Body **Gold Plated Contact**



TPS Male to BNC Female Brass Gold Plated Body Gold Plated Contact

Part # BM50682 Standard

TNC Male to HN Male Brass Nickel Plated Body Silver Plated Contact




75 Ohm N Male to 50 Ohm N Female

Brass Nickel Plated Body Gold Plated Contact



75 Ohm N Female to 50 Ohm N Male

Brass Nickel Plated Body Gold Plated Contact




C Male to SMA Female Brass Nickel Plated Body Gold Plated Contact



SMA Female to SMA Female Right Angle, Panel Mount

Passivated Stainless Steel Body Gold Plated Contact



Reverse Polarity SMA Male to Reverse Polarity TNC Female

Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity SMA Female to Reverse Polarity TNC Male

Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity SMA Male to Reversé Polarity **TNC Male**

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





Reverse Polarity SMA Female to Reverse Polarity **TNC Female**

Brass Nickel Plated Body **Gold Plated Contact**



Reverse Polarity TNC Female to Standard TNC Male

> Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity TNC Male to Standard TNC Female Brass Nickel Plated Body

Gold Plated Contact




Reverse Polarity TNC Male to Reverse Polarity TNC Female Right Angle

Brass Nickel Plated Body Gold Plated Contact



N Male to GR874 Brass Nickel Plated Body Gold Plated/Nickel Plated Contact




N Female to GR874 Brass Nickel Plated Body Gold Plated/Nickel Plated Contact



N Female to N Female Bulkhead Right Angle, Hermetically Sealed Brass Nickel Plated Body

Gold Plated Contact




BNC Female to GR874 Brass Nickel Plated Body Silver Plated/Nickel Plated Contact




BNC Male to GR874 Brass Nickel Plated Body Silver Plated/Nickel Plated Contact




N Male to N Male Radius Right Angle, Max VSWR 1.25:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



N Female to N Female Radius Right Angle, Max VSWR 1.30:1 @ 18 GHz Passivated Stainless Steel Body **Gold Plated Contact**





BNC Male to TNC Female Right Angle

Brass Nickel Plated Body **Gold Plated Contact**



HN Female to GR874 Brass Nickel Plated Body Gold Plated/Nickel Plated Contact



75 Ohm N Male to F Female Brass Nickel Plated Body

Gold Plated Contact



75 Ohm N Male to F Female, Max VSWR 1.30:1 @ 3 GHz

Passivated/Nickel Plated Body Gold/Nickel Plated Contact



75 Ohm N Female to F Brass Nickel Plated Body

Gold Plated Contact



75 Ohm N Female to F Male, Max VSWR 1.30:1 @ 3 GHz

Passivated/Nickel Plated Body Gold/Nickel Plated Contact



75 Ohm N Female to F Female, Max VSWR 1.30:1 @ 3 GHz

Passivated/Nickel Plated Body Gold/Nickel Plated Contact



SMC "T" Jack to Jack to Plug

Brass Gold Plated Body Gold Plated Contact



SMA Female to BMA Jack, 2 Hole Panel Mount, Max VSWR 1.20:1 @ 22 GHz Passivated Stainless Steel Body **Gold Plated Contact**



SMA Female to SMA Female Bulkhead Right Angle, Hermetically Sealed Stainless Steel Gold Plated Body Gold Plated Contact

Part # BM50711 Standard


C Male to BNC Female Brass Nickel Plated Body Gold Plated Contact




C Female to BNC Male Brass Nickel Plated Body Silver Plated Contact

Part # BM50713 Standard

MMBX Plug to MMBX Plug Bronze Gold Plated Body Gold Plated Contact



C Female to BNC Female Brass Nickel Plated Body Gold Plated Contact



C Female to BNC Female **Bulkhead Mount** Brass Nickel Plated Body

BM50716 Standard

C Male to HN Female Brass Nickel Plated Body Silver Plated Contact



C Female to HN Male Brass Nickel Plated Body Silver Plated Contact



C Male to HN Male Brass Nickel Plated Body Silver Plated Contact



SMP Female to SMP Female, Max VSWR 1.40:1 @ 26.5 GHz

Beryllium Copper Gold Plated Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601






N Male to SC Female, Max VSWR 1.25:1 @ 11 GHz Passivated Stainless Steel Body Silver Plated Contact



SC Male to N Female, Max VSWR 1.25:1 @ 11 GHz Passivated Stainless Steel Body Silver Plated Contact




SC Male to N Male, Max VSWR 1.25:1 @ 11 GHz Passivated Stainless Steel Body Gold Plated Contact



SMP Female to SMP Female, Max VSWR 1.10:1 @ 12 GHz

Beryllium Copper Gold Plated Gold Plated Contact




SMP Male Limited Detent to SMA Male, Max VSWR 1.20:1 @ 18 GHz Pass SS/BeCu Au Plated Body

Gold Plated Contact




SMA Female to SMP Female, Max VSWR 1.45:1 @ 26.5 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact



75 Ohm BNC Female to F Male, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel Plated Body Gold/Nickel Plated Contact




SC Female to SC Female, Max VSWR 1.25:1 @ 11 GHz

Passivated Stainless Steel Body Gold Plated Contact



SC Female to N Female, Max VSWR 1.25:1 @ 11 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMP Female to SMA Female, Max VSWR 1.20:1 @ 18 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact



N Female to TNC Female Bulkhead with Hardware on N Side

Brass Nickel Plated Body **Gold Plated Contact**



SSMA Female to BNC Female

Brass Nickel/Passivated Body Gold Plated Contact




N Female to N Female Bulkhead, Hermetically Sealed, 2.75" Max Panel

Brass Nickel Plated Body Gold Plated Contact



BNC Male to BNC Female, Max VSWR 1.25:1 @ 8 GH₂


Brass Nickel Plated Body Gold Plated Contact



BNC Female to BNC Female, Max VSWR 1.25:1 @ 8 GHz


Brass Nickel Plated Body Gold Plated Contact


Part # BM50735 Precision



BNC Male to BNC Male, Max VSWR 1.25:1 @ 8 GHz

Brass Nickel Plated Body **Gold Plated Contact**





SMA Male to SSMC Jack Stainless Steel Gold Plated Body **Gold Plated Contact**

Part # BM50737 Standard



UHF Male to N Female Right Angle

Brass Nickel Plated Body **Gold Plated Contact**


Part # BM50738 Standard



UHF Female to N Male Right Angle

Brass Nickel Plated Body Gold Plated Contact

Part # BM50739 Standard



BNC Male to Phono Jack Right Angle

Brass Nickel Plated Body **Gold Plated Contact**


Part # BM50740 Standard



BNC Female to Phono Plug Right Angle

Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50741 Precision



75 Ohm BNC Male to 75 Ohm BNC Female, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel Plated Body Gold Plated Contact

Part # BM50742 Precision



75 Ohm BNC Male to 75 Ohm BNC Male, Max VSWR 1.30:1 @ 3 GHz

> Brass Nickel Plated Body Gold Plated Contact

Part # BM50743 Precision



75 Ohm BNC Female to 75 Ohm BNC Female, Max VSWR 1.30:1 @ 3 GHz

Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Male to 75 Ohm N Male, Max VSWR 1.30:1 @ 3 GHz

Passivated/Nickel Plated Body Gold Plated Contact


Part # BM50745 Precision



75 Ohm BNC Female to 75 Ohm N Male, Max VSWR 1.30:1 @ 3 GHz


Passivated/Nickel Plated Body Gold Plated Contact





75 Ohm BNC Male to 75 Ohm N Female, Max VSWR 1.30:1 @ 3 GHz Passivated/Nickel Plated Body Gold Plated Contact

Part # BM50747 Precision



75 Ohm BNC Female to 75 Ohm N Female, Max VSWR 1.30:1 @ 3 GHz Passivated/Nickel Plated Body


Gold Plated Contact

Part # BM50748 Precision



75 Ohm N Male to 75 Ohm N Female, Max VSWR 1.30:1 @ 3 GHz

Passivated Stainless Steel Body Gold Plated Contact



75 Ohm N Female to 75 Ohm N Female, Max VSWR 1.30:1 @ 3 GHz Passivated Stainless Steel Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601





75 Ohm N Male to 75 Ohm N Male, Max VSWR 1.30:1 @ 3 GHz

Passivated Stainless Steel Body Gold Plated Contact



4.1/9.5 Din Male to 7/16 Din Female

Brass Tri-Metal Plated Body Gold Plated Contact



4.1/9.5 Din Male to 7/16 Din Male

Brass Tri-Metal Plated Body Gold Plated Contact




4.1/9.5 Din Female to 7/16 Din Male

Brass Tri-Metal Plated Body Gold Plated Contact




4.1/9.5 Din Female to 7/16 Din Female

Brass Tri-Metal Plated Body Gold Plated Contact



4.1/9.5 Din Male to N Female

Brass Tri-Metal Plated Body Gold Plated Contact




4.1/9.5 Din Male to N Male Brass Tri-Metal Plated Body Gold Plated Contact



4.1/9.5 Din Female to N Male

Brass Tri-Metal Plated Body Gold Plated Contact



4.1/9.5 Din Female to N Female

Brass Tri-Metal Plated Body Gold Plated Contact



4.1/9.5 Din Male to 4.1/9.5 Din Female Right Angle Brass Tri-Metal Plated Body

Gold Plated Contact




4.1/9.5 Din "T" Female to Male to Female

Brass Tri-Metal Plated Body Gold Plated Contact



4.1/9.5 Din "T" Female to Female to Female


Brass Tri-Metal Plated Body **Gold Plated Contact**




QMA Female to N Female Brass Tri-Metal Plated Body Gold Plated Contact




QMA Male to N Male Brass Tri-Metal Plated Body Gold Plated Contact



QMA Male to N Female Brass Tri-Metal Plated Body Gold Plated Contact



QMA Female to SMA Male Brass Tri-Metal Plated Body **Gold Plated Contact**



QMA Male to SMA Male Brass Tri-Metal Plated Body Gold Plated Contact



QMA Female to SMA Female

Brass Tri-Metal Plated Body **Gold Plated Contact**




QN Female to N Female Brass Tri-Metal Plated Body **Gold Plated Contact**



QN Male to N Male Brass Tri-Metal Plated Body Gold Plated Contact



QMA Male to QMA Male Brass Tri-Metal Plated Body Gold Plated Contact




QMA Male to QMA Female Brass Tri-Metal Plated Body Gold Plated Contact



QMA Male to QMA Female Right Angle

Brass Tri-Metal Plated Body Gold Plated Contact



QMA Female to QMA Female

Brass Tri-Metal Plated Body Gold Plated Contact



7/16 Din Male to SMA Female Low PIM

Brass Albaloy Plated Body Gold Plated Contact



SMA Male to 7/16 Din Female Low PIM

Brass Albaloy Plated Body Gold Plated Contact




SMA Male to 7/16 Din Male Low PIM

Brass Albaloy Plated Body Gold Plated Contact




SMA Female to 7/16 Din Female Low PIM

Brass Albaloy Plated Body Gold Plated Contact



N Male to N Male Low PIM Brass Albaloy Plated Body Silver Plated Contact



N Female to N Female Low PIM

Brass Albaloy Plated Body Silver Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601






N Male to N Female Low

Brass Albaloy Plated Body Silver Plated Contact




N Male to 7/16 Din Female Low PIM

Brass Albaloy Plated Body Silver Plated Contact




N Female to 7/16 Din Male Low PIM

Brass Albaloy Plated Body Silver Plated Contact



N Female to 7/16 Din Female Low PIM

Brass Albaloy Plated Body Silver Plated Contact



N Male to 7/16 Din Male Low PIM

Brass Albaloy Plated Body Silver Plated Contact



7/16 Din Male to 7/16 Din Male Low PIM

Brass Albaloy Plated Body Silver Plated Contact



7/16 Din Male to 7/16 Din Female Low PIM

Brass Albaloy Plated Body Silver Plated Contact



7/16 Din Female to 7/16 Din Female Low PIM

Brass Albaloy Plated Body Silver Plated Contact



7/16 Din Female to 7/16 Din Female Bulkhead Low

Brass Albaloy Plated Body Silver Plated Contact



BNC Right Angle "Y" Female to Male to Female Brass Nickel Plated Body




SMA Female to SMA Female Bulkhead

Stainless Steel Gold Plated Body **Gold Plated Contact**




SMA Male to 2.92mm Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body **Gold Plated Contact**



SMA Male to 2.92mm Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to 2.92mm Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact




SMA Female to 2.92mm Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50795 Precision

SMA Female to N Male Radius Right Angle, Max VSWR 1.25:1 @ 18 GHz


Passivated Stainless Steel Body **Gold Plated Contact**





SMB Jack to N Female Bulkhead


Brass Nickel Plated Body **Gold Plated Contact**





SMA Male to MCX Jack Right Angle


Brass Gold Plated Body **Gold Plated Contact**





SMA Female to MCX Plug Right Angle

Brass Gold Plated Body Gold Plated Contact






SMA Female to MMCX Plug Right Angle

Brass Gold Plated Body **Gold Plated Contact**


Part # BM50800 Standard



Reverse Polarity BNC Male to Reverse Polarity BNC Female Right Angle

Brass Nickel Plated Body Gold Plated Contact

BM50801 Standard Part



Reverse Polarity BNC Female to Reverse Polarity **BNC Female**

Brass Nickel Plated Body Gold Plated Contact

Part # BM50802 Standard



Reverse Polarity BNC Male to Reversé Polarity **BNC Male**

Brass Nickel Plated Body Gold Plated Contact

Part # BM50803 Standard



Reverse Polarity BNC "T" Female to Male to Female

Brass Nickel Plated Body Gold Plated Contact



Reverse Polarity BNC "T" Female to Female to Female

> Brass Nickel Plated Body Gold Plated Contact

Part # BM50805 Standard



N Female to 7/16 Din Female Panel Mount Brass Nickel Plated Body

Part # BM50806 Standard



PAL Female to SMB Jack Brass Nickel Plated Body Gold Plated Contact



PAL Female to SMB Plug Brass Nickel Plated Body Gold Plated Contact



CRC9 Male to Reverse Polarity SMA Female Brass Nickel Plated Body Gold Plated Contact



CRC9 Male to SMA Female

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601





RF & Microwave Adapters Part # BM50812 Standard

Part # BM50813 Standard

Part # BM50814 Precision












Phone 949.756.1600 949.756.1601






1.0mm Female to 1.85mm Female, Max VSWR 1.25:1 @ 65 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to GMS Plug, 2 Hole Panel Mount, Max VSWR 1.20:1 @ 23 GHz Passivated Stainless Steel Body

Gold Plated Contact



Reverse Thread TNC Male to SMA Female

Brass Nickel Plated Body Gold Plated Contact



Reverse Thread TNC Male to N Female


Brass Nickel Plated Body Gold Plated Contact




HN Male to SHV Jack Brass Nickel Plated Body Gold Plated Contact



HN Male to SHV Plug Brass Nickel Plated Body Gold Plated Contact



HN Female to SHV Plug Brass Nickel Plated Body Gold Plated Contact



HN Female to SHV Jack Brass Nickel Plated Body Gold Plated Contact



2.4mm Female NMD to 2.92mm Female, Max VSWR 1.25:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female NMD to 2.4mm Male, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female NMD to 2.4mm Female, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50851 Precision

3.5mm Female NMD to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50852 Precision

3.5mm Female NMD to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female NMD to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Female NMD to SMA Female, Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body

Gold Plated Contact



3.5mm Female NMD to 3.5mm Male, Max VSWR 1.20:1 @ 34.5 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50856 Precision



3.5mm Female NMD to 3.5mm Female, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50857 Precision




3.5mm Female NMD to 2.92mm Male, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50858 Precision



3.5mm Female NMD to 2.92mm Female, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50859 Precision



2.92mm Female NMD to 2.4mm Male, Max VSWR 1.25:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50860 Precision



2.92mm Female NMD to 2.4mm Female, Max VSWR 1.25:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50861 Precision



2.92mm Female NMD to 2.92mm Female. Max VSWR 1.25:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact


Part # BM50862 Precision



2.92mm Female NMD to 2.92mm Male. Max VSWR 1.25:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50863 Precision



2.92mm Female NMD to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50864 Precision

2.92mm Female NMD to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50865 Precision



2.92mm Female NMD to SMA Male. Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body Part # BM50866 Precision



2.92mm Female NMD to SMA Female, Max VSWR 1.20: 1 @ 27 GHz Passivated Stainless Steel Body

Gold Plated Contact

Part # BM50867 Precision



2.92mm Female NMD to 3.5mm Male, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body

Gold Plated Contact

Part # BM50868 Precision



2.92mm Female NMD to 3.5mm Female, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50869 Precision

2.4mm Female NMD to 2.4mm Male. Max VSWR 1.30:1 @ 50 GHz

Passivated Stainless Steel Body Gold Plated Contact

Gold Plated Contact

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601





2.4mm Female NMD to 2.4mm Female, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body

Gold Plated Contact



2.4mm Female NMD to N Male, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.4mm Female NMD to N Female, Max VSWR 1.15:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.4mm Female NMD to SMA Male, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact Part # BM50878 Precision



2.4mm Female NMD to SMA Female, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.4mm Female NMD to 3.5mm Male, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50876 Precision

2.4mm Female NMD to 3.5mm Female, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Part # BM50877 Precision


2.4mm Female NMD to 2.92mm Male, Max VSWR 1.25:1 @ 40 GHz Passivated Stainless Steel Body

3.5mm Male NMD to 3.5mm Female NMD, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50879 Precision

2.4mm Male NMD to 3.5mm Female NMD, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50884 Standard





2.4mm Male NMD to 2.4mm Male NMD, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Gold Plated Contact Part # BM50881 Precision



2.4mm Male NMD to 2.4mm Female NMD, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

Gold Plated Contact Part # BM50882 Precision



2.4mm Female NMD to 3.5mm Male NMD, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50883 Precision



3.5mm Male to 3.5mm Male NMD, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

FME Jack to SMA Male Brass Nickel Plated Body

Part # BM50885 Standard



FME Plug to SMA Male Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50886 Standard



FME Plug to SMA Female Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50887 Standard



FME Jack to SMA Female Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50888 Standard



FME Plug to N Male Brass Nickel Plated Body Gold Plated Contact

Gold Plated Contact Part # BM50889 Standard



FME Jack to BNC Male Brass Nickel Plated Body Gold Plated Contact

Part # BM50890 Standard



FME Plug to BNC Male Brass Nickel Plated Body Gold Plated Contact

Part # BM50891 Standard




FME Jack to BNC Female Brass Nickel Plated Body Gold Plated Contact

Part # BM50892 Standard



FME Plug to BNC Female Brass Nickel Plated Body Gold Plated Contact

Part # BM50893 Standard



BNC Male to BNC Female, 45 Degree

Brass Nickel Plated Body Gold Plated Contact

Part # BM50894 Standard

TNC Male to TNC Female. 45 Degree

Brass Nickel Plated Body Gold Plated Contact

BM50895 Standard



SMA Male to SMA Female. 45 Degree

Brass Nickel Plated Body Gold Plated Contact

Part # BM50896 Standard



N Male to N Female, 45 Degree

Brass Nickel Plated Body Gold Plated Contact

Part # BM50897 Standard

7/16 Din Male to 4.3/10 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact

Part # BM50898 Standard



7/16 Din Male to 4.3/10 Din Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



7/16 Din Female to 4.3/10 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





7/16 Din Female to 4.3/10 Din Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact



N Male to 4.3/10 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact




N Male to 4.3/10 Din Male I ow PIM

Brass Tri-Metal Plated Body Silver Plated Contact




N Female to 4.3/10 Din Female Low PIM


Brass Tri-Metal Plated Body Silver Plated Contact



N Female to 4.3/10 Din Male Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact





4.3/10 Din Male to 4.3/10 Din Female Right Angle Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact





4.3/10 Din Female to 4.3/10 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact

Part # BM50907 Standard

4.3/10 Din Female to 4.3/10 Din Female **Bulkhead Low PIM**

Brass Tri-Metal Plated Body Silver Plated Contact

Part # BM50908 Standard



4.3/10 Din Male to SMA Female Low PIM Brass Tri-Metal Plated Body

Silver Plated Contact

Part # BM50909 Standard

SMA Male to 4.3/10 Din Female Low PIM

Brass Tri-Metal Plated Body Silver Plated Contact

Part # BM50910 Precision




SMA Female to TNC Female Right Angle, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body Part # BM50911 Precision



SMA Female to TNC Male Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact


Part # BM50912 Precision



SMA Male to TNC Female Right Angle, Max VSWR 1.20: 1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50913 Precision



SMA Male to TNC Male Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact


Part # BM50914 Precision



TNC Male to TNC Female Right Angle, Max VSWR 1.Ž0: 1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Gold Plated Contact Part # BM50915 Precision



TNC Female to TNC Female Right Angle, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body Part # BM50916 Precision



TNC Male to TNC Male Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body **Gold Plated Contact**


Part # BM50917 Precision



SMA Male to N Male Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body **Gold Plated Contact**


Part # BM50918 Precision



SMA Male to N Female Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact


Part # BM50919 Precision



SMA Female to N Male Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body **Gold Plated Contact**


Gold Plated Contact Part # BM50920 Precision



SMA Female to N Female Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50921 Precision



N Male to N Female Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact


Part # BM50922 Precision



N Male to N Male Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50923 Precision



N Female to N Female Right Angle, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50924 Precision




SMA Male to 2.92mm Male Right Angle, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50925 Precision




SMA Male to 2.92mm Female Right Angle, Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body Part # BM50926 Precision



SMA Female to 2.92mm Male Right Angle, Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50927 Precision



SMA Female to 2.92mm Female Right Angle, Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50928 Precision



SMA Female to SMA Female Rotary Joint, Max VSWR 1.40:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50929 Precision



SMA Female to SMA Female Panel Mount, Max VSWR 1.40:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601





SMA Male to SMA Female Rotary Multi-Directional, Max VSWR 1.30:1 @ 6

Brass Gold Plated Body **Gold Plated Contact**



SMA Male to SMA Male Rotary Multi-Directional, Max VSWR 1.30:1 @ 6 GH₂

> Brass Gold Plated Body Gold Plated Contact




SMA Female to SMA Female Rotary Multi-Directional, Max VSWR 1.30:1 @ 6 GHz

Brass Gold Plated Body Gold Plated Contact



LC Male to N Female Right Angle


Brass Nickel Plated Body Silver Plated Contact



BNC Triax Male to BNC Triax Female Right Angle, 3 Lugs


Brass Nickel Plated Body Gold Plated Contact Part # BM50939 Standard





BNC Triax Female to BNC Triax Female Bulkhead, 3 Luas

Brass Nickel Plated Body Gold Plated Contact





2.4mm Female NMD to 2.4mm Female NMD, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50937 Precision



2.4mm Male NMD to 2.4mm Female, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50938 Precision



2.4mm Male NMD to 2.4mm Male, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

SMA Male Slide On to SMA Female Bulkhead

Part # BM50940 Standard



10-32 Female to SMA Male Stainless Steel Gold Plated Body **Gold Plated Contact**

Part # BM50941 Standard



10-32 Male to SMA Female Stainless Steel Gold Plated Body Gold Plated Contact

Part # BM50942 Standard



10-32 Female to SMB Plug Stainless Steel Gold Plated Body Gold Plated Contact

Part # BM50943 Standard



TPS Female to TNC Male Brass Gold Plated Body Gold Plated Contact

Gold Plated Contact Part # BM50944 Standard

Passivated Stainless Steel Body



TPS Male to TNC Female Brass Gold Plated Body Gold Plated Contact

Part # BM50945 Standard



BNC Female to SSMC Plug


Brass Nickel Plated Body **Gold Plated Contact**

Part # BM50946 Precision




1.85mm Male to 2.4mm Male Right Angle, Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50947 Precision




1.85mm Female to 2.4mm Male Right Angle, Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50948 Precision



1.85mm Female to 2.4mm Female Right Angle, Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50949 Precision




1.85mm Male to 2.4mm Female Right Angle, Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50950 Precision




2.4mm Male to 2.4mm Male Right Angle, Max VSWR 1.35:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50951 Precision




2.4mm Female to 2.4mm Female Right Angle, Max VSWR 1.35:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50952 Precision




2.92mm Male to 3.5mm Male Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50953 Precision



2.92mm Female to 3.5mm Male Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50954 Precision



2.92mm Female to 3.5mm Female Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50955 Precision




2.92mm Male to 3.5mm Female Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50956 Precision




2.92mm Male to 2.4mm Male Right Angle, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50957 Precision




2.92mm Female to 2.4mm Male Right Angle, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50958 Precision



2.92mm Female to 2.4mm Female Right Angle, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50959 Precision



2.92mm Male to 2.4mm Female Right Angle, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601







2.92mm Male to 1.85mm Male Right Angle, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50961 Precision

2.92mm Female to 1.85mm Male Right Angle, Max VSWR 1.30:1 @ 40

Passivated Stainless Steel Body Gold Plated Contact




2.92mm Female to 1.85mm Female Right Angle, Max VSWR 1.30:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact



2.92mm Male to 1.85mm Female Right Angle, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact




3.5mm Male to 3.5mm Male Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50965 Precision



3.5mm Male to 3.5mm Female Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50966 Precision



3.5mm Female to 3.5mm Female Right Angle, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50967 Standard




N Male Slide On to SMA Female

Brass Nickel Plated Body Gold Plated Contact



SMA Male Slide On to N Female

Brass Nickel Plated Body Gold Plated Contact



TNC Female to TPS Female

Brass Nickel Plated Body Gold Plated Contact


Part # BM50970 Precision



SMA Male to Mini SMP Female, Max VSWR 1.20:1 @ 18 GHz

Pass SS/BeCu Au Plated Body **Gold Plated Contact**

Part # BM50971 Precision



SMA Female to Mini SMP Female, Max VSWR 1.20:1 @ 18 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact

Part # BM50972 Precision



SMA Female to Mini SMP Male Full Detent, Max VSWR 1.20:1 @ 18 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50973 Precision



SMA Male to Mini SMP Male Full Detent, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50974 Precision

SMA Male to Mini SMP Male Smooth Bore, Max

VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50975 Precision



SMA Female to Mini SMP Male Smooth Bore, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body

Part # BM50976 Precision



2.92mm Male to Mini SMP Female, Max VSWR 1.30:1 @ 40 GHz

Pass SS/BeCu Au Plated Body **Gold Plated Contact**


Part # BM50977 Precision



2.92mm Female to Mini SMP Female, Max VSWR .30:1 @ 40 GHz


Pass SS/BeCu Au Plated Body **Gold Plated Contact**

BM50978 Precision Part




2.92mm Male to Mini SMP Male Full Detent, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM50979 Precision




2.92mm Female to Mini SMP Male Full Detent, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**

Gold Plated Contact Part # BM50980 Precision



2.92mm Male to Mini SMP Male Smooth Bore. Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM50981 Precision



2.92mm Female to Mini SMP Male Smooth Bore, Max VSWR 1.30:1 @ 40 GH₂

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50982 Precision



2.4mm Male to Mini SMP Female, Max VSWR 1.40:1 @ 50 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact

Part # BM50983 Precision



2.4mm Female to Mini SMP Female, Max VSWR 1.40:1 @ 50 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact

Part # BM50984 Precision


2.4mm Male to Mini SMP Male Full Detent. Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body

Part # BM50985 Precision




2.4mm Female to Mini SMP Male Full Detent. Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact

BM50986 Precision Part



2.4mm Male to Mini SMP Male Smooth Bore, Max VSWR 1.40:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact


Part # BM50987 Precision



2.4mm Female to Mini SMP Male Smooth Bore, Max VSWR 1.40:1 @ 50 GHz

Passivated Stainless Steel Body Gold Plated Contact

Part # BM50988 Precision



1.85mm Male to Mini SMP Female, Max VSWR 1.50:1 @ 65 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact

Part # BM50989 Precision

Gold Plated Contact

1.85mm Female to Mini SMP Female, Max VSWR 1.50:1 @ 65 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601






1.85mm Male to Mini SMP Male Full Detent, Max VSWR 1.50:1 @ 65 GHz Pass SS/BeCu Au Plated Body **Gold Plated Contact**



1.85mm Female to Mini SMP Male Full Detent, Max VSWR 1.50:1 @ 65 GHz Pass SS/BeCu Au Plated Body Gold Plated Contact




1.85mm Male to Mini SMP Male Smooth Bore, Max VSWR 1.50:1 @ 65 GHz Pass SS/BeCu Au Plated Body Gold Plated Contact



1.85mm Female to Mini SMP Male Smooth Bore, Max VSWR 1.50:1 @ 65

Pass SS/BeCu Au Plated Body Gold Plated Contact



2.92mm Male to SMP Female, Max VSWR 1.30:1 @ 40 GHz Pass SS/BeCu Au Plated Body

Gold Plated Contact




2.92mm Female to SMP Female, Max VSWR 1.30:1 @ 40 GHz


Pass SS/BeCu Au Plated Body Gold Plated Contact



2.92mm Male to SMP Male Full Detent, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact




2.92mm Female to SMP Male Full Detent, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact



2.92mm Male to SMP Male Limited Detent, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body

Male Limited Detent, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact Gold Plated Contact




2.92mm Female to SMP

Part # BM51000 Precision




2.92mm Male to SMP Male Smooth Bore, Max VSWR 1.30:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact




2.92mm Female to SMP Male Smooth Bore, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact




SMP Female to 2.4mm Male, Max VSWR 1.30:1 @ 40 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact



SMP Female to 2.4mm Female, Max VSWR 1.30:1 @ 40 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact




SMP Male Full Detent to 2.4mm Male, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body

Gold Plated Contact

Part # BM51005 Precision

SMP Male Full Detent to 2.4mm Female, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**





SMP Male Limited Detent to 2.4mm Male, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**



SMP Male Limited Detent to 2.4mm Female, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body Gold Plated Contact



SMP Male Smooth Bore to 2.4mm Male, Max VSWR 1.30:1 @ 40 GHz


Passivated Stainless Steel Body Gold Plated Contact


Part # BM51009 Precision

SMP Male Smooth Bore to 2.4mm Female, Max VSWR 1.30:1 @ 40 GHz Passivated Stainless Steel Body **Gold Plated Contact**




SMA Male to SMP Male Full Detent. Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body Gold Plated Contact





SMA Female to SMP Male Full Detent. Max VSWR 1.20:1 @ 27 GHz Passivated Stainless Steel Body

Gold Plated Contact




SMA Male to SMP Male Limited Detent. Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMP Male Limited Detent. Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact




SMA Male to SMP Male Smooth Bore, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMP Male Smooth Bore, Max VSWR 1.20:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMP Male Full Detent 2 Hole Panel Mount, Max VSWR 1,25:1 @ 27 GHz

10

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMP Male Limited Detent 2 Hole Panel Mount, Max VSWR 1.25:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMA Female to SMP Male Smooth Bore 2 Hole Panel Mount, Max VSWR 1,25:1 @ 27 GHz

Passivated Stainless Steel Body Gold Plated Contact



3.5mm Male NMD to 3.5mm Female, Max VSWR 1.25:1 @ 34.5 GHz Passivated Stainless Steel Body Gold Plated Contact




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601






75 Ohm SMC Jack to 75 Ohm SMC Jack

Brass Nickel Plated Body **Gold Plated Contact**




75 Ohm SMC Jack Bulkhead to 75 Ohm SMC Jack

Brass Nickel Plated Body Gold Plated Contact



BMB Jack to SMA Female Pass SS/Brass Gold Plated Body Gold Plated Contact




SMP Male Smooth Bore to SMP Male Full Detent 2 Hole Panel Mount, Max VSWR 1.30:1 @ 40 GHz

Passivated Stainless Steel Body Gold Plated Contact



SMP Male Limited Detent to SMA Male 2 Hole Panel Mount, Max VSWR 1.25:1 @ 26.5 GHz

Pass SS/BeCu Au Plated Body Gold Plated Contact





2.4mm Female to 2.4mm Female Panel Mount, Max VSWR 1.30:1 @ 50 GHz Passivated Stainless Steel Body Gold Plated Contact




75 Ohm N Female to 75 Ohm N Male Quick Disconnect

Brass Nickel Plated Body Gold Plated Contact



N "T" Male to Female to Male

Brass Nickel Plated Body Silver Plated Contact



75 Ohm N Female to 75 Ohm SMA Female **Bulkhead Mount**

Brass Nickel Plated Body Gold Plated Contact



BNC Triax Male to BNC Female


Brass Nickel Plated Body Gold Plated Contact

Part # BM51030 Precision



TNC Male to ZMA Jack 4 Lug, Max VSWR 1.15:1 @ 12.4 GHz


Passivated Stainless Steel Body **Gold Plated Contact**





N Female to N Female **Bulkhead Mount**


Brass Nickel Plated Body Gold Plated Contact





75 Ohm BNC "Y" Male to Female to Male

Brass Nickel Plated Body Gold Plated Contact





N Female Panel Mount to SMB Jack

Brass Nickel Plated Body Gold Plated Contact

Part # BM51034 Precision

3.5mm Male Slide On to 3.5mm Female Bulkhead Mount

BeCu Au Plated Body Gold Plated Contact

Part # BM51035 Standard



HN Female to HN Female Bulkhead Mount, Hermetically Sealed

Passivated Stainless Steel Body **Gold Plated Contact**

Part # BM51036 Precision



SMA Female to SMA Female Panel Mount, Max VSWR 1.20:1 @ 26.5 GHz Stainless Steel Plated Body

Part # BM51037 Standard



7/8" EIA to N Female Brass Nickel Plated Body Silver Plated Contact

Part # BM51038 Standard



7/8" FIA to N Male Brass Nickel Plated Body Silver Plated Contact

Part # BM51039 Standard

7/8" EIA to 7/16 DIN Female

Brass Nickel Plated Body Silver Plated Contact

Part # BM51040 Standard



7/8" EIA to 7/16 DIN Male Brass Nickel Plated Body

Gold Plated Contact Part # BM51041 Standard



1 5/8" EIA to N Female Brass Nickel Plated Body Silver Plated Contact

Part # BM51042 Standard



1 5/8" EIA to N Male Brass Nickel Plated Body Silver Plated Contact

Part # BM51043 Standard




1 5/8" EIA to 7/16 DIN Female

Brass Nickel Plated Body Silver Plated Contact

Part # BM51044 Standard


1 5/8" EIA to 7/16 DIN Male Brass Nickel Plated Body

Silver Plated Contact Part # BM51045 Standard



1 5/8" EIA to 7/8" EIA Brass Nickel Plated Body Silver Plated Contact

Part # BM51046 Standard



7/8" EIA to 7/8" EIA Right Angle

Brass Nickel Plated Body Silver Plated Contact



3 1/8" EIA to 7/8" EIA Brass Nickel Plated Body Silver Plated Contact

Part # BM51048 Standard



3 1/8" EIA to 1 5/8" EIA Brass Nickel Plated Body Silver Plated Contact



Silver Plated Contact Part # BM51049 Standard







75 Ohm BNC Male to Micro BNC Female

Brass Nickel Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601





75 Ohm BNC Female Bulkhead Isolated Ground to Micro BNC Female Brass Nickel Plated/PBT Body Gold Plated Contact



Micro BNC Female to Micro BNC Female Bulkhead Isolated Ground Brass Nickel Plated Body Part # BM51052 Standard

1.0/2.3 Plug to 75 Ohm BNC Female

Brass Nickel Plated Body Gold Plated Contact




1.0/2.3 Jack to 75 Ohm BNC Male

Brass Nickel Plated Body Gold Plated Contact



Female High Frequency
Right Angle
Brass Gold/Black Chrome Body
Gold Plated Contact





75 Ohm BNC Female High Frequency to 75 Ohm BNC Female Bulkhead High Frequency Right Angle Brass Nickel Plated Body Gold Plated Contact



75 Ohm BNC Female High Frequency to 75 Ohm BNC Female Bulkhead High Frequency Isolated Ground Brass Nickel Plated/PBT Body Gold Plated Contact



3 1/8" EIA to to 7/16 Din Female

Brass Nickel Plated Body Silver Plated Contact



3 1/8" EIA to N Female
Brass Nickel Plated Body
Silver Plated Contact



TNC Female to TNC Female Bulkhead, Max VSWR 1.20:1 @ 18 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM51060 Precision




TNC Female to TNC Female Bulkhead Hermetically Sealed, Max VSWR 1.35:1 @ 18 GHz Brass Tri-Metal Plated Body Part # BM51061 Precision



N Female to N Female Bulkhead Hermetically Sealed, Max VSWR 1.35:1 @ 18 GHz


Brass Tri-Metal Plated Body Gold Plated Contact





N Female to SMA Female Bulkhead Hermetically Sealed

Passivated Stainless Steel Body Gold Plated Contact





N Female to SMA Female Bulkhead Hermetically Sealed, Max VSWR 1.35:1 @ 18 GHz

Brass Tri-Metal Plated Body Gold Plated Contact

Gold Plated Contact

Part # PM51064 Standard



SC Female to SC Female Bulkhead Hermetically Sealed

Brass Nickel Plated Body Gold Plated Contact

Gold Plated Contact Part # BM51065 Precision



2.92mm Female to 2.92mm Female Bulkhead Hermetically Sealed, Max VSWR 1.35:1 @ 40 GHz Pass SS/SS Gold Plated Body Gold Plated Contact Part # BM51066 Precision



2.4mm Female to 2.4mm Female Bulkhead Hermetically Sealed, Max VSWR 1.45:1 @ 50 GHz Pass SS/SS Gold Plated Body Gold Plated Contact

Part # BM51067 Standard



TNC Female to SMA Female Bulkhead Hermetically Sealed Passivated Stainless Steel Body Gold Plated Contact

Part # BM51068 Standard



N Female to MCX Jack
Bulkhead
Brass Nickel/Brass Gold Plate

Brass Nickel/Brass Gold Plated Gold Plated Contact

Part # BM51069 Standard



7/8" EIA to LC Female
Brass Nickel Plated Body
Silver Plated Contact

Part # BM51070 Standard



7/8" EIA to LC Male
Brass Nickel Plated Body
Silver Plated Contact

Part # BM51071 Standard



1 5/8" EIA to LC Female
Brass Nickel Plated Body
Silver Plated Contact

Part # BM51072 Standard



BNC Male to MMCX Plug Bulkhead Mount

Brass Tri-Metal/Brass Gold Body Gold Plated Contact

Part # BM51073 Standard



LC Male to 7/16 DIN Female

Brass Nickel Plated Body Gold Plated Contact

Part # BM51074 Standard



LC Female to 7/16 DIN Male

Brass Nickel Plated Body Gold Plated Contact

Part # BM51075 Standard



LC Female to 7/16 DIN Female

Brass Nickel Plated Body Part # BM51076 Standard



1 5/8" EIA to LC Male
Brass Nickel Plated Body
Silver Plated Contact

Part # BM51077 Precision



SMA Female to SMA Male Radius Right Angle, Max VSWR 1.30:1 @ 26 GHz Passivated Stainless Steel Body Gold Plated Contact

Part # BM51078 Standard



UHF Female Bulkhead to NMO Mount Female Brass Nickel Plated Body Gold Plated Contact

Part # BM51079 Standard



SMA Female to SMA Female 2 Hole Panel Mount

Stainless Steel Gold Plated Body Gold Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



3 1/8" EIA to 3 1/8" EIA

Brass Nickel Plated Body

Silver Plated Contact

Part # BM51087 Standard

HN Male to 7/16" DIN Male

Part # BM51082 Standard Part # BM51083 Standard

1 5/8" EIA to 1 5/8" EIA

Brass Nickel Plated Body

Silver Plated Contact

HN Female to 7/16" DIN

Brass Nickel Plated Body

Gold Plated Contact

Part # BM51093 Standard

SMA "T" Female to Female

Brass Nickel Plated Body


Gold Plated Contact

Right Angle

Female

to Male






Female



Silver Plated Contact


Part # BM51096 Standard























TPS Female to SMA Male

Brass Gold Plated Body


TPS Female to SMA

Passivated Stainless Steel Body

Gold Plated Contact

Part # BM51095 Standard

Female





TPS Male to SMA Female

Brass Gold Plated Body

Gold Plated Contact

UMCX Jack to Reverse Polarity TNC Female Bulkhead Mount

Brass Nickel Plated Body Gold Plated Contact



UMCX Jack to SMA Female Bulkhead Mount with O-Ring

Brass Gold Plated Body Gold Plated Contact



UMCX Jack to TNC Female Bulkhead Mount with Gasket


Brass Nickel Plated Body Gold Plated Contact




75 Ohm TNC Female to 75 Ohm TNC Female **Bulkhead Hermetically** Sealded


Brass Nickel Plated Body Silver Plated Contact







LC Male to N Male Brass Nickel Plated Body Gold Plated Contact



LC Male to 7/16 DIN Male Brass Nickel Plated Body Gold Plated Contact



LC Male to HN Male Brass Nickel Plated Body Gold Plated Contact



LT Female to LT Female Brass Nickel Plated Body Silver Plated Contact



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601



18 GHz Phase Trimmers

Phase Adjustment Range 10° x Frequency in GHz Example: 75° @ 7.5 GHz



Connector Type	Ohm	VSWR	Insertion Loss	Part #
SMA Male to SMA Female	50	1.40:1 @ 18 GHz	.5 dB max @18 GHz	BM12000

Phase Adjustment Range 60° x Frequency in GHz Example: 360° @ 6 GHz



Connector Type	Ohm	VSWR Max	Insertion Loss Max	Part #
SMA Female	50	1.60:1 @ 18 GHz	1.0 dB @18 GHz	BM12001

Impedance Matching Pads








50 Ohm	75 Ohm	Frequency	Part #	VSWR	Input Power	Peak Power	Attenuation
Connector	Connector	Range	Part#	Max	@ +25 °C	Max	Loss
	BNC Male	DC-1 GHz	BM10301	1.20:1	1 Watt	1000 Watts	
BNC Female	F Female	DC-3 GHz	BM10317	1.25:1	2 Watts	250 Watts	
	F Male		BM10315	_			
	BNC Female	DC-1 GHz	BM10300	1.20:1	1 Watt	1000 Watts	
BNC Male	F Female		BM10314				
	F Male		BM10316	1.25:1	2 Watts		
	F Female		BM10309	1.23.1	2 Walls		
N Female	F Male		BM10307				
	N Male		BM10305	1.35:1	1 Watt		
	F Female		BM10306	1.25:1	2 Watts		5.7 +/5dB
N Male	F Male		BM10308	1.23.1	2 Walls		J.1 1/= .Jub
	N Female	DC-3 GHz	BM10303	1.35:1	1 Watt	250 Watts	
SMA Female	F Female	DC-3 GHZ	BM10321			250 Walls	
SIVIA FEITIAIE	F Male		BM10319				
SMA Male	F Female		BM10320				
SIVIA IVIAIE	F Male		BM10318 1.25:1 2 Watts				
TNC Female	1.25:1	2 Walls					
TNC remale	F Male		BM10311				
TNC Male	F Female		BM10310				
TING Male	F Male		BM10312				

Bias Tee's







RF Connectors	Bias Connector	Frequency Range	Part #	VSWR (Max)	Insertion Loss (dB Max)	Isolation (dB Typ.)	Voltage (Vdc Max)	Current (Max)
2.4mm	SMA Female	50 KHz-50 GHz	BM13209		4.00	30		150 mA
2.92mm	Solder Pins	30 KHz-27 GHz	BM13207	1	2.20	40	25	500 mA
2.9211111	Solder Fills	30 KHz-40 GHz	BM13208	1.80:1	3.00			300 IIIA
75 Ohm F		.03-3 GHz	BM13219					
75 Ohm N			BM13218		1.50	30		2.5 Amps
	Solder Lug & Pin	.01-2.5 GHz	BM13211			30	100	
l N	Solder Lug & Fill	.01-4 GHz	BM13213	1.50:1	1.25			
"		.01-6 GHz	BM13215					
		.5-2.5 GHz	BM13217	1.40:1	0.50	20		7 Amps
		1-5 GHz	BM13202		1.00	35		1000 mA
		.1-6 GHz	BM13203	1.50:1	1.50	30		500 mA
	Solder Pins	.5-10 GHz	BM13204		1.00	30	50	200 mA
		100 KHz-12.4 GHz	BM13205	1.60:1	1.50	40		700 mA
SMA	100 KHz-18 GHz	BM13206	1.00.1	2.00	40		700111A	
Solder Lug & Pin		.01-2.5 GHz	BM13210		1.00			
	Solder Lug & Pin	.01-4 GHz	BM13212	1.50:1	1.25	30	100	2.5 Amps
	John Lug & Fill	.01-6 GHz	BM13214		1.20		100	
	.5-2.5 GHz	BM13216	1.40:1	0.50	20		7 Amps	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601



Caps

7/16 Din Female BM12400 Yes 7/16 Din Male BM12401 Yes 75 Ohm SMB Plug BM12429 Yes 75 Ohm SMC Plug BM12430 Yes 75 Ohm SMC Plug BM12436 No 7mm BM12435 Yes BNC Female BM12405 No BNC Female BM12405 No BNC Female BM12404 Yes BNC Male BM12403 No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No Fes BM12406 Yes BM12407 No No Fes BM12440 No	Connector Type	Part #	Chain
75 Ohm SMB Plug BM12429 Yes 75 Ohm SMC Plug BM12430 Yes 7mm BM12436 No BNC Female BM12405 No BNC Female BM12404 Yes BNC Male BM12403 No BNC Male BM12403 No BNO Male BM12404 Yes C Female BM12409 No BM12409 No No BM12409 No No C Male BM12408 Yes C Male BM12409 No BM12409 No No C Female BM12409 No BM12409 No No Fes BM12409 No Fes BM12409 No Fes BM12409 No Fes BM12406 Yes Female BM12439 Yes BM12439 Yes BM12441 No No BM12411	7/16 Din Female	BM12400	Yes
75 Ohm SMC Plug BM12430 Yes 7mm BM12436 No BM12435 Yes BMC Female BM12405 No BMC Male BM12403 No BNC Male BM12403 No BM12402 Yes Yes C Female BM12409 No BM12409 No No BM12409 No No BM12409 No No BM12407 No No BM12408 Yes C Male BM12400 No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12409 No No BM12400 No No BM12407 No No BM12439 Yes BM12437 Yes BM12411 No	7/16 Din Male	BM12401	Yes
7mm BM12436 No BNC Female BM12435 Yes BNC Female BM12405 No BNC Male BM12403 No BNC Male BM12403 No BM12402 Yes Yes C Female BM12409 No BM12408 Yes Yes C Male BM12406 Yes BM12406 Yes Yes BM12406 Yes Yes BM12407 No No BM12408 Yes Yes BM12409 No No BM12400 No No BM12439 Yes Yes F Male BM12433 No BM12413 No No HN Female BM12411 No BM12411 No No N & UHF Male BM12411 No N Female BM12414 Yes SC Female BM12417 No SC	75 Ohm SMB Plug	BM12429	Yes
Mmm BM12435 Yes BNC Female BM12405 No BM12404 Yes BM12403 No BNC Male BM12402 Yes BM12409 No No No C Female BM12409 No No No C Male BM12407 No No No No No No No No No Description No No No No No No Description No<	75 Ohm SMC Plug	BM12430	Yes
BM12435 Yes BM12405 No BM12404 Yes BM12403 No BM12402 Yes CFemale BM12409 No CFemale BM12409 No BM12406 Yes CMale BM12406 Yes BM12406 Yes FFemale BM12439 Yes FMale BM12439 Yes FMale BM12437 Yes BM12437 Yes HN Female BM12411 No BM12412 Yes HN Male BM12410 Yes SMA Female BM12414 Yes SC Female BM12414 Yes SC Female BM12415 No SMA Female BM12418 Yes SMA Male BM12420 Yes SMB DM1243 No SMA Plug BM12421 No SMA Plug BM12421 No SMA Plug BM12421 No SMA Male BM12421 Yes SMB DM12424 Yes SMB DM12424 Yes SMB DM12424 Yes SMB Plug BM12425 Yes SMB Plug BM12426 Yes SMB M12431 No SMA Pemale BM12428 No SMA Pemale BM12431 No SMA Plug BM12428 No SMA Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 No SMA Plug BM12428 No SMA Plug BM12431 Yes SMB Plug BM12431 Yes SMB Plug BM12431 Yes SMB Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes SMC Plug BM12431 Yes	7	BM12436	No
BNC Female BNC Male BN12403 BM12403 BM12402 C Female BM12409 C Female BM12408 BM12407 C Male BM12406 BM12407 Fes BM12406 BM12406 Fes BM12439 Fes BM12439 FMale BM12437 HN Female BM12437 HN Female BM12411 BM12411 BM12411 No BM12411 No BM12410 No BM12411 No BM12413 No BM12415 No BM12416 Yes SC Female BM12417 BM12417 No BM12418 Yes SC Male BM12419 Yes SC Male BM12423 No SMA Female BM12423 No SMA Female BM12421 No SMA Male BM12421 No SMA Male BM12421 No SMA Male BM12421 No SMA Male BM12421 SMB Jack BM12421 No SMA Male BM12421 SMB Jack BM12421 No SMA Male BM12421 SMC Jack BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12431 No TNC Female BM12431 No BM12431 No BM12434 No BM12434 No BM12431 No BM12434 No BM12434 No BM12434 No BM12434 No BM12434 No BM12434	/mm	BM12435	Yes
BM12404 Yes BM12403 No BM12402 Yes C Female BM12409 No C Female BM12408 Yes C Male BM12407 No BM12406 Yes F Female BM12440 No BM12439 Yes F Male BM12439 Yes F Male BM12437 Yes BM12431 No BM12413 No BM12412 Yes BM12412 Yes BM12410 Yes N & UHF Male BM12410 Yes BM12411 No BM12411 No BM12411 No BM12411 No BM12410 Yes N & UHF Male BM12410 Yes SC Female BM12414 Yes SC Female BM12414 Yes SC Female BM12417 No SC Female BM12418 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SC Male BM12419 Yes SMA Female BM12421 No SMA Female BM12421 No SMA Female BM12421 No SMA Male BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMB Jack BM12421 Yes SMC Jack BM12427 Yes SMC Jack BM12427 Yes SMC Plug BM12428 No TNC Female BM12431 Yes TNC Male BM12431 Yes SMC Jack BM12431 Yes SMC Jack BM12431 Yes SMC Jack BM12431 Yes SMC Jack BM12431 Yes SMC Jack BM12431 No	DNO Famala	BM12405	No
BNC Male C Female BM12409 No BM12408 BM12408 Yes C Male BM12406 BM12406 BM12406 F Female BM12440 No BM12439 F Male BM12437 F Male BM12437 HN Female BM12413 BM12413 No BM12411 No BM12411 No BM12411 No BM12411 No BM12411 No BM12410 Yes BM12415 No BM12414 No BM12416 SC Female BM12416 BM12416 SC Female BM12418 SC Male SC Male SC Male BM12423 SMA Female BM12421 BM12423 SMA Female BM12421 BM12421 No SMA Male BM12421 SMB BM12423 SMB BM12421 SMB BM12421 SMB BM12421 SMB BM12421 SMB BM12423 SMB BM12421 SMB BM12431 SMB BM12431 SMB BM12434	BNC Female	BM12404	Yes
BM12402 Yes BM12409 No BM12408 Yes C Male BM12407 No BM12406 Yes F Female BM12406 Yes F Female BM12440 No BM12439 Yes BM12438 No BM12437 Yes BM12437 Yes BM12437 Yes BM12431 No HN Female BM12412 Yes BM12412 Yes BM12413 No No BM12414 Yes No BM12415 No No BM12416 Yes No BM12417 No No BM12417 No No BM12417 No No BM12418 Yes SC Female BM12419 Yes SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female	DNO M	BM12403	No
C Female BM12408 Yes C Male BM12407 No BM12406 Yes BM12409 No BM12440 No BM12439 Yes BM12438 No F Male BM12437 Yes BM12437 Yes HN Female BM12413 No BM12412 Yes BM12413 No HN Genale BM12411 No BM12411 No No BM12410 Yes No BM12415 No No BM12414 Yes SC Female BM12417 No SC Female BM12417 No SC Female BM12419 Yes SC Male BM12419 Yes SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12422 Yes SMB Jack BM12421 No SMB Plug <	BNC Male	BM12402	Yes
BM12408 Yes BM12407 No BM12406 Yes BM12406 Yes BM12409 No F Female BM12439 Yes F Male BM12438 No BM12437 Yes BM12413 No BM12413 No No BM12412 Yes BM12412 Yes BM12411 No No Mo BM12411 No Mo Mo BM12411 No Mo Mo BM12411 No Mo Mo Mo Mo BM12411 No Mo	0.5	BM12409	No
C Male BM12406 Yes F Female BM12440 No BM12439 Yes BM12438 No F Male BM12437 Yes BM12437 Yes BM12437 Yes BM12437 Yes BM12412 Yes BM12412 Yes HN Male BM12411 No BM12410 Yes BM12415 No No BM12415 No No BM12414 Yes BM12415 No No No BM12414 Yes SC Female BM12417 No SC Female BM12416 Yes SC Female BM12418 Yes S Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12421 No SMA Male BM12420 Yes SMB Plug BM12425 Yes SMB Plug <td>C Female</td> <td>BM12408</td> <td>Yes</td>	C Female	BM12408	Yes
BM12406 Yes	0.14	BM12407	No
F Female BM12439 Yes BM12438 No BM12437 Yes BM12437 Yes BM12413 No BM12413 No BM12412 Yes BM12411 No BM12410 Yes BM12410 Yes BM12415 No BM12414 Yes BM12414 Yes BM12414 Yes BM12416 Yes SC Female BM12416 Yes SC Female BM12419 Yes SC Male BM12418 Yes SC Male BM12418 Yes SMA Female BM12423 No SMA Female BM12423 No SMA Female BM12421 No SMA Female BM12421 No SMA Female BM12421 No SMA Male BM12421 No SMB Jack BM12421 No SMB Jack BM12421 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SMC Plug BM12428 No TNC Female BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12431 Yes BM12434 No	C Male	BM12406	Yes
BM12439 Yes BM12437 Yes BM12437 Yes BM12437 Yes BM12437 Yes BM12437 Yes BM12412 Yes HN Male BM12411 No BM12410 Yes BM12415 No No BM12415 No No BM12417 No No BM12414 Yes SC Female BM12416 Yes SC Female BM12419 Yes SC Male BM12419 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12423 No SMA Male BM12421 No SMB Plug BM12421 No SMB Plug BM12420 Yes SMB Plug BM12425 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No		BM12440	No
F Male	F Female		Yes
BM12437 Yes		BM12438	No
HN Female BM12412 Yes BM12411 No BM12410 Yes SMA UHF Male BM12415 No BM12415 No BM12414 Yes BM12417 No BM12417 No BM12416 Yes SC Female BM12419 SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 SMC Jack BM12427 SMC Plug BM12428 No TNC Female BM12431 No BM12431 No BM12431 No BM12431 No BM12434 No	F Male	BM12437	Yes
BM12412 Yes		BM12413	No
HN Male	HN Female	BM12412	Yes
N & UHF Male BM12415 No		BM12411	No
N & UHF Male BM12414 Yes N Female BM12417 No BM12416 Yes SC Female SC Female BM12419 Yes SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12425 Yes SMC Jack BM12424 Yes SMC Plug BM12427 Yes SMC Plug BM12428 No TNC Female BM12431 Yes BM12431 Yes BM12434 No	HN Male	BM12410	Yes
N Female		BM12415	No
N Female BM12416 Yes SC Female BM12419 Yes SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12427 Yes SMA Male BM12428 No TNC Female BM12431 Yes BM12431 Yes BM12434 No	N & UHF Male	BM12414	Yes
BM12416 Yes		BM12417	No
SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12431 Yes BM12434 No	N Female	BM12416	Yes
SC Male BM12418 Yes 2.9mm, 3.5mm & BM12423 No SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12431 Yes BM12434 No	SC Female	BM12419	Yes
SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12431 Yes BM12431 Yes BM12434 No	SC Male	BM12418	
SMA Female BM12422 Yes 2.9mm, 3.5mm & BM12421 No SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12431 Yes BM12431 Yes BM12434 No	2.9mm. 3.5mm &	BM12423	No
SMA Male BM12420 Yes SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes BM12434 No	SMA Female	BM12422	Yes
SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes BM12434 No	2.9mm, 3.5mm &	BM12421	No
SMB Jack BM12425 Yes SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes BM12434 No	SMA Male	BM12420	Yes
SMB Plug BM12424 Yes SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes BM12434 No		BM12425	Yes
SMC Jack BM12427 Yes SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes BM12434 No		BM12424	Yes
SMC Plug BM12426 Yes SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes TNC Male BM12434 No		BM12427	
SSMA Male BM12428 No TNC Female BM12432 No BM12431 Yes TNC Male BM12434 No			
TNC Female BM12432 No BM12431 Yes BM12434 No			
INC Female BM12431 Yes TNC Male BM12434 No			
TNC Male BM12434 No	INC Female		
I INC Male	T110 14 1		
	INC Male	BM12433	Yes


Shorts



Precision Terminations

Precision 50 Ohm Terminations





		T _c		140	W	
Connector Type	Connector Type Freq Rang		Part #	Watt(s)	VSWR Max	
1.85mm Female	DC 6	7 GHz	BM11137		1 20.1	
1.85mm Male	DC-6	/ GHZ	BM11130	2	1.30:1	
2.4mm Female			BM11129		1.45:1	
2.4mm Male	DC-5	0 GHz	BM11128	1	1.30:1	
2.92mm Female			BM11132			
2.92mm Male	DC-4	0 GHz	BM11131	1/2	1.20:1	
3.5mm Male	DC-34	.5 GHz	BM11133			
7mm	DC-1	8 GHz	BM11059	2	1.25:1	
7/16 Din Male		GHz	BM11127	1		
BMA Jack			BM11069		1.20:1	
BMA Plug	DC-1	8 GHz	BM11070	1/2	1.20.1	
DINATIUS	DC 1	GHz	BM11070		1.10:1	
BNC Male		GHZ		_ 2	1.35:1	
DMMA Dive	DC-4	GHZ	BM11011	4/0		
BMMA Plug	DC-1	8 GHz	BM11111	1/2	1.30:1	
Mini SMP Female			BM11141	1	1.15:1	
		GHz	BM11013	-	1.05:1	
		GHz	BM11015		1.10:1	
N Male	DC-4	GHz	BM11017	_ 2		
	DC-6	GHz	BM11041		1.20:1	
	DC-1	8 GHz	BM11043		1.25:1	
Reverse Polarity SMA Male		GHz	BM11135			
	DC-12.4 GHz with Chain BM11019		1	1 20.1		
	DC-12	.4 GHz	BM11021	」' │	1.20:1	
SMA Female		8 GHz	BM11045			
		8 GHz Chain	BM11047			
	_	.5 GHz	BM11136	_	1.35:1	
		GHz	BM11023	_ 2	1.05:1	
	DC-2.	5 GHz	BM11025	_	1.10:1	
	DC-4 GHz		BM11027			
	DC-6	GHz	BM11124	1	1.20:1	
			BM11140	2	1.20.1	
	DC-8	GHz	BM11029	2		
SMA Male	with	.4 GHz Chain	BM11031	1	1.15:1	
	DC-12	.4 GHz	BM11033	2		
	DC-1	8 GHz	BM11144	1	1.25:1	
		8 GHz	BM11049	_	1.00.1	
	with	8 GHz Chain	BM11051	2	1.20:1	
		.5 GHz	BM11134		1.30:1	
SMP Female	DC-1	8 GHz	BM11035	1	1.35:1	
SSMC Jack	DC-1	1 GHz	BM11138	_ 2	1.20:1	
SSMC Plug			BM11139		0.1	
	DC-2	GHz	BM11037	_	1.15:1	
	DC-4	GHz	BM11039	_	1.25:1	
TNC Male	DC-6	GHz	BM11053	_ 2	1.30:1	
		DC-18 GHz BM11055				
		DC-18 GHz BM11142		7	1.25:1	
with Chain						
Precision 75 Ohm Ter	rmınatio	ns	Т			
N Female	DC-4	GHz	BM11126	_ 2	1.20:1	
N Male			BM11125		1.20.1	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Terminations

Low Frequency Terminations 1% Tolerance, 1/2 Watt





Connector Type	Ohm	Part #	Chain
7/16 DIN Male	50	BM11000.50	No
75 Ohm BNC Female	75	BM11060	No
75 Offitt BNO Terriale	75	BM11061	Yes
75 Ohm BNC Male	75	BM11062	No
	75 75 ^(b)	BM11063	Yes
75 Ohm N Female	75(b)	BM11064 BM11065	No Yes
	75(b)	BM11066	No Yes
75 Ohm N Male	75(b)	BM11067	Yes
	75(b)	BM11114	No
75 Ohm SMB Jack	75(b)	BM11116	Yes
	75(b)	BM11120	No
75 Ohm SMB Plug	75(b)	BM11122	Yes
75.01 0140.1 1	75(b)	BM11115	No
75 Ohm SMC Jack	75(b)	BM11117	Yes
75 OL OMO DI	75(b)	BM11121	No
75 Ohm SMC Plug	75(b)	BM11123	Yes
	50	BM11002.50	
	₇₅ (a)	BM11002.75	No
BNC Female	93(a)	BM11002.93	1
	50	BM11004.50	Yes
	75(a)	BM11004.75	res
	50	BM11006.50	
	75 ^(a)	BM11006.75	No
BNC Male	93(a)	BM11006.93	
BINC Male	50	BM11008.50	
	75 ^(a)	BM11008.75	Yes
	93(a)	BM11008.93	
C Male	50	BM11010.50	No
Civiale	50	BM11012.50	Yes
F Male	75	BM11068	
HN Male	50	BM11057.50	No
	50	BM11014.50	INO
N Female	75(a)	BM11014.75	
N Female	50	BM11016.50	Yes
	75(a)	BM11016.75	162
	50	BM11018.50	
	75(a)	BM11018.75	No
N Male	93(a)	BM11018.93	
IN IVIAIE	50	BM11020.50	
	75(a)	BM11020.75	Yes
	93(a)	BM11020.93	
SMB Jack	50	BM11022.50	No
OIVID Jack	50	BM11112	Yes
SMB Plug	50	BM11024.50	No
OND Flug	50	BM11118	Yes
SMC Jack	50	BM11026.50	No
OIVIO Jack	50	BM11113	Yes
SMC Plug	50	BM11028.50	No
SIVIC Plug	50	BM11119	Yes
TNC Female	50	BM11030.50	No
	75 ^(a)	BM11030.75	INU
	50	BM11032.50	Yes
	75(a)	BM11032.75	162
TNC Male	50	BM11034.50]
	75(a)	BM11034.75	No
	93(a)	BM11034.93	
	50	BM11036.50	
TNC Male	75(a)	BM11036.75	Yes
	93(a)	BM11036.93	
UHF Female	50	BM11056.50	No
UHF Male	50	BM11058.50	INO

- (a) Connector uses standard 50 Ohm interface
- (b) Connector using 75 Ohm interface will not mate to Standard 50 Ohm interface

High Power Terminations





Connector Type	Freq Range	Part #	Watts	VSWR Max
		BM11079	5	1.45:1
		BM11089	10	
7/16 Din Female		BM11099	25	1.30:1
		BM11109	50	
	DC-7.5 GHz	BM11080	5	1.45:1
		BM11090	10	
7/16 Din Male		BM11100	25	1.30:1
		BM11110	50	1.45:1
		BM11071	5	
BNC		BM11081	10	
Female		BM11091	25	
	DC-4	BM11101	50	
	GHz	BM11072	5	1.25:1
	02	BM11082	10	1.20.1
BNC Male		BM11092	25	
		BM11102	50	
		BM11073	5	
		BM11083	10	
N Female		BM11093	25	1.40:1
		BM11103	50	1.45:1
		BM11074	5	1.25:1
		BM11084	10	
N Male		BM11094	25	1.40:1
		BM11104	50	1.45:1
		BM11075	5	1.25:1
		BM11085	10	
SMA		BM11095	25	1.40:1
Female		BM11105	50	1.45:1
	DC-18 GHz	BM11143	100	1.25:1
	-	BM11076	5	1.25:1
		BM11086	10	
SMA Male		BM11096	25	1.40:1
		BM11106	50	1.45:1
		BM11077	5	1.25:1
TNC Female		BM11087	10	
		BM11097	25	1.40:1
		BM11107	50	1.45:1
		BM11078	5	1.25:1
TNO 14 1		BM11088	10	
TNC Male		BM11098	25	1.40:1
		BM11108	50	1.45:1

Feedthru Terminations

Feedthru Terminations





Ohm	Part #	Specification
50	BM11001.50	1/4 Watt DC-1 GHz
75	BM11001.75	1.20:1 Max
50	BM11003.50	2 Watts DC-1 GHz 1.65:1 Max
50	BM11005.50	2 Watts DC-1 GHz
100	BM11005.100	1.25:1 Max
50	BM11007.50	1/4 Watt DC-1 GHz
75	BM11007.75	1.20:1 Max
	50 75 50 50 100 50	50 BM11001.50 75 BM11001.75 50 BM11003.50 50 BM11005.50 100 BM11005.100 50 BM11007.50



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601




Waveguide to **Coax Adapters**



		ļ	
Connector Type	Waveguide	Part #	Frequency Range GHz
	WR-28	BM75000	26.50-40.00
2.92mm Female	WR-34	BM75001	22.00-33.00
	WR-42	BM75002	18.00-26.50
	WR-51	BM75003	15.00-22.00
[WR-62	BM75004	12.40-18.00
	WR-75	BM75005	10.00-15.00
	WR-90	BM75006	8.20-12.40
[WR-102	BM75007	7.00-11.00
SMA Female	WR-112	BM75008	7.05-10.00
SiviA i elliale	WR-137	BM75009	5.85-8.20
	WR-159	BM75010	4.90-7.05
	WR-187	BM75011	3.95-5.85
	WR-229	BM75012	3.30-4.90
	WR-284	BM75013	2.60-3.95
	WR-430	BM75014	1.70-2.60
2.92mm Male	WR-42	BM75046	18.00-26.50
	WR-62	BM75047	12.40-18.00
SMA Male	WR-90	BM75048	8.20-12.40
	WR-102	BM75049	7.00-11.00
	WR-62	BM75015	12.40-18.00
	WR-75	BM75016	10.00-15.00
	WR-90	BM75017	8.20-12.40
	WR-102	BM75018	7.00-11.00
	WR-112	BM75019	7.05-10.00
N Female	WR-137	BM75020	5.85-8.20
	WR-159	BM75021	4.90-7.05
	WR-187	BM75022	3.95-5.85
	WR-229	BM75023	3.30-4.90
	WR-284	BM75024	2.60-3.95
	WR-430	BM75025	1.70-2.60
	WR-62	BM75050	12.40-18.00
N Male	WR-90	BM75051	8.20-12.40
	WR-102	BM75052	7.00-11.00

Waveguide to Coax Adapters with O-Ring Groove




Connector Type	Waveguide	Part #	Frequency Range GHz
	CPR-90G	BM75026	8.20-12.40
	CPR-112G	BM75027	7.05-10.00
	CPR-137G	BM75028	5.85-8.20
N Female	CPR-159G	BM75029	4.90-7.05
IN Female	CPR-187G	BM75030	3.95-5.85
	CPR-229G	BM75031	3.30-4.90
	CPR-284G	BM75032	2.60-3.95
1	CPR-430G	BM75033	1.70-2.60

Waveguide to **Coax Adapters End Launch**



Connector Type	Waveguide	Part #	Frequency Range GHz
2.92mm Female	WR-42	BM75034	18.00-26.50
	WR-51	BM75035	15.00-22.00
	WR-62	BM75036	12.40-18.00
SMA Female	WR-75	BM75037	10.00-15.00
SIVIA FEITIALE	WR-90	BM75038	8.20-12.40
	WR-102	BM75039	7.00-11.00
	WR-112	BM75040	7.05-10.00
	WR-62	BM75041	12.40-18.00
	WR-75	BM75042	10.00-15.00
N Female	WR-90	BM75043	8.20-12.40
	WR-102	BM75044	7.00-11.00
	WR-112	BM75045	7.05-10.00


90 Degree **Hybrids**








					7		
Connector	Frequency Range	Part#	Coupling (with Frequency Sensitivity Max)	VSWR (Max)	Isolation (dB Min)	Frequency Sensitivity (dB Max)	Phase Balance (Max)
	0.5-1.0 GHz 1.0-2.0 GHz	BM80063 BM80064	3.2 +/3 dB	1.15:1	28	+/- 1.2	3.0°
	2.0-4.0 GHz	BM80065	3.2 +/3 UD	1.20:1	22	1 +/- 1.2	4.0°
	2.0-8.0 GHz	BM80071	3.4 +/5 dB	1.30:1	17	+/- 1.6	6.0°
SMA Female	2.6-5.2 GHz	BM80066	3.2 +/3 dB	1.25:1	20	+/- 1.2	4.0°
SIVIA FEITIAIE	4.0-8.0 GHz	BM80067	3.2 +/7 dB	1.30:1	18	7/- 1.2	4.0
	4.0-12.4 GHz	BM80072	3.5 +/4 dB	1.50:1	15	+/8	8.0°
	6.0-12.4 GHz	BM80068	3.4 +/8 dB		17		6.0°
	7.5-16.0 GHz BM	BM80069	3.6 +/8 dB	1.40:1	15	+/- 1.4	8.0°
		BM80070	3.0 T/= .0 UD		10		0.0



BNC Attenuators



2 Watts, 2 GHz											
Part # BM10017.**											
	Impedance 50										
	VSWR 1.20:1 Max										
dB											
1	.3 dB	10		.5 dB							
2	.3 dB	20		.5 dB							
3 .3 dB 30 .75 dB											
6	6 .3 dB										
Replace ** with APOVE dB											

2	Watts,	4	GHz
---	--------	---	-----

F	Part # BM	100)18 .**		Part # BM10063.**						Part # BM10038.**						
	Impedance		50			Impedance		50			Impedance		50				
	VSWR		1.25:1 Max			VSWR		1.35:1 Max			VSWR		1.25:1 Max				
dB	Accuracy ±	dB	Accuracy ±	d	В	Accuracy ±	dB	Accuracy ±	ΙΓ	dB	Accuracy ±	dB	Accuracy ±				
1	.3 dB	10	.5 dB			.4 dB	10	.8 dB	Г	1	.3 dB	10	.5 dB				
2	.3 dB	20	.5 dB		?	.4 dB	20	.8 dB		2	.3 dB	20	.5 dB				
3	.3 dB	30	.75 dB	3	3	.4 dB	30	.8 dB	П	3	.3 dB	30	.75 dB				
6	.3 dB			-	;	.4 dB				6	.3 dB	40	1.50 dB				
Rep	olace <u>**</u> wi	th 🗚	BOVE dB	R	ep	olace <u>**</u> wi	th 🗚	BOVE dB		Rep	lace <u>**</u> wi	th 🗚	BOVE dB				

2 Watts, 12.4 GHz

F	Part #	ВМ	10	06	63 .**
	Impeda	nce		Г	50
	VSW	R			1.35:1 Max
dB	Accura	acy ±	dB	3	Accuracy ±
1	.4	dB	10		.8 dB
2	.4	dB	20		.8 dB
3	.4	dB	30		.8 dB
6	.4	dB			

5 Watts, 4 GHz

F	Part# BM	10	0;	38 .**						
	Impedance			50						
	VSWR			1.25:1 Max						
dB	Accuracy ±	dE	3	Accuracy ±						
1	.3 dB	10		.5 dB						
2	.3 dB	20		.5 dB						
3	.3 dB	30		.75 dB						
6 .3 dB 40 1.50 dB										
D		41								

10 Watts, 4 GHz

F	Part # BM	10	0	39 .**							
	Impedance			50							
	VSWR			1.25:1 Max							
dB	Accuracy ±	dB	;	Accuracy ±							
1	1.0 dB	10		1.0 dB							
2	1.0 dB	20		1.0 dB							
3	1.0 dB	30		1.0 dB							
6	6 1.0 dB 40 1.0 dB										
Rep	olace <u>**</u> wi	th 🚜	\ E	BOVE dB							



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601




SMA & 2.92mm Attenuators




																		•	
,	SMA, 2 Watts, DC-2 GHz SMA, 2 Watts, DC-3 GHz						SMA, 2 Watts, DC-6 GHz				SMA, 2 Watts, DC-12.4 GHz					SMA, 2 Watts, DC-18 GHz			
	Part # BM	100	01.**	F	Part # BM	100	02•**		Part # BM	03.**	F	Part # BM	04.**	Part # BM10005.**					
	Impedance		50		Impedance		50		Impedance		50		Impedance		50		Impedance		50
	VSWR		1.15:1 Max		VSWR		1.15:1 Max		VSWR		1.20:1 Max		VSWR		1.25:1 Max		VSWR		1.35:1 Max
dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±
1	.3 dB	9	.5 dB	1	.3 dB	9	.5 dB	1	.3 dB	9	.5 dB	1	.3 dB	9	.5 dB	1	.3 dB	9	.5 dB
2	.3 dB	10	.5 dB	2	.3 dB	10	.5 dB	2	.3 dB	10	.5 dB	2	.3 dB	10	.5 dB	2	.3 dB	10	.5 dB
3	.3 dB	12	.5 dB	3	.3 dB	12	.5 dB	3	.3 dB	12	.5 dB	3	.3 dB	12	.5 dB	3	.3 dB	12	.5 dB
4	.3 dB	15	.5 dB	4	.3 dB	15	.5 dB	4	.3 dB	15	.5 dB	4	.3 dB	15	.5 dB	4	.3 dB	15	.5 dB
5	.3 dB	20	.5 dB	5	.3 dB	20	.5 dB	5	.3 dB	20	.5 dB	5	.3 dB	20	.5 dB	5	.3 dB	20	.5 dB
6	.3 dB	30	.75 dB	6	.3 dB	30	.75 dB	6	.3 dB	30	.75 dB	6	.3 dB	30	.75 dB	6	.3 dB	30	.75 dB
7	.5 dB	40	1.50 dB	7	.5 dB	40	1.50 dB	7	.5 dB	40	1.50 dB	7	.5 dB	40	1.50 dB	7	.5 dB	40	1.50 dB
8	.5 dB			8 .5 dB					.5 dB			8	.5 dB			8	.5 dB		
Rep	Replace ** with ABOVE dB					BOVE dB	Replace ** with ABOVE dB					Replace ** with ABOVE dB				Replace ** with ABOVE dB			

,	SMA, 5 DC-18	,	MA, 10 DC-18		1	92mm, DC-26			2.92mm, 2 Watts, DC-40 GHz						
F	Part # BM	100	36 . **	F	Part # BM	100)37 <u>.**</u>	F	Part # BM	100	59 . **	F	Part # BM	100	60. **
	Impedance		50		Impedance		50		Impedance		50		Impedance		50
	VSWR		1.35:1 Max		VSWR		1.40:1 Max		VSWR		1.40:1 Max	VS	SWR 1 & 2 dE	3	1.30:1 Max
dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	V:	SWR 3-30 dB		1.40:1 Max
1	.3 dB	10	.5 dB	1	.5 dB	10	.7 dB	1	.5 dB	8	.6 dB	dB	Accuracy ±	dB	Accuracy ±
2	.3 dB	20	.5 dB	2	.5 dB	20	.7 dB	3	.5 dB	9	.6 dB	1	.6 dB	10	1.0 dB
3	.3 dB	30	.75 dB	3	.5 dB	30	1.0 dB	4	.5 dB	12	.6 dB	2	.6 dB	20	1.0 dB
6	.3 dB	40	1.50 dB	6	.5 dB	40	1.0 dB	5	.5 dB	15	.6 dB	3	.8 dB	30	1.0 dB
R	eplace **	with	ANY dB	R	eplace <u>**</u> v	with	ANY dB	6	.5 dB .6 dB	20	.6 dB .8 dB	6	.8 dB		
								R	eplace **	with	ANY dB	Re	eplace ** v	with	ANY dB



N Attenuators



	2 Watts	, 2	GHz	2 Watts, 12.4 GHz				2 Watts, 18 GHz				5	Watts,	18	GHz	'	10 Watts, 6 GHz		
	Part # BM	100	06.**	Part # BM10007.**			Part # BM10008.**					Part # BM	100	09•**	ı	Part # BM	100	10.**	
	Impedance		50		Impedance		50		Impedance		50		Impedance		50		Impedance		50
	VSWR		1.15:1 Max		VSWR		1.25:1 Max		VSWR		1.35:1 Max		VSWR		1.35:1 Max		VSWR		1.20:1 Max
dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±
1	.3 dB	10	.5 dB	1	.3 dB	10	.5 dB	1	.3 dB	10	.5 dB	1	.3 dB	10	.5 dB	1	.3 dB	20	.5 dB
2	.3 dB	20	.5 dB	2	.3 dB	20	.5 dB	2	.3 dB	20	.5 dB	2	.3 dB	20	.5 dB	2	.3 dB	30	
3	.3 dB	30	.75 dB	3	.3 dB	30	.75 dB	3	.3 dB	30	.75 dB	3	.3 dB	30	.75 dB	6	.3 dB	40 50	.75 dB .80 dB
6	.3 dB	40	1.5 dB	6	.3 dB	40	1.5 dB	6	.3 dB	40	1.5 dB	6	.3 dB	40	1.25 dB	10	.5 dB	60	1.0 dB
Re	Replace ** with ABOVE dB Replace ** with ABOVE dB					BOVE dB	Replace ** with ABOVE dB				Replace ** with ABOVE dB					olace ** wi			

10) Watts,	12.	4 GHz	1	0 Watts, 18 GHz 25 Watts, 18 GHz					50	Watts	, 18	8 GHz	100 Watts, 2.5 GHz					
	Part # BM	100	11.**	F	Part# BM	100	12 .**	Part # BM10013•**				F	Part # BM	100	14.**	Part # BM10015.			
	Impedance		50		Impedance		50		Impedance		50		Impedance		50		Impedance		50
	VSWR		1.25:1 Max		VSWR		1.40:1 Max		VSWR		1.40:1 Max		VSWR		1.45:1 Max		VSWR		1.35:1 Max
dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±	dB	Accuracy ±
1	.3 dB	20	.5 dB	1	.5 dB	20	.75 dB	1	.75 dB	10	1.00 dB	1	.75 dB	10	1.00 dB	3	.75 dB	20	.75 dB
2	.3 dB	30	.75 dB	2	.5 dB	30	1.00 dB	2	.75 dB	20	1.00 dB	2	.75 dB	20	1.00 dB	H-	-		
3	.3 dB	40	.75 dB	3	.5 dB	40	1.00 dB	3	.75 dB	30	1.25 dB	3	.75 dB	30	1.25 dB	6	.75 dB	30	1.00 dB
6	.3 dB	50	1.0 dB	6	.5 dB	50	1.30 dB	-				<u> </u>				10	.75 dB	40	1.25 dB
10	.5 dB	60	1.2 dB	10	.75 dB	60	1.50 dB	6 .75 dB 40 1.50 dB			6	.75 dB	40	1.50 dB	10	.75 db	40	1.25 UD	
Rep	olace <u>**</u> wi	th 🗚	BOVE dB	Rep	olace <u>**</u> wit	** with ABOVE dB Replace ** with ABOVE dB					Rep	olace <u>**</u> wi	th 🗚	BOVE dB	Re	place <u>**</u> wi	th 🗚	BOVE dB	




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601





Attenuators



1.85mm, 1 Watt DC-65 GHz

F	Part # BM	10	0	84 .**						
Impedance 50										
	VSWR			1.65:1 Max						
dB	Accuracy ±	dE	3	Accuracy ±						
3	1.5 dB	15	;	2.5 dB						
6	1.5 dB	20)	2.5 dB						
10	1.75 dB	30)	5.0 dB						






2.4mm, .5 Watts DC-50 GHz

Part # BM10061.**					
Impedance 50					
VSWR				1.75:1 Max	
dB	Accuracy ±	dE	3	Accuracy ±	
3	1.5 dB	20)	2.0 dB	
6	1.5 dB	30)	2.0 dB	
10	1.5 dB				
Replace ** with ABOVE dB					



Part # BM10016.**						
	Impedance 50					
	VSWR			1.45:1 Max		
dB	Accuracy ±	dB	3	Accuracy ±		
1	.3 dB	10)	.5 dB		
2	.3 dB	20)	.5 dB		
3	.3 dB	30)	.75 dB		
6	.3 dB	40)	1.5 dB		
Replace ** with ABOVE dB						



7/16 Din, 10 Watts DC-7.5 GHz


F	Part # BM	10	0	83.	
	Impedance	Г	50		
VSWR				1.45:1 Max	
dB	Accuracy ±	dB	;	Accuracy ±	
1	.3 dB	10	_	.5 dB	
2	.3 dB	20)	.5 dB	
3	.3 dB	30)	.7 dB	
6	.3 dB	40		.7 dB	



7/16 Din, 25 Watts DC-7.5 GHz

Part # BM10085.**							
	50						
VSWR				1.30:1 Max			
dB	Accura	acy ±	dB	;	Accuracy ±		
3	.5 c	iΒ	20		.75 dB		
6	.5 c	ΙB	30)	1.0 dB		
10	.75	dB	40	1	1.25 dB		






75 Ohm BNC, 2 Watts DC-4 GHz

Impedance 75 VSWR 1.35:1 Max dB Accuracy ± dB Accuracy ± 1 3 dB 10 .5 dB 2 .3 dB 20 .5 dB 3 3 dB 30 .75 dB	Part # BM10020.**						
dB Accuracy ± dB Accuracy ± 1 .3 dB 10 .5 dB 2 .3 dB 20 .5 dB	Impedance				Г	75	
1 .3 dB 10 .5 dB 2 .3 dB 20 .5 dB	VSWR				1.35:1 Max		
2 .3 dB 20 .5 dB	dB	Accurac	y ±	dE	3	Accuracy ±	
	1	.3 dB		10)	.5 dB	
3 .3 dB 30 .75 dB	2	.3 dB 20)	.5 dB		
	3	.3 dB		30		.75 dB	
6 .3 dB	6	.3 dB					


Replace ** with ABOVE dB



75 Ohm F, 2 Watts DC-3 GHz

Part # BM10062.**							
Impedance					75		
VSWR					1.25:1 Max		
dB	Accura	acy ±	dB	3	Accuracy ±		
1	.3 c	IB	10)	.5 dB		
2	.3 c	ΙB	20)	.5 dB		
3	.3 c	ΙB	30)	.75 dB		
6	.3 c	ΙB					


Replace ** with ABOVE dB



75 Ohm N, 2 Watts DC-4 GHz

F	Part #	BM	10	0	81 . *	*
Impedance					75	
VSWR				1.30:1	Max	
dB	Accura	acy ±	dB	_	Accu	racy ±
1	.4 c	ΙB	10		.6	dB
2	.4 0	lB	20)	.6	dΒ
3	.4 c	Β	30		.8	dB
6	.4 0	ΙB				

Replace ** with ABOVE dB



7mm, 2 Watts DC-18 GHz


Part # BM10021.**							
Impedance				50			
VSWR				1.30:1 Max			
dΒ	Accura	acy ±	dB	;	Accuracy ±		
1	.3 c	IB	10		.5 dB		
2	.3 c	ΙB	20)	.5 dB		
3	.3 c	ΙB	30)	.75 dB		
6	.3 c	ΙB					

Replace ** with ABOVE dB



Mini SMP, 2 Watts DC-26.5 GHz

D 0 20:0 01:12					
Part # BM10088.**					
	Impedance			50	
VSWR				1.50:1 Max	
dB	Accuracy ±	dB	;	Accuracy ±	
3	.8 dB	.8 dB 20		1.2 dB	
6	.8 dB	30		1.2 dB	
10	1.2 dB				
Replace ** with AROVE dB					




SMB, 2 Watts DC-4 GHz

Part # BM10089•—						
	Impedance			50		
	VSWR			1.25:1 Max		
dB	Accuracy ±	dE	3	Accuracy ±		
1	.3 dB	10)	.3 dB		
2	.3 dB	20)	.3 dB		
3	.3 dB	30)	1.5 dB		
6	.3 dB					
Replace ** with ABOVE dB						




SMP, 2 Watts DC-26.5 GHz

Part # BM10086.**						
	Impeda	nce			50	
VSWR					1.45:1 Max	
dB	Accura	acy ±	dB	-	Accuracy ±	
3	.6 d	В	20	-	1.2 dB	
6	.6 a	IB	30)	1.2 dB	
10	.8 d	В				
Replace ** with ABOVE dB						




TNC, 2 Watts DC-2.5 GHz

Part # BM10019• ^						
Impedance				50		
VSWR				1.15:1 Max		
dB	Accuracy ±	dB	,	Accuracy ±		
1	.3 dB	10		.5 dB		
2	.3 dB	20)	.5 dB		
3	.3 dB	30		.75 dB		
6	.3 dB					
Replace ** with AROVE dB						



TNC, 2 Watts DC-18 GHz


Part # BM10080.***									
	Impedance		50						
	VSWR			1.35:1 Max					
dB	Accuracy ±	dB	dB Accurac						
1	.3 dB	10	_	.5 dB					
2	.3 dB	20)	.5 dB					
3	.3 dB	30	1	.75 dB					
6	.3 dB								
Rep	Replace ** with ABOVE dB								



TNC, 5 Watts DC-18 GHz

F	art#BM	10	08	82 .**						
Impedance 50										
	VSWR			1.35:1 Max						
dB	Accuracy ±	dB		Accuracy ±						
1	.3 dB	10		.5 dB						
2	.3 dB	20)	.5 dB						
3	.3 dB	30)	.75 dB						
6	.3 dB									
Ren	Replace ** with AROVE dR									

DC Bias Passing Attenuators



Part # BM10055.**									
Impedance 75									
VSWR 1.45:1 Max									
dB	Accuracy ±	dB		Accuracy ±					
3	.3 dB	10		.5 dB					
6	.3 dB	20		.5 dB					
Replace ** with ABOVE dB									

2 Watts, .05-3 GHz 2 Watts, .05-3 GHz




Fait# Divi10000•									
	Impedance		50						
	VSWR		1.35:1 Max						
dB	Accuracy ±	dB		Accuracy ±					
3	.3 dB	10)	.5 dB					
6 .3 dB 20 .5 dB									
Replace ** with ABOVE dB									

SMA





Part # BM10057.**										
Impedance 50										
VSWR 1.35:1 Max										
dB	dB Accuracy ± dB Accuracy									
3	.3 c	ΙB	10	_	.5 dB					
6 .3 dB 20 .5 dB										
Replace ** with AROVE dB										

TNC 2 Watts, .05-3 GHz



F	Part # BM	110	0	58. **						
Impedance 50										
VSWR 1.35:1 Max										
dB	Accuracy ±	dE	3	Accuracy ±						
3	.3 dB	10	_	.5 dB						
6	6 .3 dB 20 .5 dB									
Rep	Replace ** with ABOVE dB									





	Impedance		50					
	VSWR		1.35:1 Max					
dB	Accuracy ±	dB		Accuracy ±				
3	.3 dB	10	_	.5 dB				
6	.3 dB	20)	.5 dB				
Rep	Replace ** with ABOVE dB							




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 949.756.1601 Fax



Rotary Bench Mount Attenuators





Connector	Frequency	Ohm	Part#		Attenuation		Insertion Loss	VSWR	Averge Power
Connector	Range	Onni	rait#	Range	Steps	Accuracy	(Max)	(Max)	(Watts)
		75	BM10025	0-1 dB	.1 dB	+/05 dB	1 dB	1.30:1	
	DC-500 MHz	75	BM10026	0-10 dB	1 dB	+/4 dB	I UD	1.40:1	
		75	BM10027	0-70 dB	10 dB	+/- 1 dB	.5 dB		
		50	BM10030	0-1 dB	.1 dB	+/05 dB	.7 dB	1.30:1	1 Watt
	DC-1 GHz	50	BM10031	0-100 dB	10 dB	+/5 dB or 3%	.5 dB		
	DC-1 GHZ	75	BM10029	0-1 dB	.1 dB	+/08 dB	.8 dB	1.40:1	
BNC Female		75	BM10028	0-10 dB	1 dB	+/4 dB	1 dB	1.40.1	
DINC Female		50	BM10035	0-1 dB	.1 dB	+/05 dB	I UD	1.30:1	2 Watts
	DC-2 GHz	50	BM10032	0-10 dB	1 dB	+/4 dB			1 Watt
		50	BM10033	0-70 dB	10 dB	+/5 dB or 3%		1.40:1	
		50	BM10023	0-80 dB	1 dB	+/5 db 0i 3%	.5 dB		
		50	BM10024	0-81 dB	.1 dB	+/05 dB	.au c	1.30:1	
		50	BM10034	0-100 dB	10 dB	+/5 dB or 4%			
		50	BM10022	0-110 dB		T/5 UB 01 4 %			
F Female	DC-1 GHz	75	BM10096	0-10 dB	1 dB	+/3 dB			
	DC-2 GHz	50	BM10097	0-70 dB	I UD	+/5 dB or 3%		1.50:1	
	DC-2.5 GHz	50	BM10093	0-50 dB		+/4 dB or 3%		-	2 Watts
N Female		50	BM10077	0-1 dB	.1 dB	+/3 dB			
	DC-6 GHz	50	BM10078	0-10 dB	1 dB	+/5 dB	1 dB		
		50	BM10079	0-60 dB	10 dB	+/8 dB			
	DC-1 GHz	50	BM10092	0-100 dB	10 db	+/5 dB or 2%	.3 dB	1.20:1	
	DC-2 GHz	50	BM10087	0-30 dB	1 dB	+/4 dB or 3%	.8 dB	1.50:1	
	DC-2.5 GHz	50	BM10054	0-50 dB	I UD	+/4 db 0i 3 /0	1.1 dB	1.50.1	1 Watt
	DO-2.3 GHZ	50	BM10094	0-100 dB	10 dB	+/5 dB or 4%	1 dB	1.70:1	2 Watts
	DC-3 GHz	50	BM10091	0-10 dB	.1 dB	+/5 dB	.75 dB		
SMA Female		50	BM10070	0-1 dB	. i ub	+/3 dB		1.50:1	
OIVIA I CITIAIC	DC-6 GHz	50	BM10071	0-10 dB	1 dB	+/5 dB	1 dB	1.50.1	
		50	BM10072	0-60 dB	10 dB	+/8 dB			2 Watts
		50	BM10073	0-9 dB	1 dB	+/- 1.0 dB	1.2 dB	1.60:1	∠ vvallS
	DC-18 GHz	50	BM10074	0-69 dB	I UD	+/- 2.0 dB		1.75:1	
	DC-10 GHZ	50	BM10075	0-80 dB	10 dB	+/- 2.5 dB	1.5 dB	1.65:1	
		50	BM10076	0-99 dB	1 dB	T/- 2.5 UD		1.75:1	

Continuously Variable Bench Mount Attenuators





Connector	Frequency	Ohm	Part#	Attenuation	Insertion Loss	VSWR (Max)	Averge Power
	Range	Onn	rail#	Range	(Max)		(Watts)
	1-2 GHz	50	BM10065	0-7 dB	0.50	2.00:1	5 Watts
	2-4 GHz	50	BM10066	0-20 dB	0.50	1.50:1	
SMA	4-8 GHz	50	BM10067	0-30 dB	0.75		
SIVIA	8-12.4 GHz	50	BM10068	0-40 dB	0.75	1.70:1	
	12-18 GHz	50	BM10095	0-30 dB	0.50	1.70.1	
	12.4-18 GHz	50	BM10069	0-40 dB	0.75	1.50:1	




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601




PushButton & Toggle Attenuators



Connector	Connector Frequency		Part#			Insertion	VSWR	Averge	
Connector	Range	Ohm	Part#	Range Steps Accu		Accuracy	Loss (Max)	(Max)	Power (Watts)
	DC-500 MHz	75	BM10044	0-65 dB in 1 dB Steps	1, 2, 4, 8, 10, 20, 20 dB	+/8 dB	1.2 dB	1.30:1	
DC-500 MHZ		75	BM10045	0-45.5 dB in .5 dB Steps	.5, 1, 2, 4, 8, 10, 20 dB	+/5 dB	1.2 UB	1.30.1	
BNC Female Pushbutton DC-750 MHz	50	BM10040	0-65 dB in 1 dB Steps	1, 2, 4, 8, 10, 20, 20 dB	+/- 1.3 dB	1 dB	1 dB	1 \\/o#	
	DC 750 MU-	50		0-45.5 dB in .5 dB Steps	.5, 1, 2, 4, 8, 10, 20 dB	+/75 dB		1.40:1	1 Watt
	DC-750 MITZ	50	BM10042	0-102 dB in 1 dB Steps	1, 2, 3, 6, 10, 20, 20, 20, 20 dB	+/3 dB or	1.5 dB	1.40.1	
		50	BM10043	0-82.5 dB in .5 dB Steps	.5, 1, 2, 3, 6, 10, 20, 20, 20 dB	1%			
	DO 500 MI		BM10046	0-42 dB in 1 dB Steps	1, 2, 3, 6, 10, 20 dB	+/- 3.5 dB		1.60:1	10 Watts
	DC-500 MHz	50	50 BM10047 0-82.5 dB in .5 dB Steps		.5, 1, 2, 3, 6, 10, 20, 20, 20 dB	+/- 6.25 dB		1.80:1	
		50	BM10048	0-42 dB in 1 dB Steps	1, 2, 3, 6, 10, 20 dB	+/- 1.0 dB	.9 dB		
BNC		50	BM10049	0-82.5 dB in .5 dB Steps	.5, 1, 2, 3, 6, 10, 20, 20, 20 dB	+/- 1.5 dB	1.2 dB		
Female Toggle	DC-1 GHz	50	BM10050	0-102 dB in 1 dB Steps	1, 2, 3, 6, 10, 20, 20, 20, 20 dB	+/- 1.5 UB	1.2 UB	, , ,	1 Watt
	DC-1 GHZ	75	BM10051	0-42 dB in 1 dB Steps	1, 2, 3, 6, 10, 20 dB	6, 10, 20 dB +/- 1.0 dB		1.40:1	1 watt
		75	BM10052	0-82.5 dB in .5 dB Steps			1.2 dB		
		75 BM10053		0-102 dB in 1 dB Steps	1, 2, 3, 6, 10, 20, 20, 20, 20 dB	+/- 1.5 dB			

SMA Balanced Mixers





Type Part #		Frequency Range (dB Typical)		LO	LO Power	Isolation (dB)		RF Input	Input (dBm)			
		(aB I	ypicai)	Drive	Conversion	\vdash		Power	P1 dB	Third order		
		RF/LO	IF	(dBm)	Loss (dB)	LO-RF	LO-IF	(dBm CW)	Compression	Intercept Point		
	BM13700	2-8 GHz	DC-2 GHz	+10 5.5 6.5	5.5	35	25		+4	+14		
Double	BM13702	2-18 GHz	DC7 GHz		28	25	+24	14	714			
Double	BM13703	5-18 GHz	DC-4 GHz	+7	5.5	35	35	T24	+1	+11		
	BM13705	16-26 GHz	DC-4 GHZ		8.0	38	30					
Triple	BM13701	2-8 GHz	.1-4 GHz	+10	6.2	26	28	+27	+4	+14		
Imple	BM13704	6-18 GHz	z 2-8 GHz 7.0 27	25	TZ1							

Freque	ncy Do	ublers		BRA			
Connector	Frequenc	cy Range	Part #	Input Drive Level	Conversion Loss	Fundamental Isolation	RF Input Power
Connector	Input	Output	T dit "	(dBm)	(dB)	(dB)	(dBm CW)
	1.5-5 GHz	3-10 GHz	BM13725		11-12.5	23	
SMA	2-6 GHz	4-12 GHz	BM13726	+11 to +13	11-12	25	+22
SIVIA	4-9 GHz	8-18 GHz	BM13727	+11 tO +13	10.5-12	23	
	9-13 GHz	18-26 GHz	BM13728		11.5-13	25	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



DC Blocks

Voltage Rating: 200 Volts









Connector Type	Ohm	Block Type	Part #	Frequency Range	VSWR	Insertion Loss	Operating Temp. Range
		Inner	BM13012	7 KHz-26.5 GHz	1.50:1	.75 dB Max.	-35°C to +85°C
		Outer	BM13013	40.1411 00.5.011	1.35:1	.5 dB Max.	-65°C to +125°C
0.00	50	Inner/Outer	BM13014	10 MHz-26.5 GHz	1.35:1	.75 dB Max.	-65°C to +125°C
2.92mm	50	Inner	BM13015		1.45:1	.5 dB Max.	-65°C to +125°C
		Outer	BM13016	10 MHz-40 GHz	1.45:1	.5 dB Max.	-65°C to +125°C
		Inner/Outer	BM13017		1.45:1	.75 dB Max.	-65°C to +125°C
		Inner	BM13000		1.35:1	.5 dB Max.	-65°C to +125°C
BNC	50	Outer	BM13001	10 MHz-4 GHz	1.35:1	.5 dB Max.	-65°C to +125°C
		Inner/Outer	BM13002		1.35:1	.5 dB Max.	-65°C to +125°C
		Inner	BM13024		1.35:1	.5 dB Max.	-65°C to +125°C
75 Ohm BNC	75	Outer	BM13025	100 MHz-4 GHz	1.35:1	.5 dB Max.	-65°C to +125°C
		Inner/Outer	BM13026		1.35:1	.5 dB Max.	-65°C to +125°C
		Inner	BM13021		1.35:1	.5 dB Max.	-55°C to +80°C
F	75	Outer	BM13022	10 MHz-2 GHz	1.35:1	.5 dB Max.	-55°C to +80°C
		Inner/Outer	BM13023		1.35:1	.5 dB Max.	-55°C to +80°C
		Inner	BM13003		1.35:1	.6 dB Max.	-65°C to +125°C
N	50	Outer	BM13004	10 MHz-18 GHz	1.35:1	.6 dB Max.	-65°C to +125°C
		Inner/Outer	BM13005		1.35:1	.6 dB Max.	-65°C to +125°C
		Inner	BM13018		1.35:1	.5 dB Max.	-65°C to +125°C
75 Ohm N	75	Outer	BM13019	100 MHz-4 GHz	1.35:1	.5 dB Max.	-65°C to +125°C
		Inner/Outer	BM13020		1.35:1	.5 dB Max.	-65°C to +125°C
		Inner	BM13006		1.35:1	.5 dB Max.	-65°C to +125°C
SMA	50	Outer	BM13007	10 MHz-18 GHz	1.35:1	.5 dB Max.	-65°C to +125°C
		Inner/Outer	BM13008		1.35:1	.5 dB Max.	-65°C to +125°C
		Inner	BM13009		1.35:1	.75 dB Max.	-65°C to +125°C
TNC	50	Outer	BM13010	10 MHz-18 GHz	1.35:1	.75 dB Max.	-65°C to +125°C
		Inner/Outer	BM13011		1.35:1	.75 dB Max.	-65°C to +125°C

Isolator & Circulator







Connector	Туре	Frequency	Part #	Average	Peak	VSWR	Insertion	Isolation			
Type	1,700	Range	r aren	Power		101111	Loss (Max)	(Min)			
		1-2 GHz	BM13301	75	100	1.30:1	.50	18			
		2-4 GHz	BM13303	20	30	1.25:1	.50	10			
		4-8 GHz	BM13305	20	30	1.25.1	.40	20			
SMA	Circulator	7-12.4 GHz	BM13307	25	500	1.30:1	.50	18			
		8-18 GHz	BM13309 5	30	1.45:1	.80	16				
		11-18 GHz	BM13311	5	20	1.25:1	.50	20			
		18-26.5 GHz	BM13313	10	30	1.40:1	.80	18			
	1-	1-2 GHz	BM13300	75	100	1.30:1	.50	18			
		1.7-2 GHz	BM13328	150	350	1.25:1	.40	20			
		2-4 GHz	BM13302	30	50	1.30:1	.50	18			
		4-8 GHz	BM13304	20	20	1.25:1	.40	20			
SMA	Isolator	5-11 GHz	BM13327	1	10	1.40:1	.80	15			
OWA	isolatoi	7-12.4 GHz	BM13306	25	500	1.30:1	.50	18			
		8-18 GHz	BM13308	10	30	1.45:1	.80	16			
		11-18 GHz	BM13310	5	20	1.25:1	.50	20			
		18-26.5 GHz	BM13312	10	30	1.40:1	.80	18			
		21.2-23.6 GHz	BM13314	1	5	1.25:1	.50	20			



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Detectors







Connector	Frequency Range	Ohm	Part #	Туре	Video (pF)	DC Output	RF Input Power (dBm CW)	
	100 kHz-1 GHz	75	BM13501			Positive		
DNO	100 KHZ-1 GHZ	75	BM13505]		Negative		
BNC		50	BM13500	Zara Diaa Cabattlar	1000	Positive	+20	
	100 kHz-2.5 GHz	50	BM13503	Zero Bias Schottky	1000	Negative	+20	
N	100 KHZ-2.5 GHZ	50	BM13502]		Positive		
IN		50	BM13504]				
	.5-1 GHz	50	BM13516		100			
	1-2 GHz	50	BM13517]	50			
	2-4 GHz	50	BM13518		20			
	4-8 GHz	50	BM13519		20			
	6-18 GHz	50	BM13515	Biased Schottky		Negative	+23	
	8-12 GHz	50	BM13520		10			
	8-16 GHz	50	BM13521					
	8-18 GHz	50	BM13512					
SMA	18-26.5 GHz	50	BM13522		5			
SIVIA	.01-2 GHz	50	BM13507		470		+20	
	.01-2 GHz	50	BM13545		500	Positive	+27	
	.01-4 GHz	50	BM13508					
	.01-12.4 GHz	50	BM13509		470			
	.01-18.5 GHz	50	BM13510	Zero Bias Schottky	470	Negativo		
	.01-26.5 GHz	50	BM13511			Negative	+20	
	2-4 GHz	50	BM13513					
	2-8 GHz	50	BM13514]	20			
	2-18 GHz	50	BM13506]		Positive		

Limiters





Connector	Frequency Range	Part #	Туре	Leakage @ 1W CW Input (dBm Max)	Insertion Loss (dB Max)	VSWR (Max)	
	.5-1 GHz	BM13534			.4		
	.5-2 GHz	BM13535		+19	.5	1.40:1	
	1-2 GHz	BM13536			.4		
	2-4 GHz	BM13537		+18.5	.8	1.50:1	
	2-8 GHz	BM13538		+16	1.2	1.50.1	
	2-18 GHz	BM13539	Pin-Pin Diode	+18	2.5	2.20:1	
	4-8 GHz	BM13540			1.2	1.50:1	
	6-18 GHz	BM13541			2.2	2.00:1	
	7-12 GHz BM13542		+16	1.5	1.80:1		
8-16	8-16 GHz	BM13543			2.0	2.00:1	
SMA	11-18 GHz	BM13544			2.2	2.20:1	
SIVIA	.5-1 GHz	BM13523			.5	1.40:1	
	.5-2 GHz	BM13524			.8		
	1-2 GHz	BM13525		+14	.6	1.50:1	
	2-4 GHz	BM13526		14	.8		
	2-8 GHz	BM13527			1.4	1.60:1	
	2-18 GHz	BM13528	Pin-Schottky Diode		2.5	2.50:1	
	4-8 GHz	BM13529		+13	1.4	1.50:1	
	6-18 GHz	BM13530		+13	2.5	2.20:1	
	7-12 GHz	BM13531			2.0	1.80:1	
	8-16 GHz	BM13532		+12	2.2	1.00.1	
	11-18 GHz	BM13533			2.5	2.20:1	




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601





Octave Directional Couplers



Connector	Frequency Range	Part #	Coupling (with Frequency Sensitivity Max)	Primary VSWR (Max)	Secondary VSWR (Max)	Insertion Loss (dB Max)	Frequency Sensitivity (dB Max)	Directivity (dB Min)	Averge Power (Watts)	Peak Power (Watts)	
2.92mm Female	26-40 GHZ	BM80503 BM80504	10 +/- 1.00 dB 20 +/- 1.00 dB	1.60:1	1.65:1	1.30	+/- 1.00	9	20	.5K	
		BM80447	6 +/- 1.00 dB	1.15:1	1.15:1	1.80	+/60				
	5.4.011	BM80448	10 +/- 1.25 dB			0.80					
	.5-1 GHz	BM80449	20 +/- 1.25 dB	1.10:1	1.10:1	0.20	+/75				
		BM80450	30 +/- 1.25 dB			0.20		25			
		BM80451	6 +/- 1.00 dB	1.15:1	1.15:1	1.80	+/60	25			
	1-2 GHz	BM80452	10 +/- 1.25 dB			0.80					
	I-Z GHZ	BM80453	20 +/- 1.25 dB	1.10:1	1.10:1	0.20	+/75				
		BM80454	30 +/- 1.25 dB								
		BM80455	6 +/- 1.00 dB	1.15:1	1.15:1	1.80	+/60	22			
	2-4 GHz	BM80456	10 +/- 1.00 dB	1.30:1	1.30:1	1.00	+/- 1.20	20			
	2.6-5.2 GHz BM80 BM80 BM80 BM80 BM80	BM80457	20 +/- 1.25 dB	1.15:1	1.15:1	0.20	+/75	22			
		BM80458	30 +/- 1.25 dB							3K	
		BM80459	6 +/- 1.00 dB			1.80	+/60			"	
		BM80460	10 +/- 1.25 dB	4054		0.80					
			BM80461	20 +/- 1.25 dB	1.25:1	1.25:1	0.25	+/75	20		
			30 +/- 1.25 dB			0.20	. / . 00		50		
SMA Female		BM80463	6 +/- 1.00 dB	4.00-4	4.00:4	1.90	+/60	40			
	4-8 GHz	BM80464 BM80465	10 +/- 1.00 dB 20 +/- 1.25 dB	1.30:1	1.30:1	1.00 0.30	+/- 1.20	18			
		BM80466	30 +/- 1.25 dB	1.25:1	1.25:1	0.30	+/75	20			
		BM80467	6 +/- 1.00 dB			2.00					
		BM80468	10 +/- 1.00 dB			1.00	-				
	7-12.4 GHz	BM80469	20 +/- 1.00 dB	1.30:1	1.30:1	0.35	+/50	17			
		BM80470	30 +/- 1.00 dB			0.30	-				
		BM80471	6 +/- 1.00 dB			2.20	+/60				
		BM80472	10 +/- 1.25 dB			1.20	7 .00				
	7.5-16 GHz	BM80473	20 +/- 1.25 dB	1.35:1	1.40:1	0.65	+/75	15		2K	
	12.4-18 GHz	BM80474	30 +/- 1.25 dB			0.60					
		BM80475	6 +/- 1.00 dB			2.20	+/50				
		BM80476	10 +/- 1.00 dB	1.50:1	1.50:1	0.70	+/60	12			
		BM80477	20 +/- 1.00 dB	1.40:1	1.40:1	0.65	+/- 1.20			11/2	
		BM80478	30 +/- 1.00 dB	1.35:1	1.40.1	0.60	+/50	15		1K	
	18-26 GHz	BM80501	10 +/- 1.00 dB	1.60:1	1.65:1	1.40	+/70	9	20		
	10-20 GHZ	BM80502	20 +/- 1.00 dB	1.00.1	1.00.1	1.20	+//0	9	20		

High Power Directional Couplers





Connector	Frequency Range	Part #	Coupling (with Frequency Sensitivity Max)	Primary VSWR (Max)	Insertion Loss (dB Max)	Frequency Sensitivity (dB Max)	Directivity (dB Min)	Averge Power (Watts)	Peak Power (Watts)
	.05-2 GHz	BM80479	35 +/- 1.30 dB						
	1-2 GHz	BM80480	30 +/- 1.30 dB	1.35:1			18		
	2-4 GHz	BM80481	30 +/- 1.30 UD	,0 +/- 1.30 dB		+/75			
	1-4 GHz	BM80482	30 +/- 1.00 dB	1.20:1		+//3	16	600	10K
	2.6-5.2 GHz	BM80483	30 +/- 1.30 dB						
N Female	4-8 GHz	BM80484	30 +/- 1.50 dB	1.35:1	0.30		18		
in Female	1.5-4.5 GHz	BM80485	30 +/- 1.30 dB			+/65	1 18		
	2-8 GHz	BM80486				+/60			
	7-11 GHz	BM80487	30 +/ 1 00 dB		0.20	+/50			
	5-11 GHz	BM80488	30 +/- 1.00 dB	1.30:1	0.20	+/50	16		
	4-12 GHz	BM80489				+/65	10		
	1-11 GHz	BM80490	35 +/- 1.50 dB			+/- 1.25			




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Broadband Directional Couplers



Connector	Frequency Range	Part #	Coupling (with Frequency Sensitivity Max)	Primary VSWR (Max)	Secondary VSWR (Max)	Insertion Loss (dB Max)	Frequency Sensitivity (dB Max)	Directivity (dB Min)	Averge Power (Watts)	Peak Power (Watts)
N Female	.698-2.7 GHz	BM80494 BM80495 BM80496 BM80497 BM80498 BM80499 BM80500	6 +/80 dB 7 +/80 dB 8 +/80 dB 10 +/- 1.00 dB 15 +/- 1.00 dB 20 +/- 1.20 dB 30 +/- 1.50 dB	1.25:1	1.40:1	1.60 1.40 1.30 0.80 0.50 0.45 0.40	+/75	17	200	1000
	.5-2 GHz	BM80423 BM80424 BM80425 BM80491	6 +/- 1.00 dB 10 +/- 1.00 dB 20 +/- 1.00 dB 30 +/- 1.00 dB	1.20:1	1.20:1	2.00 0.90 0.40	+/80	23		
	.6-4 GHz	BM80436	10 +/- 1.00 dB	1.25:1	1.30:1	0.90	+/75	20 18	50	3K
	1-4 GHz	BM80426 BM80427 BM80428	6 +/- 1.00 dB 10 +/- 1.00 dB 20 +/- 1.00 dB	1.20:1	1.20:1	2.00 0.90 0.45	+/50	23	30	
	1-18 GHz	BM80437 BM80438 BM80439	10 +/- 1.00 dB 16 +/- 1.00 dB 20 +/- 1.00 dB	1.50:1 1.40:1	1.50:1	1.50 0.90	+/- 1.20 +/50	12	25	1K
SMA Female	2-8 GHz	BM80429 BM80430 BM80431	6 +/- 1.00 dB 10 +/- 1.00 dB 20 +/- 1.00 dB	1.25:1	1.25:1	2.20 1.00 0.45	+/30	20	50	3K
	2-18 GHz	BM80440 BM80441 BM80442	6 +/- 1.00 dB 10 +/- 1.00 dB 16 +/- 1.00 dB	1.40:1 1.35:1	1.50:1 1.40:1	2.00 1.30 0.90	+/50	12	25	1K
	4-12.4 GHz	BM80443 BM80432 BM80433 BM80434	20 +/- 1.00 dB 6 +/- 1.00 dB 10 +/- 1.00 dB 20 +/- 1.00 dB	1.30:1	1.30:1	2.20 1.20 0.55	+/30	17	50	2K
	4-18 GHz	BM80444 BM80445 BM80446	6 +/- 1.00 dB 10 +/- 1.00 dB 20 +/- 1.00 dB	1.35:1 1.40:1	1.40:1	2.00 1.00 0.70	+/50	12	25	1K
	6-18 GHz 7-18 GHz	BM80492 BM80435	20 +/- 1.25 dB 10 +/- 1.25 dB	1.35:1		0.60 1.10	+/60 +/75	15	35 50	

Dual Directional Couplers



Connector	Frequency Range	Part #	Coupling (with Frequency Sensitivity Max)	Primary VSWR (Max)	Secondary VSWR (Max)	Insertion Loss (dB Max)	Frequency Sensitivity (dB Max)	Directivity (dB Min)	Power	Peak Power (Watts)
		BM80400	10 +/- 1.25 dB		1.10:1	1.50			10	
	0.5-1 GHz	BM80401	20 +/- 1.25 dB		_	0.50	_		50	
		BM80402	30 +/- 1.25 dB	1.15:1	1.15:1	0.40		22		1
		BM80403	10 +/- 1.25 dB	1.10.1		1.50			10	1
	1-2 GHz	BM80404	20 +/- 1.25 dB		1.10:1	0.50			50	
		BM80405	30 +/- 1.25 dB		4.00.4	0.40				-
	0.4.01.1-	BM80406	10 +/- 1.25 dB	4.00.4	1.20:1	1.50	., 00	00	30	-
	2-4 GHz	BM80407 BM80408	20 +/- 1.25 dB 30 +/- 1.25 dB	1.20:1	1.15:1	0.50 0.40	+/80	20	50	
		BM80409	10 +/- 1.25 dB			1.50	-		10	3K
	2.6-5.2 GHz	BM80410	20 +/- 1.25 dB	1.30:1		0.50	-			-
	2.0-3.2 0112	BM80411	30 +/- 1.25 dB	1.50.1		0.40	1		50	
SMA Female		BM80412	10 +/- 1.25 dB		1.25:1	1.70	1	18	10	1 1
	4-8 GHz	BM80413	20 +/- 1.25 dB			0.50				1
		BM80414	30 +/- 1.25 dB	1.35:1		0.40	1		50	
		BM80415	10 +/- 1.25 dB	1	1.30:1	1.90		16	10	1
	7-12.4 GHz	BM80416	20 +/- 1.25 dB	1.45:1	1.45:1	0.70	+/60	11	50	1
		BM80417	30 +/- 1.25 dB	1.35:1	1.30:1	0.60		16	50	
		BM80418	10 +/- 1.25 dB	1.40:1	1.40:1	2.20		15	10	
	8-16 GHz	BM80419	20 +/- 1.25 dB			1.00	+/80		50	2K
		BM80420	30 +/- 1.25 dB	1.50:1	1.50:1		1700	11		
	l <u>.</u>	BM80493	10 +/- 1.25 dB	1.40:1	1.40:1	2.20		15	10	1K
	12.4-18 GHz	BM80421 BM80422	20 +/- 1.25 dB 30 +/- 1.25 dB	1.65:1	1.65:1	1.00	+/60	11	50	2K 1K




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601



Resistive Power Dividers









Connector	Frequency Range	Output Ports	Part#	VSWR (Max)	Insertion Loss (dB Max)	Amplitude Balance (dB Max)	Phase Balance (Max)	Input Power (Max)
	DC-12.4 GHz		BM80045	1.20:1	6	0.4	+/- 2°	
2.92mm	DC-18 GHz		BM80046	1.30:1	7.5	0.5	+/- 3°	
	DC-26.5 GHz		BM80047	1.40:1	8.5	1.0	+/- 4°	
N	DC-12.4 GHz		BM80041	1.25:1	6	0.4	+/- 2°	
l N	DC-18 GHz		BM80040	1.35:1	7.5	0.5	+/- 3°	1 Watt
	DC-6 GHz		BM80042	1.25:1	0.5	0.3	+/- 3°	ı vvall
SMA	DC-12.4 GHz] [BM80043	1.20:1	6	0.4	+/- 2°	
	DC-18 GHz] [BM80044	1.30:1	7.5	0.5	+/- 3°	
TNC	DC-12.4 GHz	1	BM80039	1.25:1	6	0.4	+/- 2°	
INC	DC-18 GHz		BM80038	1.35:1	7.5	0.5	+/- 3°	

Power	Dividers
--------------	-----------------







			® # C	<u> </u>					
Connector	Frequency Range	Output Ports	Part #	VSWR (Max)	Isolation (dB Min)	Insertion Loss (dB Max)	Amplitude Balance (dB Max)	Input Power (Max)	
	1-175 MHz	6	BM80025	1.50:1	22	1.5	0.4		
	2-500 MHz	2	BM80010		25	1.0			
	2-200 MHz	3	BM80023	1.35:1	20	2.0	0.3		
BNC Female		4	BM80021		22	1.5	0.3	1 Watt	
DINC Female	2-500 MHz	8	BM80011		20	2.0		ı vvall	
		12	BM80007	1.50:1	25	3.0	0.5		
	10-1000 MHz	2	BM80000			1.5			
	10-1000 WITZ	4	BM80022	1.70:1		2.0	0.3		
		2	BM80058	1.25:1	20	.4		10 Watts	
N Female	.7-2.7 GHz	3	BM80078	1.30:1]	0.5	0.6	5 Watts	
in Female		4	BM80059	1.25:1		.6	0.3	10 Watts	
	8-12.4 GHz	4	BM80056	1.60:1	17	1.0		30 Watts	
	DC-4.2 GHz		BM80075	1.15:1	6.2	1.40	0.5	3/4 Watt	
	10 MHz-2 GHz	2	BM80076	1.50:1	10	1.20		1 Watt	
	5-500 MHz		BM80077	1.25:1	25	.80	0.3	ı vvall	
	E 1 CU-		BM80024	1.20:1	22	.25			
	.5-1 GHz	4	BM80012	1.30:1	20	.40	0.2		
	1-2 GHz	2	BM80001	1.25:1	22	.25	0.2		
		4	BM80013	-	20	.60		10 Watts	
	1-20 GHz	2	BM80048	2.00:1	7	1.10	0.4		
	2-4 GHz		BM80002	1.30:1	20	.30	0.2		
		4	BM80014	1.40:1	20	.60	0.6		
	2-6 GHz	6	BM80061	1.60:1	18	1.5	1	30 Watts	
SMA Female	2-8 GHz	2	BM80003	1.35:1	20	.40	0.2		
SIVIA FEITIAIE	2-0 GHZ	4	BM80015	1.50:1	18	1.0	0.5	10 Watts	
	2-18 GHz	2	BM80004		17	1.00	0.4		
	2-10 0112	4	BM80016	1.70:1		1.8	0.5	20 Watts	
	4-8 GHz	2	BM80005	1.40:1	20	.4	0.2	30 Watts	
		4	BM80017	1.45:1	19	.6	0.5		
	7-12.4 GHz	2	BM80006	1.50:1	20	.5	0.3	10 Watts	
	8-12.4 GHz	4	BM80018	1.45:1	16	.8	0.5	30 Watts	
		2	BM80008	1.40:1	17	.60	0.3		
	8-18 GHz	4	BM80019	1.50:1	18	1.0	0.5		
		8	BM80054	1.60:1	15	2.0	0.6	10 Watts	
		12-18 GHz	12-18 GHz	2	BM80009	1.40:1	20	.60	0.2
		4	BM80020	1.50:1	18	1.0	0.5		
TNC Female	2-4.2 GHz	2	BM80060	1.15:1	19	.8	0.4		




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601



Switches









Connector	Frequency Range	Ohm	Part #	Туре	Series	Voltage (Vdc)	VSWR (Max)	Features
1.6/5.6	DC-2.5 GHz	75	BM14071	Dalan	SPDT	28	1.30:1	Failsafe
3.5mm	DC-26.5 GHz	50	BM14069	Relay	SPDT	5	1.80:1	Terminated
	20 MI - 4 C CI -	50	BM14007	Manuel	2 Way	NI/A	1.40:1 @	Surge Protected
	30 MHz-1.6 GHz	50	BM14008	Manual 4 Way		N/A	450 MHz	Surge Protected
N		50	BM14053	Dolov	CDDT	12		Failsafe
IN	DC-4 GHz	50	BM14054	Relay	Relay SPDT Transfer DPDT		1.30:1	Failsafe
		50	BM14048	Transfer				Failsafe
	DC-8 GHz	50	BM14052			28	1.45:1	Hot Switch, Latching, Indicators
	.01-18 GHz	50	BM14061		SPDT -		1.50:1	Failsafe, Indicators
	DC-3 GHz	50	BM14068		SPDT	12	1.20:1	Failsafe
	DC-4 GHz	50	BM14065			24	1.20.1	Latching, TTL, Terminated
		50	BM14067	Relay	5 PORT	24	1.30:1	Latching, TTL
SMA		50	BM14066		SP3T		1.50:1	Terminated, TTL, Indicators, Normally, Suppression Diode
OWA	DC-18 GHz	50	BM14062]		28	1.20:1	Failsafe
		50	BM14058		SPDT		1.50:1	Latching, Self Cut Off, Indicators
		50	BM14064	Transfer	DPDT	12		Self Cut Off, Latching, Indicators
	DC-20 GHz	50	BM14070	Relay	24		1.40:1	Latching
	DC-22 GHz	50	BM14063	Relay	SPDT	28	1.20:1	Failsafe

Surge Protectors








Connector	Frequency Range	Ohm	Part #	Watts	VSWR (Max)
BNC Female	DC-3 GHz	50	BM13900	200	
BNC Female	DC-3 GHz	50	BM13901	2,000	
F Female	DC-3 GHz	75	BM13902	200	
F Female	DC-3 GHz	75	BM13903	2,000	1.30:1
N Female	DC-3 GHz	50	BM13904	200	1.30.1
N Female	DC-3 GHz		BM13905	2,000	
N Female Bulkhead	DC-3 GHz		BM13906	200	
N Female Bulkhead	DC-3 GHz		BM13907	2,000	
Replacement Cartridge	DC-3 GHz	N/A	BM13908	200	N/A
Replacement Cartridge	DC-3 GHz	IN/A	BM13909	2,000	IN/A

Equalizers









							*				
Part #	dB	DC Output	Linerity (dB)	VSWR (Max)	Part #	dB	DC Output	Linerity (dB)	VSWR (Max)		
BM13800.3	3				BM13800.9	9		± .80			
BM13800.4	4				BM13800.10	10		I.00			
BM13800.5	5	Negative Slope	± .80 1.80:1	+ 80	+ 80	1 80:1	BM13800.12	12	Negative Slope	± 1.6	1.80:1
BM13800.6	6	Negative Slope		1.00.1	BM13800.15	15		± 1.0			
BM13800.7	7				BM13800.20	20		± 3.2			
BM13800.8	8										



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




Phone 949.756.1600 Fax 949.756.1601



Connectors	PG#
1 5/8" EIA	140
1.85mm	129
10-32	131
10 & 20 kV	129
2.4mm	130
2.92mm	131
3 1/8" EIA	140
3.5mm	130
4.1/9.5 Din	129
7/16 Din	132
7/16 Din Low Pim 7/8" EIA	132
	140
Alligator Clips	162
Banana Plugs BMA	134
BMMA	136 136
DIVIVIA	120 120
BNC BNC-75 Ohm BNC Poverse Polarity	138-139 132-133
BNC-Reverse Polarity	135
DIVO-INEVELSE FUIAITLY	139
BNC Twinax C	136-137
CRC9	130-137
F	140
FME	131
GR874	130
HN	137
Insulated Spade Lugs	162
LC	140-141
MCX	141
MCX-75 Ohm	134
MHV	144-145
Mini 75 Ohm SMB	145
Mini SMP	137
Mini UHF	149
Miniature Alligator Clips	162
Miniature Stacking Banana	162
MMCX	155-156
N	142-144
N-75 Ohm	133
N-Low PIM	142-143
NMO Mount	130
PAL	129
QMA	146
QN	147
Safety Hooks	162
SC	135
SHV	157-158
SMA	150-155
SMA-Field Replaceable	
Connectors, Contacts &	155
Hermetic Seals	
SMA-Non Magnetic	154
SMA-Reverse Polarity	148
SMA-Reverse Thread	147
SMA-27 GHz	155
SMB-50 Ohm	156-157
SMB-75 Ohm	134
SMC-50 Ohm	158-159
SMC-75 Ohm	135
SMP	145
Spade Lugs	162
SSMA	160
SSMB	157
SSMC	159
Stacking Tips	162
Standard Stacking Banana	162
TNC	160-161
TNC-75 Ohm	149
TNC-Reverse Polarity	149
TPS	135
UHF	146-147 162
Unterminated #20 AWG Leads ZMA	141
DAL Coppes	1+1

1.85mm Connectors



1.85mm Female Sparkplug, Accepts .009" Dia. Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61057

1.85mm Male
Sparkplug, Accepts
.009" Dia. Contact



Materials	Part#
Passivated Stainless Steel Body Gold Plated Contact	BM61058

1.85mm Female 2 Hole Panel Mount, Accepts .009" Dia. Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61059

1.85mm Female End Launch .062" Thick Board, .012" Round Contact



Materials	Part #	
Stainless Steel Gold Plated Bo Gold Plated Contact	ody BM61264	

4.1/9.5 Din Connectors

RG55, RG141, RG142, RG22 RG400	3,	BM60095
Crimp-Cable Type		Part #
4.1/9.5 Din Male		

Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223, RG400	BM60095
LMR-195, RG58, TCOM-195	BM60090
RG8, RG213	BM60109
RG9, RG214, RG225, RG393	BM60173

PAL Connectors

PAL Male Right Angle		
Crimp-Cable Type		Part #
RG179, RG187		BM60211

4.1/9.5 Din Female .985" Panel Mount, Solder Cup Contact



Materials	Part #
Brass Tri-Metal Plated Body Silver Plated Contact	BM61080


10 kV Connectors

10 kV Plug



Crimp-Cable Type	Part #	
RG55, RG141, RG142, RG22 RG400	^{3,} BM61098	}
RG8, RG213	BM61105	;
RG9, RG214, RG225, RG393	BM61309)
LMR-195, RG58, TCOM-195	BM60206	;

10 kV Jack Bulkhead



Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223, RG400	BM61101
LMR-195, RG58, TCOM-195	BM61003
LMR-195, RG58, TCOM-195	BM61003

10 kV Jack Bulkhead Front Mount, Solder Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60985

10 kV Jack Bulkhead Front Mount, Hermetically Sealed, Solder Contact



Solder Contact	
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM61188

20 kV Connectors

20 kV Plug



Crimp-Cable Type	Part #
RG8, RG213	BM61000
RG9, RG214, RG225, RG393	BM61032

20 kV Jack Bulkhead Front Mount, Solder Contact



Materials	Part #
Brass Nickel Plated Body Brass Tri-Metal/Gold Plated Contact	BM61099

20 kV Jack Bulkhead Front Mount, Solder Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61102




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



2.4mm Connectors



Solder/Clamp-Cable Type		Part #
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60543
2.4mm Female	AF	TIMBU BARA

RG405, RG405-Alum, RG405	5-Flex,	BM60547
Solder/Clamp-Cable Type		Part #
Bulkhead	CM_	

RG405-Flex-Jacketed

2.4mm Male	Ü	
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60426
Solder/Clamp-Cable Type		Part #
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60539

2.4mm Female	
Sparkplug, Accepts .012" Dia. Contact	
Materials	

Materials	Part #
Passivated Stainless Steel E Gold Plated Contact	BM61087

2.4mm Male Sparkplug,
Accepts .012" Dia.
Contact



2.4mm Male 2 Hole
Panel Mount Extended
Dielectric, .024" Round
Contact

Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61089


Panel Mount Extended Dielectric, .024" Round Contact	2.4mm Male .500"	
Dielectric, .024" Round	Panel Mount Extended	
Contact	Dielectric, .024" Round	
	Contact	

Contact		9
Materials		Part #
Passivated Stainless Steel Gold Plated Contact	Body	BM61090

2.4mm Female 2 Hole	
Panel Mount, Stripline	
Circuits .011" X .003"	
Tab Contact	

Tab Contact		
Materials		Part #
Passivated Stainless Steel Gold Plated Contact	Body	BM61091

2.4mm Female .500" Panel Mount, Stripline Circuits .011" X .003"



2.4mm Male 2 Hole		
Panel Mount, Stripline		
Circuits .011" X .003"		
Tab Contact		



2.4mm Male .500"		
Panel Mount, Stripline		
Circuits .011" X .003"		
Tab Contact		

Tab Contact		10/
Materials		Part #
Passivated Stainless Steel I Gold Plated Contact	Body	BM61094

2.4mm Female 2 Hole
Panel Mount, Extended
Dielectric, .024" Round
Contact

Contact		u/
Materials		Part #
Passivated Stainless Steel I Gold Plated Contact	Body	BM61095

2.4mm Female .500"
Panel Mount, Extended
Dielectric, .024" Round
Contact



2.4mm Female 2 Hole
Panel Mount, Accepts
.009" Dia. Contact

Passivated Stainless Steel I Gold Plated Contact	Body	BM61240
Materials		Part #
.009" Dia. Contact	<u> </u>	

2.4mm Female End Launch, .062" Thick Board, .012" Round Contact
Launch, .062" Thick
Board, .012" Round
Contact

Board, .012" Round Contact		
Materials		Part
Stainlage Steel Cold Bloted F	2 odv	

Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM61271

CRC9 Connectors

Crimp-Cable Type LMR-100A, RG174, RG188, RG316 LMR-195, RG58, TCOM-195		Part # BM60205 BM60207
0: 011.7		
CRC9 Male Right Angle) 😭

3.5mm Connectors

3.5mm Female Solder/Clamp-Cable Type Part # RG402, RG402-Alum, RG402-Flex, BM60745 RG402-Flex-Jacketed RG405, RG405-Alum, RG405-Flex, BM60749 RG405-Flex-Jacketed

3.5mm Female Bulkhead		
Solder/Clamp-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	?-Flex,	BM60752
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60755

3.5mm Male		
Solder/Clamp-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM60738
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60741
	Solder/Clamp-Cable Ty RG402, RG402-Alum, RG402 RG402-Flex-Jacketed RG405, RG405-Alum, RG405	Solder/Clamp-Cable Type RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed RG405, RG405-Alum, RG405-Flex,

]	3.5mm Female End Launch.062" Thick Board, .012" Round Contact		
ı	Materials		Part #
1	Stainless Steel Gold Plated Gold Plated Contact	Body	BM61173

GR874 Connectors

GR874	H	
Crimp-Cable Type		Part #
RG55, RG142, RG223, RG40	RG55, RG142, RG223, RG400	
LMR-195, RG58, TCOM-195		BM60514
RG8, RG213		BM60798
RG9, RG214, RG225, RG393		BM60421
Replacement		Part #
Replacement Assembly		BM60796

NMO Mount Connectors

	NMO Mount Female		
	Crimp-Cable Type		Part #
ĺ	LMR-195, RG58, TCOM-195		BM61300
	RG55, RG142, RG223, RG400		BM61307




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



2.92mm Connectors



RG402-Flex-Jacketed		BIM60230
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60739
Semi-Rigid 118		BM61328
2.92mm Female Bulkhead	A	
Solder/Clamp-Cable Type		Part#
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed		BM60535
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60548
Semi-Rigid 118		BM60551

2.92mm Male

RG402-Flex-Jacketed

RG405-Flex-Jacketed

Solder-Cable Type

RG402, RG402-Alum, RG402-Flex,

RG405, RG405-Alum, RG405-Flex,

Semi-Rigid 118		BM604/9
2.92mm Male Sparkplug, Accepts .012" Dia. Contact	Ü	
Materials		Part #
Passivated Stainless Steel Body Gold Plated Contact		BM61018

Part#

BM60465

BM60427

2.92mm Male 2 Hole Panel Mount, Accepts .012" Dia. Contact	4	600
Materials		Part #
Passivated Stainless Steel Body Gold Plated Contact		BM61019

2.92mm Male .500" Panel Mount, Accepts .012" Dia. Contact	(600
Materials		Part #
Passivated Stainless Steel Body Gold Plated Contact		BM61020
Cold Flatou Contact		

2.92mm Female Sparkplug, Accepts .012" Dia. Contact		
Materials		Part #
Passivated Stainless Steel Body Gold Plated Contact		BM61021

2.92mm Female 2 Hole **Panel Mount, Accepts** .012" Dia. Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61022

2.92mm Female .500" **Panel Mount, Accepts** 012" Dia Contact



.012 Dia. Contact		10/
Materials		Part #
Passivated Stainless Steel I Gold Plated Contact	Body	BM61023

2.92mm Male 2 Hole Panel Mount, .025" Round Contact	(
Materials		Part #
Passivated Stainless Steel Gold Plated Contact	Body	BM61106

2.92mm Female End Launch, .062" Thick Board, .012" Round Contact		
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61261

10-32 Connectors

10-32 Female		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60399
RG178, RG196		BM60386
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	RG316	BM60208
RG188-Double, RG316-Double		BM61540

10-32 Female Bulknead	Ì	
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60415
RG178, RG196		BM60391
Crimp-Cable Type		Part #
RG178, RG196		BM60210

10-32 Male Right Angle		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60156
RG178, RG196		BM60163
RG188-Double, RG316-Double		BM61560

10-32 Connectors

10-32 Male Clamp-Cable Type Part # RG174, RG188, RG316 BM60417 RG178, RG196 BM60393 Crimp-Cable Type Part # LMR-100A, RG174, RG188, RG316 BM60121 RG178, RG196 BM60130

RG188-Double, RG316-Double

Brass Nickel Plated Bod Gold Plated Contact	ly	BM61014
Materials		Part #
10-32 Female Bulkhead Front Mount, Solder Cup Contact		

BM61562

10-32 Female Bulkhead Rear Mount, Solder Cup Contact	U	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	y	BM61015

10-32 Female P.C. Mount, .050" Round Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	у	BM61016

10-32 Female Right Angle P.C. Mount, .050" Round Contact		
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM61017

FME Connectors

FME Jack		
Crimp-Cable Type		Part #
RG55, RG142, RG223, RG40	0	BM61443
LMR-195, RG58, TCOM-195		BM61441

	Part #
RG55, RG142, RG223, RG400	
	BM60420
	0



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658

Mm



Phone 949.756.1600 949.756.1601

7



7/16 DIN Connectors

7/16 DIN Female Clamp-Cable Type Part # 1/2" Cable LDF4-50A, BM61589 LCF12-50, EC4-50 1/2" Superflex, FSJ4-50B BM61631 7/8" Cable LDF5-50, AVA5-50, AL5-BM61593 50, LCF78-50, EC5-50 1 5/8" Cable AVA7-50, LDF7-50, BM61597 VXL-50, LCF158-50, EC7-50 BM60408 RG14, RG217 RG55, RG58, RG141, RG142, BM60283 RG223, RG400 RG8, RG9, RG213, RG214, RG225, BM60260 **RG393** Part # Crimp-Cable Type RG55, RG142, RG223, RG400 BM60081 LMR-195, RG58, TCOM-195 BM60024 RG8, RG213 BM60041 RG9, RG214, RG225, RG393 BM60051 Solder/Clamp-Cable Type Part# RG401, RG401-Alum, RG401-Flex BM60521 RG402, RG402-Alum, RG402-Flex, BM60531 RG402-Flex-Jacketed

7/16 DIN Male Low PIM Crimp-Cable Type Part # LMR-195, RG58, TCOM-195 BM61520 LMR-240, LMR-240-Ultra-Flex, BM61522 RG8X, TCOM-240 LMR-400, LMR-400-Ultra-Flex, BM61524 **TCOM-400** LMR-600. TCOM-600 BM61530 Solder-Cable Type Part # RG402, RG402-Alum, RG402-Flex, BM61447 RG402-Flex-Jacketed

7/16 DIN Female Quick Change 4 Hole Panel Mount, Slotted Contact Terminal for Watt Meter		
Materials	Part	#
Brass Nickel Plated Body Silver Plated Contact	BM61	255
7/16 DIN Male Quick Change 4 Hole Panel Mount, Slotted Contact Terminal for Watt Meter)
Change 4 Hole Panel Mount, Slotted Contact	Part	:#

7/16 DIN Male Right Angle

750
9

Clamp-Cable Type	Part #
RG14, RG217	BM60407
RG55, RG58, RG141, RG142,	BM60278
RG223, RG400	DINIOUZIO
RG8, RG9, RG213, RG214, RG225,	BM60258

75 Ohm BNC Connectors



		2000
Clamp-Cable Type		Part #
RG11, RG216		BM60644
RG179, RG187		BM60651
RG59, RG62		BM60648
RG6		BM60640
Crimp-Cable Type		Part #
BM59Mini, Mini 59, RG180, R	G195	BM61546
RG179, RG187		BM60591
RG59, RG62		BM60588

7/16 DIN Female 4 Hole Panel Mount



Clamp-Cable Type	Part #
RG14, RG217	BM60409
RG8, RG9, RG213, RG214, RG22	^{5,} BM60262

7/16 DIN Male Right Angle Low PIM



Crimp-Cable Type	Part #
LMR-195, RG58, TCOM-195	BM61532
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61534
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61536
LMR-600. TCOM-600	BM61538

75 Ohm BNC Female Bulkhead



	-W
Clamp-Cable Type	Part #
RG11, RG216	BM60657
RG179, RG187	BM60663
RG59, RG62	BM60660
RG6	BM60654
Crimp-Cable Type	Part #
BM59Mini, Mini 59, RG180, RG1	95 BM60848
RG179, RG187	BM60597
RG59, RG62	BM60594

7/16 DIN Male



Clamp-Cable Type	Part #
1/2" Cable LDF4-50A, LCF12-50, EC4-50	BM61577
1/2" Superflex, FSJ4-50B	BM61633
7/8" Cable LDF5-50, AVA5-50 50, LCF78-50, EC5-50	^{0, AL5-} BM61581
1 5/8" Cable AVA7-50, LDF7- VXL-50, LCF158-50, EC7-50	-50, BM61585
RG14, RG217	BM60406
RG218	BM60411
RG55, RG58, RG141, RG142 RG223, RG400	BM60272
RG8, RG9, RG213, RG214, R RG393	RG225, BM60255
Crimp-Cable Type	Part #
RG55, RG142, RG223, RG40	0 BM60075
LMR-195, RG58, TCOM-195	BM60011
RG8, RG213	BM60038
RG9, RG214, RG225, RG393	BM60048
Solder/Clamp-Cable Ty	ype Part#
RG401, RG401-Alum, RG401	1-Flex BM60515
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	2-Flex, BM60526
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	5-Flex, BM60709

7/16 DIN Female 1.250" Panel Mount, Solder Pot Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60890

7/16 DIN Female 1.250" Panel Mount, With Threaded Contact



Materials	Part #
Brass Nickel Plated Body	BM60891

7/16 DIN Female Bulkhead Rear Mount,

Solder Pot Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	ВМ60892

75 Ohm BNC Male



Clamp-Cable Type	Part #
RG11, RG216	BM60612
RG179, RG187	BM60622
RG59, RG62	BM60616
RG6	BM60609
Crimp-Cable Type	Part #
BM59Mini, Mini 59, RG180, RG195	BM60801
RG11, RG216	BM60561
RG179, RG187	BM60570
RG59, RG62	BM60564
RG6	BM60558



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



75 Ohm BNC Connectors

75 Ohm BNC Male Right Angle Clamp-Cable Type Part# BM60631 RG11, RG216 RG179, RG187 BM60637 RG59, RG62 BM60634 RG6 BM60626 Crimp-Cable Type Part# BM59Mini, Mini 59, RG180, RG195 BM60846

75 Ohm BNC Female Bulkhead, 1/8" Max Panel, .440" Mounting Hole, Solder Cup Contact

RG179, RG187

RG59, RG62



BM60585

BM60582

Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61066

75 Ohm BNC Female Bulkhead, 1/4" Max Panel, .380" Mounting Hole, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61067

75 Ohm BNC Female Bulkhead, Isolated Ground, .380" Round Hole, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61068

75 Ohm BNC Female Bulkhead, Isolated Ground, .500" Round Hole, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61069

75 Ohm BNC Female **Bulkhead Front Mount.** .380" Mounting Hole, **Hermetically Sealed** Solder Lug Contact



•	
Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61070

75 Ohm BNC Female **Bulkhead Rear Mount,** .510" Mounting Hole, **Hermetically Sealed** Solder Lug Contact



Joider Edg Jointagt	
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM61071

75 Ohm BNC Female .688" Panel Mount, #3-56 Tapped Holes, **Solder Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61072

75 Ohm BNC Female .750" Panel Mount, **Turret Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61073

75 Ohm BNC Female .688" Panel Mount. **Solder Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61074

75 Ohm BNC Female 1" Panel Mount, Solder **Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61075

75 Ohm BNC Female Right Angle, .750" Panel Mount, Solder **Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61076

75 Ohm BNC Male **Bulkhead, Solder Cup** Contact



	*
Materials	Part #
Brass Nickel Plated Bod	BM61077

75 Ohm BNC Male .750" Panel Mount, Solder Cup Contact	

750" Panel Mount, Solder Cup Contact		HO
Materials		Part #
Brass Nickel Plated Bod	у	BM61078


75 Ohm BNC Female		
Right Angle Bulkhead,		
Solder Cup Contact		
Joiner Cup Contact		

Part#

Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM61079

75 Ohm N Connectors

75 Ohm N Female



Clamp-Cable Type	Part #
RG11, RG144, RG216	BM60404
RG59, RG62	BM60317
RG6	BM60229

75 Ohm N Male



Clamp-Cable Type	Part #
RG11, RG144, RG216	BM60403
RG179, RG187	BM60413
RG59, RG62	BM60305
RG6	BM60228
Crimp-Cable Type	Part #
RG11, RG144, RG216	BM60224
RG179, RG187	BM60201
RG59, RG62	BM60089
RG6	BM60197
Solder-Cable Type	Part #
Semi-Rigid 402-75	BM61508
RG405-75Flex, Semi-Rigid 40	05-75 BM61552

75 Ohm N Male 1" Panel Mount, Solder **Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60981

75 Ohm N Female 1" Panel Mount, Solder **Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60982

75 Ohm N Female **Bulkhead Front Mount.** .380" Round Hole. Solder Cup Contact



Materials	Part #
Brass Nickel Plated Bod	у ВМ60983



75 Ohm N Female **Bulkhead Front Mount,** .640" Round Hole, Solder Cup Contact



Materials Part # Brass Nickel Plated Body BM60984 **Gold Plated Contact**



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



75 Ohm MCX Connectors

75 Ohm MCX Plug		
Crimp-Cable Type		Part #
Mini 59, BM59Mini-Black	BM61359	
RG179, RG187	BM61351	
RG59	G59 BM61528	
Solder-Cable Type		Part#
RG405-75Flex, Semi-Rigid 405-75		BM61367

75 Ohm MCX Plug Right Angle	0	
Crimp-Cable Type		Part #
Mini 59, BM59Mini-Black		BM61361
RG179, RG187		BM61353
RG59		BM61363
Solder-Cable Type		Part #
RG405-75Flex, Semi-Rigid 405-75		BM61365

75 Ohm MCX Jack	
Crimp-Cable Type	Part #
RG179, RG187	BM61355
75 Ohm MCX Jack Bulkhead	

Part #

BM61357

75 Ohm MCX Jack Bulkhead, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61265

Crimp-Cable Type

RG179, RG187

75 Ohm MCX Jack End Launch, .062" Thick Board .027" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61266

Mount, .027" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM61267

•	Connectors		
	75 Ohm MCX Jack Right Angle P.C. Mount, .020" Round Contact	4	
	Materials		Part #
	Brass Gold Plated Body Gold Plated Contact	У	BM61268
			•

75 Ohm MCX Jack Surface Mount, .027" Round Contact	É	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM61269

Mount, .027" Round Contact		
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	У	BM61270

75 Ohm MCX Plug P.C.

75 Ohm SMB Jack

75 Ohm SMB Connectors

Will not mate to 50 Ohm or Mini 75 Ohm SMB Connectors

	9	2 PM
Clamp-Cable Type		Part #
RG179, RG187		BM60390
RG180, RG195		BM60392
RG59, RG62		BM60394
Crimp-Cable Type		Part #
RG179, RG187		BM61325

75 Ohm SMB Jack Bulkhead	
Clamp-Cable Type	Part #
RG59, RG62	BM60384
RG179, RG187	BM61323
Crimp-Cable Type	Part #
RG179, RG187	BM61317
RG180, RG195	BM60388

75 Ohm SMB Plug Right Angle	
Clamp-Cable Type	Part #
RG59, RG62	BM60396
Crimp-Cable Type	Part #
RG179, RG187	BM60398
RG180, RG195	BM61313

75 Ohm SMB Connectors Will not mate to 50 Ohm or Mini 75 Ohm SMB Connectors

75 Ohm SMB Plug	A	
Clamp-Cable Type		Part #
RG59, RG62		BM61326
RG179, RG187		BM60405
Crimp-Cable Type		Part #
RG59, RG62		BM61321
RG179, RG187		BM61315
RG180, RG195		BM60414
	Clamp-Cable Type RG59, RG62 RG179, RG187 Crimp-Cable Type RG59, RG62 RG179, RG187	Clamp-Cable Type RG59, RG62 RG179, RG187 Crimp-Cable Type RG59, RG62 RG179, RG187

Brass Nickel Plated Boo Gold Plated Contact	ly	BM61182
Materials		Part #
75 Ohm SMB Jack Bulkhead Front Mount, Solder Cup Contact		

Bulkhead Right Angle, Solder Cup Contact	
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61183

75 Ohm SMB Plug Bulkhead Front Mount, Solder Cup Contact	4	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61184

	75 Ohm SMB Jack P.C. Mount, .038" Round Contact	UU	
1	Materials		Part #
	Brass Gold Plated Body Gold Plated Contact	7	BM61185

75 Ohm SMB Jack Right Angle P.C. Mount, .038" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61186

Banana Connectors

Banana Plug	Y	
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60580
RG188-Double, RG316-Double		BM60751
RG55, RG142, RG223, RG400		BM60555
LMR-195, RG58, TCOM-195		BM60568
 <u> </u>		<u> </u>



75 Ohm MCX Jack P.C.

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



75 Ohm SMC ConnectorsWill not mate to 50 Ohm SMC connectors

Contact

75 Ohm SMC Jack Clamp-Cable Type Part# BM61383 RG179, RG187 RG180, RG195 BM61385 RG59, RG62 BM61387 Crimp-Cable Type Part # RG179, RG187 BM60380

75 Ohm SMC Jack Bulkhead		
Clamp-Cable Type		Part #
RG59, RG62		BM60704
RG179, RG187		BM60416
RG180, RG195		BM61311
Crimp-Cable Type		Part #
RG179, RG187		BM60418
		·

Part#
BM61327
BM60566
Part #
BM60573
BM60575
BM60577

75 Ohm SMC Plug Right Angle		
Crimp-Cable Type		Part #
RG179, RG187		BM60999

75 Ohm SMC Jack Bulkhead Rear Mount, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	7	BM61189

75 Ohm SMC Jack Bulkhead Front Mount, Solder Cup Contact	T	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM61190

75 Ohm SMC Plug Bulkhead Front Mount, Solder Cup Contact			
Materials		Part #	П
Brass Nickel Plated Bod Gold Plated Contact	BM61192		
75 Ohm SMC Jack P.C.	Œ.		

Brass Gold Plated Body Gold Plated Contact		BM61193
75 Ohm SMC Jack Right Angle P.C. Mount, .038" Round Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	y	BM61194

Part #

BM61196

Materials

75 Ohm SMC Plug

1 N	right Angle P.C. Iount, .038" Round Contact	Į Ž	
ΙП	Materials		Part #
ļΓ	Brass Nickel Plated Boo Gold Plated Contact	ly	BM61195
ļΙν	5 Ohm SMC Plug P.C. lount, .038" Round contact		
łГ	Materials		Part #

TPS Connectors

Brass Nickel Plated Body

Gold Plated Contact

TPS Male		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM61449
RG55, RG141, RG142, RG223, RG400		BM61453
RG58		BM61451
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM61455
RG188-Double, RG316-Doub	le	BM61458
RG55, RG141, RG142, RG22 RG400	3,	BM61462
LMR-195, RG58, TCOM-195		BM61460

TPS Female Bulkhead Front Mount, Solder Cup Contact	T.	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM61273

SC Connectors

	SC Male		9	
	Clamp-Ca	ble Type		Part #
ı	RG14, RG217			BM60615
_	RG218			BM60619
	RG55, RG58, RG141, RG142, RG223, RG400		BM60608	
	RG8, RG9, RG213, RG214, RG225, RG393			BM60611
	Crimp-Ca	ble Type		Part #
	RG55, RG141, RG	142, RG223	3,	BM60554
_	LMR-195, RG58, T	COM-195		BM61301
٦	RG8, RG213			BM61303
ı	RG9, RG214, RG2	25, RG393		BM60556
ı				

Clamp-Cable Type	Part #
RG55, RG58, RG141, RG142, RG223, RG400	BIVIOUOZI
RG8, RG9, RG213, RG214, R RG393	G225, BM60625

SC Male Right Angle

SC Female 1" Panel Mount, Solder Cup Contact	5	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60816

SC Female Bulkhead Hermetically Sealed, Solder Lug Contact		Brass Nickel Plated Boo Gold Plated Contact	ly	BM60900
Hermetically Sealed,	П	Materials		Part #
]	Hermetically Sealed,		

	SC Male 1" Panel Mount, Solder Cup contact		
ļ	Materials		Part #
	Brass Nickel Plated Bod Gold Plated Contact	ly	BM61290
	•		

Reverse Polarity BNC Connectors

Reverse Polarity BNC		
Male Bulkhead, .380"		
Round Hole, Solder		
Cup Contact		

	Part #
ala a	

Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61283



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



BMA Connectors

BMA Jack Bulkhead Rear Mount



Solder-Cable Type	Part#
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60849
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM61215

BMA Jack Floating Panel Mount Feedthru, Rear Mount



Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223 RG400	^{3,} BM60603
LMR-100A, RG174, RG188, F	RG316 BM60851
RG188-Double, RG316-Doub	ole BM60904
Solder-Cable Type	Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	P-Flex, BM61551
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM61553

BMA Jack 2 Hole Panel Mount	9	
Crimp-Cable Type		Part #
RG55, RG141, RG142, RG223 RG400	3,	BM60223
LMR-195, RG58, TCOM-195		BM60209
LMR-100A, RG174, RG188, F	RG316	BM60980
RG188-Double, RG316-Doub	le	BM60221
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM61216
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60662

BMA Plug Bulkhead		
Crimp-Cable Type		Part #
RG55, RG141, RG142, RG22 RG400	3,	BM60693
LMR-100A, RG174, RG188, RG316 BM60850		
RG188-Double, RG316-Double BM60877		
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed		BM60419
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60847

Part#
Part#
\/

BMA Jack .500" Panel Mount Extended Dielectric, .050" Round Contact



Materials	Part #
assivated Stainless Steel Body Gold Plated Contact	BM61163
Gold I lated Colltact	

BMA Jack P.C. Mount, .050" Round Contact



Materials	Part#
Brass Gold Plated Body Gold Plated Contact	
Julia atou Gointaot	

BMA Plug P.C. Mount, .050" Round Contact



BM61230

Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61229

BMA Plug Right Angle
P.C. Mount, .050"
Round Contact

Materials

Part #

Brass Gold Plated Body

PMC400

Gold Plated Contact

BMA Jack 2 Hole Panel Mount Extended Dielectric, .050" Round Contact	4	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61231

BMA Plug 2 Hole Panel Mount Extended Dielectric, .050" Round Contact	\mathcal{C}	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61232

BMA Plug Hermetically Sealded, .020" Round Contact		
Materials		Part #
Passivated Stainless Steel I Gold Plated Contact	Body	BM61235

BMA Plug .500" Panel Mount Flush Dielectric, .020" Round Contact	
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM61282

BMMA Connectors

BMMA Plug Press Mount, .015" Round Contact



MAA


Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61236

C Connectors

C Female		
Clamp-Cable Type		Part #
RG55, RG58, RG141, RG142 RG223, RG400	,	BM60781
RG59, RG62		BM60784
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60664

C Female Bulkhead		
Clamp-Cable Type		Part #
RG55, RG58, RG141, RG142, RG223, RG400		BM60790
RG59, RG62		BM60793
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60787

C Male		
Clamp-Cable Type		Part #
RG14, RG217		BM60642
RG174, RG188, RG316		BM60652
RG218		BM60655
RG55, RG58, RG141, RG142, RG223, RG400		BM60646
RG59, RG62		BM60649
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60628
Crimp-Cable Type		Part #
RG55, RG141, RG142, RG223 RG400	3,	BM60764
LMR-195, RG58, TCOM-195		BM60766
RG8, RG213		BM60758
RG9, RG214, RG225, RG393		BM60761





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



C Connectors

C Male Right Angle		
Clamp-Cable Type		Part#
RG55, RG58, RG141, RG142, RG223, RG400	,	BM60661
RG8, RG9, RG11, RG213, RG RG225, RG393	3214,	BM60658
Crimp-Cable Type		Part#
RG55, RG141, RG142, RG22 RG400	3,	BM60775
LMR-195, RG58, TCOM-195		BM60789
RG59, RG62		BM60778
RG8, RG213		BM60769
RG9, RG214, RG225, RG393		BM60772

Brass Nickel Plated Boo	ly	BMC0830
Materials		Part #
C Male Bulkhead Front Mount, Solder Cup Contact		
RG9, RG214, RG225, RG393		BM60772
RG8, RG213		BM60769

BM60839

C Female 1" Panel Mount, High Voltage 3000V, Solder Cup Contact	4	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60840

Gold Plated Contact


C Female 1" Panel Mount, Solder Cup Contact	"	
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60841

C Female Bulkhead Rear Mount, Solder Cup Contact	7	
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60842

/A/Ta

C Female Bulkhead Rear Mount, Hermetically Sealed, Solder Lug Contact	(Į	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60843

C Female Bulkhead Rear Mount, High Voltage 3000V, Solder Cup Contact	\(\frac{1}{2} \)	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60844




Part #

Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60845

HN Connectors

RG8, RG9, RG213, RG214, R RG393	G225,	BM60259
Clamp-Cable Type		Part #
HN Female		



	an	
Clamp-Cable Type		Part #
RG14, RG217		BM61517
RG55, RG58, RG141, RG142, RG223, RG400	,	BM60274
RG8, RG9, RG213, RG214, R RG393	G225,	BM60256

HN Male Right Angle

HN Female 1.188" Panel Mount, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60818

HN Female Bulkhead Rear Mount Hermetically Sealed, Solder Lug Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	y	BM60819

HN Connectors

HN Female Quick Change 4 Hole Panel Mount, Slotted Contact Terminal for Watt Meter Materials Part # Brass Nickel Plated Body BM61245 Silver Plated Contact

HN Male Quick Change 4 Hole Panel Mount, **Slotted Contact Terminal for Watt Meter**



Materials	Part #
Brass Nickel Plated Body Silver Plated Contact	BM61286

HN Male 1.188" Panel Mount, Solder Cup Contact	
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM61287

Mini SMP Connectors

Mini SMP Female		
Crimp-Cable Type		Part #
RG178, RG196		BM61545
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61539
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-F	lex	BM61537

Mini SMP Female Right Angle	0	
Crimp-Cable Type		Part #
RG178, RG196		BM61550
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61543
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-FI	ex	BM61541

Brass Gold Plated Body Gold Plated Contact	/ 	BM61242
Materials		Part #
Mount End Launch, Full Detent .020" Round Contact		
Mini SMP Male P.C.	L	√



C Female Bulkhead

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



BNC Connectors

BNC Female

Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60340
RG178, RG196	BM60367
RG55, RG58, RG141, RG142, RG223, RG400	BM60279
RG59, RG62	BM60311
RG8, RG9, RG11, RG213, RG2 RG225, RG393	^{14,} BM60243
Crimp-Cable Type	Part #
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61465
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61473
LMR-100A, RG174, RG188, RG	BM60131
RG188-Double, RG316-Double	BM60190
RG55, RG141, RG142, RG223, RG400	BM60061
LMR-195, RG58, TCOM-195	BM60019
RG59, RG62	BM60101
Solder/Clamp-Cable Typ	e Part#
RG402, RG402-Alum, RG402-F RG402-Flex-Jacketed	BM60527
RG405, RG405-Alum, RG405-F RG405-Flex-Jacketed	BM60540

BNC Female 4 Hole Panel Mount	Ű.	
Clamp-Cable Type		Part #
RG55, RG58, RG141, RG142, RG223, RG400		BM60291

BNC Female Bulkhead Front Mount	
Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60347
RG178, RG196	BM60372
RG55, RG58, RG141, RG142, RG223, RG400	BM60284
RG59, RG62	BM60318
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60249
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG31	6 BM60139
LMR-195, RG58, TCOM-195	BM60025
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61467
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61475
RG188-Double, RG316-Double	BM60193
RG55, RG141, RG142, RG223, RG400	BM60065
RG59, RG62	BM60105
Solder/Clamp-Cable Type	Part #
RG402, RG402-Alum, RG402-Flex RG402-Flex-Jacketed	BIVI60532
RG405, RG405-Alum, RG405-Flex RG405-Flex-Jacketed	x, BM60544
	<u> </u>

	BNC Female Bulkhead Rear Mount		
	Crimp-Cable Type		Part #
	LMR-100A, RG174, RG188, F	A, RG174, RG188, RG316	
1	RG188-Double, RG316-Double		BM60219
	BNC Female Bulkhead Right Angle, Front Mount		
4	Crimp-Cable Type	Part#	
1	LMR-100A, RG174, RG188, RG316		BM60177
1	RG188-Double, RG316-Double		BM60222

BNC Male

Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60326
RG178, RG196		BM60357
RG180, RG195		BM60377
RG55, RG58, RG141, RG142, RG223, RG400		BM60266
RG59, RG62		BM60297
RG8, RG9, RG11, RG213, RG RG225, RG393	i214,	BM60234
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	RG316	BM60111
LMR-195, RG58, TCOM-195		BM60000
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240		BM61461
LMR-400, LMR-400-Ultra-Fle TCOM-400	х,	BM61469
RG178, RG196		BM60148
RG188-Double, RG316-Doub		BM60184
RG55, RG141, RG142, RG223 RG400	3,	BM60053
RG59, RG62		BM60085
RG8, RG213		BM60032
RG9, RG214, RG225, RG393		BM60043
Solder-Cable Type		Part #
RG401, RG401-Alum, RG401		BM60510
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	_ ′	BM60463
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60431
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Fl	ex	BM60454
Solder/Clamp-Cable Ty	ре	Part #
RG401, RG401-Alum, RG401		BM60516
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed		BM60523
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60536

RG402-Flex-Jacketed		
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60536
BNC Male 45 Degree	d	
Crimp-Cable Type		Part#
RG55, RG141, RG142, RG223 RG400	3,	BM61450
LMR-195, RG58, TCOM-195		BM61448
·		

BNC Male Right Angle	
Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60334
RG178, RG196	BM60362
RG55, RG58, RG141, RG142, RG223, RG400	BM60273
RG59, RG62	BM60306
RG8, RG9, RG11, RG213, RG21 RG225, RG393	^{4,} BM60240
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG3	316 BM60122
LMR-195, RG58, TCOM-195	BM60012
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61463
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61471
RG188-Double, RG316-Double	BM60187
RG55, RG141, RG142, RG223, RG400	BM60058
RG59, RG62	BM60096
Solder-Cable Type	Part #
RG402, RG402-Alum, RG402-FI RG402-Flex-Jacketed	ex, BM60471
RG405, RG405-Alum, RG405-FI	ex. DMC0420

ı	RG405-Flex-Jacketed	,	BINI60438
	BNC Male .750" Panel Mount, Solder Cup Contact	q	
I	Materials		Part #
l	Brass Nickel Plated Bod Gold Plated Contact	ly	BM60830
4	BNC Male Bulkhead.	<i>(</i> 2)	

	BNC Female Right Angle Bulkhead, Solder Cup Contact		
	Materials		Part #
	Brass Nickel Plated Bod Gold Plated Contact	ly	BM60832
Ι.			

BNC Female Right Angle .750" Panel Mount, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60833



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



BNC Connectors

BNC Female .688" Panel Mount, #3-56 Tapped Holes, Solder Cup Contact	И	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60834



Gold Plated Contact



BM61063

BNC Twinax Jack	
Clamp-Cable Type	Part #
RG108	BM61308
Crimp-Cable Type	Part #
RG108	BM61306

BNC Twinax Connectors

BNC Female .750" Panel Mount, .136" Holes, Turret Contact	Щ	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60835

Brass Nickel Plated Boo Gold Plated Contact	ly	BM61064
Materials		Part #
BNC Female Bulkhead Front Mount, Hermetically Sealed, Solder Lug Contact		


BNC Twinax Jack Bulkhead	
Clamp-Cable Type	Part #
RG108	BM61310



BNC Female Bulkhead Rear Mount, Hermetically Sealed, Solder Lug Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM61065

BNC Twinax Plug	
Clamp-Cable Type	Part #
RG108	BM61304
Crimp-Cable Type	Part #
RG108	BM61302

	Mount, .126" Holes, Solder Cup Contact		
İ	Materials		Part #
	Brass Nickel Plated Bod Gold Plated Contact	ly	BM60837
•			



Part #
ВМ61109
,

Cup Contact Materials Brass Nickel Plated Bod	ly	Part #
BNC Female Bulkhead, 1/8" Max Panel Thickness, .440" Mounting Hole, Solder		

BNC Female .750" Panel Mount, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	y	BM61219

BNC Twinax Jack .688" Panel Mount, Solder Cup Contact	887	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contacts	y	BM61110

BNC Female Bulkhead, 1/4" Max Panel Thickness, .380" Mounting Hole, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM61061


BNC Female Quick Change 4 Hole Panel Mount, Slotted Contact Terminal for Watt Meter	Port #		
Materials	Part #		
Brass Nickel Plated Bod Silver Plated Contact	BM61251		

BNC Twinax Jack .688" P.C. Mount, .040" Round Contact	The second second	
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contacts	ly	BM61111

BNC Female Bulkhead Isolated Ground, .380" Round Hole, Solder Cup Contact		
Materials		Pa
Brass Nickel Plated Bod	ly	BM6

Gold Plated Contact

BNC Male Quick Change 4 Hole Panel Mount, Slotted Contact Terminal for Watt Meter	
Materials	Part #
Brass Nickel Plated Bod Silver Plated Contact	BM61253





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658


BM61062



Phone 949.756.1600 Fax 949.756.1601



EIA Connectors



7/8" EIA Right Angle		
Clamp-Cable Type		Part#
1/2" Cable LDF4-50A, LCF12-50, EC4-50		BM61619
7/8" Cable LDF5-50, AVA5-50 AL5-50, LCF78-50, EC5-50),	BM61556
1 5/8" Cable AVA7-50, LDF7- VXL-50, LCF158-50, EC7-50	50,	BM61621

VAL-50, LCF 150-50, EC7-50				
7/8" EIA 1.260" Panel Mount with Threaded Contact				
Materials		Part #		
Brass Nickel Plated Boo Silver Plated Contact	ly	BM61278		
7/8" EIA Quick Change 4 Hole Panel Mount,	/			

Terminal for Watt Meter

Materials

Brass Nickel Plated Body Silver Plated Contact

1 5/8" EIA	A CO	
Clamp-Cable Type	Part #	
7/8" Cable LDF5-50, AVA5-50, AL5-50, LCF78-50, EC5-50		BM61622
1 5/8" Cable AVA7-50, LDF7-50, VXL-50, LCF158-50, EC7-50		BM61624

1 5/8" EIA Right Angle	
Clamp-Cable Type	Part #
7/8" Cable LDF5-50, AVA5-50 AL5-50, LCF78-50, EC5-50	BIVI01023
1 5/8" Cable AVA7-50, LDF7- VXL-50, LCF158-50, EC7-50	^{50,} BM61630

1 5/8" Cable AVA7-50, LDF7- VXL-50, LCF158-50, EC7-50	50, 	BM61625
Clamp-Cable Type		Part #
O I/O EIA		

EIA Inner Connectors

EIA Inner Connectors		
Size		Part #
7/8" EIA		BM61569
1 5/8" EIA		BM61571
3 1/8" EIA		BM61573
E Connectore		

F Connectors *Sold in 5 Pieces Per Pack.

F Female Bulkhead	T	
Crimp-Cable Type		Part #
BM59Mini, Mini 59, RG180, RG195		*BM60802
RG179, RG187		*BM60308
RG59, RG62		*BM60314
RG6-TV		*BM60322

ece	Part #
G195	*BM60638
	*BM60212
	*BM60214
	*BM60216
	*BM60227
	*BM60218

F Male

F Male Right Angle

.085" X .020" Tab

Part #

BM61279

CTRO

Crimp-Cable Type		Part#
BM59Mini, Mini 59, RG180, R	RG195	*BM60763
RG179, RG187		*BM60382
RG59, RG62		*BM60265

BM59Mini, Mini 59, RG180, I	RG195	*BM60763
RG179, RG187		*BM60382
RG59, RG62		*BM60265
RG6-TV		*BM60302
	Τ "	
F Female P.C. Mount.	0	

Contact		
Materials		Part #
Brass Nickel Plated Bod Tin Plated Contact	ly	*BM61121

F Female Bulkhead, P.C. Mount, .039" Round Contact	
Materials	Part #

Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	*BM61122


F Female Right Angle, P.C Mount, .025" Round Contact	L. S.	
touria corriact		7
Materials		Part #
Daniel Minter District Daniel		

Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	*BM61123

F Connectors *Sold in 5 Pieces Per Pack.

F Female Bulkhead
Right Angle, P.C.
Mount .025" Round
Contact

Materials



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	*BM61124

4	
	Part #
у	*BM61125
	y

F Female Bulkhead Rear Mount, .085" X .020" Tab Contact		
Materials		Part #
Brass Nickel Plated Bod Tin Plated Contact	ly	*BM61126

F Female Bulkhead Front Mount, .085" X .020" Tab Contact		
Materials		Part #
Brass Nickel Plated Boo Tin Plated Contact	ly	*BM61127

F Female Bulkhead Front Mount, .035" Round Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	у	*BM61128

LC Connectors

LC Male		
Clamp-Cable Type		Part #
LMR-600, TCOM-600		BM61617
7/8" Cable LDF5-50, AVA5-50 AL5-50, LCF78-50, EC5-50	,	BM61632
RG14, RG217		BM60618
RG17, RG218, RG219		BM60614
RG55, RG58, RG142, RG223, RG400		BM60627
RG8, RG9, RG213, RG214, R RG393	G225,	BM60624

RG14, RG217 BM60618 RG17, RG218, RG219 BM60614 RG55, RG58, RG142, RG223, RG400 RG8, RG9, RG213, RG214, RG225, RG393 LC Male Right Angle Clamp-Cable Type Part # RG14, RG217 BM61181 RG17, RG218, RG219 BM61247 RG8, RG9, RG213, RG214, RG225, RG393 BM61103	-1	AL5-50, LCF78-50, EC5-50	DIVIOTOSE
RG55, RG58, RG142, RG223, RG400 RG8, RG9, RG213, RG214, RG225, RG393 LC Male Right Angle Clamp-Cable Type Part # RG14, RG217 RG17, RG218, RG219 RG8, RG9, RG213, RG214, RG225, RG8103	_	RG14, RG217	BM60618
RG400 RG8, RG9, RG213, RG214, RG225, RG393 LC Male Right Angle Clamp-Cable Type Part # RG14, RG217 RG17, RG218, RG219 RG8, RG9, RG213, RG214, RG225, RM61103	٦	RG17, RG218, RG219	BM60614
Clamp-Cable Type Part # RG14, RG217 BM61181 RG17, RG218, RG219 BM61247 RG8, RG9, RG213, RG214, RG225, RM61103	ı		BM60627
Clamp-Cable Type Part # RG14, RG217 BM61181 RG17, RG218, RG219 BM61247 RG8, RG9, RG213, RG214, RG225, RM61103	ı		BM60624
Clamp-Cable Type Part # RG14, RG217 BM61181 RG17, RG218, RG219 BM61247 RG8, RG9, RG213, RG214, RG225, RM61103	٦		
RG14, RG217 BM61181 RG17, RG218, RG219 BM61247 RG8, RG9, RG213, RG214, RG225, RM61103		LC Male Right Angle	
RG17, RG218, RG219 BM61247 RG8, RG9, RG213, RG214, RG225, RM61103	ı	Clamp-Cable Type	Part #
RG8, RG9, RG213, RG214, RG225, RM61103	١	RG14, RG217	BM61181
	٦	RG17, RG218, RG219	BM61247
			BM61103



3 1/8" FIA

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



LC Connectors

Clamp-Cable Type		Part #
RG17, RG218, RG219		BM61187
RG8, RG9, RG213, RG214, R RG393	G225,	BM61104

LC Female 2" Panel
Mount, Solder Pot
Contact

LC Female



	l e
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM60817

LC Female Quick		
Change 4 Hole Panel		
Mount, Slotted Contact		
Terminal for Watt Meter		



Materials	Part #
Brass Nickel Plated Body Silver Plated Contact	BM61259

LC Male Quick Change
4 Hole Panel Mount,
Slotted Contact
Terminal for Watt Meter



Materials	Part #
Brass Nickel Plated Body Silver Plated Contact	BM61260

MCX Connectors

MCX Jack		
Crimp-Cable Type		Part#
LMR-100A, RG174, RG188, RG316		BM60137
RG178, RG196		BM60167
RG188-Double, RG316-Double		BM60191

MCX Jack Bulkhead		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60144
RG178, RG196		BM60552
RG188-Double, RG316-Doub	le	BM60194

MCX Plug		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60117
RG178, RG196		BM60154
RG188-Double, RG316-Double		BM60185
RG55, RG142, RG223, RG400		BM60072
LMR-195, RG58, TCOM-195		BM60008
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60428

MCX Plug Right Angle



MCX Connectors

Crimp-Cable Type		Part#
LMR-100A, RG174, RG188, F	RG316	BM60127
RG178, RG196		BM60161
RG188-Double, RG316-Doub	le	BM60188
RG55, RG142, RG223, RG40	0	BM60078
LMR-195, RG58, TCOM-195		BM60017
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM61388
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60436

MCX Jack P.C. Mount, .038" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60863

MCX Jack End Launch .042" Thick Board, .019" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60864

MCX Jack Surface Mount, .038" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60865

MCX Jack End Launch .062" Thick Board, .019" Round Contact



	=
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	[/] ВМ60866

MCX Jack Right Angle Surface Mount, .038" **Round Contact**



Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61024

MCX Jack 2 Hole
Panel Mount Extended
Dielectric, .038" Round
Contact

ntact	
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61025

MCX Jack .375" Panel Mount, Solder Cup Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61026

MCX Jack 2 Hole Panel
Mount, Solder Cup
Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61027

MCX Jack Bulkhead, **Turret Contact**



	S GOOD V
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	/ BM61028

MCX Jack Right Angle Bulkhead, Turret Contact



Joniaci	2 . COMO .
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61029

MCX Plug P.C. Mount, .038" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61030

MCX Jack Right Angle P.C. Mount, .038"



Round Contact	4	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61031

ZMA Connectors

ZMA Plug 4 Lug Keyed: 90°-90°-90°-90°



	9	A A
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61555

ZMA Plug 3 Lug Keyed: 120°-120°-120°



Solder-Cable Type	Part #
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM61557



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



N Connectors

N Female



Clamp-Cable Type	Part #
1/2" Cable LDF4-50A, LCF12-50, EC4-50	BM61587
1/2" Superflex, FSJ4-50B	BM61627
7/8" Cable LDF5-50, AVA5-50, AL5-50, LCF78-50, EC5-50	BM61591
1 5/8" Cable AVA7-50, LDF7-50, VXL-50, LCF158-50, EC7-50	BM61595
RG14, RG217	BM60401
RG174, RG188, RG316	BM60341
RG178, RG196	BM60699
RG218	BM60412
RG55, RG58, RG141, RG142, RG223, RG400	BM60280
RG59, RG62	BM60312
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60244
Clamp-Cable Type, Captive Contact	Part #
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60245
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60132
RG188-Double, RG316-Double	BM60703
RG55, RG141, RG142, RG223, RG400	BM60062
LMR-195, RG58, TCOM-195	BM60020
RG8, RG213	BM60040
RG9, RG214, RG225, RG393	BM60050
Solder-Cable Type, Precision	Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60473
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60443
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Flex	BM60459
Solder/Clamp-Cable Type	Part #
RG401, RG401-Alum, RG401-Flex	BM60520
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60528
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60541

N Female Low PIM



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, F	RG316 BM61518
LMR-195, RG58, TCOM-195	BM61491
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	ж, ВМ61377
LMR-400, LMR-400-Ultra-Fle TCOM-400	ж, BM61386
LMR-600, TCOM-600	BM61398
RG188-Double, RG316-Doub	ble BM61576

N Male 45 Degree



Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223 RG400	^{3,} BM61438
LMR-195, RG58, TCOM-195	BM61436

N Female Bulkhead





Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60348
RG178, RG196	BM60695
RG55, RG58, RG141, RG142, RG223, RG400	BM60285
RG59, RG62	BM60319
RG8, RG9, RG11, RG213, RG RG225, RG393	BM60250
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, R	RG316 BM60140
RG178, RG196	BM60689
RG188-Double, RG316-Doub	le BM60691
RG55, RG141, RG142, RG22 RG400	3, ВМ60066
LMR-195, RG58, TCOM-195	BM60026
RG8, RG213	BM60042
RG9, RG214, RG225, RG393	BM60052
Solder-Cable Type, Preci	ision Part#
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	BIVI60475
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM60447
Solder/Clamp-Cable Ty	pe Part#
RG401, RG401-Alum, RG401	-Flex BM60522
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	BM60533
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM60545

N Female Bulkhead Low PIM



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM61434
LMR-195, RG58, TCOM-195	BM61512
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61379
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61389
LMR-600, TCOM-600	BM61400
RG188-Double, RG316-Double	BM61574

N Female Bulkhead Right Angle Low PIM



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM61526
LMR-195, RG58, TCOM-195	BM61529
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61531
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61533
LMR-600, TCOM-600	BM61535
RG188-Double, RG316-Double	BM61578

N Female 4 Hole Panel Mount



Part #
BM61362
BM61364
BM61366
Part #
RG316 BM61368
^{3,} BM61370
BM61372
BM61374
BM61376
pe Part#
-Flex BM61378
-Flex, BM61380
-Flex, BM61382

N Male Right Angle





Clamp-Cable Type	Part #
RG14, RG217	BM60701
RG174, RG188, RG316	BM61305
RG55, RG58, RG141, RG142, RG223, RG400	BM60275
RG8, RG9, RG213, RG214, R RG393	G225, BM60257
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, R	G316 BM61391
RG188-Double, RG316-Doub	le BM61394
RG55, RG141, RG142, RG223 RG400	ВМ60059
LMR-195, RG58, TCOM-195	BM60013
RG8, RG213	BM60039
RG9, RG214, RG225, RG393	BM60049
Solder-Cable Type	Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex, BM60469
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex, BM60433
Solder/Clamp-Cable Ty	pe Part#
RG401, RG401-Alum, RG401	-Flex BM60519

N Male Right Angle Low PIM



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM61430
LMR-195, RG58, TCOM-195	BM61516
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61375
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61384
LMR-600, TCOM-600	BM61396
RG188-Double, RG316-Double	BM61582



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601




N Connectors

N Male



Clamp-Cable Type	Part #
1/2" Cable LDF4-50A, LCF12-50, EC4-50	BM61575
1/2" Superflex, FSJ4-50B	BM61629
7/8" Cable LDF5-50, AVA5-50, AL5-50, LCF78-50, EC5-50	BM61579
1 5/8" Cable AVA7-50, LDF7-50, VXL-50, LCF158-50, EC7-50	BM61583
RG14, RG217	BM60706
RG174, RG188, RG316	BM60327
RG218	BM60410
RG55, RG58, RG141, RG142, RG223, RG400	BM60268
RG59, RG62	BM60299
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60235
Clamp-Cable Type, Captive Contact	Part #
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60236
Crimp-Cable Type	Part#
LMR-100A, RG174, RG188, RG316	BM60112
RG178, RG196	BM60149
RG188-Double, RG316-Double	BM60692
RG217	BM61510
RG55, RG141, RG142, RG223, RG400	BM60054
LMR-195, RG58, TCOM-195	BM60002
RG59, RG62	BM60086
RG8, RG213	BM60034
RG9, RG214, RG225, RG393	BM60045
Solder-Cable Type	Part #
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Flex	BM60451
Solder-Cable Type, Precision	Part#
RG401, RG401-Alum, RG401-Flex	BM60511
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60468
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60432
Solder/Clamp-Cable Type	Part #
RG401, RG401-Alum, RG401-Flex	BM60517
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60524
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60537



		40
Crimp-Cable Type		Part #
LMR-195, RG58, TCOM-195		BM61514
LMR-100A, RG174, RG188, F	RG316	BM61432
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	х,	BM61373
LMR-400, LMR-400-Ultra-Fle TCOM-400	x,	BM61381
LMR-600, TCOM-600		BM61392
RG188-Double, RG316-Doub	le	BM61580
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM61445

N Male 1" Panel Mount Extended Dielectric. .120" Round Contact



Materials Brass Nickel Plated Body BM60800 **Gold Plated Contact**

Part #	

	١,
#	
800	Т

N Female .688" Panel **Mount Extended** Dielectric, .050" Round Contact



Materials **Brass Nickel Plated Body Gold Plated Contact**

Part # BM60810

N Female Bulkhead Rear Mount, .060" Half **Moon Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60803



Solder Cup Conta	ıct
Mataria	lo.



Materials **Brass Nickel Plated Body Gold Plated Contact**

BM60811

N Female Bulkhead Front Mount, Solder **Cup Contact**

Materials

Brass Nickel Plated Body

Gold Plated Contact



7	`
Part #	
BM60804	Г

N Female 2 Hole Panel
Mount, Solder Cup
Contact



Materials Part # Brass Nickel Plated Body BM60812 **Gold Plated Contact**

N Female Bulkhead **Front Mount** Hermetically Sealed, **Solder Cup Contact**



Materials	Part#
Brass Nickel Plated Body Gold Plated Contact	BM60805

N Female 2 Hole Panel
Mount Extended
Dielectric, .050" Round
Contact



Materials **Brass Nickel Plated Body Gold Plated Contact**

Part # BM60813

N Female 1" Panel Mount, Solder Cup Contact

N Female 1" Panel



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60806

N Female 2 Hole Pane
Mount, .120" X .005"
Tab Contact



Materials Brass Nickel Plated Body **Gold Plated Contact**

L	
	Part #

BM60814

Mount Hermetically Sealed with O-Ring, **Solder Cup Contact** Materials Part# **Brass Nickel Plated Body** BM60807

N Female Right Angle	
1" Panel Mount, Solder	
Cup Contact	



Materials Brass Nickel Plated Body **Gold Plated Contact**

₩ -
Part #
BM60815

N Female 1" Panel Mount Extended Dielectric, .120" Round

N Female .500" Panel


Dielectric, .050" Round

Mount Extended


Contact

Contact

Gold Plated Contact



N Female Press Mount,
.050" Round Contact



BM60855

Materials Part# **Brass Nickel Plated Body** BM60808 **Gold Plated Contact**

N Female Press Mount,

Materials

Gold Plated Contact


Materials

Gold Plated Contact



Part# Materials **Brass Nickel Plated Body** BM60809 **Gold Plated Contact**

.120" X .005" Tab Contact





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



N Connectors

N Female Press Mount, **Solder Cup Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60857

N Female Bulkhead Right Angle P.C. Mount, .062" Round Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60858

N Female P.C. Mount, .050" Round Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60876

N Female Bulkhead P.C. Mount, .062" **Round Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60878

N Male Bulkhead Front Mount, .380" Round Hole, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60905

N Male Bulkhead Front Mount, .640" Round Hole, Solder Cup Contact



Contact	-
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	ВМ60906

N Male .690" Panel **Mount Extended** Dielectric, .050" Round Contact



Contact	
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	y BM61084

N Female 1" Panel Mount .120" X .005" **Captured Tab Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61107

N Female .688" Panel Mount with O-Ring, **Extended Dielectric,** .050" Round Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61168

N Female 1" Panel Mount Extended Dielectric, .065" Round Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61220

N Male 1" Panel Mount. Extended Dielectric. .050" Round Contact




Brass Nickel Plated Body Gold Plated Contact	M61239

N Female Quick Change 4 Hole Panel Mount, Slotted Contact **Terminal for Watt Meter**

Brass Nickel Plated Body

Silver Plated Contact



N Male Quick Change 4 Hole Panel Mount, **Slotted Contact**



BM61249

Terminal for wall weter	Ψ
Materials	Part #
Brass Nickel Plated Body Silver Plated Contact	BM61263

N Male 1" Panel Mount, .120" X .005" Captured **Tab Contact**



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61277

N Female 1" Panel Mount Extended Dielectric, .050" Round Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM6128

MHV Connectors

MHV Female

RG174, RG188, RG316



RG55, RG58, RG141, RG142, RG223, RG400	BM60282
RG59, RG62	BM60316
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60247
Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223, RG400	BM60064
LMR-195, RG58, TCOM-195	BM60022
RG59, RG62	BM60103

MHV Female 4 Hole **Panel Mount**



Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60355
RG55, RG58, RG141, RG142, RG223, RG400	BM60290
RG59, RG62	BM60325
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60252
·	

MHV Female Bulkhead



~ ~ ~
Part #
BM60352
BM60288
BM60324
BM60251
Part #
BM60068
BM60030
BM60107

MHV Male



Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60332
RG55, RG58, RG141, RG142, RG223, RG400	BM60271
RG59, RG62	BM60304
RG8, RG9, RG11, RG213, RG214, RG225, RG393	BM60238
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60116
LMR-195, RG58, TCOM-195	BM60007
RG188-Double, RG316-Double	BM61547
RG55, RG141, RG142, RG223, RG400	BM60057
RG59, RG62	BM60093
RG8, RG213	BM60037
RG9, RG214, RG393	BM60225



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



MHV Connectors

MHV Male Right Angle Clamp-Cable Type Part # RG174, RG188, RG316 BM60338 RG55, RG58, RG141, RG142, BM60277 RG223, RG400 BM60310 RG59, RG62 RG8, RG9, RG11, RG213, RG214, BM60242 RG225, RG393

MHV Female .690" Panel Mount, Solder Cup Contact	H	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60820

MHV Female Bulkhead Rear Mount Hermetically Sealed, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60821
MHV Female Bulkhead Rear Mount with O-Ring Solder Cup		

O-Ring, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	У	BM60822

MHV Female Bulkhead Front Mount, Hermetically Sealed, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60823

MHV Female Bulkhead Rear Mount, Turret Contact		
Materials		Part #
Brass Nickel Plated Body Gold Plated Contact		BM60824
Mini 75 Ohm		

Mini 75 Ohm **SMB Connectors**

Will not mate to Standard 75 Ohm SMB Connectors

Mini 75 Ohm SMB Plug	
Crimp-Cable Type	Part#
RG179, RG187	BM60589
RG59, RG62	BM60592

Mini 75 Ohm SMB Connectors Will not mate to Standard 75 Ohm SMB Connectors

Mini 75 Ohm SMB Plug Right Angle		
Crimp-Cable Type		Part #
RG179, RG187		BM60303
RG59, RG62		BM60586

Brass Gold Plated Body	/	BM6	117	4
Materials		Pa	rt #	
Mini 75 Ohm SMB Jack Bulkhead P.C. Mount, .020" Round Contact				

Mini 75 Ohm SMB Jack		
Bulkhead Right Angle,		
P.C. Mount, .020"		
Round Contact		



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61175

Mini 75 Ohm SMB Jack
End Launch .062" Thick
Board, .030" Round
Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61176



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61177

Mini 75 Ohm SMB Jack
2 Hole Panel Mount,
Solder Cup Contact



Solder Cup Contact	
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61178

Mini 75 Ohm SMB
Jack P.C. Mount, .038"
Round Contact



	~
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61179

Mini 75 Ohm SMB
Jack Right Angle P.C.
Mount, .038" Round
Contact



Contact	0	V
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	′	BM6118

SMP Connectors

rs	SMP Female		
	Crimp-Cable Type		Part #
┨	LMR-100A, RG174, RG188, F	BM61561	
4	RG178, RG196 RG188-Double, RG316-Double Solder-Cable Type		BM61559
4			BM61570
╛			Part #
7	RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60732
	Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Fl	ex	BM60734

Angle		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	G316	BM61565
RG178, RG196		BM61563
RG188-Double, RG316-Double		BM61567
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60730
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Fl	ex	BM60737

SMP Male P.C. Mount End Launch, 12 GHz, .015" Round Contact		
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61119

SMP Male Thread-In Shroud, .018" Dia. Pin, Limited Detent	
Materials	Part #
Passivated Stainless Steel Gold Plated Contact	BM61172

SMP Male Surface Mount, Full Detent		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61288

SMP Male Limited Detent 2 Hole Panel Mount, Extended Dielectric, .018" Round Contact	4	
Materials		
Passivated Stainless Steel	Rody	

Dielectric, .018" Round Contact		00
Materials		Part #
Passivated Stainless Steel I Gold Plated Contact	Body	BM61280




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601






QMA Female Bulkhead		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM60385
RG188-Double, RG316-Doub	ıble BM60760	
RG55, RG141, RG142, RG22 RG400	RG141, RG142, RG223,	
LMR-195, RG58, TCOM-195		BM60387
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM60395
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60397

QMA Male	T	
Crimp-Cable Type		Part#
LMR-100A, RG174, RG188, F	RG316	BM60136
RG188-Double, RG316-Double		BM60203
RG55, RG141, RG142, RG223, RG400		BM60100
LMR-195, RG58, TCOM-195		BM60092
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240		BM61402
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed		BM60199
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60183

QMA Male Right Angle		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM60175
RG188-Double, RG316-Double		BM60182
RG55, RG141, RG142, RG223, RG400		BM60178
LMR-195, RG58, TCOM-195		BM60200
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed		BM60202
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60198

QMA Female Bulkhead Front Mount, .050" Round Contact	T	
Materials		Part #
Brass Tri-Metal Plated Bo Gold Plated Contact	dy	BM61204



QMA Female Press Mount, .050" Round Contact		
Materials		Part #
Brass Tri-Metal Plated Bo Gold Plated Contact	dy	BM61206

QMA Female P.C. Mount, .050" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM61207

QMA Female Surface Mount, .050" Round Contact	I	
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	У	BM61208
QMA Female Right		

QMA Female Right Angle Surface Mount, .035" Round Contact		
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	У	BM61209

QMA Female Surface Mount, End Launch, .050" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61210

QMA Female Right Angle P.C. Mount, .050" Round Contact	The state of the s	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61211

	QMA Female 2 Hole Panel Mount, .050" Round Contact	G	
	Materials		Part #
	Brass Tri-Metal Plated Bo Gold Plated Contact	dy	BM61212
_	·		

QMA Female .500" Panel Mount, .050" Round Contact



ivialerials	rail#
Brass Tri-Metal Plated Body Gold Plated Contact	BM61213
MA Female Rulkhead	

Right Angle, Surface Mount, .035" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61214

QMA Female Bulkhead Surface Mount End Launch, .050" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61238

UHF Connectors

UHF Female		
Clamp-Cable Type		Part #
RG55, RG58, RG141, RG142 RG223, RG400	,	BM60623
RG8, RG9, RG11, RG213, RG214, RG225, RG393		BM60617
Crimp-Cable Type		Part #
LMR-195, RG58, TCOM-195		BM60571
RG55, RG141, RG142, RG22 RG400	3,	BM60562

UHF Male		
Clamp-Cable Type		Part #
RG55, RG58, RG141, RG142, RG223, RG400		BM60613
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60610
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM60786
LMR-195, RG58, TCOM-195		BM60578
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	х,	BM61558
RG188-Double, RG316-Double		BM61616
RG55, RG141, RG142, RG223, RG400		BM60574
RG59, RG62		BM60583
RG8, RG213		BM60559
RG9, RG214, RG225, RG393, LMR-400, LMR-400-Dir-Burial, LMR-400-Ultra-Flex		BM60565
Solder-Cable Type		Part #
RG8, RG9, RG213, RG214, R RG393	G225,	BM60668

UHF Female 1" Panel Mount, Solder Cup Contact	4	
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	у	BM60887
		·



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



UHF Connectors

UHF Female Bulkhead Rear Mount, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60888

UHF Female Bulkhead Front Mount, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	у ВМ60889

UHF Male 1" Panel Mount, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61081

QN Connectors

QN Female		
Crimp-Cable Type		Part #
RG8, RG213		BM60757
RG9, RG214, RG225, RG393		BM60606
RG55, RG141, RG142, RG223, RG400		BM60645
LMR-195, RG58, TCOM-195		BM60604

QN Female Bulkhead		
Crimp-Cable Type		Part #
RG8, RG213		BM60641
RG9, RG214, RG225, RG393		BM60602
RG55, RG141, RG142, RG22 RG400	3,	BM60635
LMR-195, RG58, TCOM-195		BM60600
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM60632

QN Male	H	
Crimp-Cable Type		Part #
RG55, RG141, RG142, RG223 RG400	3,	BM60099
LMR-195, RG58, TCOM-195		BM60091
RG8, RG213		BM60110
RG9, RG214, RG225, RG393		BM60174
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240		BM61397
LMR-400, LMR-400-Ultra-Flex, TCOM-400		BM61406
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM60204

QN Connectors

QN Male Right Angle





Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223, RG400	BM60196
LMR-195, RG58, TCOM-195	BM60180
RG8, RG213	BM60263
RG9, RG214, RG225, RG393	BM60220
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61404
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61399
Solder-Cable Type	Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60264

QN Female Press
Mount, .080" Round
Contact

Materials

Brass Tri-Metal Plated Body
Gold Plated Contact

BM61223

QN Female Panel Mount, Solder Cup Contact	Н	
Materials		Part #
Brass Tri-Metal Plated Bo Gold Plated Contact	dy	BM61224

QN Female Bulkhead Front Mount, Solder Cup Contact



Materials	Part #
Brass Tri-Metal Plated Body Gold Plated Contact	BM61225

Reverse Thread SMA Connectors

Reverse Thread SMA Female		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM60698
LMR-195, RG58, TCOM-195		BM60694
RG178, RG196		BM60702
RG188-Double, RG316-Double		BM61594
RG55, RG141, RG142, RG22 RG400	3,	BM60690

Reverse Thread SMA Female Bulkhead		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	RG316	BM60712
LMR-195, RG58, TCOM-195		BM60708
RG178, RG196		BM60716
RG188-Double, RG316-Doub	le	BM61596

Reverse Thread SMA Connectors

Reverse Thread SMA Male



		79
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	G316	BM60670
LMR-195, RG58, TCOM-195		BM60665
RG178, RG196		BM60674
RG188-Double, RG316-Doub	le	BM60710
RG55, RG141, RG142, RG223 RG400	3,	BM60629

Reverse Thread
SMA Male Right
Angle



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG3	BM60684
LMR-195, RG58, TCOM-195	BM60681
RG178, RG196	BM60687
RG188-Double, RG316-Double	BM61598
RG55, RG141, RG142, RG223, RG400	BM60677

Reverse Thread SMA Female .500" Panel Mount, Solder Cup Contact		
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61052

Reverse Thread SMA Female End Launch, .062" Thick Board, .030" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61053

Reverse Thread SMA		
Female End Launch,		
.062" Thick Board,		
.020" X .010" Tab		
Contact		



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61054

Reverse Thread SMA Female Right Angle P.C. Mount, .050" Round Contact



Round Contact	```	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	y	BM61055

Reverse Thread SMA Female P.C. Mount, .050" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61056



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



RG55, RG141, RG142, RG223, RG400

Phone 949.756.1600 Fax 949.756.1601

BM60705



Reverse Polarity SMA Connectors

Reverse Polarity SMA Female



Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60643
RG178, RG196	BM60656
RG55, RG58, RG141, RG142, RG223, RG400	BM60630
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60584
LMR-195, RG58, TCOM-195	BM60572
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61418
RG178, RG196	BM60596
RG188-Double, RG316-Double	BM61586
RG55, RG141, RG142, RG223, RG400	BM60560
Solder-Cable Type	Part #
RG174, RG188, RG316	BM60685
RG402, RG402-Alum, RG402-Flex RG402-Flex-Jacketed	BM60715
RG405, RG405-Alum, RG405-Flex RG405-Flex-Jacketed	BM60731
RG55, RG58, RG141, RG142, RG223, RG400	BM60672

Reverse Polarity SMA Male





Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60636
RG178, RG196	BM60650
RG55, RG58, RG141, RG142, RG223, RG400	BM60607
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60579
LMR-195, RG58, TCOM-195	BM60567
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61410
RG178, RG196	BM60590
RG188-Double, RG316-Double	BM61590
RG55, RG141, RG142, RG223, RG400	BM60553
Solder-Cable Type	Part #
RG174, RG188, RG316	BM60679
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60707
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60725
RG55, RG58, RG141, RG142, RG223, RG400	BM60667

Reverse Polarity SMA Female Bulkhead Right Angle P.C. Mount, .050" **Round Contact**



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61006

Reverse Polarity SMA
Female Right Angle
P.C. Mount, .050"
Round Contact



ound Contact	2 / *4//
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61007

Reverse Polarity SMA Female Bulkhead P.C. Mount, .050" Round Contact



iituot	-
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61008

Reverse Polarity SMA Female Bulkhead Rear Mount, Solder Cup



Contact	a Am
Materials	Part #
Stainless Steel Gold Plated	BM61009

Reverse Polarity SMA Female Bulkhead



- omaio Bannioad	- Cambrillin
Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60647
RG178, RG196	BM60659
RG55, RG58, RG141, RG142, RG223, RG400	BM60633
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, F	RG316 BM60587
LMR-195, RG58, TCOM-195	BM60576
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	x, BM61401
RG178, RG196	BM60599
RG188-Double, RG316-Doub	le BM61588
RG55, RG141, RG142, RG22 RG400	^{3,} BM60563
Solder-Cable Type	Part #
RG174, RG188, RG316	BM60688
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	BIVI60720
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM60733
RG55, RG58, RG141, RG142, RG223, RG400	BM60675

Reverse Polarity SMA Male Right Angle



Part # BM60639 BM60653 BM60620 Part # BM60581
BM60653 BM60620 Part # BM60581
BM60620 Part # BM60581
Part #
BM60581
DMAGGEGG
BM60569
BM61414
BM60593
BM61592
BM60557
Part #
BM60682
BM60697
BM60711
BM60729
BM60669

Reverse Polarity SMA Female Bulkhead Front Mount, Solder Cup Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61010

Reverse Polarity SMA Female 2 Hole Panel Mount, Solder Cup



Contact	A	
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61011

Reverse Polarity SMA Female .500" Panel Mount.




Solder Cup Contact		
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61012

Reverse Polarity SMA Female P.C. Mount, .050" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61004

Reverse Polarity SMA Female End Launch, .062" Thick Board .030" Round Contact



Reverse Polarity SMA Male P.C. Mount, .050" **Round Contact**



Ivialciiais	rait#
Brass Gold Plated Body Gold Plated Contact	BM61013



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Reverse Polarity TNC Connectors

Reverse Polarity TNC Female



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM61347
RG188-Double, RG316-Double	BM61354
RG55, RG141, RG142, RG223, RG400	BM61312
LMR-195, RG58, TCOM-195	BM61314
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61417
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61420

Reverse Polarity TNC Female Bulkhead



		TO SOLVE THE SOL
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM61349
RG188-Double, RG316-Doub	le	BM61356
RG55, RG141, RG142, RG22 RG400	3,	BM61316
LMR-195, RG58, TCOM-195		BM61318
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	х,	BM61411
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM61320
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61322

Reverse Polarity TNC Male



Male		
Crimp-Cable Type	Part #	
LMR-100A, RG174, RG188, R	RG316 BM61339	
RG188-Double, RG316-Doub	ole BM61358	
RG55, RG141, RG142, RG223 RG400	^{3,} BM61324	
LMR-195, RG58, TCOM-195	BM61329	
RG8, RG213	BM61331	
RG9, RG214, RG225, RG393	BM61333	
LMR-240, LMR-240-Ultra-Flex RG8X, TCOM-240	x, BM61407	
LMR-400, LMR-400-Ultra-Flex TCOM-400	x, BM61422	
Solder-Cable Type	Part #	
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	^{2-Flex,} BM61335	
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	5-Flex, BM61337	

Reverse Polarity TNC Male 45 Degree



Crimp-Cable Type	Part#
RG55, RG141, RG142, RG223, RG400	BM61437
LMR-195, RG58, TCOM-195	BM61456

Reverse Polarity TNC Female Bulkhead, .380" Round Hole, Solder Cup Contact



Solder Cup Contact	
Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61246

Reverse Polarity TNC Male Right Angle



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM61341
RG188-Double, RG316-Double	BM61360
RG55, RG142, RG223, RG400	BM61345
LMR-195, RG58, TCOM-195	BM61343
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61415
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61424

Reverse Polarity TNC Female Bulkhead, .440" Round Hole, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61248

Reverse Polarity TNC Male, .750" Panel Mount, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61250

Reverse Polarity TNO
Female, .687" Panel
Mount, Solder Cup
Contact



Contact	W/ ~~
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM61252

Reverse Polarity TNC Female Bulkhead Isolated Ground, .500" Round Hole, Solder Cup Contact



Cup Contact	
Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61254

75 Ohm TNC Connectors

75 Ohm TNC Male



RG11, RG144, RG216	BM61519
Crimp-Cable Type	Part #

Mini UHF Connectors

Mini UHF Female



		all the
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	RG316	BM60765
LMR-195, RG58, TCOM-195		BM60762
RG188-Double, RG316-Doub		BM61549
RG55, RG141, RG142, RG223 RG400	3,	BM60759

Mini UHF Connectors

Mini UHF Female Bulkhead



	9
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, F	RG316 BM60791
LMR-195, RG58, TCOM-195	BM60771
RG188-Double, RG316-Doub	ole BM61564
RG55, RG141, RG142, RG22 RG400	^{3,} BM60768

Mini UHF Male



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60774
LMR-195, RG58, TCOM-195	BM60598
RG188-Double, RG316-Double	BM61566
RG55, RG141, RG142, RG223, RG400	BM60601

Mini UHF Male Right Angle



Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM60794
LMR-195, RG58, TCOM-195		BM60756
RG188-Double, RG316-Doub	le	BM61568
RG55, RG141, RG142, RG22 RG400	3,	BM60605

Mini UHF Female Bulkhead P.C. Mount, .040" Round Contact



.040 Round Contact	THE LILLIES
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	BM60893

Mini UHF Female Bulkhead Rear Mount, Solder Cup Contact



Brass Nickel Plated Boo Gold Plated Contact	BM60894
Materials	Part #
Solder Cup Contact	Two Programmes

Mini UHF Female Bulkhead Front Mount, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	y BM60895

Mini UHF Female .626" Panel Mount, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	ВМ60896



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



SMA Female Bulkhead

SMA Female		
Clamp-Cable Type		Part#
RG174, RG188, RG316		BM60346
RG178, RG196		BM60371
RG188-Double, RG316-Doub	le	BM60232
RG55, RG58, RG142, RG223 RG400		BM60295
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60248
Crimp-Cable Type		Part#
LMR-100A, RG174, RG188, F	RG316	BM60138
RG178, RG196		BM60168
RG188-Double, RG316-Doub	le	BM60192
RG55, RG142, RG223, RG40	0	BM60080
LMR-195, RG58, TCOM-195		BM60023
RG59, RG62		BM60104
RG8, RG213		BM61431
RG9, RG214, RG225, RG393		BM61426
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240		BM61412
LMR-400, LMR-400-Ultra-Fle TCOM-400	LMR-400, LMR-400-Ultra-Flex,	
Solder-Cable Type		Part#
RG174, RG188, RG316		BM60500
RG178, RG196		BM60505
RG188-Double, RG316-Doub	le	BM60495
RG401, RG401-Alum, RG401		BM60508
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	,	BM60472
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60441
RG55, RG58, RG142, RG223 RG400	,	BM60491
Semi-Rigid 020		BM60482
Semi-Rigid 034		BM60486
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-F	ex	BM60457

SMA Female 2 Hole Panel Mount Solder-Cable Type Parel Poston Alam Poston Flori

Solder-Cable Type	Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60478
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60449
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Flex	BM60461

SMA Female 4 Hole Panel Mount		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60356
RG178, RG196	BM60788	
RG188-Double, RG316-Doub	le	BM60785
RG55, RG58, RG141, RG142, RG223, RG400	,	BM60292
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM60477
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60450
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-F	lex	BM60462

SMA Female Bulkneau	4		
Clamp-Cable Type		Pa	art#
RG174, RG188, RG316		BM	60354
RG178, RG196		BM	60376
RG188-Double, RG316-Doub		BM	60233
RG55, RG58, RG142, RG223, RG400		ВМ	60296
Crimp-Cable Type		Pa	art#
LMR-100A, RG174, RG188, F	G316	BM	60145
RG178, RG196		BM	60172
RG188-Double, RG316-Doub	le	BM	60195
RG55, RG142, RG223, RG40)	BM	60084
LMR-195, RG58, TCOM-195		BM	60031
RG59, RG62		BM	60108
RG8, RG213		BM	61433
RG9, RG214, RG225, RG393		BM	61428
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	,	ВМ	61416
LMR-400, LMR-400-Ultra-Fle TCOM-400	κ,	ВМ	61429
Crimp-Cable Type, Captive C	ontact	Pa	art#
LMR-100A, RG174, RG188, R	G316	ВМ	60146
Solder-Cable Type		Pa	art#
RG174, RG188, RG316		BM	60501
RG178, RG196		BM	60506
RG188-Double, RG316-Doub	le	BM	60496
RG401, RG401-Alum, RG401		BM	60513
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	- /	ВМ	60474
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	<i>'</i>	ВМ	60446
RG55, RG58, RG142, RG223, RG400		ВМ	60492
Semi-Rigid 020		BM	60483
Semi-Rigid 034		BM	60487
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Flex		ВМ	60460

SMA Female Bulkhead Right Angle

	<u> </u>	
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM61332
RG178, RG196		BM61435
RG188-Double, RG316-Double		BM61334
RG55, RG142, RG223, RG40	0	BM61338
LMR-195, RG58, TCOM-195		BM61336
Solder-Cable Type		Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM61319
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61352

SMA Male Slide On

SIMA Male Slide Off	
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, R	RG316 BM61493
RG188-Double, RG316-Doub	le BM61495
RG55 RG142 RG223 RG400	BM61499

SMA Male

SMA Male		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60333
RG178, RG196		BM60361
RG180, RG195		BM60378
RG188-Double, RG316-Doub		BM60230
RG55, RG58, RG142, RG223, RG400		BM60293
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60239
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	G316	BM60119
**LMR-100A, RG174, RG188, RG316		BM61554
RG178, RG196		BM60155
RG180, RG195		BM60176
RG188-Double, RG316-Doub	le	BM60700
RG55, RG142, RG223, RG40	0	BM60073
LMR-195, RG58, TCOM-195		BM60009
RG59, RG62		BM60094
RG8, RG213		BM61390
RG9, RG214, RG225, RG393		BM61393
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	,	BM61405
LMR-400, LMR-400-Ultra-Fle TCOM-400	х,	BM61427
Crimp-Cable Type, Captive Co	ntact	Part #
LMR-100A, RG174, RG188, F	G316	BM60736
RG188-Double, RG316-Doub	le	BM60740
RG55, RG142, RG223, RG400		BM60074
LMR-195, RG58, TCOM-195		BM60010
Direct Solder-Cable Type, One Step		Part #

BM60466 RG402-Flex-Jacketed RG405, RG405-Alum, RG405-Flex, BM60429 RG405-Flex-Jacketed RG55, RG58, RG142, RG223, BM60488 RG400 Semi-Rigid 020 BM60480 BM60484 Semi-Rigid 034 Semi-Rigid 047, Semi-Rigid BM60452 047-Alum, Semi-Rigid 047-Flex Solder-Cable Type, Captive Contact Part # RG174, RG188, RG316 BM60498 RG55, RG58, RG142, RG223, BM60489 **RG400**

RG402, RG402-Alum, RG402-Flex,

Solder-Cable Type

RG188-Double, RG316-Double

RG401, RG401-Alum, RG401-Flex

RG402, RG402-Alum, RG402-Flex,

RG402-Flex-Jacketed

RG174, RG188, RG316

RG178, RG196

** Polyethylene Insulator

RG402-Flex-Jacketed

Solder-Cable Type, Without Contact

RG402, RG402-Alum, RG402-Flex,

Solder/Clamp-Cable Type

RG401, RG401-Alum, RG401-Flex

SMA Male Right Angle Slide On



BM61108

Part #

BM60497

BM60503

BM60493

BM60509

Part #

BM60467

Part #

BM60518

Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM61501
RG188-Double, RG316-Double	BM61503
RG55, RG142, RG223, RG400	BM61507
LMR-195, RG58, TCOM-195	BM61505



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658




LMR-195, RG58, TCOM-195

Phone 949.756.1600 Fax 949.756.1601


BM61497



SMA Male Right Angle	
Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60339
RG178, RG196	BM60366
RG188-Double, RG316-Doubl	e BM60231
RG55, RG58, RG142, RG223, RG400	BM60294
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, R	G316 BM60128
RG178, RG196	BM60162
RG180, RG195	BM60179
RG188-Double, RG316-Doubl	e BM60189
RG55, RG142, RG223, RG400	BM60079
LMR-195, RG58, TCOM-195	BM60018
RG59, RG62	BM60097
LMR-240, LMR-240-Ultra-Flex RG8X, TCOM-240	DIVIO 1400
LMR-400, LMR-400-Ultra-Flex TCOM-400	BM61626
Solder-Cable Type	Part #
RG174, RG188, RG316	BM60499
RG178, RG196	BM60504
RG188-Double, RG316-Doubl	e BM60494
RG401, RG401-Alum, RG401-	Flex BM60507
RG402, RG402-Alum, RG402- RG402-Flex-Jacketed	DIVIOU4/U
RG405, RG405-Alum, RG405- RG405-Flex-Jacketed	Flex, BM60437
RG55, RG58, RG142, RG223, RG400	BM60490
Semi-Rigid 020	BM60481
Semi-Rigid 034	BM60485
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Fle	BM60455
Solder-Cable Type, One S	
RG402, RG402-Alum, RG402- RG402-Flex-Jacketed	DIVIO 1525
RG405, RG405-Alum, RG405- RG405-Flex-Jacketed	Flex, BM61527



.050" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM60907





Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60908

SMA Male End Launch .062" Board Thick, .020" X .010" Tab Contact



BM60910

BM60913

Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60909

SMA Male End Launch .042" Board Thick. .020" X .010" Tab Contact Materials Part # **Brass Gold Plated Body**

SMA Male End Launch .062" Board Thick, .030" Round Contact Materials Part# **Brass Gold Plated Body** BM60911

Gold Plated Contact

Gold Plated Contact

Gold Plated Contact

SMA Male End Launch .042" Board Thick. .030" Round Contact Materials Part# **Brass Gold Plated Body** BM60912


SMA Male Bulkhead Front Mount, Solder **Cup Contact** Materials Part # **Passivated Stainless Steel Body**

SMA Male Bulkhead Front Mount Hermetically Sealed With O-Ring, .020" **Round Contact**

Gold Plated Contact

Materials Part # Stainless Steel Gold Plated Body BM60914 **Gold Plated Contact**

SMA Male Bulkhead Front Mount, .380" Round Hole, Solder **Cup Contact**



SMA Male 2 Hole Panel Mount, Solder Cup Contact



Materials Stainless Steel Gold Plated Body BM60916 **Gold Plated Contact**

SMA Male 2 Hole Panel Mount Extended Dielectric, .050" Round Contact



Materials Stainless Steel Gold Plated Body BM60917 **Gold Plated Contact**

SMA Male .500" Panel Mount Extended Dielectric, .050" Round Contact



Materials Stainless Steel Gold Plated Body BM60918 **Gold Plated Contact**

SMA Male .500" Panel Mount, Solder Cup Contact



Materials Stainless Steel Gold Plated Body BM60919 **Gold Plated Contact**

SMA Male .500" Panel **Mount Hermetically** Sealed with O-Ring, .020" Round Contact



Materials Part # Stainless Steel Gold Plated Body BM60920 **Gold Plated Contact**

SMA Female P.C. Mount, .050" Round Contact



Materials Part # Brass Gold Plated Body BM60921 **Gold Plated Contact**

SMA Female Stripline End Launch, 1/16" Ground Plane, .080" X .006" Captive Tab Contact



Materials Part # Brass Nickel Plated Body BM60922 **Gold Plated Contact**

SMA Female Stripline End Launch, 1/8" Ground Plane, .080" X .006" Captive Tab Contact



Materials Part # Brass Nickel Plated Body BM60923 **Gold Plated Contact**




SMA Male P.C. Mount.

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601







Materials	Part #
Brass Nickel Plated Body	BM60924
Gold Plated Contact	DIVI00924



Materials

Brass Gold Plated Body

Gold Plated Contact



Luft Denning	C
Part#	
BM60932	

SMA Female End Launch .062" Thick Board, .030" Round Contact	
NA - 4 1 - 1 -	



Jillact	7
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60940

SMA Female Right Angle P.C. Mount, .050" **Round Contact**




Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60925

SMA Female Surface Mount End Launch. .030" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60933

SMA Female End	
Launch .062" Thick	
Board, .020" X .010"	
Tab Contact	
Materials	



SMA Female Bulkhead Right Angle P.C. Mount. .050" Round Contact




Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60926

SMA Female Surface Mount, .050" Round Contact

Materials


Gold Plated Contact



Rear Mount, Solder Cup Contact	Ų
Materials	

Gold Plated Contact

Gold Plated Contact



BM60943

SMA Female Right Angle Surface Mount, .068" Mounting Hole Center Contact



Scritter Scrittage	
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60927

SMA Female End Launch .031" Thick Board. .030" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60935

SMA Female Bulkhead Front Mount, Solder **Cup Contact**




Materials **Passivated Stainless Steel Body** BM60944 **Gold Plated Contact**

SMA Female Bulkhead P.C. Mount, .050" **Round Contact**



rtouria contact	₩ CAUULY
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60928

SMA Female End Launch .042" Thick Board, .020" X .010" **Tab Contact**



SMA Female Bulkhead, **Solder Cup Contact**




Materials Stainless Steel Gold Plated Body BM60945 **Gold Plated Contact**

SMA Female Bulkhead End Launch .062" Thick Board, .020" X .010" Tab Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	ВМ60929

SMA Female End Launch .042" Thick Board, .030" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60937

SMA Female Bulkhead, .050" Round Contact



Materials Stainless Steel Gold Plated Body BM60946 **Gold Plated Contact**

SMA Female Bulkhead End Launch .042" Thick Board. .020" X 010" Tab Contact



.010 Tab Contact	* **
Materials	Part #
Brass Gold Plated Body	BM60930

SMA Female End Launch .047" Thick Board, .020" X .010" **Tab Contact**


Part #

Materials	Part #
Brass Gold Plated Body	BM60938

SMA Female Bulkhead Front Mount, .380" Round Hole, Solder **Cup Contact**

Materials

Gold Plated Contact



SMA Female Bulkhead End Launch .062" Thick Board, .030"



SMA Female End Launch .047" Thick Board, .030" Round Contact

Rear Mo	unt v	vith	
O-Ring, Solder Cup			
Contact			

SMA Female Bulkhead



Materials Stainless Steel Gold Plated Body BM60949 **Gold Plated Contact**

Round Contact Materials

Brass Gold Plated Body

Gold Plated Contact



Materials



BM60939





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Brass Gold Plated Body

Gold Plated Contact

Phone 949.756.1600 949.756.1601



SMA Female Bulkhead Rear Mount Hermetically Sealed with O-Ring, .020" **Round Contact**



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60950

SMA Female 2 Hole Panel Mount Flush Dielectric, .050" X .005 Removable Tab Contact



Body	BM60959	
	Part #	





Materials	Part #
Stainless Steel Gold Plated B Gold Plated Contact	BM60969

SMA Female Bulkhead Hermetically Sealed, .020" Round Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60951

SMA Female .687" **Panel Mount Extended** Dielectric. .050" Round


Materials Stainless Steel Gold Plated

Gold Plated Contact



Contact		<i>y</i> / \>
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM60962

SMA Female .500" X .375" Panel Mount, **Solder Cup Contact** Materials



SMA Female Bulkhead Front Mount. **Hermetically Sealed** w/O-Ring, .020" Round Contact

SMA Female Right

Solder Cup Contact

SMA Female 2 Hole

Panel Mount, .010"

Round Contact

Angle Bulkhead,

Materials Stainless Steel Gold Plated Body

Gold Plated Contact

Materials

Stainless Steel Gold Plated Body

Gold Plated Contact



	_
Part #	Ľ
BM60952	

Part #

BM60953

Part #

Part #

BM60955

Part#

BM60956

Panel Mount Extended	ı
Dielectric, .050" Round	ı
Contact	
Materials	

SMA Female .500"

.375" Panel Mount, Flush Dielectric, .050"

SMA Female 1"

Panel Mount, Flush

Dielectric, .050" X

X .005" Removable Tab

Gold Plated Contact

Gold Plated Contact




Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60963

SMA Female 1" Panel Mount, Solder Cup Contact Materials

Stainless Steel Gold Plated Body

Gold Plated Contact

Materials



BM60971

BM60972

SMA Female .500" X

SMA Female .687" Panel Mount, Solder **Cup Contact**



Contact	`	4
Materials		Part #
Stainless Steel Gold Plated	Body	DMC00

Stainless Steel Gold Plated Body BM60964

Gold Plated Contact SMA Female .500" **Panel Mount**



Contact				110
Materials		Part #		Sta
Stainless Steel Gold Plated	Body	BM60965	<u> </u>	

Hermetically Sealed with O-Ring, .020" **Round Contact**

ouria contact	
Materials	Part #
tainless Steel Gold Plated	BM60973

Materials Stainless Steel Gold Plated Body **Gold Plated Contact**

SMA Female .500" Panel Mount, Solder Cup Contact

SMA Female 2 Hole

Panel Mount, Solder

Cup Contact



SMA Female .500"
Panel Mount Flush
Dielectric050" X



Angle .500" Panel
Mount, Solder Cup
Contact

SMA Female Right



l l	
Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60974

Materials Stainless Steel Gold Plated Body **Gold Plated Contact**

Materials

Stainless Steel Gold Plated Body

Gold Plated Contact



Dielectric, .050 X
.005" Removable Tab
Contact
Materials

SMA Female 1" Panel

Mount, .012" Width



SMA Female Right Angle .500" Panel Mount, Extended Dielectric, .050" Round



Slot in Contact		
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM60967

Contact Materials Stainless Steel Gold Plated Body BM60975 **Gold Plated Contact**

SMA Female 2 Hole Panel Mount Extended Dielectric 050" Round



SMA Female .500" X
.375" Panel Mount,
Extended Dielectric,
.050" Round Contact



SMA Female Radius Right Angle .500" Panel Mount, Solder **Cup Contact**

Materials

Gold Plated Contact



Contact		702mm
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM60958



Materials Stainless Steel Gold Plated Body **BM60968 Gold Plated Contact**





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601









Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60977

SMA Female Right Angle, 2 Hole Panel Mount, +45° Direction Extended Dielectric, .050" Round



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60978

SMA Female Right Angle, 2 Hole Panel Mount, -45° Direction Extended Dielectric, .050" Round



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60979

SMA Female Press Mount, .020" X .010" Tab Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61034

SMA Female Press Mount, .030" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61035

SMA Female Right Angle Bulkhead Hermetically Sealed, .020" Round Contact



Materials	Part #
Passivated Stainless Steel/Gold Body Gold Plated Contact	BM61085

SMA Female Spark Plug, Accepts .020" Contact



Materials		Part #
Passivated Stainless Steel I Gold Plated Contact	Body	BM61164

SMA Female .500" Panel Mount, .020" X .006" Tab Contact



		V
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61166

SMA Female Hermetically Sealed, .020" Round Contact





SMA Female .500" X .375" Panel Mount, .050" X .005" Captive Tab Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61170

SMA Male .375" X .500" Panel Mount, .050" X .005" Tab Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61171

SMA Female 2 Hole Panel Mount with Sliding Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM61217

SMA Female Surface Launch Stripline, Turret Terminal



		<u> </u>
Materials		Part #
Stainless Steel Gold Plated Gold Plated Contact	Body	BM61226

SMA Female Spark Plug, Accepts .015" Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61227

SMA Female .500" Panel Mount Flush Dielectric, .020" X .005" Removable Tab Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM61237

SMA Female .500" Panel Mount Flush Dielectric, .020" X .005" Captive Tab Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM61241

SMA Female P.C. Mount, .250" Center to Center Mounting Holes, .012" Round Contact



Materials	Part #
Stainless Steel Gold Plated Gold Plated Contact	BM61243

SMA Female Bulkhead Right Angle P.C. Mount. IP67



Stainless Steel Gold Plated Gold Plated Contact	Body BM61	244
Materials	Part	#
Mount, IP67		

SMA Female End Launch, Adjustable Board Thickness .118" Max, .010" Round Contact



Part #	
y BM61262	2

SMA Female Rotary Joint, P.C. Mount, .050" Round Contact




Round Contact		$\mathcal{U}_{\underline{}}$
Materials	Part	:#
Brass Gold Plated Body Gold Plated Contact	[/] BM61	275

SMA Female Right Angle Rotary Joint, P.C. Mount, .050" Round Contact



rtouria contact		
Materials	Part	i #
Brass Gold Plated Body Gold Plated Contact	BM61	276
		-

SMA Female Panel Mount with O-Ring 1.900" Extended Dielectric, .050" Round Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM61281

SMA Connectors NON-MAGNETIC

SMA Male Right Angle, Non-Magnetic



Crimp-Cable Type	Part #
RG174, RG188, RG316	BM61487
RG58,	BM61489
RG188-Double, RG316-Double	BM61544



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



SMA Connectors-27 GHz

27 GHz SMA Female End Launch, 062" Thick Board, .020" X

.010" Tab Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM61120

27 GHz SMA Female P.C. Mount, .050" **Round Contact**



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60942

27 GHz SMA Female Bulkhead, .047" Round Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60947

27 GHz SMA Female 2 Hole Panel Mount, Extended Dielectric. .047" Round Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60957

27 GHz SMA Female 2 Hole Panel Mount, **Solder Cup Contact**



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60960

27 GHz SMA Female 2 Hole Panel Mount, Extended Dielectric. .010" Round Contact



Materials	Part #
Stainless Steel Gold Plated B Gold Plated Contact	ody BM60961

27 GHz SMA Female Panel Mount, Extended Dielectric, .047" Round Contact



Materials	Part #
Stainless Steel Gold Plated Bo Gold Plated Contact	BM61082

27 GHz SMA Female 2 Hole Panel Mount, Extended Dielectric, .018" Round Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM61083

SMA Field Replaceable Connectors

SMA Female 2 Hole Panel Mount Field Replaceable





replaceal	JIE			
Pin Size	Frequency		Part #	Gasket
.012" Pin	18 GHz	В	M61129	
.015" Pin	18 GHz	В	M61130	Yes
.018" Pin	18 GHz	В	M61131	
.020" Pin	18 GHz	В	M61132	No
.036" Pin	18 GHz	В	M61133	NO
.011" to .016" Pin	26.5 GHz	В	M61167	Yes

SMA Female 4 Hole Panel Mount Field Replaceable, .375" Sq. Flange



90			
Pin Size	Frequency	Part #	Gasket
.012" Pin	18 GHz	BM61139	
.015" Pin	18 GHz	BM61140	Yes
.018" Pin	18 GHz	BM61141	
.020" Pin	18 GHz	BM61142	No
.036" Pin	18 GHz	BM61143	NO

SMA Female 4 Hole Panel Mount Field Replaceable, .500" Sq. Flange



1		`	<u> </u>
Pin Size	Frequency	Part #	Gasket
.012" Pin	18 GHz	BM6114	49
.015" Pin	18 GHz	BM6115	50 Yes
.018" Pin	18 GHz	BM6115	51
.020" Pin	18 GHz	BM6115	52
.036" Pin	18 GHz	BM6115	53 No
.011" to .016" Pin	26.5 GHz	BM6123	


SMA Female 4 Hole Panel Mount Field Replaceable, .500" X 375" Flange



		1		
Pin Size	Frequency		Part #	Gasket
.015" Pin	18 GHz	В	M61289	No

SMA Female Right Angle, 2 Hole **Panel Mount Field** Replaceable





SMA Female Right Angle, 4 Hole **Panel Mount Field** Replaceable, .500" Sq. Flange



Pin Size	Frequency	Part #	Gasket
.012" Pin	18 GHz	BM61154	
.015" Pin	18 GHz	BM61155	Yes
.018" Pin	18 GHz	BM61156	

SMA Male 2 Hole Panel Mount Field Replaceable





JP0,

Pin Size	Frequency	Part #	Gasket
.012" Pin	18 GHz	BM61134	
.015" Pin	18 GHz	BM61135	Yes
.018" Pin	18 GHz	BM61136	
.020" Pin	18 GHz	BM61137	No
.036" Pin	18 GHz	BM61138	NO

SMA Male 4 Hole **Panel Mount Field** Replaceable, .375" Sq. Flange





Pin Size	Frequency	Part #	Gasket
.012" Pin	18 GHz	BM61144	
.015" Pin	18 GHz	BM61145	Yes
.018" Pin	18 GHz	BM61146	
.020" Pin	18 GHz	BM61147	No
.036" Pin	18 GHz	BM61148	NO

SMA Male 4 Hole **Panel Mount Field** Replaceable, .500" Sq.





Flange			•	Ť
Pin Size	Frequency	Pa	ırt#	Gasket
.012" Pin	18 GHz	BM6	31157	
.015" Pin	18 GHz	BM6	31158	Yes
.018" Pin	18 GHz	BM6	31159	
.020" Pin	18 GHz	BM6	31160	No
.036" Pin	18 GHz	BM6	31161	140

Contacts & Hermetic Seals



Туре	Part #	Description
Field Replaceable	BM30112	.020" Dia., .005" X .020"
Tab Contact	BM30113	.036" Dia., .005" X .020"

	Part #	Description		
Туре		Overall Length	Contact Dia.	
	BM30120	.112"	.009"	
	BM30119	.125"	.012"	
Hermetic	BM30117	.220"	.020"	
Seal	BM30114	.315"	.012"	
Seai	BM30115	.315"	.015"	
	BM30116	.315"	.018"	
BM	BM30118	.375"	.020"	

MMCX Connectors

MMCX Jack



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, F	RG316 BM60134
RG178, RG196	BM60164
RG188-Double, RG316-Doub	le BM61572
Solder-Cable Type	Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM60442
Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Fl	BM60458

MMCX Plug



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, F	RG316 BM60118
RG178, RG196	BM60150
RG188-Double, RG316-Doub	ole BM60226
Solder-Cable Type	Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM60430
Semi-Rigid 047, Semi-Rigid	. BM60453
047-Alum, Semi-Rigid 047-F	lex Dividu455
(0 (: 1)	

(Continue on Next Page)



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



MMCX Connectors

(Continued from Previous Page)

SMB Connectors

Will not mate to 75 Ohm SMB connectors

MMCX Plug Right Angle		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60124
RG178, RG196		BM60157
RG188-Double, RG316-Double		BM60783
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405-Flex,		BM60727
RG405-Flex-Jacketed Semi-Rigid 047, Semi-Rigid 047-Alum, Semi-Rigid 047-Flex		BM60456

MMCX Jack P.C. Mount, .028" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM60861
		·

MMCX Jack Right Angle P.C. Mount, .028" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact		BM60862
	6	~~


MMCX Plug P.C. Mount, .028" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM60986
OLID O	-	

SMB Connectors

Will not mate to 75 Ohm SMB connectors

SMB Jack		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60343
RG178, RG196		BM60369
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60135
RG188-Double, RG316-Double		BM61477
RG178, RG196		BM60165
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed		BM60439


SMB Plug Bulkhead Front Mount, Solder Cup Contact	To the second	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM60867



RG178, RG196	BM60170	
RG55, RG142, RG223, RG400	BM60082	
LMR-195, RG58, TCOM-195	BM60028	
Solder-Cable Type	Part #	
RG405, RG405-Alum, RG405-F RG405-Flex-Jacketed	BM60444	
SMB Jack Bulkhead Right Angle		
Crimp-Cable Type	Part #	
LMR-100A, RG174, RG188, RG	316 BM61548	
RG188-Double, RG316-Double	BM61472	
Clamp-Cable Type	Part #	
RG174, RG188, RG316	BM60330	
RG178, RG196	BM60359	
Crimp-Cable Type	Part #	
LMR-100A, RG174, RG188, RG		
RG178, RG196	BM60152	
RG188-Double, RG316-Double	BM60186	
RG55, RG142, RG223, RG400 LMR-195, RG58, TCOM-195	BM60070 BM60005	
Solder-Cable Type	Part #	
Solder-Cable Type		
RG405, RG405-Alum, RG405-F RG405-Flex-Jacketed	BM60424	

SMB Plug Right Angle		
Clamp-Cable Type		Part #
RG174, RG188, RG316 RG178, RG196		BM60336 BM60364
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R RG188-Double, RG316-Double RG178, RG196 RG55, RG142, RG223, RG400 LMR-195, RG58, TCOM-195	le	BM60125 BM61481 BM60159 BM60076 BM60015
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60434

SMB Plug Right Angle P.C. Mount, .035" Round Contact	F.	A CO
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM60868



SMB Jack .375" Panel Mount, Solder Cup Contact	**	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61036

SMB Jack 2 Hole Panel Mount, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	/	BM61037

SMB Jack End Launch .042" Thick Board, .020" X .010" Tab Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61038

SMB Jack End Launch .062" Thick Board, .020" X .010" Tab Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61039

SMB Jack End Launch .042" Thick Board, .030" Round Contact		
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	У	BM61040

SMB Jack End Launch .062" Thick Board, .030" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61041

SMB Jack Bulkhead Right Angle P.C. Mount, .038" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61042




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Will not mate to 75 Ohm SMB connectors




SMB Jack Right Angle Surface Mount, .038" Round Contact		
Materials		Part #
Brass Gold Plated Body	7	BM61044

BM61044

Gold Plated Contact		
SMB Jack Surface Mount, .038" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61045

SMB Jack Right Angle P.C. Mount, .038" Round Contact	W.	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM61046



Right Angle Front Mount, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61048

SMB Jack Bulkhead

SMB Jack Bulkhead Front Mount, Solder Cup Contact	H	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61049

SMB Jack Bulkhead Rear Mount, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM61050

SSMB Jack Bulkhead		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, R	G316	BM60147
RG178, RG196		BM60169
RG188-Double, RG316-Doub	le	BM61340

	SSMB Jack Bulkhead Right Angle		
	Crimp-Cable Type		Part #
ĺ	LMR-100A, RG174, RG188, F	RG316	BM60595
	RG188-Double, RG316-Doub	le	BM61344
	·		

SSMB Plug		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60120
RG178, RG196		BM60151
RG188-Double, RG316-Doub	le	BM61348

SSMB Plug Right Angle		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, RG316		BM60129
RG178, RG196		BM60158
RG188-Double, RG316-Doub	le	BM61350


SSMB Jack PC Mount, .026" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61113

SSMB Jack Right Angle PC Mount, .026" Round Contact		
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	У	BM61114
	i	

	SSMB Jack Bulklhead Front Mount, Turret Contact	#	
	Materials		Part #
	Brass Gold Plated Body Gold Plated Contact	/	BM61115
_			

SSMB Jack Bulkhead **Rear Mount, Turret**

SSMB Connectors



SSMB Jack Surface Mount, .026" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61117

Materials Brass Gold Plated Bod Gold Plated Contact	у	Part # BM61118
Angle Surface Mount, .026" Round Contact		
SSMB Jack Right	/	\nearrow

SSMB Jack Bulkhead Right Angle, Turret Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61272

SHV Connectors

SHV Jack		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60795
RG55, RG58, RG141, RG142, RG223, RG400		BM60797
RG59, RG62		BM60799
Crimp-Cable Type		Part #
RG55, RG141, RG142, RG22 RG400	3,	BM61492
LMR-195, RG58, TCOM-195		BM61490
RG59, RG62		BM61488

SHV Jack Bulkhead	q	
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60353
RG55, RG58, RG141, RG142, RG223, RG400		BM60287
RG59, RG62		BM60321
RG8, RG9, RG213, RG214, RG225, RG393		BM60261
Crimp-Cable Type		Part #
RG55, RG141, RG142, RG223 RG400	3,	BM61486
LMR-195, RG58, TCOM-195		BM61484
RG59, RG62		BM61482
(Continue on Ne	ext Pa	age)



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



www.brackemfg.com sales@brackemfg.com

THARA

SHV Connectors

(Continued from Previous Page)

SMC Connectors

Will not mate to 75 Ohhm SMC connectors)

SHV Plug Clamp-Cable Type Part # RG174, RG188, RG316 BM60329 RG55, RG58, RG141, RG142, BM60270 RG223, RG400 RG59, RG62 BM60301 RG8, RG9, RG213, RG214, RG225, BM60254 RG393 Crimp-Cable Type Part # LMR-100A, RG174, RG188, RG316 BM60792 LMR-195, RG58, TCOM-195 BM60004 RG188-Double, RG316-Double BM61600 RG55, RG141, RG142, RG223, BM60056 **RG400** RG59, RG62 BM60088 RG8, RG213 BM60036 RG9, RG214, RG225, RG393 BM60047

)	SMC Jack		
	Clamp-Cable Type		Part#
	RG174, RG188, RG316		BM60344
	RG178, RG196		BM60370
٦	Crimp-Cable Type		Part #
T	LMR-100A, RG174, RG188, F	RG316	BM60735
	RG178, RG196		BM60166
	RG188-Double, RG316-Doub	le	BM61602
	Solder-Cable Type		Part #
_	RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM60440

Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60337
RG178, RG196	BM60365
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60126
LMR-195, RG58, TCOM-195	BM60016
RG178, RG196	BM60160
RG188-Double, RG316-Double	BM61606
RG55, RG142, RG223, RG400	BM60077
Solder-Cable Type	Part #
RG405, RG405-Alum, RG405-Flex RG405-Flex-Jacketed	BM60435

SMC Plug Right Angle

SMC Plug Right Angle

Materials
Brass Gold Plated Body

P.C. Mount, .036" Round Contact

SHV Jack .688" Panel Mount, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60825
_		
SHV Plug Bulkhead	₩MM	

	Part #
	BM60351
	BM60375
Crimp-Cable Type	
LMR-100A, RG174, RG188, RG316	
LMR-195, RG58, TCOM-195	
RG178, RG196	
RG188-Double, RG316-Double	
RG55, RG142, RG223, RG400	
ĺ	Part #
-Flex,	BM60445
	le)

Gold Plated Contact		DIVIDUODU
SMC Jack Bulkhead Rear Mount, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM60897

Front Mount, Solder Cup Contact	and	
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60826

]]	SMC Jack Bulkhead Front Mount, Solder Cup Contact		
	Materials		Part #
	Brass Gold Plated Body Gold Plated Contact	У	BM60898

SHV Jack Bulkhead Front Mount, Solder Cup Contact	Щ	
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60827
SHV Jack Bulkhead		

Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60331
RG178, RG196	BM60360
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60114
RG178, RG196	BM60153
RG188-Double, RG316-Double	BM60714
RG55, RG142, RG223, RG400	BM60071
LMR-195, RG58, TCOM-195	BM60006
Solder-Cable Type	Part #
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60425

SMC Plug


SMC Plug Bulkhead Front Mount, Solder Cup Contact		
Materials		Part #
Brass Gold Plated Bod Gold Plated Contact	у	BM60899

Front Mount Hermetically Sealed, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Boo Gold Plated Contact	ly	BM60828

Gold Plated Contact		
SMC Jack Surface Mount, .038" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM60987
	ı	

SHV Jack Bulkhead Rear Mount, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM60829

SMC Plug P.C. Mount, .036" Round Contact		M
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM60859





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Will not mate to 75 Ohhm SMC connectors)





Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	У	BM60989

SMC Jack Right Angle P.C. Mount, .038" **Round Contact**



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60997

SSMC Jack P.C. Mount, .025" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM61198

SSMC Connectors

SMC Jack End Launch .062" Thick Board. .020" X .010" Tab Contact



itact	7
Materials	Part #
Brass Gold Plated Body Gold Plated Contact	ВМ60990


SMC Jack P.C. Mount. .038" Round Contact

Materials

Gold Plated Contact

Gold Plated Contact

Gold Plated Contact



BM61051

SSMC Jack Right Angle P.C. Mount, .025" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61199


SMC Jack End Launch .042" Thick Board,



art#	
160991	

.030" Round Contact	//	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM60991

SMC Jack Bulkhead **Right Angle Front** Mount, Solder Cup Contact



SSMC Jack Bulkhead, Front Mount, Turret Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61200

SMC Jack End Launch .062" Thick Board, .030" Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60992


SMC Jack Panel Mount, Extended Dielectric, .039" Round Contact



SSMC Jack Bulkhead, **Rear Mount, Turret** Contact

Materials

Gold Plated Contact



SMC Jack Bulkhead Right Angle P.C. Mount, .038" Round Contact

SMC Jack Bulkhead

P.C. Mount, .038"

Round Contact



Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60993

SSMC Jack Bulkhead

SSMC Plug



Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60315
RG178, RG196	BM60323
RG188-Double, RG316-Double	BM61330

SSMC Connectors

SSMC Jack Surface Mount, .025" Round Contact



Materials Part# **Brass Gold Plated Body** BM60994 **Gold Plated Contact**

Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60315
RG178, RG196	BM60323
RG188-Double, RG316-Double	BM61330
'	

Materials **Brass Gold Plated Body** BM61202 **Gold Plated Contact**

SMC Jack 2 Hole Panel Mount, Solder Cup Contact Materials

Brass Gold Plated Body

Gold Plated Contact

Materials

Brass Gold Plated Body

Gold Plated Contact



BM60995

Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60213
RG178, RG196	BM60215
RG188-Double, RG316-Double	BM61342

SSMC Jack Right Angle Surface Mount, .025" Round Contact		
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM61203

SMC Jack .375" Panel Mount, Solder Cup Contact



BM60996

Crimp-Cable Type	Part #	‡
LMR-100A, RG174, RG188, R	RG316 BM602	17
RG178, RG196	BM603	09
RG188-Double, RG316-Doub	le BM613	46

SSMC Jack Bulkhead Right Angle, Turret Contact



Materials Brass Gold Plated Body BM61274 **Gold Plated Contact**



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



SSMC Plug Right Angle

Phone 949.756.1600 949.756.1601



SSMA Female		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM61500
RG188-Double, RG316-Doub	le	BM61511
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61504

THE THE THE TABLE		
SSMA Female Bulkhead		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM61506
RG188-Double, RG316-Doub	le	BM61608
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61509

SSMA Male		
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	G316	BM60666
RG178, RG196		BM60673
RG188-Double, RG316-Double		BM60671
Crimp-Cable Type, Stainless	Steel	Part#
LMR-100A, RG174, RG188, F	G316	BM61464
RG188-Double, RG316-Double		BM61480
Solder-Cable Type		Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61496
Solder-Cable Type, Without C	ontact	Part #
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61494

Aligie	0	
Crimp-Cable Type		Part#
LMR-100A, RG174, RG188, F	RG316	BM60678
RG178, RG196		BM60686
RG188-Double, RG316-Double		BM60683
Solder-Cable Type		Part#
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	-Flex,	BM61498

SSMA Male Right

SSMA Female P.C. Mount, .034" Round Contact	(F)	
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	/	BM60852

Round Contact	0	Mines Com
Materials		Part #
Brass Gold Plated Body Gold Plated Contact	7	BM60853





Materials	Part #
Brass Gold Plated Body Gold Plated Contact	BM60854

SSMA Female .375" Panel Mount Extended Dielectric, .034" Round Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60870

SSMA Female .375" Panel Mount, Solder Cup Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM60871

SSMA Female 2 Hole Panel Mount Extended Dielectric, .034" Round Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60872

SSMA Female 2 Hole Panel Mount, Solder Cup Contact



Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM60873

SSMA Male .375" Panel Mount, Solder Cup Contact



Materials	Part #
Stainless Steel Gold Plated Body Gold Plated Contact	BM60874

SSMA Male 2 Hole Panel Mount, Solder Cup Contact



Materials	Part #
Stainless Steel Gold Plated Gold Plated Contact	BM60875

SSMA Female Bulkhead Front Mount, Turret Contact



Materials	Part #
Passivated Stainless Steel Bo Gold Plated Contact	BM60901

SSMA Female Bulkhead Rear Mount, Solder Cup Contact




Materials	Part #
Passivated Stainless Steel Body Gold Plated Contact	BM60902

TNC Connectors

TNC Female		
Clamp-Cable Type		Part #
RG174, RG188, RG316		BM60342
RG178, RG196		BM60368
RG55, RG58, RG141, RG142 RG223, RG400	,	BM60281
RG59, RG62		BM60313
RG8, RG9, RG11, RG213, RG RG225, RG393	214,	BM60246
Crimp-Cable Type		Part #
LMR-100A, RG174, RG188, F	RG316	BM60133
LMR-195, RG58, TCOM-195		BM60021
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	BM61409	
LMR-400, LMR-400-Ultra-Fle TCOM-400	BM61423	
RG188-Double, RG316-Doub	le	BM61610
RG55, RG141, RG142, RG22 RG400	BM60063	
RG59, RG62		BM60102
Solder/Clamp-Cable Ty	ре	Part #
RG402, RG402-Alum, RG402 RG402-Flex-Jacketed	-Flex,	BM60529
RG405, RG405-Alum, RG405 RG405-Flex-Jacketed	BM60542	

TNC Female 4 Hole Panel Mount	
Clamp-Cable Type	Part #
RG55, RG58, RG141, RG142, RG223, RG400	BM60289
Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223 RG400	BM60744
LMR-195, RG58, TCOM-195	BM60742
Solder-Cable Type	Part #
RG402, RG402-Alum, RG402- RG402-Flex-Jacketed	Flex, BM61466
RG405, RG405-Alum, RG405- RG405-Flex-Jacketed	·Flex, BM61468

TNC Male 45 Degree



Crimp-Cable Type	Part #
RG55, RG141, RG142, RG223, RG400	BM61454
LMR-195, RG58, TCOM-195	BM61452

TNC Female Right Angle Bulkhead, Solder Cup Contact



Materials	Part #
Brass Nickel Plated Body Gold Plated Contact	BM60879



SSMA Female Right

Angle P.C. Mount, .034"

Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



TNC Connectors

TNC Male

TNC Female Bulkhead	
Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60349
RG178, RG196	BM60373
RG55, RG58, RG141, RG142, RG223, RG400	BM60286
RG59, RG62	BM60320
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, RG316	BM60141
LMR-195, RG58, TCOM-195	BM60027
LMR-240, LMR-240-Ultra-Flex, RG8X, TCOM-240	BM61413
LMR-400, LMR-400-Ultra-Flex, TCOM-400	BM61628
RG188-Double, RG316-Double	BM61612
RG55, RG141, RG142, RG223, RG400	BM60067
RG59, RG62	BM60106
Solder-Cable Type, Precision	Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60476
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60448
Solder-Cable Type	Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM61369
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM61371
Solder/Clamp-Cable Type	Part #
RG402, RG402-Alum, RG402-Flex, RG402-Flex-Jacketed	BM60534
RG405, RG405-Alum, RG405-Flex, RG405-Flex-Jacketed	BM60546

Clamp-Cable Type Part# RG174, RG188, RG316 BM60328 RG178, RG196 BM60358 RG55, RG58, RG141, RG142, BM60269 RG223, RG400 BM60300 RG59, RG62 RG8, RG9, RG11, RG213, RG214, BM60237 RG225, RG393 Part# Crimp-Cable Type LMR-100A, RG174, RG188, RG316 BM60113 RG188-Double, RG316-Double BM60717 RG55, RG141, RG142, RG223, BM60055 **RG400** BM60003 LMR-195, RG58, TCOM-195 RG59, RG62 BM60087 RG8, RG213 BM60035 RG9, RG214, RG225, RG393 BM60046 LMR-240, LMR-240-Ultra-Flex, BM61395 RG8X, TCOM-240 LMR-400, LMR-400-Ultra-Flex, BM61419 TCOM-400 Solder-Cable Type Part # RG401, RG401-Alum, RG401-Flex BM60512 RG402, RG402-Alum, RG402-Flex, BM60464 RG402-Flex-Jacketed RG405, RG405-Alum, RG405-Flex, BM60423 RG405-Flex-Jacketed Solder-Cable Type, 18 GHz Part # RG402, RG402-Alum, RG402-Flex. BM61513 RG402-Flex-Jacketed Solder/Clamp-Cable Type Part# RG402, RG402-Alum, RG402-Flex, BM60525 RG402-Flex-Jacketed RG405, RG405-Alum, RG405-Flex, BM60538 RG405-Flex-Jacketed Semi-Rigid 047, Semi-Rigid BM60550 047-Alum, Semi-Rigid 047-Flex TNC Female Bulkhead,

.440" Round Hole, Solder Cup Contact

Materials

Brass Nickel Plated Body

Gold Plated Contact

TNC Female Bulkhead
Isolated Ground, .500"
Round Hole, Solder
Cup Contact

Materials

Brass Nickel Plated Body

Gold Plated Contact

TNC Female Bulkhead Isolated Ground, .380" Round Hole, Solder Cup Contact

TNC Male .750" Panel Mount, Solder Cup Contact		
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM6090
Gold Plated Colltact		
TNC Female .687" Panel Mount, .086" X .005" Tab Contact	(
Materials		Part #
Brass Nickel Plated Bod Gold Plated Contact	ly	BM6119
TNC Female .750" Panel Mount, Extended Dielectric, .086" Round Contact		
Materials Par		
Brass Nickel Plated Body Gold Plated Contact		BM6122
	1	
TNC Female .750" Panel Mount, Solder Cup Contact	9	
Materials		Part #
Brass Nickel Plated Body Gold Plated Contact		BM6122
TNC Female Quick Change 4 Hole Panel Mount, Slotted Contact Terminal for Watt Meter		
Materials		Part #

TNC Female Bulkhead

Solder Lug Contact

TNC Female .688"

Panel Mount, #3-56

Cup Contact

Tapped Holes, Solder

Materials

Brass Nickel Plated Body

Gold Plated Contact

Materials

Brass Nickel Plated Body

Gold Plated Contact

Part #

BM60885

Part #

BM60886

Front Mount Hermetically Sealed,

(0)

TNC Male Right Angle




Clamp-Cable Type	Part #
RG174, RG188, RG316	BM60335
RG178, RG196	BM60363
RG55, RG58, RG141, RG142, RG223, RG400	BM60276
RG59, RG62	BM60307
RG8, RG9, RG11, RG213, RG RG225, RG393	BM60241
Crimp-Cable Type	Part #
LMR-100A, RG174, RG188, F	RG316 BM60123
LMR-195, RG58, TCOM-195	BM60014
LMR-240, LMR-240-Ultra-Fle RG8X, TCOM-240	x, BM61403
LMR-400, LMR-400-Ultra-Fle TCOM-400	x, BM61421
RG188-Double, RG316-Doub	ole BM61614
RG55, RG141, RG142, RG22 RG400	^{3,} BM60060
RG59, RG62	BM60098

TNC Female Bulkhead, .380" Round Hole, Solder Cup Contact
Matariala



•	400
Materials	Part #
Brass Nickel Plated Bod Gold Plated Contact	ВМ60880





Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601

Part#

BM60881

Part #

BM60882



TNC Male Quick

Change 4 Hole Panel

Mount, Slotted Contact Terminal for Watt Meter

Brass Nickel Plated Body

Silver Plated Contact

Materials

Brass Nickel Plated Body


Silver Plated Contact

www.brackemfg.com sales@brackemfg.com

BM61257

Part #

BM61258



Molded Breakouts

With Approximately 6" Red and Black Leads



Unterminated #20 AWG Leads for:			UnTerminated #20 AWG Leads to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60723	VIII)	Connector Type	Part #
RG58	BM60726		BNC Male	BM10918
RG59, RG62	BM60728		BNC Female	BM10927
Safety Hooks for:			Safety Hooks to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60753		Connector Type	Part #
RG58	BM60747		BNC Male	BM10919
RG59, RG62	BM60750		BNC Female	BM10928
Standard Stacking Banana Plugs for:			Standard Stacking Banana Plugs to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60719		Connector Type	Part #
RG58	BM60722		BNC Male	BM10920
RG59, RG62	BM60724		BNC Female	BM10929
Miniature Stacking Banana for:			Miniature Stacking Banana Plugs to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60748		Connector Type	Part #
RG58	BM60743		BNC Male	BM10921
RG59, RG62	BM60746		BNC Female	BM10930
Stacking Tip Plugs for:			Stacking Tip Plugs to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60767		Connector Type	Part #
RG58	BM60770		BNC Male	BM10926
RG59, RG62	BM60773		BNC Female	BM10935
Miniature Alligator Clips for:			Miniature Alligator Clips to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60713		Connector Type	Part #
RG58	BM60718		BNC Male	BM10923
RG59, RG62	BM60721		BNC Female	BM10932
#8 Spade Lugs for:			#8 Spade Lugs to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60754		Connector Type	Part#
RG58	BM60776		BNC Male	BM10924
RG59, RG62	BM60779		BNC Female	BM10933
Insulated Spade Lugs for:			Insulated Spade Lugs to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60777		Connector Type	Part #
RG58	BM60780		BNC Male	BM10925
RG59, RG62	BM60782		BNC Female	BM10934
Standard Alligator Clips for:			Standard Alligator Clips to:	
Cable Type-Crimp Attachment RG55, RG142, RG223, RG400	Part # BM60696		Connector Type	Part #
RG58	BM60676		BNC Male	BM10922
RG59, RG62	BM60680		BNC Female	BM10931

Preset Torque Wrenches



SMA, 2.9 & 3.5mm Connectors		
Part # BM30001		
Preset Torque	8 in lbs	
Hex Size	5/16 Inch	

N & SC Hex Nut Connectors						
Part # BM30006						
Preset Torque 14 in lbs						
Hex Size	13/16 Inch					

TNC Hex Nut Connectors						
Part # BM30004						
Preset Torque 14 in lbs						
Hex Size 5/8 Inch						

7mm Connectors						
Part # BM30003						
Preset Torque 14 in lbs						
Hex Size 3/4 Inch						

SSMA						
Connectors						
Part # BM30005						
Preset Torque 8 in lbs						
Hex Size	1/4 Inch					

SMC						
Connectors						
Part # BM30002						
Preset Torque 3 in lbs						
Hex Size	1/4 Inch					
· · · · · · · · · · · · · · · · · · ·						




Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Patch Cords



Alligator Clip to Alligator Clip





Alligator Clip to Safety Hook




in Inches from ABOVE

Red Lead Part # BM10909.** Replace ** with length in Inches from ABOVE

Black Lead	Red Lead
Part # BM10901.**	Part # BM10908.**
Replace ** with length in Inches from ABOVE	Replace ** with length in Inches from ABOVE

Black Lead Part # BM10915.** Replace ** with length in Inches from ABOVE

Red Lead Part # BM10917.** Replace ** with length in Inches from ABOVE



Alligator Clip to Insulated Spade Lug



Mini Alligator Clip to ∍Stacking Banana Plug



in Inches from ABOVE

Red Lead Part # BM10912.** Replace ** with length in Inches from ABOVE

Black Lead
Part # BM10904.**
Replace ** with length in Inches from ABOVE

Red Lead Part # BM10911.** Replace ** with length in Inches from ABOVE

Black Lead Red Lead Part # BM10903.** Part # BM10910.** Replace ** with length Replace ** with length in Inches from ABOVE in Inches from ABOVE



Stacking Banana Plug to Stacking Banana Plug

(E)	ĬÚ-	<u> </u>

Stacking Banana Plug to Insulated Spade Lug



Safety Hook to Safety Hook

Black Lead Part # BM10900.** Replace ** with length

in Inches from ABOVE

Red Lead Part # BM10907.** Replace ** with length

Black Lead Part # BM10906.** Replace ** with length in Inches from ABOVE


Red Lead Part # BM10913.** Replace ** with length in Inches from ABOVE

Black Lead Part # BM10914.** Replace ** with length in Inches from ABOVE

Red Lead Part # BM10916.** Replace ** with length in Inches from ABOVE

Coaxial Cutting Tool

in Inches from ABOVE



Part # BM30011

Crimping Tools

RG174, RG179, RG180. RG187. RG188, RG195. **RG316**

Part # BM30008 .068, .100, Hex Cavity Sizes .128, .178

RG9, RG11, RG213, RG214, RG216, RG225. **RG393** Part # BM30009

.100, .429

RG55, RG58, RG59, RG62, RG142, RG223, **RG400** Part # BM30010

Hex Cavity .068, .213, Sizes

SMA Finger Wrenches



Part # BM30012 Material: Green Plastic

Part # BM30013 Material:Brass Nickel



Hardware

Sold in F	Packs of 5		86	
Materials	Туре	Size	Length	Part #
	Dhilling		1/4"	BM30103
	Phillips	#2 FG	3/8"	BM30104
Stainless	Screws	#3-56	1/2"	BM30105
Steel	Nuts		Fits All	BM30109
	Phillips Screws		1/4"	BM30106
Plated			3/8"	BM30107
			1/2"	BM30108
	Nuts		Fits All	BM30110
	Dhilling	#4-40	1/4"	BM30100
Zinc Plated	Phillips		3/8"	BM30101
	Screws		1/2"	BM30102
. iatou	Nuts		Fits All	BM30111

Crimping Tool Kit

Hex Cavity

Sizes

Part # BM30007 **Fits Cable Sizes**

RG6, RG8, RG9, RG11, RG55. RG58, RG59, RG62, RG141, RG142, RG174, RG179, RG180, RG187, RG188, RG213, RG214, RG223, RG225, RG303, RG316, RG393, RG400

Hex Sizes

.042, .068, .080, .100, .128, .151, .178, .213, .255, .324, .429



Kit includes 1 Ratchet with 4 Interchangeable Dies



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 949.756.1601



Department		Т 1		<u> </u>	Center	I	ı	1	Operating
Max Diameter Dia	Part #	Ohm	Coax	Dielectric	I -	# of	Capacitance		
### BMS9Min-Black	i ait π		Diameter	Diameter	l	Shields	pF/Foot	Voltage RMS	
MMS9MIni-Bule 75 1.99 PVC .102FHDPE .023BC 2.TCIAF 16.3 300 .30 to -77 MMS9MIni-Red 75 1.99 PVC .102FHDPE .023BC .2TCIAF 16.3 300 .30 to -77 MMS9MIni-Wilder 75 .159 PVC .102FHDPE .023BC .2TCIAF 16.3 300 .30 to -77 BMS9MIni-Wilder 75 .159 PVC .102FHDPE .023BC .2TCIAF 16.3 300 .30 to -77 BMS9MIni-Wilder 75 .159 PVC .102FHDPE .023BC .2TCIAF 16.3 300 .30 to -77 BMS9MINI-Wilder 50 .158 PE .110 PPE .037BC .2TCIAF 16.3 300 .40 to -84 LMR-140 50 .155 PE .110 PPE .037BC .2TCIAF .25 to .300 .40 to -84 LMR-240 50 .405 PE .285 PE .40 to -84 .40 to -84 .40 to -84 LMR-240 50 .405 PE .285 FPE .108 BC .2TCIAT	DMF0Mini Block	75	150.D\/C	400-FUDDE		2.TC/AF	16.2	200	
BMS9Mini-Green									
BMS9Min-In-Hot									
BMS9MIN-White 75									
BMS9MIN-Vellow									
LIMR-100A 50									
MR-196									
IMR-200									
IMMR-200_Ultra-Flox									
IMR-240 50 240 PFE 150:FPE 056:BC 2:TCAT 24:2 5:000 4-0 to-88 IMR-400 50 240:FPE 150:FPE 056:BC 2:TCAT 24:2 5:000 4-0 to-88 IMR-400 50 40:5PE 28:5FPE 108:BCCA 2:TCAT 15:9 5:000 4-0 to-88 IMR-400 50 40:5PE 28:5FPE 108:BCCA 2:TCAT 15:9 5:000 4-0 to-88 IMR-400-Dir-Burial 50 40:5FPE 28:5FPE 108:BCCA 2:TCAT 23:9 8:000 4-0 to-88 IMR-400-Dir-Burial 50 40:5FPE 28:5FPE 108:BCCA 2:TCAT 23:9 8:000 4-0 to-88 IMR-400-Dir-Burial 50 40:5FPE 28:5FPE 108:BCCA 2:TCAT 23:9 8:000 4-0 to-88 IMR-400 50 5:500 PFE 45:5FPE 176:BCCA 2:TCAT 23:9 8:000 4-0 to-88 IMR-400 50 5:500 PFE 45:5FPE 176:BCCA 2:TCAT 23:4 8:000 4-0 to-88 IMR-400 75 5:500 PFE 45:5FPE 176:BCCA 2:TCAT 23:4 8:000 4-0 to-88 IMR-400 75 5:500 PFE 45:5FPE 176:BCCA 2:TCAT 23:4 8:000 4-0 to-88 IMR-400 75 5:32:PVC-IIA 18:5FPE 0:285:CCS 2:BCISPC 2:10 2:700 4-0 to-88 IMR-400 75 40:5PVC-IIA 28:5FPE 0:48:TCT 18:0CC 2:TC									
IMR.240-Ultra-Flex	LMR-240								-40 to +85
MRR-400-75	LMR-240-Ultra-Flex		.240:TPE						-40 to +85
MRR-400-Dir-Burial	LMR-400	50	.405:PE		.108:BCCA	2:TC/AT	23.9		-40 to +85
LIMR-600	LMR-400-75	75	.405:PE	.285:FPE	.065:BC	2:TC/AT	15.9	5,000	-40 to +85
LIMR-600 50 590-PE 455-FPE 176-BCCA 2:TC/AT 23.4 8.000 40 to -88 RG6ATU 75 332-PVC-IIA 185-PE 0:285-CCS 2:BC/SPC 21.0 2:700 40 to -88 RG6ATU 75 332-PVC-IIA 185-PE 0:285-CCS 2:BC/SPC 21.0 2:700 40 to -88 RG6ATU 52 4:05-PVC-IIA 2:85-PE 0:285-CCS 2:BC/SPC 21.0 2:700 40 to -88 RG6ATU 52 4:05-PVC-IIA 2:85-PE 0:285-CCS 2:BC/SPC 21.0 2:700 40 to -88 RG6ATU 52 4:05-PVC-IIA 2:85-PE 0:285-CCS 3:BAFP 16:2 3:50 40 to -88 RG51AU 52 4:05-PVC-IIA 2:85-PE 0:48-TC 1:BC 2:9.6 5:000 40 to -88 RG51BU 55:5 2:00-PVC-IIA 1:16-PE 0:320-SPC 2:TC 2:8.8 1:9.00 40 to -88 RG58BU 75 2:42-PVC-IIA 1:46-PE 0:355-TC 1:TC 30:8 1:9.00 40 to -88 RG62BU 75 2:42-PVC-IIA 1:46-PE 0:355-TC 1:TC 30:8 1:9.00 40 to -88 RG62BU 75 2:42-PVC-IIA 1:46-PE 0:355-TC 1:TC 30:8 1:9.00 40 to -88 RG62BU 75 2:42-PVC-IIA 1:46-PE 0:235-CCS 1:BC 2:5 0:5 0:5 RG62BU 75 2:42-PVC-IIA 2:40-PPE 2:20-SCS 1:BC 13:5 750 40 to -88 RG61BAU 78 2:35-PVC-IIA 2:40-PPE 2:03-SCS 2:BC 2:9 0:10-00 40 to -88 RG61BAU 78 2:35-PVC-IIA 2:40-PPE 2:03-SCS 2:BC 2:9 4:9 0:00 4:0 to -88 RG17BBU 50 1:95-FE-IX 1:16-PTE 0:39-SCCS 2:BC 2:9 4:9 1:900 5:5 to -22 RG17BBU 50 1:05-PTE 0:00-PTE 0:12-SPC 1:BC 3:5 0:00 1:00 4:0 to -88 RG17BBU 95 1:41-FE-IX 1:02-PTE 0:12-SPC 1:SPC 3:2 0:10.00 5:5 to -22 RG18BAU 50 0:72-FE-IX 0:00-PTE 0:12-SPC 1:SPC 3:D 1:00 5:5 to -22 RG18BAU 50 1:5PTE 0:00-PTE 0:12-SPC 1:SPC 3:D 1:00 5:5 to -22 RG18BAU 50 1:5PTE 0:00-PTE 0:12-SPC 1:SPC 3:D 1:00 5:5 to -22 RG18BAU 50 1:BPTE 0:00-PTE 0:12-SPC 1:SPC 3:D 1:00 5:5 to -22 RG19BAU 50 1:4PTE 1:00-PTE 0:12-SPC 1:SPC 3:D 1:00 5:5 to -22 RG19BAU 50 1:4PTE 1:00-PTE 0:12-SPC 1:SPC 3:D 1:00 5:5 to -22 RG19BAU	LMR-400-Dir-Burial	50	.405:PE	.285:FPE	.108:BCCA	2:TC/AT	23.9	8,000	-40 to +85
LIMR-600-Ultra-Flex 50 .590-TPE .455.FPE .176.BC 2.TC/AT 23.4 8.000 .40 to +80	LMR-400-Ultra-Flex	50	.405:TPE	.285:FPE	.108:BC	2:TC/AT	23.9	8,000	-40 to +85
RG6AU 75 332 PVC-IIA 185 PE 0285 CS 2 BCISPC 21.0 2,700 40 to -80 RG6AU 52 405 PVC-IIA 285 PE .085 BC .18C 29.6 5,000 .40 to -80 RG8AU 52 .405 PVC-IIA .18 PE .085 BC .18C 29.6 5,000 .40 to -80 RG58BU 53.5 .200 PVC-IIA .116 PE .0320 SPC .21 TC .28.8 1,900 .40 to -80 RG58BU 53.5 .200 PVC-IIA .116 PE .0320 SPC .21 TC .38.8 1,900 .40 to -80 RG68BU 75 .242 PVC-IIA .146 PE .0320 CS .18C .13.5 .750 .40 to +80 RG62AU 83 .242 PVC-IIA .146 AIR PE .0230 CS .18C .13.5 .750 .40 to +80 RG62AU 73 .242 PVC-IIA .146 AIR PE .0230 CS .18C .13.5 .750 .40 to +80 RG62BU 75 .145 AIR .145 AIR .18	LMR-600	50	.590:PE					8,000	-40 to +85
RG6-TV 75 275-PVC 180-FPE 040-BCCS 3-BAPP 16.2 350 4-0 to-86 RG68AU 52 405-PVC-IIA 285-PE 048-FC 1:BC 29.6 5.000 4-0 to-86 RG51AU 57 405-PVC-IIA 285-PE 048-FC 1:BC 21.0 5.000 4-0 to-86 RG51AU 75 405-PVC-IIA 285-PE 048-FC 1:BC 21.0 5.000 4-0 to-86 RG58BU 53.5 200-PVC-IIA 1:16-PE 0320-SPC 2:TC 28.8 1.900 4-0 to-86 RG58BU 50 195-PVC-IIA 1:16-PE 0320-SPC 2:TC 28.8 1.900 4-0 to-86 RG58BU 50 195-PVC-IIA 1:16-PE 0320-SPC 1:TC 38.8 1.900 4-0 to-86 RG58BU 75 242-PVC-IIA 1:16-PE 0320-SPC 1:TC 38.8 1.900 4-0 to-86 RG58BU 75 242-PVC-IIA 1:46-PE 0230-CCS 1:BC 20.6 2.300 4-0 to-86 RG58BU 75 242-PVC-IIA 1:46-PE 0230-CCS 1:BC 20.6 2.300 4-0 to-86 RG58BU 78 242-PVC-IIA 1:46-PE 0230-CCS 1:BC 20.6 2.300 4-0 to-86 RG58BU 57 242-PVC-IIA 1:46-PE 0230-CCS 1:BC 20.6 2.300 4-0 to-86 RG58BU 57 242-PVC-IIA 1:46-PPE 0330-CCS 1:BC 20.6 1.30 7-50 4-0 to-86 RG58BU 50 1.95-FEP-IX 1:16-PTE 039-SCCS 2:SPC 29.4 1:900 4-0 to-86 RG142BU 50 1.95-FEP-IX 1:16-PTE 039-SCCS 2:SPC 29.4 1:900 4-0 to-86 RG142BU 50 1.05-PVC-IIA 0.60-PE 0.189-CCS 1:TC 30.8 1.500 4-0 to-86 RG178BU 50 1.072-FEP-IX 0.40-PTE 0.12-SPC 1:SPC 32.0 1.000 4-0 to-86 RG178BU 75 1.00-FEP-IX 0.60-PTE 0.12-SPC 1:SPC 32.0 1.000 5-5 to-20 RG189BU 75 1.00-FEP-IX 0.60-PTE 0.12-SPC 1:SPC 32.0 1.000 5-5 to-20 RG189BU 75 1.05-PTE 0.60-PTE 0.12-SCCS 1:SPC 19.5 1.200 5-5 to-20 RG189BU 50 1.18-PTE 0.60-PTE 0.12-SCCS 1:SPC 19.0 1.200 5-5 to-25 RG18AU 50 1.18-PTE 0.60-PTE 0.201-SPCCS 2:SPC 29.4 1.200 5-5 to-25 RG18AU 50 1.18-PTE 0.60-PTE 0.201-SPCCS 2:SPC 29.4 1.200 5-5 to-25 RG18BAU 50 1.18-PTE 0.60-PTE 0.201-SPCCS 1:SPC 29.4 1.200 5-5 to-25 RG18BAU 50 1.18-PTE 0.60-PTE 0.30	LMR-600-Ultra-Flex	50	.590:TPE			2:TC/AT	23.4	8,000	-40 to +85
RG8AUU 52 A05PVC-IIA 285PE .0855BC 1.BC 29.6 5,000 .40 to -80 RG11AU 75 405PVC-IIA .285PE .048TC 1.BC 21.0 5,000 .40 to -80 RG58B/U 53.5 .200.PVC-IIA .116.PE .0320.SPC .21TC 28.8 1,900 .40 to +80 RG58D/U 50 .195.PVC-IIA .116.PE .0355TC .1TC 30.8 1,900 .40 to +80 RG58AU 75 .242.PVC-IIA .146.PE .0355TC .1TC 30.8 1,900 .40 to +80 RG62AU 93 .242.PVC-IIA .146.PE .0253.CCS .1BC 13.5 .750 .40 to +80 R619BAU 75 .195.VCIIA .097.PEP.IX .146.PIP.PE .0355TC .1TC 20.0 .100 .40 to +80 R617BBU 50 .195.FEP-IX .116.PTFE .039.SCCS .25PC .29.4 .1,900 .55 to +25 R617BBU 75 .100.FEP-IX .060.PT	RG6A/U					2:BC/SPC			-40 to +80
RG518/U 53.5 200.PVC-IIA 116.PE 0320.SPC 2.TC 28.8 1,900 40 to +80 RG58B/U 50 198.PVC-IIA 116.PE 0320.SPC 2.TC 28.8 1,900 40 to +80 RG58B/U 75 242.PVC-IIA 116.PE 0.356.TC 1.TC 30.8 1,900 40 to +80 RG58B/U 75 242.PVC-IIA 146.PE 0.230.CCS 1.BC 20.6 2,300 40 to +80 RG58B/U 75 242.PVC-IIA 146.PE 0.230.CCS 1.BC 20.6 2,300 40 to +80 RG62A/U 93 242.PVC-IIA 146.PE 0.230.CS 1.BC 20.6 2,300 40 to +80 RG62A/U 93 242.PVC-IIA 146.PE 0.230.CS 1.BC 1.BC 20.6 2,300 40 to +80 RG62BA/U 78 235.PVC-IIA 2(079.PE) 2(035.TC) 1.TC 20.0 1,000 40 to +80 RG108A/U 50 109.PVE-IIX 100.PVC-IIA 060.PE 0189.CCS 1.TC 30.8 1,500 40 to +80 RG178BIU 50 072.PEP-IX 080.PTEE 012.SCCS 1.SPC 1.SPC 19.5 1,200 -55 to +20 RG18BA/U 75 105.PTTE 060.PTTE 012.SCCS 1.SPC 1.SPC 15.0 15	RG6-TV	75							-40 to +80
RG55B/U 53.5 200.PVC-IIA 116.PE 0.320.SPC 2.TC 28.8 1,900 40 to -80. RG58B/U 50 195.PVC-IIA 1.16.PE 0.320.CCS 1.EC 30.8 1,900 40 to -80. RG58B/U 75 242.PVC-IIA 1.46.PE 0.230.CCS 1.BC 13.5 750 40 to +80. RG108AU 78 225.PVC-IIA 1.46.PE 0.255.CCS 1.BC 13.5 750 40 to +80. RG142BU 50 1.995.FEP-IX 1.16.PTFE 0.255.CCS 2.SPC 29.4 1,900 -55 to +25. RG178BU 50 1.00PCIIA 0.60.PTE 0.39.SCCS 2.SPC 29.4 1,900 -55 to +25. RG178BU 50 1.00PCIIA 0.60.PTE 0.12.SCCS 1.SPC 19.5 1,000 -55 to +25. RG178BU 75 1.00-FEP-IX .060-PTFE 0.012.SCCS 1.SPC 19.5 1,200 -55 to +25. RG189AU 50 1.05-FPTE .060-PTFE	RG8A/U	52						5,000	-40 to +80
RGSBC/U 50 195PVC-IIA 116PE .0355TC 1.TC 30.8 1,900 -40 to +80 RGSBB/U 75 242:PVC-IIA .146:PE .0230:CCS 1.BC 20.8 2,300 -40 to +80 RG608A/U 93 .242:PVC-IIA .146:AIR PE .0230:CCS 1.BC 13.5 750 -40 to +80 RG108A/U 78 .235:PVC-IIA .2(079:PE) .2(035:TC) 1:TC 20.0 1,000 -40 to +80 RG142B/U 50 .195:FEP-IX .16:PTE .039:SCCS 2:SPC .29.4 1,900 -55 to +25 RG174B/U 50 .100:PVC-IIA .060:PE .018:SCCS 1:TC 30.8 1,500 -40 to +80 RG178B/U 50 .072:FEP-IX .034:PTE .012:SCCS 1:SPC 19.5 1,200 -55 to +25 RG178B/U 75 .105:PTE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +25 RG18BA/U 50 .118:PTE .060:PTFE	RG11A/U							5,000	
RG59B/U 75 242:PVC-IIA 146:PE 0.230:CCS 1:BC 20.6 2,300 40 to +80 RG62A/U 93 242:PVC-IIA 1.46:AIR PE 0.253:CCS 1:BC 20.0 1,000 40 to +80 RG108A/U 78 235:PVC-IIA 1.46:PTE 0.253:CCS 1:BC 20.0 1,000 40 to +80 RG142B/U 50 1.95:PEP-IX 1.16:PTFE 0.99:SCCS 2:SPC 29.4 1,900 -55 to +20 RG178B/U 50 1.00*PEP-IX 0.06:PFE 0.12:SPC 1:SPC 32.0 1,000 -55 to +20 RG178B/U 75 1.00*FEP-IX 0.00*PTFE 0.12:SPC 1:SPC 32.0 1,000 -55 to +20 RG180B/U 75 1.05:FFE 0.00*PTFE 0.12:SPCS 1:SPC 19.5 1,200 -55 to +20 RG180B/U 75 1.05:FFE 0.00*PTFE 0.12:SCCS 1:SPC 15.0 1,500 -55 to +25 RG180BAU 50 1.15:FFFE 0.00*PTFE	RG55B/U								-40 to +80
RG62A/U 93 242.PVC-IIIA 146.AIR PE 0.253.CCS 1:BC 13.5 750 4-0 to +86 RG108A/U 78 2.35:PVC-IIIA 2(.079:PE) 2(.035:TC) 1:TC 20.0 1,000 -40 to +86 RG142B/U 50 .195:FEP-IX .116:PTFE .039:SCCS 2:SPC 29.4 1,900 -55 to +25 RG174B/U 50 .100:PVC-IIIA .060:PE .018:9CCS 1:TC 30.8 1,500 -40 to +86 RG178B/U 50 .072:FEP-IX .060:PTFE .012:SCCS 1:SPC 32.0 1,000 -55 to +20 RG178B/U 75 .100:FEP-IX .060:PTFE .012:SCCS 1:SPC 19.5 1,200 -55 to +20 RG18BA/U 95 .141:PTFE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +22 RG18BA/U 50 .118:PTFE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +25 RG18BA/U 50 .118:PTFE .0									
RG198AU 78 23S-PV-CIIA 2(,079-PE) 2(,035-TC) 1:TC 20.0 1.000 4-0 to +86 RG142B/U 50 1.95:FEP-IX 1.16:PTFE 0.39:SCCS 2:SPC 29.4 1,900 -55 to +25 RG174AU 50 1.00:PV-CIIA 0.66:PE 0.189:CCS 1:TC 30.8 1,500 -40 to +86 RG178B/U 50 0.72:FEP-IX 0.34:PTFE 0.12:SPC 1:SPC 32.0 1,000 -55 to +25 RG178B/U 75 100:FEP-IX 0.34:PTFE 0.12:SCCS 1:SPC 19.5 1,200 -55 to +25 RG178B/U 75 100:FEP-IX 1.02:PTFE 0.12:SCCS 1:SPC 19.5 1,200 -55 to +25 RG180B/U 95 1.41:FEP-IX 1.02:PTFE 0.12:SCCS 1:SPC 19.0 1,500 -55 to +25 RG180B/U 75 100:FPTFE 0.60:PTFE 0.12:SCCS 1:SPC 19.0 1,200 -55 to +25 RG188A/U 50 1.05:PTFE 0.60:PTFE 0.201:SPCCS 1:SPC 29.4 1,200 -55 to +25 RG188B-Double 50 1.18:PTFE 0.60:PTFE 0.201:SPCCS 1:SPC 29.4 1,200 -55 to +25 RG188-Double 50 1.18:PTFE 0.60:PTFE 0.201:SPCCS 1:SPC 32.0 2,000 -55 to +25 RG196A/U 50 0.72:PTFE 0.34:PTFE 0.12:SCCS 1:SPC 32.0 2,000 -55 to +25 RG196A/U 50 0.72:PTFE 0.34:PTFE 0.12:SCCS 1:SPC 32.0 2,000 -55 to +25 RG196A/U 50 0.72:PTFE 0.34:PTFE 0.12:SCCS 1:SPC 29.4 1,000 -55 to +25 RG196A/U 50 0.72:PTFE 0.34:PTFE 0.12:SCCS 1:SPC 29.4 1,000 -55 to +25 RG213/U 50 0.75:PTFE 0.34:PTFE 0.12:SCCS 1:SPC 29.4 1,000 -55 to +25 RG213/U 50 0.45:PV-CIIA 285:PE 0.888:SPC 2:SPC 30.8 5,000 -40 to +86 RG214/U 50 0.45:PV-CIIA 285:PE 0.888:SPC 2:SPC 30.8 5,000 -40 to +86 RG214/U 50 0.45:PV-CIIA 285:PE 0.888:SPC 2:SPC 30.8 5,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.888:SPC 2:SPC 30.8 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.988:SPC 2:SPC 30.8 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.988:SPC 2:SPC 30.8 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.988:SPC 2:SPC 30.8 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.988:SPC 2:SPC 30.8 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.988:SPC 2:SPC 30.0 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.201:SCCS 2:SPC 30.0 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.201:SCCS 2:SPC 30.0 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.201:SCCS 2:SPC 30.0 1,000 -40 to +86 RG216/U 50 0.45:PV-CIIA 885:PE 0.201:SCCS 2:SPC 30.0 1,000 -40 to +86 RG2	RG59B/U								
RG142B/U 50 .195.FEP-IX .116.PTFE .039:SCC\$ 2.SPC 29.4 1,900 -55 to +25 RG174A/U 50 .100*PVC-IIA .060;PE .018*CCS 1:TC 30.8 1,500 -40 to +80 RG178B/U 50 .072*FEP-IX .060*PTFE .012*SPC 1:SPC 32.0 1,000 -55 to +20 RG178B/U 75 .100*FEP-IX .060*PTFE .012*SCCS 1:SPC 19.5 1,200 -55 to +20 RG18BAU 95 .141*FEP-IX .060*PTFE .012*SCCS 1:SPC 15.0 1,500 -55 to +20 RG18ADU 50 .105*PTFE .060*PTFE .012*SCCS 1:SPC 19.0 1,200 -55 to +25 RG18BADuble 50 .118*PTFE .060*PTFE .021*SCCS 1:SPC 29.4 1,200 -55 to +25 RG19BAU 95 .141*PTFE .102*PTFE .021*SCCS 1:SPC 29.4 1,200 -55 to +25 RG19BAU 95 .17*PTFE .034*PTFE<									
RG178B/U 50 1.00-PVC-IIA .060-PE .0189-CCS 1:TC 30.8 1.500									
RG179B/U 75 .100:FEP-IX .034:PTFE .012:SPC 1:SPC 32.0 1.000 -55 to +20 RG179B/U 75 .100:FEP-IX .006:PTFE .012:SCCS 1:SPC 19.5 1,200 -55 to +20 RG180B/U 95 .141:FEP-IX .102:PTFE .012:SCCS 1:SPC 19.0 1,500 -55 to +20 RG180B/U 95 .141:FEP-IX .102:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +20 RG187A/U 75 .105:PTFE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +25 RG188A/U 50 .105:PTFE .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +25 RG188A/U 50 .118:PTFE .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +25 RG188A/U 95 .141:PTFE .060:PTFE .0201:SPCCS 2:SPC 32.0 2,000 -55 to +25 RG198A/U 95 .141:PTFE .006:PTFE .012:SCCS 1:SPC 32.0 2,000 -55 to +25 RG198A/U 95 .141:PTFE .034:PTFE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 RG198A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG198A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG198A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG198A/U 50 .405:PVC-IIA .285:PE .0888:BC 1:SPC 30.8 5,000 -40 to +86 RG218/U 50 .425:PVC-IIA .285:PE .0888:SPC 2:SPC 30.8 5,000 -40 to +86 RG218/U 50 .545:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +86 RG218/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 1,000 -40 to +86 RG218/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 1,000 -40 to +86 RG218/U 50 .219:PVC-IIA .860:PE .195:BC 1:BC 30.8 1,000 -40 to +86 RG218/U 50 .102:FPP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316/U 50 .102:FPP-IX .060:PTFE .0201:SCCS 2:SPC 30.8 1,900 -40 to +86 RG316/Double 50 .102:FPP-IX .060:PTFE .0201:SCCS 2:SPC 32.0 1,200 -55 to +20 RG303/U 50 .390:FPP-IX .285:PTFE .0384:SPC 2:SPC 32.0 1,200 -55 to +20 RG400/U 50 .195:FPP-IX .116:PTFE .0384:SPC 2:SPC 32.0 1,200 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +10 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +10 RG401-Flex 50 .250 .209:PTFE .036:SPCCS 2:SPC 32.0 1,900 -55 to +20 RG402-Flex-Jacketed 50 .141 .118:PTFE .036:SPCCS 2:FFTE .295 1,900 -70 to +20 RG405-Flex-Jacketed 50 .150:0 .085 .066:PTFE .020:SPCCS 2:CF/TFC 29.5 1,900 -70 t									
R6179BIU 75 100:FEPIX .060:PTFE .012:SCCS 1:SPC 19.5 1,200 -55 to +20 R6180B/U 95 .141:FEP-IX .102:PTFE .012:SCCS 1:SPC 15.0 1,500 -55 to +25 R6188A/U 75 .105:PTFE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +25 R6188A/U 50 .105:PTFE .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +25 R6195A/U 95 .141:PTFE .060:PTFE .0201:SCCS 1:SPC 32.0 2,000 -55 to +25 R6195A/U 95 .141:PTFE .032:PTFE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 R6195A/U 50 .072:PTFE .032:PCC .18 1,500 -55 to +25 R6195A/U 50 .072:PTFE .032:SCCS 1:SPC .29.4 1,000 -55 to +26 R6218/U 50 .425:PVC-IIA .285:PE .0888:BC .18C 30.8									
RG180B/U 95 .141:FEP-IX .102:PTFE .012:SCCS 1:SPC 15.0 1,500 -55 to +20 RG187A/U 75 .105:PTFE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +25 RG188A/U 50 .105:PTFE .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +25 RG188A/U 50 .118:PTFE .060:PTFE .0201:SPCCS 2:SPC 32.0 2.000 -55 to +25 RG195A/U 95 .141:PTFE .102:PTFE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 RG196A/U 50 .072:PTFE .034:PTE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 RG219/U 50 .405:PVC-IIA .285:PE .088:SPC 2:SPC 30.8 5,000 -40 to +86 RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +86 RG216/U 75 .425:PVC-IIA .370:PE									
RG187A/U 75 .105:PTFE .060:PTFE .012:SCCS 1:SPC 19.0 1,200 -55 to +25 RG188A/U 50 .105:PTFE .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +25 RG195A/U 95 .141:PTFE .060:PTFE .0201:SPCCS 2:SPC 32.0 2,000 -55 to +25 RG195A/U 95 .141:PTFE .102:PTFE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 RG196A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG218/U 50 .045:PVC-IIA .285:PE .088:BC 2:SPC 30.8 5,000 -40 to +80 RG218/U 75 .425:PVC-IIA .285:PE .088:SPC 2:BC 21.0 3,700 -40 to +80 RG218/U 50 .870:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +80 RG218/U 50 .870:PVC-IIA .680:PE									
RG188A/U 50 .105:PTFE .060:PTFE .0201:SPCCS 1:SPC 29.4 1,200 -55 to +25 RG188A/U 50 .118:PTFE .060:PTFE .0201:SPCCS 2:SPC 32.0 2,000 .55 to +25 RG196A/U 50 .141:PTFE .102:PTFE .012:SCCS 1:SPC 154 1,500 -55 to +25 RG196A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG213/U 50 .405:PVC-IIA .285:PE .0888:SPC 2:SPC 30.8 5,000 -40 to +80 RG216/U 75 .425:PVC-IIA .285:PE .0888:SPC 2:SPC 30.8 5,000 -40 to +80 RG218/U 75 .425:PVC-IIA .285:PE .0888:SPC 2:SPC 30.8 7,000 -40 to +80 RG218/U 50 .545:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +80 RG218/U 50 .545:PVC-IIA .880:PE									
RG188-Double 50 .118.PTFE .060:PTFE .0201:SPCCS 2:SPC 32.0 2,000 -55 to +25 RG195A/U 95 .141:PTFE .102:PTFE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 RG196A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG213/U 50 .405:PVC-IIA .285:PE .0888:BC 1:BC 30.8 5,000 -40 to +80 RG214/U 50 .425:PVC-IIA .285:PE .0888:BC 2:SPC 30.8 5,000 -40 to +80 RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 30.8 7,000 -40 to +80 RG218/U 50 .870:PVC-IIA .680:PE .195:BC .18C 30.8 11,000 -40 to +80 RG218/U 50 .870:PVC-IIA .680:PE .195:BC .18C 30.8 11,000 -40 to +80 RG218/U 50 .870:PVC-IIA .116:PE									
RG195A/U 95 .141:PTFE .102:PTFE .012:SCCS 1:SPC 15.4 1,500 -55 to +25 RG196A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG213/U 50 .405:PVC-IIA .285:PE .088:BSC 1:BC 30.8 5,000 -40 to +80 RG214/U 50 .425:PVC-IIA .285:PE .088:BSC 2:BC 30.8 5,000 -40 to +80 RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +80 RG217/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 1,000 -40 to +80 RG218/U 50 .870:PVC-IIA .370:PE .106:BC 1:BC 30.8 11,000 -40 to +80 RG216/U 50 .211:PVC-IIA .116:PE .035:SPC 2:SPC 30.8 1,000 -40 to +80 RG316/U 50 .102:FEP-IX .060:PTFE <th< th=""><th></th><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>									
RG196A/U 50 .072:PTFE .034:PTFE .012:SCCS 1:SPC 29.4 1,000 -55 to +25 RG213/U 50 .405:PVC-IIA .285:PE .0888:BC 1:BC 30.8 5,000 -40 to +86 RG214/U 50 .425:PVC-IIA .285:PE .0888:BC 2:SPC 30.8 5,000 -40 to +86 RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +86 RG218/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 7,000 -40 to +86 RG218/U 50 .211:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +86 RG218/U 50 .211:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +86 RG218/U 50 .211:PVC-IIA .680:PE .195:BC 1:BC 30.8 1,000 -40 to +86 RG218/U 50 .211:PVC-IIA .16:PE .036									
RG213/U 50 .405:PVC-IIA .285:PE .0888:BC 1:BC 30.8 5,000 -40 to +80 RG214/U 50 .425:PVC-IIA .285:PE .0888:SPC 2:SPC 30.8 5,000 -40 to +80 RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +80 RG218/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 7,000 -40 to +80 RG223/U 50 .870:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +80 RG223/U 50 .211:PVC-IIA .116:PE .035:SPC 2:SPC 30.8 11,000 -40 to +80 RG216/U 50 .114:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316-Double 50 .141:FEP-IX .060:PTFE .0201:SCCS 2:SPC 32.0 1,200 -55 to +20 RG336-Double 50 .145:FEP-IX .060:PTFE		_							
RG214/U 50 .425:PVC-IIA .285:PE .0888:SPC 2:SPC 30.8 5,000 -40 to +80 RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +80 RG217/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 7,000 -40 to +80 RG218/U 50 .870:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +80 RG236/U 50 .211:PVC-IIA .116:PE .035:SPC 2:SPC 30.8 1,900 -40 to +80 RG316/U 50 .102:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316-Double 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.4 1,200 -55 to +20 RG393/U 50 .395:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG401/U 50 .250 .209:PTFE									
RG216/U 75 .425:PVC-IIA .285:PE .047:TC 2:BC 21.0 3,700 -40 to +80 RG217/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 7,000 -40 to +80 RG218/U 50 .870:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +80 RG23/IU 50 .211:PVC-IIA .116:PE .035:SPC 2:SPC 30.8 1,900 -40 to +80 RG316/U 50 .102:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316-Double 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG401/U 50 .250 .299:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Flex 50 .250 .209:PTFE <									
RG217/U 50 .545:PVC-IIA .370:PE .106:BC 2:BC 30.8 7,000 -40 to +80 RG218/U 50 .870:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +80 RG223/U 50 .211:PVC-IIIA .116:PE .035:SPC 2:SPC 30.8 1,900 -40 to +80 RG316/U 50 .102:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316/U 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG316/U 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG402-Alum 50 .250 .209:PTFE									
RG218/U 50 .870:PVC-IIA .680:PE .195:BC 1:BC 30.8 11,000 -40 to +80 RG223/U 50 .211:PVC-IIA .116:PE .035:SPC 2:SPC 30.8 1,900 -40 to +80 RG316/U 50 .102:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316-Double 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG400/U 50 .195:FEP-IX .116:PTFE .0384:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402-PIex 50 .141 .118:PTFE									
RG223/U 50 .211:PVC-IIA .116:PE .035:SPC 2:SPC 30.8 1,900 -40 to +80 RG316/U 50 .102:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316-Double 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG400/U 50 .195:FEP-IX .116:PTFE .038:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Alum 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +10 RG402-Flex 50 .250 .209:PTFE .064:SPC 1:SPCS 29.6 5,000 -55 to +20 RG402-Flex 50 .250 .209:PTFE									
RG316/U 50 .102:FEP-IX .060:PTFE .0201:SCCS 1:SPC 29.4 1,200 -55 to +20 RG316-Double 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG400/U 50 .195:FEP-IX .116:PTFE .0384:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +90 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .118:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG405-Flex-Jacketed 50 .141 .116:PTFE	RG223/U								
RG316-Double 50 .114:FEP-IX .060:PTFE .0201:SCCS 2:SPC 29.0 1,200 -55 to +20 RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG400/U 50 .195:FEP-IX .116:PTFE .0384:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Alum 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +10 RG402/U 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG405-Flex 50 .141 .116:PTFE .036:S	RG316/U	_							-55 to +200
RG393/U 50 .390:FEP-IX .285:PTFE .0936:SPC 2:SPC 32.0 5,000 -55 to +20 RG400/U 50 .195:FEP-IX .116:PTFE .0384:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Alum 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +10 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG405-Flex 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG405-Flex 50 .178:PVC .116:PTFE .036:	RG316-Double								-55 to +200
RG400/U 50 .195:FEP-IX .116:PTFE .0384:SPC 2:SPC 32.0 1,900 -55 to +20 RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Alum 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +10 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .118:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG405-Flex-Jacketed 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG405-Alum 50 .085 .066:PTFE .02	RG393/U								-55 to +200
RG401/U 50 .250 .209:PTFE .064:SPC 1:BC 29.0 3,000 -40 to +90 RG401-Alum 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +10 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .118:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG402-Flex-Jacketed 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG405-Flex-Jacketed 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE <t< th=""><th>RG400/U</th><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>-55 to +200</td></t<>	RG400/U								-55 to +200
RG401-Alum 50 .250 .209:PTFE .064:SPC 1:TPA 29.0 3,000 -40 to +10 RG401-Flex 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .118:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG402-Flex-Jacketed 50 .178:PVC .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -40 to +10 RG405-Alum 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE	RG401/U								-40 to +90
RG401-Flex 50 .250 .209:PTFE .064:SPC 1:SPCCS 29.6 5,000 -55 to +20 RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Alum 50 .141 .118:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG402-Flex-Jacketed 50 .178:PVC .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -40 to +10 RG405-Mum 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex-Jacketed 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-Flex-Jacketed 50 .127:PVC	RG401-Alum								-40 to +100
RG402/U 50 .141 .118:PTFE .036:SPCCS 1:BC 29.4 2,500 -40 to +12 RG402-Alum 50 .141 .118:PTFE .036:SPCCS 1:TPA 29.4 2,500 -40 to +12 RG402-Flex 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG402-Flex-Jacketed 50 .178:PVC .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -40 to +10 RG405/U 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +10 RG405-Alum 50 .085 .066:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC	RG401-Flex								-55 to +200
RG402-Flex 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG402-Flex-Jacketed 50 .178:PVC .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -40 to +10 RG405/U 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +12 RG405-Alum 50 .085 .066:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG402/U	50							-40 to +125
RG402-Flex 50 .141 .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -70 to +20 RG402-Flex-Jacketed 50 .178:PVC .116:PTFE .036:SPCCS 2:CF/TFC 29.5 1,900 -40 to +10 RG405/U 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +12 RG405-Alum 50 .085 .066:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG402-Alum	50							-40 to +125
RG405/U 50 .085 .066:PTFE .020:SPCCS 1:BC 29.4 1,500 -40 to +12 RG405-Alum 50 .085 .066:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG402-Flex	50	.141	.116:PTFE	.036:SPCCS	2:CF/TFC	29.5	1,900	-70 to +200
RG405-Alum 50 .085 .066:PTFE .020:SPCCS 1:TPA 29.4 1,500 -40 to +12 RG405-Flex 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG402-Flex-Jacketed	50	.178:PVC	.116:PTFE	.036:SPCCS	2:CF/TFC	29.5	1,900	-40 to +105
RG405-Flex 50 .085 .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -70 to +20 RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG405/U		.085		.020:SPCCS		29.4	1,500	-40 to +125
RG405-Flex-Jacketed 50 .127:PVC .062:PTFE .020:SPCCS 2:CF/TFC 29.5 1,500 -40 to +10 RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG405-Alum		.085	.066:PTFE	.020:SPCCS	1:TPA	29.4	1,500	-40 to +125
RG405-75Flex 75 .085 .062:PTFE .011:SPCCS 2:CF/TFC 19.5 900 -70 to +20 Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG405-Flex		.085	.062:PTFE	.020:SPCCS	2:CF/TFC	29.5	1,500	-70 to +200
Semi-Rigid 020 50 .020 .015:PTFE .004:SPC 1:BC 29.0 750 -55 to +85	RG405-Flex-Jacketed							1,500	-40 to +105
	RG405-75Flex								-70 to +200
Semi-Rigid 034 50 .034 .026:PTFE .008:SPC 1:BC 29.0 2,000 -55 to +10	Semi-Rigid 020								-55 to +85
	Semi-Rigid 034	50	.034	.026:PTFE	.008:SPC	1:BC	29.0	2,000	-55 to +100

Continue on next page with materials code chart. All cables on this page will meet or exceed MIL C-17 specifications. $LMR^{@}$ is a registered trademark of Times Microwave System. Please check drawings for more details.



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Coaxial Cable Bulk

RG59B/U BRACKE MANUFACTURING PO BOX 12319 NEWPORT BEACH, CA. 92658 WWW.BRACKEMFG.COM

Part #	Ohm	Coax Diameter	Dielectric Diameter	Center Conductor Diameter	# of Shields	Capacitance pF/Foot	Operating Voltage RMS	Operating Temp C ⁻ Max
Semi-Rigid 047	50	.047	.037:PTFE	.011:SPCCS	1:BC	29.0	1,000	-40 to +100
Semi-Rigid 047-Alum	50	.047	.037:PTFE	.011:SPCCS	1:TPA	29.0	1,000	-55 to +100
Semi-Rigid 047-Flex	50	.047	.037:PTFE	.011:SPCCS	1:CTC	32.0	1,000	-70 to +200
Semi-Rigid 118	50	.118	.106:PTFE	.0358:SPC	1:BC	27.0	1,000	-55 to +125
Semi-Rigid 402-75	75	.141	.117:PTFE	.020:SPCCS	1:BC	19.3	5,000	-65 to +150
Semi-Rigid 405-75	75	.085	.068:PTFE	.011:SPCCS	1:BC	19.3	2,500	-65 to +150

All cables on this page will meet or exceed MIL C-17 specifications. LMR[®] is a registered trademark of Times Microwave System. Please check drawings for more details.

Code	Materials	Code	Materials	Code	Materials
AF	Aluminum Foil	CTC	Copper Tin Composite	SCCS	Silver Clad Covered Steel
AT	Aluminum Tape	FEP-IX	Fluorinated Ethylene Propylene	SPC	Silver Plated Copper
BAFP	Bonded Aluminum Foil Polyester	FHDPE	Foam High Density Polyethylene	SPCCS	Silver Plated Copper Covered Steel
BC	Bare Copper	FPE	Foam Polyethylene	TC	Tinned Copper
BCCA	Bare Copper Covered Aluminum	PE	Polyethylene	TFC	Tin Filled Composite
BCCS	Bare Copper Covered Steel	PTFE	Polytetrafluoroethylene	TPE	Thermoplastic Elastomer
ccs	Copper Clad Steel	PVC	Polyvinyl Chloride	TPA	Tinned Plated Aluminum
CF	Copper Foil	PVC-IIA	Polyvinyl Chloride Non-Contaminating		

Index

Bracke Part # PG# Bracke Par	H 94 73021 7 7034 807 868 84 703 1685 180 7068 84 703 1685 1685 1685 1685 1685 1685 1685 1685
BM10019 thru BM10018 178 BM50930 thru BM50939 109 BM60309 147 BM60307 130 BM60317 BM10019 thru BM10021 120 BM50930 thru BM50939 109 BM60300 146 BM60308 131 BM60318	133 138 142 161
BM40032 thru BM40036 131 BM60060 thru BM60000 140 BM60401 130 BM60300 136 BM60340	142
BM10022 III II BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM10000 III BM100000 III BM1000 III BM1000	
BM10038 & BM10039	157 140
BM10040 thru BM10053 122 BM51050 thru BM51079 113 BM60104 150 BM60212 140 BM60322 BM10055 thru BM10058 120 BM60000 138 BM60106 161 BM60213 159 BM6023 BM10055 thru BM10058 BM10060 119 BM60000 138 BM60106 161 BM60214 140 BM60325 BM10059 & BM10060 119 BM600001 137 BM60107 144 BM60215 159 BM60326	159
BM10025 thru BM10035 129 BM50980 thru BM50989 109 BM60110 138 BM60209 136 BM60319 BM60303 129 BM50980 thru BM	138 143
BM10040 thru BM10053	161 158
BM10038 & BM10039	156 158
BM10087 BM10089 120 BM60008 141 BM60014 156 BM60022 138 BM600333 BM1008 & BM10089 120 BM60008 141 BM60114 158 BM6022 138 BM60333 BM10091 thru BM10097 121 BM60009 & BM60010 150 BM60115 156 BM60223 136 BM60334	150
BM10091 thru BM10097 121 BM60009 & BM60010 150 BM60115 156 BM60223 136 BM60334 BM10300 thru BM10321 115 BM60011 132 BM60116 144 BM60224 133 BM60335 BM10300 thru BM19917 163 BM60012 138 BM60117 141 BM60225 144 BM60336	161
BM 10091 thru BM 10092	158
BM10087	151 138
BM10086 thru BM10086 1 20 BM60005 156 BM60111 138 BM60219 138 BM60330 BM10087 BM10086 thru BM10086 1 20 BM60006 158 BM60112 143 BM60220 147 BM60331 BM10087 BM10087 121 BM60006 BM60010 144 BM60113 166 BM60221 136 BM60233 BM60334 BM10330 thru BM10087 121 BM60008 BM60010 140 BM60115 156 BM60115 156 BM60117 121 BM60011 132 BM60115 144 BM60115 138 BM60113 138 BM60334 BM10330 thru BM10320 thru BM10321 116 BM60012 138 BM60117 141 BM60225 144 BM60335 BM1001 thru BM10917 163 BM60012 138 BM60117 141 BM60235 162 BM60118 BM10918 thru BM10935 162 BM60113 142 BM60118 155 BM60118 155 BM60127 141 BM60335 BM1001 BM1008 117 BM60014 161 BM6019 150 BM60129 133 BM60338 BM1009 BM1009 116 BM60215 156 BM60119 150 BM60220 133 BM60338 BM1009 BM100 116 BM60015 156 BM60119 150 BM60220 133 BM60338 BM1009 BM100 116 BM60015 156 BM60121 131 BM60121 131 BM60130 BM60130 BM1001 116 BM60016 158 BM60121 131 BM60123 BM60130 BM1001 116 BM60016 158 BM60121 131 BM60233 BM60339 BM10010 116 BM60016 138 BM60121 131 BM60233 BM60339 BM10015 116 BM60016 138 BM60121 131 BM60334 BM60223 BM60135 BM60339 BM10015 116 BM60016 138 BM60125 156 BM60233 BM60330 BM6	142
BM1012	158
BM11015	150
BM11017	142
BM11016	156 158
BM11V23 116 BM60V29 158 BM60135 156 BM60246 160 BM60353	144 157
BM11024 117 BM60030 144 BM60136 146 BM60247 144 BM60354 BM11025 116 BM60031 150 BM60137 141 BM60248 150 BM60355	150 144
BM11026 117 BM60032 138 BM60138 150 BM60250 138 BM60357 BM11027 116 BM60033 137 BM60139 138 BM60250 142 BM60357 BM11028 117 BM60034 143 BM60140 142 BM60251 8 BM60252 144 BM60358	150 138 161
BM11028	156
BM11025	150
BM11033 116 BM60039 & BM60040 142 BM60145 & BM60146 150 BM60257 142 BM60363 BM11034 117 BM60041 132 BM60147 157 BM60258 132 BM60364	161
BM11035	158 151
BM11036 117 BM60043 138 BM60149 143 BM60260 132 BM60366 BM11037 thru BM11055 116 BM60044 137 BM60150 155 BM60261 132 BM60366 BM11056 thru BM11056 117 BM60045 143 BM60151 155 BM60261 132 BM60368 BM1059 116 BM60065 143 BM60152 156 BM60263 & BM60263	138 160
BM11059	156 158
BM11060 thru BM11066	138
BM11111 thru BM11123 117 BM60051 132 BM60156 131 BM60268 143 BM60373 BM11112 thru BM11123 117 BM60052 142 BM60157 156 BM60269 161 BM60374 BM11124 thru BM11123 116 BM60053 143 BM60158 157 BM60270 158 BM60375	156
BM11124 thru BM11142	150
BM11144	150 146
BM13002 thin BM13026	135
BM	140 146
BM13700 thru BM13728	134
BW13400 HIN BW13477 1456 BW60065 1460 BW60165 150 BW605660 132 BW60384 BW30007 HIN BW30015 163 BW600684 1444 BW60189 157 BW60281 1444 BW60387 BW30007 HIN BW30015 163 BW60065 138 BW60170 156 BW60282 1444 BW60387 BW30107 163 BW60086 147 BW60171 156 BW60388 BW30107 163 BW60388 1444 BW60171 164 BW60387 165 BW60388 163 BW60388 164 BW60388 165 BW	146
BM30112 thru BM30120	146 134
BM50009 thru BM50029	131 134
BN\$5065 thru BN\$5089 80 BN\$6007 156 BN\$60175 1346 BN\$60287 157 BN\$60387 BN\$60387 BN\$60387 BN\$6009 thru BN\$6019 81 BN\$6007 1 158 BN\$60176 150 BN\$60288 144 BN\$60333 BN\$6017 1 158 BN\$6018 1 158 BN\$6017 1 158 BN\$6018 BN\$6018 1 158	131 134
BM50120 thru BM50149 82 BM60072 141 BM60177 138 BM60289 160 BM60394 BM50150 thru BM50179 83 BM600073 & BM60074 150 BM60178 1346 BM60290 1464 BM60396 BM50180 thru BM50209 84 BM60075 132 BM60179 151 BM60290 138 BM60290 138 BM60396 BM50210 thru BM50239 85 BM60076 156 BM60180 147 BM60292 & BM60293 150 BM60397	134
BN567270 thm BM60239 85 BN60075 156 BM60160 147 BN60337 BM60293 150 BN603337 BM50240 thm BM60269 86 BM60077 158 BM60181 138 BM60294 BM60294 151 BM60399 BM50270 thm BM60299 87 BM60075 141 BM60181 138 BM60296 8 BM60296 150 BM60399 BM50390 thm BM50299 88 BM60079 151 BM60399 BM50390 thm BM50299 88 BM60079 151 BM60399 BM50390 thm BM50399 BM60297 151 BM60400	134
BM50120 thru BM50149	137
BM50356 thru BM50389 90 BM60081 132 BM60186 156 BM60309 143 BM60307 BM50390 thru BM50419 91 BM60082 156 BM60187 138 BM60300 161 BM60403 & BM60404	137
BM50380 thru BM50380	09 134 132
BM50270 thru BM50299	143 132
BM30007 thru BM30013	142 133
BM50630 thru BM50659 99 BM60090 129 BM60195 150 BM60308 140 BM60416 BM50660 thru BM50689 100 BM60091 147 BM60196 147 BM60308 159 BM60416	131
BM50690 thru BM50719 101 BM60092 146 BM60197 133 BM60310 145 BM60147 BM507729 thru BM50749 102 BM60093 1446 BM60198 thru BM60100 145 BM60310 143 BM60418 BM604	131
BM60750 thru BM50779 103 BM60094 1150 BM60201 133 BM60312 142 BM60419 BM50750 thru BM50809 104 BM60095 129 BM60201 146 BM60313 160 BM60420	136 131
BMS0810 thru BMS0839 105 BM60096 138 BM60204 5 1147 BM60314 140 BM60421	I 130



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Index

Bracke Part#	PG#	Bracke Part #	PG#	Bracke Part#	PG#	Bracke Part#	PG#	Bracke Part #	PG#
BM60422 BM60423	129	BM60594 BM60595		BN60753 & BM60754 BM60755		BM61215 & BM61216	136	BM61408 BM61409	151
BM60424 BM60425 BM60426	156 158 130	BM60596 BM60597 BM60598	35-492987-97-687-97-85326-5260-5266-5332-667-532-667-52-67-52	BM60756 BM60757 BM60758	162 130 149 139 146 139 140	BM61218 & BM61219 BM61220 BM61221 & BM61222	136 154 139 144	BM61410 BM61411 BM61412	148 149 150 161
BM60427 BM60428	131	BM60599 BM60600	148	BM60759 BM60760	149 146	BM61221 & BM61222 BM61223 thru BM61225 BM61226 & BM61227	161 1474 1454 1555 1556 1444 1304 1577 1537	BM61411 BM61412 BM61413 BM61414	161 148
BM60429 BM60430 BM60431	150 155 138	BM60601 BM60602 BM60603	149 147 136	BM60761 BM60762 BM60763	136 149 140	BM61228 thru BM61232 BM61233 BM61234	136 159 155	BM61415 BM61416 BM61417	149 150 149
BM60432 BM60433	148	BM60604 BM60605	147	BM60764 BM60765	136	BM61235 & BM61236 BM61237	136 154	BM61418 BM61419	148 161 149
BM60434 BM60435 BM60436	156 158 141	BM60607 BM60608	148 135	BM60767 BM60768	136 162 149	BM61239 BM61240	144 144 130	BM61421 BM61422	161 149
BM60437 BM60438 BM60439	151 138 156	BM60609 BM60610 BM60611	132 146	BM60769 BM60770 BM60771	137 162 149 137	BM61241 BM61242 BM61243 & BM61244	154 137	BM61421 BM61422 BM61423 BM61423 BM61425 thru BM61429	160
BM60440 BM60441	151 138 156 158 150 155 142	BM60612 BM60613	132 146	BM60772 BM60773	137 162	BM61243 & BM61244 BM61245 BM61246	137 149	BM61425 thru BM61429 BM61430 BM61431	150 142 150
BM60442 BM60443 BM60444	155 142 156	BM60614 BM60615 BM60616	140 135 132	BM60774 BM60775 BM60776 & BM60777	162 149 137 162	BM61247 BM61248 BM61249	149 140 149 149 139 149 139 139 132	BM61432 BM61433 BM61434	150 143 150 142 150
BM60445 BM60446	156 158 150 142	BM60617 BM60618	146 140	BM60778 BM60779 & BM60780	137 162	BM61250 BM61251	149 139	BM61435 BM61436	150 142
BM60447 BM60448 BM60449 & BM60450 BM60451	161 150 143	BM60620 BM60621	148 135	BM60782 BM60783	162 156	BM61252 BM61253 BM61254	139 149	BM61438 BM61439 BM61440	142 131
BM60451 BM60452 BM60453	143 150 155	BM60622 BM60623 BM60624	132 146 140	BM60784 BM60785 BM60786	136 150 146	BM61255 & BM61256 BM61257 & BM61258 BM61259 & BM61260	132 161 141	BM61440 BM61441 BM61442	151 131 151
BM60454 BM60455	150 155 138 151	BM60625 BM60626	135 133	BM60787 BM60788	162 137 1636 1636 1566 1356 1356 1357	BM61261 BM61262 BM61262	131 154 144	BM61443 BM61444	131 151
BM60456 BM60457 BM60458	156 150 155 142	BM60627 BM60628 BM60629	136 137	BM60789 BM60790 BM60791	136	BM61263 BM61264 BM61265 thru BM61270	129 134	BM61445 BM61446 BM61447	151 151 132
BM60459 BM60460 thru BM60462	142 150 138 161	BM60630 BM60631 BM60632	148 133	BM60792 BM60793 BM60704	158 136 147 157 130 157 137 143	BM61271 BM61272 BM61273	129 134 130 157 1359 154 144	BM61448 BM61449 BM61450	138 135
BM60464 BM60465	161 131	BM60633 BM60634	148 133	BM60795 BM60796	157 130	BM61274 BM61275 & BM61276	159 154	BM61451 BM61452	135 160
BM60466 & BM60467 BM60468 BM60469	131 150 143 142	BM60636 BM60637	147 148 133	BM60797 BM60798 BM60799	130 157	BM61277 BM61278 & BM61279 BM61280	144 140 145	BM61453 BM61454 BM61455	160 135
BM60470 BM60471 BM60472	142 151 138 150 142	BM60638 BM60639 BM60640	140 148	BM60800 BM60801 BM60803	143 132	BM61281 BM61282 BM61282	154 136	BM61456 BM61457 BM61458	149 151
BM60473 BM60474	142 150 142	BM60641 BM60642	147 136	BM60803 thru BM60815 BM60816	132 140 143 135 141	BM61285 BM61286 & BM61287	144 137	BM61459 BM61460	151 135
BM60476 BM60477 & BM60478	161 150 131	BM60644 BM60645	132 147	BM60817 BM60818 & BM60819 BM60820 thru BM60824	137 145	BM61288 BM61289 BM61290	155 135	BM61461 BM61462 BM61463	135 135 138
BM60479 BM60480 BM60481	159	BM60646 BM60647 BM60648	136 148	BM60818 & BM60819 BM60820 thru BM60824 BM60825 thru BM60829 BM60830 thru BM60833 BM60834 thru BM60837	137 145 158 138 139	BM61300 BM61301	130 135	BM61464 BM61465 BM61466	160 138
BM60482 thru BM60484 BM60485	150 151 150 151	BM60649 BM60650	136 148	BM60838 BM60839 thru BM60845	136 137	BM61303 BM61304	135	BM61467 BM61468	138 160
BM60486 thru BM60489 BM60490 BM60491 thru BM60493	150 151 150	BM60651 BM60652 BM60653	132 136 148	BM60846 BM60847 BM60848	133 136 132	BM61305 BM61306 BM61307	142 139 130	BM61469 & BM61471 BM61472 BM61473 & BM61475	138 156 138
BM60494 BM60495 thru BM60498	151 150	BM60654 BM60655	132 136	BM60849 thru BM60851 BM60852 thru BM60854 BM60855 & BM60856 BM60857 & BM60858	136 160	BM61308 BM61309	139 129	BM61473 & BM61475 BM61477 & BM61479 BM61480	156 160
BM60500 & BM60501 BM60502	150 151 150 150 150 150 150 150	BM60657 BM60658	8974897-690687-6887-6887-6887-6887-6888-7-68	BM60857 & BM60858 BM60859 & BM60860 BM60861 & BM60862	133362460 133362460 13336244866 144554 154160	BM61311 BM61312	0-074-05-01-05-05-05-05-05-05-05-05-05-05-05-05-05-	BM61481 BM61482 BM61483	156 160 156 157 154 157
BM60503 BM60504 BM60505 & BM60506	150 151 150	BM60659 BM60660 BM60661	148 132 137	BM60861 & BM60862 BM60863 thru BM60866 BM60867 thru BM60869 BM60870 thru BM60875	156 141 156	BM61313 BM61314 BM61315	134 149 134	BM61484 BM61485 BM61486	157 154 157
BM60507 BM60508 & BM60509 BM60510	151 150 138 143	BM60662 BM60663 BM60664	136 132	BM60870 thru BM60875 BM60876 BM60877	160 144 136 144	BM61316 BM61317 BM61318	149 134	BM61487 BM61488 BM61489	154 157
BM60511 BM60512	143 161	BM60665 BM60666	147 160	BM60878 BM60879	144 160	BM61318 BM61319 BM61320	150 149	BM61490 BM61491	157 142
BM60513 BM60514 BM60515	161 150 130 132	BM60667 BM60668 BM60669	148 146 148	BM60880 thru BM60886 BM60887 BM60888 & BM60889	160 161 146 147	BM61321 BM61322 BM61323	134 149 134	BM61492 BM61493 BM61494	157 150 160
BM60516 BM60517	132 138 143 150	BM60670 BM60671	147 160	BM60888 & BM60889 BM60890 thru BM60892 BM60893 thru BM60896 BM60897 thru BM60899	132 149 158 135 160	BM61324 BM61325 & BM61326	149 134	BM61495 BM61496	150 160
BM60519 & BM60520 BM60521	1142	BM60673 BM60674	160 147	BM60900 BM60901 & BM60902	135 160	BM61328 BM61329	131 149	BM61498 BM61499	160 150
BM60522 BM60523 BM60524	132 142 138 143 161	BM60675 BM60676 BM60677	148 162 147	BM60903 BM60904 BM60905 & BM60906	136	BM61330 BM61331 BM61332	149 1549 1549 1549 1549 1549 1549 157 157 157	BM61500 BM61501 BM61502	160 150 137
BM60525 BM60526 BM60527	161 132 138 142	BM60678 BM60679 BM60680	160 148	BM60905 & BM60906 BM60907 thru BM60923 BM60924 thru BM60941	141 155555353535353534 1155555534 115555534	BM61333 BM61334 BM61335	149 150	BM61503 BM61504 BM61505	150 160
BM60528 BM60529	142 160	BM60681 BM60682	147 148	BM60943 thru BM60946 BM60947	152 155	BM61336 BM61337	150 149	BM61506 BM61507	160 150
BM60531 BM60532	160 131 132 138 142	BM60684 BM60685	147 148	BM60948 & BM60949 BM60950 thru BM60956 BM60957	153 155	BM61339 BM61340	149 157	BM61509 BM61510	160 143
BM60533 BM60534 BM60535	142 161 131 138	BM60686 BM60687 BM60688	160 147 148	BM60958 & BM60959 BM60960 & BM60961 BM60962 thru BM60976	153 155 153	BM61341 BM61342 BM61343	149 159 149	BM61511 BM61512 BM61513	160 142 161
BM60536 BM60537 BM60538	138 143 161	BM60689 BM60690	142	BM60977 thru BM60979 BM60980 BM60981 thru BM60984	154 136 133	BM61344 BM61345	157 149 158	BM61514 BM61516 BM61517	143 142 137
BM60539 BM60540	130	BM60692 BM60693	6080788270827480788274807882748078827480788274807882748274424867842444807842444444444444444444444444444	BM60985 BM60986	129 156	BM61347 BM61348	149 159 147 157 154 154 134 144	BM61518 BM61519	142 149
BM60542 BM60543	142 160 130 138 142	BM60695 BM60696	142 162	BM60987 & BM60988 BM60989 thru BM60998 BM60999	158 159 135	BM61350 BM61351	157 134	BM61520 & BM61522 BM61523 BM61524	140 132
BM60544 BM60545 BM60546	138 142 161	BM60697 BM60698 BM60699	148 147 142 150	BM61000 & BM61003 BM61004 thru BM61013 BM61014 thru BM61023 BM61024 thru BM61031	135 129 148 131 141	BM61352 BM61353 BM61354	150 134 149	BM61525 BM61526 BM61527	151 142 151
BM60547 BM60548 BM60640	161 130 131	BM60700 BM60701 BM60702	150 142		141 129	BM61356 BM61356 BM61357 BM61358	134 149	BM61528 BM61529 BM64530	134 142
BM60550 BM60551	131 129 161 131 141	BM60703 BM60704	142 147 142 135 147	BM61034 & BM61035 BM61036 thru BM61042 BM61043 thru BM61050 BM61051	156 157	BM61358 BM61359	149 134	BM61531 BM61532	142 132
BM60553 BM60554	141 148 135	BM60706 BM60707	147 143 148	BM61051 BM61052 thru BM61056 BM61057 thru BM61059 BM61060 thru BM61065 BM61066 thru BM61079	147 129	BM61361 BM61362	134 134 142	BM61533 BM61534 BM61535	132 142
BM60555 BM60556 BM60556	134 135	BM60708 BM60709	147 132	BM61060 thru BM61065 BM61066 thru BM61079 BM61080	139 133 133	BMM6 1359 BM6 1360 BM6 1361 BM6 1362 BM6 1362 BM6 1363 BM6 1366 BM6 1366 BM6 1367 BM6 1367 BM6 1368	134 142	BM61536 BM61537	132
BM60558 BM60559	132 146	BM60711 BM60712	148 147	BM61081 BM61082 & BM61083	147 155	BM61366 BM61367	142 134	BM61539 BM61540	137
BM60561 BM60562	132 146	BM60714 BM60715	158 148	BM61084 BM61085 BM61087 thru BM61096	154 130	BM61369 BM61370 BM61371	161 142	BM61542 BM61543	154 137
BM60563 BM60564 BM60565	148 132 146	BM60716 BM60717 BM60718 & BM60719	147 161 162	BM61098 thru BM61102 BM61103 BM61104	129 140 141	BM61371 BM61372 BM61373	161 142 143	BM61544 BM61545 BM61546	154 137 132
BM60566 BM60567	135 148	BM60720 BM60721 thru BM60724	148 162	BM61087 thru BM61096 BM61098 thru BM61096 BM61098 thru BM61102 BM61103 BM61104 BM61105 BM61106 BM61106 BM61106	129 131	BM61372 BM61373 BM61373 BM61374 thru BM61380 BM61381 BM61382	142 143	BM61547 BM61548	144 156
BM60569 BM60570	148 132	BM60726 BM60727	162 156	BM61107 BM61108 BM61109 thru BM61112 BM61113 thru BM61118	150 139		135 142	BM61550 BM61551	137 136
BM60572 BM60573	146 148 135	BM60729 BM60730	162 148 145	BM61113 tnru BM61118 BM61119 BM61120	157 145 155	BM61384 BM61385 BM61386 BM61387	135 142 135	BM61553 BM61554	133 136 150
BM60574 BM60575 BM60576	146 135 148	BM60899 BM60899 BM60899 BM60701 BM60701 BM60703 BM60705 BM60705 BM60706 BM60708 BM60708 BM60708 BM60710 BM60710 BM60710 BM60710 BM60711 BM6071	148 145 148	BM61113 thru BM61118 BM61119 BM61120 BM61121 thru BM61128 BM61129 thru BM61161 BM61162 & BM61163 BM61164 BM61165 BM61166 BM61166	140 155 136	BM61388 BM61389 BM61390	141 142 150	BM61555 BM61556 BM61557	141 140 141
BM60577 BM60578	135 146	BM60734 BM60735	145 158	BM61164 BM61165	154 155	BM61391 BM61392	142 143	BM61558 BM61559	146 145
BM60580 BM60581	148 134 148	BM60737 BM60738	150 145 130	EM61168	154 155 144	BM61393 BM61394 BM61395	150 142 161	BM61561 BM61562	131 145 131
BM60582 BM60583 BM60584	133 146 148	BM60739 BM60740 BM60741	131 150 130	BM61169 thru BM61171	154 145 130	BM61396 BM61397 BM61398	142 147 142	BM61563 BM61564 BM61565	145 149 145
BM60585 BM60586 BM60587	133 145	BM60742 BM60743 BM60744	160 162 160	BM61173 BM61174 thru BM61180 BM61181 BM61182 thru BM61186 BM61187	145 140	BM61399 BM61400 BM61401	147 142	BM61566 BM61567 BM61568	149 145
BM60548 BM60554 BM60552 BM60552 BM60554 BM60554 BM60554 BM60554 BM60556 BM60556 BM60556 BM60556 BM60556 BM60550 BM60550 BM60562 BM60562 BM60566 BM60566 BM60567 BM60578 BM60578 BM60578 BM60578 BM60578 BM60588 BM60589	4507-0-803(4503(4503)450-2-303(450)450-2-300(450)450-2-300	BM60742 BM60743 BM60744 BM60745 BM60745 thru BM60748 BM60750 BM60751 BM60752	7387.9787.92887.1-28288262868868686860607.0002000000000000000000000000000000	BM61187 BM61188	00400797-09393916340999-797-4099-6059-6034640469-6034-60596-6059	BIMÉ 1387 BMÉ 1388 BMÉ 1389 BMÉ 1391 BMÉ 1391 BMÉ 1393 BMÉ 1393 BMÉ 1393 BMÉ 1395 BMÉ 1395 BMÉ 1396 BMÉ 1396 BMÉ 1400 BMÉ 1401 BMÉ 1402 BMÉ 1402 BMÉ 1402 BMÉ 1402 BMÉ 1402 BMÉ 1404 BMÉ 1404 BMÉ 1404 BMÉ 1405 BMÉ 1405 BMÉ 1405 BMÉ 1405 BMÉ 1406 BMÉ 1406 BMÉ 1406 BMÉ 1406 BMÉ 1406 BMÉ 1406 BMÉ 1406	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	BM615239 BM615239	1322427272 1322427272 1322227272 13717244752744669 14726733600 141466131459 1449 14499 1449 14499 14499 14499 14499 14499 14499 14499 14499 14499 14499 1449 1449
BM60591 BM60592	132 145	BM60750 BM60751	162 134	BM61188 BM61189 thru BM61196 BM61197 BM61198 thru BM61203 BM61204 thru BM61214	161 159	BM61405 BM61406	150 147	BM61572 BM61573	155 140 140
BM60593	I 148	вМ60752	I 130	BM61204 thru BM61214	I 146	BM61407	I 149	BM61574	142



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Index

Bracke Part #	PG# Bracke Part #	PG#	Bracke Part #	PG#	Bracke Part #	PG#	Bracke Part #	PG#
BM61575 BM61576 BM61577 BM61578	143 BM90210 142 BM90211 thru BM90227 132 BM90228 thru BM90230 142 BM90231 & BM90232		BM90542 BM90543 BM90544 BM90545	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	BM90915 BM90916 BM90917 BM90918		BM91613 thru BM91616 BM91617 & BM91618	
BM61579 & BM61580 BM61581 BM61582 BM61583 BM61584	143 BM90233 thru BM90252 132 BM90256 & BM90258 142 BM90259 143 BM90260 146 BM90261	660866900000000000000000000000000000000	BM90546 BM90547 BM90548 BM90549 BM90550	68 12 68 12	BM90919 BM90920 thru BM90928 BM90930 BM90931	\$	BM91612 BM91621 thru BM91624 BM91625 thru BM91630 BM91631 & BM91632 BM91633 & BM91634 BM91635 thru BM91634 BM91640 thru BM91647	\$
BM61585 BM61586 BM61587 BM615887	132 BM90261 132 BM90262 148 BM90263 & BM90264 142 BM90265	9 13 69	BM90551 BM90552 BM90553 BM90553	12 68 8	BM90931 BM90932 BM90933 BM90934 BM90935	66 66 66 66	BM91651 thru BM91656 BM91657 thru BM91668	23 21 23 26
BM61589 BM61590 BM61591	132 BM90267 148 BM90268 142 BM90269	10 13 10 10	BM90555 BM90556 BM90557	68 68	BM90936 BM90937 BM90938	66 65 66	BM91092 IIIU BM91680 BM91681 thru BM91680 BM91681 thru BM91692 BM91693 thru BM91698 BM91699 thru BM91710 BM91711 BM917112	41 29 48
BM61593 BM61594 BM61595	132 BM90271 147 BM90272 142 BM90273	10 15 10 10	BM90559 BM90560 BM90561	68 68	BM90940 BM90941 BM90842	66 64 66		35 34 50
BM61597 BM61598 BM61600 thru BM61606	147 BM90274 132 BM90275 147 BM90276 158 BM90277 160 BM90278 161 BM90279	15 14 15 14	BM90362 BM90563 BM90564 BM90638 thru BM90646	68 51	BM90944 BM90945 BM90946	66 64 66	BM91713 BM91714 thru BM91737 BM91738 thru BM91749 BM91750 thru BM91767 BM91768 thru BM91779 BM91817 thru BM91820 BM81811 thru BM91820	27 21 27 38
BM61608 & BM61610 BM61612 & BM61614 BM61616 BM61617 thru BM61625 BM61626	161 BM90279 146 BM90280 140 BM90281 151 BM90282	14 15 14	BM90660 thru BM90665 BM90669 thru BM90673 BM90676 thru BM90690 BM90691 thru BM90695 BM90696 & BM90697	52 58 57	BM90948 BM90949 BM90950 BM90950	66 60 66	BM91768 thru BM91779 BM91817 thru BM91820 BM91821 BM91822 BM91822 BM91823 BM91824	50 42 50
BM61627 BM61628 BM61629 BM61630	146 BM90280 140 BM90281 151 BM90281 142 BM90283 & BM90284 161 BM90285 143 BM90287 132 BM90288 140 BM90288 140 BM90289 132 BM90289	13 9 13 13	BM90698 thru BM90700 BM90701 BM90702 & BM90703	55 13 55	BM90952 BM90953 BM90954 BM90955	66 60 66	BM91825 BM91826 BM91827 BM91827	50 44 50
BM61631 BM61632 BM61633 BM75000 thru BM75052	132 BM90288 140 BM90289 132 BM90290 118 BM90291	13 69 13 69	BM90706 thru BM90709 BM90710 thru BM90715 BM90716 BM90717	55 51 54 52	BM90956 BM90957 BM90958 BM90958	66 60 66	BM91829 BM91830 BM91831 BM91832	50 44 50 43
BM75000 thru BM75052 BM80000 thru BM80061 BM80063 thru BM80072 BM80075 thru BM80078 BM80400 thru BM80446	118 BM90291 127 BM90293 118 BM90294 127 BM90294 127 BM90299 126 BM90300	14 69 54 69	BM90718 thru BM90724 BM90725 BM90725 thru BM90732 BM90733 thru BM90739	53 67 55 64	BM90960 BM90961 BM90962 BM90963	66 60 66 60	BM91833 BM91834 BM91835 BM91836	44 43 44 43
BM80400 thru BM80446 BM80447 thru BM80490 BM80491 thru BM80500 BM80501 thru BM80504 BM90000 thru BM90018	126 BM90300 125 BM90302 thru BM90319 126 BM90320 thru BM90325 125 BM90326 thru BM90330 62 BM90331	54 55 69 9	BM90726 thru BM90732 BM90733 thru BM90739 BM90740 & BM90741 BM90742 thru BM90746 BM90747 thru BM90749 BM9075	54 57 58 57	BM90964 BM90965 BM90966 BM90967	66 60 66 60	BM91836 BM91837 BM91838 BM91839 BM91840	44 43 44 43
BM90019 thru BM90028 BM90029 & BM90030 BM90031 BM90032 & BM90033	52 BM90332 62 BM90333 52 BM90334 62 BM90335	69 14 69 10	BM90751 thru BM90757 BM90758 BM90759 & BM90760 BM90761	59 56 58 56	BM90968 BM90969 BM90970 BM90971 thru BM90981	66 60 66 57	BM91841 BM91842 BM91843 BM91844	44 43 44 43
BM90034 BM90035 BM90036 BM90037	61 BM90336 62 BM90337 61 BM90338 63 BM90339	69 13 69 14	BM90762 thru BM90764 BM90765 thru BM90767 BM90768 thru BM90770 BM90771 thru BM90773	54 51 54 51	BM90971 thru BM90981 BM90983 thru BM90993 BM91000 thru BM91022 BM91023 BM91024	58 35 50 22	BM91845 BM91846 BM91847 BM91848	44 43 44 43
BM90038 BM90039 BM90040 BM90041	61 BM90340 63 BM90341 61 BM90342 63 BM90343 thru BM90354	14 10 57	BM90775 thru BM90777 BM90775 thru BM90782 BM90783	52 54 57 53	BM91025 BM91026 thru BM91031 BM91032 BM91033	35 50 35	BM91849 BM91850 BM91851 BM91852	44 43 44 43
BM90042 BM90043 BM90044 thru BM90059 BM90060 thru BM90068	63 BM90356 53 BM90358 thru BM90363 59 BM90364 thru BM90368 61 BM90369 & BM90370	14 57 14 64	BM90784 thru BM90786 BM90787 BM90788 BM90789 BM90789	61 58 59	BM91035 BM91035 thru BM91039 BM91040 BM91041 thru BM91046 BM91047	35 42 36	BM91853 BM91854 BM91855 BM91856 BM91857	44 43 44 25
BM90070 BM90071 BM90072 BM90073	62 BM90373 62 BM90373 62 BM90373 69 BM90374	16 14 16 16	BM90791 BM90794 BM90797 BM90798	58 69 66	BM91049 BM91049 BM91050 thru BM91060 BM91061	36 50 36 22	BM91858 BM91859 BM91860 BM91861	25 43 25 43
BM90074 thru BM90079 BM90080 thru BM90085 BM90086 thru BM90097 BM90098 thru BM90105	126 BM90300 thru BM90319 126 BM90302 thru BM90319 126 BM90302 thru BM90330 127 BM90332 thru BM90330 128 BM90332 thru BM90330 129 BM90333 120 BM90337 121 BM90337 122 BM90337 123 BM90337 124 BM90337 125 BM90337 126 BM90337 127 BM90337 128 BM90337 129 BM90337 129 BM90337 120 BM90337 120 BM90337 120 BM90337 121 BM90338 122 BM90377 123 BM90338 124 BM90377 125 BM90377 126 BM90377 127 BM90377 128 BM90377 129 BM90377 120 BM90377 120 BM90377 121 BM90377 122 BM90377 123 BM90377 124 BM90377 125 BM90377 126 BM90377 127 BM90377 128 BM90377 129 BM90377 120 BM90377 120 BM90377 121 BM90380 122 BM90377 123 BM90380 124 BM90380 125 BM90380 126 BM90380 127 BM90380 128 BM90380 129 BM90380 120 BM90380 120 BM90380 121 BM90380 122 BM90380 123 BM90380 124 BM90380 125 BM90380 126 BM90380 127 BM90380 128 BM90380 129 BM90380 120 BM90380 120 BM90380 121 BM90380 122 BM90380 123 BM90380 124 BM90380 125 BM90380 126 BM90380 127 BM90444 128 BM90441 128 BM90444	16 10 16 10	BM90799 BM90800 BM90801 BM90802	66 69 66 69	BM91062 BM91063 BM91064 thru BM91074 BM91075	36 42 36 23	BM91862 BM91863 BM91864 BM91865	25 43 25 43
BM90106 BM90107 BM90108 BM90109	62 BM90379 63 BM90380 62 BM90381 63 BM90382	16 10 16 11	BM90803 BM90804 BM90806 BM90806	65 64 65 64	BM91076 BM91077 BM91078 thru BM91082 BM91083 thru BM91086	36 41 36 48	BM91866 BM91867 BM91868 BM91869	25 43 44 43
BM90110 BM90111 BM90112 BM90113	62 BM90383 63 BM90384 62 BM90385 63 BM90386	14 11 14 11	BM90807 BM90808 BM90809 BM90810	65 64 65 64	BM91087 BM91088 BM91089 thru BM91098 BM91099	50 42 48 22	BM91870 BM91871 BM91872 BM91873	44 43 44 43
BM90114 BM90115 BM90116 BM90117	62 BM90387 63 BM90388 62 BM90389 63 BM90390	14 11 14 11	BM90811 BM90813 BM90813 BM90814	65 64 65 64	BM91100 thru BM91102 BM91103 BM91104 BM91105 & BM91106 BM91107	48 41 23 48	BM91874 BM91875 BM91876 BM918Z7	44 43 44 43
BM90118 BM90119 BM90120 BM90121	62 BM90391 61 BM90392 62 BM90393 61 BM90394	14 15 14 15	BM90815 BM90816 BM90817 BM90818	65 65 60	BM91107 BM91108 BM91109 thru BM91113 BM91114	473488482482445234243343322453324	BM91878 BM918879 BM91880 BM91881	44 43 44 46
BM90122 BM90123 BM90124 BM90125 BM90136	61 BM90398 61 BM90396 61 BM90397 61 BM90398 thru BM90407 63 BM90408	10 15 10 56	BM90819 BM90820 BM90821 BM90822	60 65 60	BM91115 & BM91116 BM91117 BM91118 thru BM91120 BM91121 thru BM91125 BM91129	18 22 18 42	BM91883 BM91884 BM91885 BM91886	44 46 44 46
BM90127 thru BM90130 BM90131 BM90131 BM90132 BM90133	61 BM90410 59 BM90412 61 BM90414 59 BM90415	11 8 53	BM90823 BM90824 BM90825 BM90826 BM90829	60 65 60	BM91139 BM91131 BM91131 BM91132 thru BM91140 BM91141	50 42 34	BM91887 BM91888 BM91889 BM91890	46 44 46
BM90134 BM90135 BM90136 BM90137	61 BM90416 59 BM90417 61 BM90418 59 BM90419	53 11 53 68	BM90830 BM90831 BM90832 thru BM90844 BM90845	65 69 65 69	BM91142 BM91143 thru BM91160 BM91161 thru BM91170 BM91171 & BM91172 BM91173 thru BM91182	42 34 33 41	BM91891 BM91892 BM91893 BM91894	50 46 43 46
BM90138 BM90139 BM90140 BM90141	61 BM90420 59 BM90421 61 BM90422 thru BM90424 45 BM90426 thru BM90434 60 BM90435 thru BM90440	53 11 53 58	BM90846 & BM90848 BM90849 BM90850 BM90851	65 13 65 13	BM91195 BM91196	33 32 23 41	BM91895 BM91896 BM91897 BM91898	43 46 43 46
BM90142 thru BM90147 BM90148 BM90149 BM90150		57 53 67 53	BM90852 BM90853 BM90854 & BM90856 BM90857	65 13 65 13	BM91197 thru BM91214 BM91215 thru BM91221 BM91222 BM91223	32 33 42 41	BM91899 BM91900 BM91901 BM91902	43 46 43 46
BM90151 BM90152 BM90153 BM90154	62 BM90444 61 BM90445 62 BM90446 61 BM90446 61 BM90448 thru BM90460	67 53 67 53	BM90858 & BM90860 BM90861 BM90862 BM90863 BM90864 BM90865	51 65 51	BM91224 BM91225 thru BM91230 BM91231 BM91232 thru BM91234	50 41 50	BM91903 BM91904 BM91905 BM91906	43 46 43 46
BM90151 BM90153 BM90153 BM90154 BM90155 BM90157 BM90157 BM90157 BM90162 BM90162 BM90162 BM90166 BM90166 BM90166 BM90166 BM90167 BM90168 BM90173 BM90177 BM90177	0.1 BM90449 6.1 BM90444 thru BM90460 6.1 BM90461 thru BM90483 6.2 BM90483 thru BM90486 6.4 BM90488 6.4 BM90488 6.4 BM90488 6.4 BM90488	56 51 67	BM90867	51 65 51	BM91235 BM91236 BM91237 thru BM91240 BM91241 & BM91242 BM91241 & BM91242	50 45 41	BM91903 BM91904 BM91904 BM91904 BM91906 BM91909 BM91909 BM91909 BM919112 BM919114 BM919144 BM919144 BM919145 BM91918	44 46 44 46
BM90160 BM90161 BM90162 BM90163	64 BM90488 61 BM90490 64 BM90491 61 BM90492 65 BM90493 61 BM90494	67 68 67	BM90868 BM90869 BM90870 BM90871 BM90872 BM90873	51 65 51	BM91243 thru BM91250 BM91251 BM91252 thru BM91273 BM91274 thru BM91292 BM91203 thru BM91298	41 26 24	BM91912 BM91913 BM91914 BM91914	46 44 46
BM90164 BM90165 BM90166 BM90167	65 BM90493 61 BM90494 56 BM90495 61 BM90495 61 BM90496 thru BM90505	67 68 67 59		51 65 51 65	BM91251 BM91252 thru BM91273 BM91274 thru BM91292 BM91293 thru BM91308 BM91309 thru BM91332 BM91333 thru BM91335 BM91354 thru BM91371 BM91372 thru BM91381 BM91372 thru BM91382	20 21 22 38	BM91916 BM91917 BM91918 BM91919	46 44 50
BM90168 BM90169 BM90170 BM90171	56 BM90506 61 BM90508 56 BM90509	68 67 68 67	BM90875 BM90875 BM90876 BM90877 BM90878 BM90879 BM90880	51 52 51 52	BM91372 thru BM91382 BM91383 BM91384 BM91384 thru BM91396 BM91397 thru BM91408 BM91397 thru BM91432	38 18 38	BM91920 BM91921 BM91922 BM91923	50 44 50 44
BM90172 BM90173 BM90174 BM90175	60 BM90510 56 BM90511 60 BM90512 thru BM90514 65 BM90515	68 67 58 68	BM90881 BM90882 BM90883 BM90884	51 52 51 52	BM91409 thru BM91432 BM91433 thru BM91444 BM91445 thru BM91468 BM91469 thru BM91480	37 39 31 18	BM91925 BM91926	50 44 50 44
BM90176 BM90177 BM90178 BM90179	60 BM90516 & BM90517 64 BM90518 thru BM90520 60 BM90521 64 BM90522 thru BM90524	58 68 53 68	BM90885 BM90886 BM90887 BM90888	59 52 59 52	BM91481 thru BM91492 BM91493 thru BM91522 BM91523 thru BM91525 BM91526 thru BM91534	39 40 41 24	BM91928 BM91929 BM91930 BM91931	49 44 49 43
BM90160 BM90181 & BM90182 BM90183 & BM90182 BM90184 BM90185 BM90185 BM90187 BM90188	60 BM90525 64 BM90526 63 BM90527 64 BM90528	11 68 11 68	BM90889 thru BM90895 BM90897 & BM90899 BM90900 BM90901 BM90902	63 66 63	BM91409 thru BM91432 BM91433 thru BM91444 BM91445 thru BM91446 BM91446 thru BM91480 BM91493 thru BM91492 BM91493 thru BM91525 BM91436 thru BM91525 BM91526 thru BM91524 BM91555 thru BM91574 BM91573 & BM91572 BM91573 & BM91572	17 29 19 42	ВМ91933 ВМ91933 ВМ91934 ВМ91935	49 43 49 43
BM90186 BM90187 BM90187 BM90188 BM80188	64 BM90528 63 BM90529 64 BM90530 63 BM90531 64 BM90532	68 8 68	BM90902 BM90903 BM90904 BM90905 BM90906	63 66 63	BM91575 BM91576 thru BM91578 BM91579 BM91580 thru BM91582 BM91583 thru BM91585	33 41 33	BM91936 BM91937 BM91938 BM91939 BM810841	43 49 43 43
BM90191 BM90192 & BM90193	63 BM905334 63 BM905335 64 BM905336 63 BM905369 63 BM905389 63 BM90544	68 8 68	BM90907 BM90908 BM90909	63 66 69	BM91586 BM91587 thru BM91589 BM91590 thru BM91592	35 35 34 41	SMG 927 SMG 927 SMG 928 SMG 928 SMG 933 SMG 933 SMG 933 SMG 933 SMG 935 SMG 935 SMG 935 SMG 942 SMG 942 SMG 944 SMG 945 SMG 945 SMG 944 SMG 945 945 945 945 945 945 945 945 945 945 945 945	45 25 45 45 25
BM90194 BM90195 BM90196 BM90197 thru BM90207 BM90208 & BM90209	61 BM90446 61 BM90446 62 BM90446 61 BM90446 62 BM90446 63 BM90448 thru BM90460 63 BM90481 thru BM90480 64 BM90481 64 BM90481 64 BM90481 64 BM90481 65 BM90481 66 BM90481 66 BM90481 66 BM90486 67 BM90486 68 BM90486 69 BM90510 60 BM90510 60 BM90510 60 BM90512 thru BM90514 60 BM90512 thru BM90514 60 BM90516 60 BM90531 60 BM90531 60 BM90531 60 BM90531 60 BM90531 60 BM90531 60 BM90531 60 BM90536 60 BM90536 60 BM90536 60 BM90536 60 BM90536 60 BM90536 60 BM90536 60 BM90536	537577651786787878788686665888888881811811818888888888	BM90910 BM90911 BM90912 BM90913 BM90914	\$5765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16765-16	BM91593 BM91594 thru BM91600 BM91601 thru BM91604 BM91605 & BM91606 BM91607 thru BM91612	36+6+64-64720\\\%\%¤%\%¤%\%\$\$99+4\-212\@%\%\\%\%\%\%\	BM91945 BM91947 BM91947 BM91948 BM91949	4936464646464646464646464646464646464646
TM						. 20	*******	



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



Index

Bracke Part #	PG# 1 45	Bracke Part #	PG#	Bracke Part #	PG#	Bracke Part #	PG#	Bracke Part # PG# BM92598 30 BM92599 17
BM91950 BM91954 & BM91956 BM91960 BM91962 BM91963	ජිතිවති ඉතින් තිබුන් තතින් තතින් තතින් තතින් තතින සහ සහ සහ සහ සහ සහ සහ සහ සහ සහ සහ සහ සහ	BM92131 BM92132 BM92133 BM92134	20040000000000000000000000000000000000	BM92284 BM92285 BM92286 BM92287	28 37 28 9	BM92444 BM92445 BM92446 BM92447	\$\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	BMS2598 30 30 30 BMS2591 31 B B
BM91964 BM91965 BM91966 BM91967	25 9 25 9	BM92135 BM92136 BM92137 BM92138	19 30 19 30	BM92288 BM92289 BM92290 BM92291	28 9 28 9	BM92448 BM92449 BM92450 BM92451	49 41 49 41	BM92603 BM92604 BM92605 BM92606 BM92606
BM91968 BM91969 BM91970 BM91971	25 9 25	BM92139 BM92140 BM92141 BM92142	19 30 19	BM92292 BM92293 BM92294 BM92295	28 9 28	BM92452 BM92453 BM92454 BM92455	49 41 49 41	BM92607 BM92608 BM92609 BM92609 BM92610
BM91972 BM91973 BM91974	25 9 25	BM921443 BM921444 BM92145 BM92146	19 28 19	BM92296 BM92297 BM92298	28 9 28	BM92456 BM92457 BM92458	49 41 49	BM92611 18 BM92612 30 BM92613 31
BM91976 BM91977 BM91977 BM91978	25 9 25	BM92147 BM92148 BM92149 BM92150	19 28 19	BM92300 BM92301 BM92302	28 9 28	BM92460 BM92461 BM92462	49 42 49	BM92615 31 BM92616 30 BM92617 31
BM91979 BM91980 BM91981 BM91982	25 9 25	BM92151 BM92152 BM92153	28 20 49 20	BM92303 BM92304 BM92305 BM92306	20 9 20	BM92463 BM92464 BM92465 BM92466	42 49 42 49	BM92618 BM92619 BM92620 BM92621 30
BM91983 BM91984 BM91985 BM91986	25 9 25	BM92154 BM92155 BM92156 BM92157 BM92158	49 20 49 20	BM92307 BM92308 BM92309 BM92310	9 20 48 20	BM92467 BM92468 BM92469 BM92470	42 49 42 49	BM92622 BM92623 BM92624 BM92625 30 37
BM91987 BM91988 BM91989 BM91990	25 9 25	BM92158 BM92159 BM92160 BM92161 BM92162	20 49 20 20	BM92311 BM92312 BM92313 BM92314	48 20 48 20	BM92471 BM92472 BM92473 BM92474	42 49 42 49	BM92626 BM92627 BM92628 BM92629 30 BM92629 37
BM91991 BM91992 BM91993 BM91994	25 25 25	BM92162 BM92163 BM92164 BM92165	20 46 20 20	BM92315 BM92316 BM92317 BM92318	48 20 48 20	BM92475 BM92476 BM92477 BM92478	42 49 42 49	BM92630 30 BM92631 37 BM92632 30 BM92633 37
BM91995 BM91996 BM91997 BM91998	13 10 13	BM92166 BM92167 BM92168 BM92169	20 46 20 20	BM92319 BM92320 BM92321 BM92322	48 20 48 20	BM92479 BM92480 BM92481 BM92482 & BM92483	42 49 42 49	BM92634 BM92635 BM92636 BM92637 30 BM92637
BM91999 BM92000 BM92001 BM92002	13 10 10 15	BM92170 BM92171 BM92172 BM92173	20 46 20 20	BM92323 BM92324 BM92325 BM92326	20 48 10	BM92484 BM92485 BM92486 BM92487	49 17 19	BM92638 BM92639 BM92640 BM92641 30 BM92641
BM92003 BM92004 BM92005 BM92006	10 15 10 10 15	BM92173 BM92174 BM92175 BM92176 BM92177	28 32 28	BM92327 BM92328 BM92329 BM92330	48 10 48 10	BM92488 BM92489 BM92490 BM92491	17 19 17 19	BM92642 BM92643 BM92644 BM92645 30 BM92645
BM92007 BM92008 BM92009 BM92010	9 15 9 15	BM92178 BM92179 BM92180 BM92181	32 28 32 28	BM92331 BM92332 BM92333 BM92334	48 10 39 10	BM92492 BM92493 BM92494 BM92495	17 24 29 17	BM92646 11 BM92647 38 BM92648 11 BM92649 39
BM92011 BM92012 BM92013 BM92014	9 15 9 12	BM92182 BM92183 BM92184 BM92185	36 28 36 28	BM92335 BM92336 BM92337 BM92338	39 11 39 11	BM92496 BM92497 BM92498 BM92499	24 29 24 29	BM92650 11 BM92651 39 BM92652 11 BM92653 39
BM92015 BM92016 BM92017 BM92018	13 12 13 12	BM92186 BM92187 BM92188 BM92189	36 47 32 47	BM92339 BM92340 BM92341 BM92342	39 10 39 10	BM92500 BM92501 BM92502 BM92503	17 29 50 29	BM92654 11 BM92655 39 BM92656 11 BM92657 39
BM92019 BM92020 BM92021 BM92022	13 12 15 12	BM92190 BM92191 BM92192 BM92193	32 47 32 47	BM92343 BM92344 BM92345 BM92346	39 10 39	BM92504 BM92505 BM92506 BM92507	50 29 50 29	BM92658 18 BM92660 39 BM92660 18 BM92661 46
BM92023 BM92024 BM92025 BM92026	15 12 15 12	BM92194 BM92195 BM92196 BM92197 BM92198	36 47 36 47	BM92347 BM92348 BM92349 BM92350	39 11 39 11	BM92508 BM92509 BM92510 BM92511	50 29 50 29	BM92662 18 BM92663 46 BM92664 38 BM92665 46
BM92027 BM92028 BM92029 BM92030	15 12 15 12	BM92198 BM92199 BM92200 BM92201	28 44 28	BM92351 BM92352 BM92353 BM92354	39 11 39 10	BM92512 BM92513 BM92514 BM92515	50 29 50 29	BM92666 BM92667 BM92668 BM92669 38 BM92669
BM92031 BM92032 BM92033 BM92034	12 9 12	BM92202 BM92203 BM92204 BM92205	28 44 28 28	BM92356 BM92356 BM92357 BM92358	39 24 13 24	BM92516 BM92517 BM92518 BM92519	50 50 50 12	BM92670 BM92671 BM92672 BM92673 BM92673
BM92035 BM92036 BM92037 BM92038	10 12 10 12	BM92206 BM92207 BM92208 BM92209	29 28 30 28	BM92359 BM92360 BM92361 BM92362	13 24 13 24	BM92520 BM92521 BM92522 BM92523	50 12 50 13	BM92674 BM92675 BM92676 BM92677 BM92677 46
BM92039 BM92040 BM92041 BM92042 & BM92044	12 49 12	BM92210 BM92211 BM92212 BM92213	29 28 40 28	BM92363 BM92364 BM92365 BM92366 BM92367	13 26 13 26	BM92524 BM92525 BM92526 BM92527	14 45 12	BM92678 45 BM92680 46 BM92680 45 BM92681 46 BM92682 47
BM92045 BM92046 & BM92047 BM92048 BM92049	12 15 10	BM92214 BM92215 BM92216 BM92217	28 40 40 28	BM92367 BM92368 BM92369 BM92370	13 26 15 26	BM92528 BM92529 BM92530 BM92531	45 12 45 12	BM92682 47 BM92683 46 BM92684 47 BM92685 46
BM92050 thru BM92054 BM92055 BM92058 BM92059	9 22 16	BM92218 BM92219 BM92220 BM92221	28 14 28 28	BM92371 BM92372 BM92373 BM92374	26 15 26	BM92532 BM92533 BM92534 BM92535	13 14 12 16	BM92686 47 BM92688 47 BM92688 47 BM92689 46
BM92060 BM92061 thru BM92070 BM92071 BM92072	16 10 16	BM92222 BM92223 BM92224 BM92225	14 28 40 28	BM92375 BM92376 BM92377 BM92378	15 23 15 23	BM92536 BM92537 BM92538 BM92539 & BM92540	45 15 45 12	BM92689
BM92073 BM92075 BM92076	10 16 10 16	BM92226 BM92227 BM92228 BM92229	28 40 40 28	BM92379 BM92380 thru BM92386 BM92387 BM92388	15 23 22 25	BM92541 BM92542 BM92543 BM92544	13 45 12 45	BM92694 47 BM92695 46 BM92696 thru BM92714 47 BM92715 8
BM92076 BM92079 BM92080	16 10 16 19 16 19	BM92230 BM92231 BM92232 BM92233	28 14 28 28	BM92389 BM92390 BM92391 BM92392	25 25 22 25	BM92545 BM92546 BM92547 BM92548	13 45 13 45	BM92716 BM92717 BM92718 BM92719 BM92719
BM92081 BM92082 BM92083 BM92084	16 19 16	BM92234 BM92235 BM92236 BM92237		BM92393 BM92394 BM92395 BM92396	25 25 22 25	BM92549 BM92550 BM92551 BM92552	45	BM92720 BM92721 BM92722 BM92723 BM92723 BM92723
BM92086 BM92087 BM92088	196969696969696969696969696969696969696	BM92237 BM92238 BM92239 BM92240 BM92241	11 14 11	BM92397 & BM92398 BM92399 BM92400 BM92401	40 22 40	BM92553 BM92554 BM92555 BM92556 BM925567	45 13 45	BM92724 BM92725 BM92726 BM92727 BM92727
BM92089 BM92090 BM92091 BM92092	16 19 16	BM92242 BM92243 BM92244 BM92245	14 11 14 12	BM92402 BM92403 BM92404 BM92405	40 22 40	BM92557 BM92558 BM92559 BM92560	45 13 45	BM92728 7 BM92730 8 BM92730 7 BM92731 8
BM92093 BM92094 BM92095 BM92096	16 19 16	BM92247 BM92248 BM92248	12 15 12	BM92407 BM92408 BM92408 BM92409	40 22 40	BM92562 BM92563 BM92564	45 16 45	BM92733 8 BM92734 7 BM92735 8
BM92097 BM92098 BM92099 BM92100	16 19 16	BM92251 BM92251 BM92252 BM92253	10 15 10	BM92411 BM92411 BM92412 BM92413	41 22 41	BM92566 BM92567 BM92567 BM92568	45 16 45	BM92738 7 BM92738 7 BM92739 8
BM92102 BM92103 BM92104 BM92104	16 19 16	BM92255 BM92256 BM92257	10 11 10	BM92415 BM92416 BM92417	41 22 41	BM92570 BM92571 BM92572 BM92572	45 16 45	BM92741
BM92105 BM92106 BM92107 BM92108	16 19 16	BM92250 BM92259 BM92260 BM92261	10 11 10	BM92410 BM92419 BM92420 BM92421	41 25 41	BM92573 BM92574 BM92575 BM92576	30 14 30	BM92744 BM92745 BM92746 BM92747 BM92747
BM92110 BM92111 BM92111 BM92112	49 19 28	BM92263 BM92264 BM92265 BM92265	37 11 37	BM92423 BM92424 BM92425 BM92425	41 25 41	BM92578 BM92579 BM92580 BM92580	30 14 30	BM92749 8 BM92750 thru BM92782 7 BM93005 9
BM92115 BM92115 BM92116 BM92116	49 19 49	BM92267 BM92268 BM92269 BM92270	37 11 37	BM92427 BM92428 BM92429 BM92430	41 25 41	BM92582 BM92583 BM92584 BM92584	30 15 30 30	BM927723 47 BM927723 7 BM927723 7 BM927723 7 BM927725 7 BM927725 7 BM927726 7 BM927726 7 BM927729 7 BM927731 7 BM927741 7 BM927742 8 BM927742 8 BM927743 8 BM927744 8 BM927744 8 BM927747 BM927747 8 BM927747 BM927747 8 BM927748 BM927749 B
BM92118 BM92119 BM92120 BM93131	28 19 49	BM92271 BM92272 BM92272 BM92273 BM92274	37 11 37	BM92431 BM92432 BM92433 BM92433	41 21 41	BM92586 BM92587 BM92588 BM92588	30 15 30 30	BM95034 thru BM95039 6 Coaxial Cable Bulk 164 & 165
BM92122 BM92123 BM92124 BM92125	49 19 49	BM92275 BM92276 BM92277 BM92277	37 11 37	BM92435 BM92436 BM92437 BM92437	42 21 42 21	BM92590 BM92591 BM92592 BM92593	30 17 30 17	165
BM62085 BM92086 BM92086 BM92080 BM92091 BM92091 BM92090 BM92096 BM92096 BM92096 BM92100 BM92100 BM92110 BM92120 BM92120	10000000000000000000000000000000000000	BM62242 BM62244 BM62244 BM62244 BM62244 BM62244 BM62246 BM62246 BM62248 BM62248 BM62248 BM62251 BM62271	111414142152505011011011011371137113711371371378	BM92399 BM92400 BM92400 BM92400 BM92401 BM92405 BM92405 BM92405 BM92406 BM92407 BM92407 BM92407 BM92407 BM92410 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92420 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92430 BM92440 BM92440 BM92440	\text{\figure} \text{\figure}	BM025578 BM92558 BM92558 BM925581 BM92561 BM92562 BM92563 BM92563 BM92566 BM92566 BM92566 BM92566 BM92566 BM92567 BM925771 BM925773 BM925773 BM925773 BM925774 BM925774 BM925778 BM925778 BM925778 BM925778 BM925778 BM925778 BM92578 BM92578 BM92578 BM92588 BM925888 BM925887 BM925897 BM925897 BM925897 BM925897 BM925897 BM925897 BM925897 BM925897 BM925897 BM925897	1357575757575757575757575757575757575757	
тм		-		•				-



Bracke Manufacturing, LLC PO Box 12319 Newport Beach, Ca 92658



Phone 949.756.1600 Fax 949.756.1601



TERMS AND CONDITIONS OF SALE

These terms and conditions of sale ("Terms and Conditions") relate to certain goods and services provided ("Products") by Bracke Manufacturing, LLC, a California limited liability company, ("Company") to the purchaser of such goods and services ("Customer"). Any additional or different terms, including but not limited to those on Customer's purchase order are hereby objected to and specifically rejected by Company.

1. PAYMENT

All amounts people to Company shall be in US dollars, including all applicable taxes, less, sharsportation, incurance, and other charges. Company will invoice Customer for each stipment. If all Products in Customer's purchase order are not stipped at the same time. Company will invoice Customer at the time of shipment for the products that are shipped. All payments in US dollars, are due net 30 calendar days after the date of invoice unless otherwise mutually agreed. Any unpaid due amounts will be subject to interest at 1.5% per month or the highest rate permitted by law, whichever is less. Any returned checks are subject to a \$20 fee. Should any action to necessary to recover dark any sum due to Company from Customer. Company shall be entitled to recover costs of such action including masonable attemets? Sees whether in not incurred in connection with issues of federal benincipally law. SHEPTING ALLOMMNOSS AND PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE. Company cannot quarantee the pricing set forth in this catalog or on the Company website. The Company is not responsible to any typographical errors contained therein. Customer as responsible for any loss or damage to the Products until Company receives full payment. Customer is responsible for any loss or damage to the Products until Company necessary full payment is accordance with the terms of the payment apecided or if the Company has any doubt as to the Customer's financial responsibility. Company may, at its option. (I) cannot the purchase order or (ii) refuse to perform any further work under the purchase order unless Dustomer inmodulately pays for all Products by the remedes contained in the Section 1 shall be in addition to any promedes available of equity or law.

Z. SHIPPING/DELIVERY

Shipment will be made in accordance with instructions issued by Company's shipping department. Cuscomer assumes risk of all toes and demage residing from any couse whatsoever when the Products are delivered to carrier, to Customer's agent, whichever occurs first. All required shipping costs, insurance, export/impert duties, taxes (foreign and domestic) and any other related costs and risks consistent with the designated shipping method shall be borne by Customer for delivery of the Products to Customer's Chosen destination. Shipping dates are approximate and are not qualianteed. Partial deliveries shall be accepted by Customer and pad for all contract prices and terms.

1. WARRANTY/PRODUCT RETURNS

All Product orders are subject to written acceptance by Company by a duly authorized agent of Company. Orders accepted and proceeded by Company are Non-Carocitotic and Non-Rehundatic without exception. ALL SALES ARE FINAL. All Products are covered by a Limited Warrachy for a period of 90 days from the date of purchase which appear to detective Products only CDMFANY EXPRESS, Y DISCLAMS ALL OTHER WARRACHTES OF ANY KIND, WHITTHER EXPRESS OR MPLIED INCLUDING, BUT NOT LIMITED TO, IMPLIED WARRACHTED OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PRIPROSE. Company will only accept the return of defective Products Such returns must be pre-approved by Company before Company will accept such return. Return shomerm not pre-approved by Company selfors Company will accept such return. Return shomerms not pre-approved by Company selfors Company will accept such return. Return shomerms not pre-approved by Company selfors company will be refused. Company will be company as final Products must be returned in the same or equivalent container and packaging materials in which they were originally shipped. Customer, If Company determines a Product is defective, it may repair or replace the defective Product.

4. TOLERANCES

All coasial cable assembles displayed in the Company catalog and website have a standard cable length tolerance of x 1.5% or 3.6 inch, whichever is greater. Cable assemblies in excess of this tolerance factor are eligible for repair and/or replacement under the terms of the Limited Warranty set furth above.

5. LIMITATION OF LIABILITY

COMPANY'S LIABILITY ON ANY CIAIM OF ANY KIND, INCLUDING NEGLIGENCE, FOR ANY LOSS OR DAMAGE ARISING OUT OR COMECTED WITH OR RESULTING FROM THE MANUFACTURE SALE, DELIVERY, RESALE, REPAIR OR USE OF ANY PRODUCTS COVERED BY OR FURMISHED HEREUNDER, SHALL, IN NO CASE EXCISED THE LESSER OF THE COST OF REPAIRING OR REPLACING PRODUCTS FALING TO COMPORM TO THE WARRANTIES CONTAINED HEREIN, IF ANY, OR THE PRICE OF THE PRODUCTS OR WART THEREOF WHICH GRIES RISE TO THE CLAIM, IN NO EVENT WILL COMPANY BE LIABLE FOR ANY DIRECT, INDRECT, INCLUDING, BUT NOT LIMITED TO, DAMAGES FOR LOSS OF PROPITS GOODWILL USE OR OTHER INTANGELE LOSS (EVEN IF COMPANY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, RESILATING FROM (I) THE USE OR THE HABILITY TO USE PRODUCTS PURCHASED FROM COMPANY, (I) THE COST OF PROCUREMENT OF SUBSTITUTE PRODUCTS RESULTING FROM ANY PRODUCTS PURCHASED OR OSTAINED FROM COMPANY, (I) THE SELATING TO PRODUCTS PURCHASED FROM COMPANY, (I) THE RELATING TO PRODUCTS PURCHASED FROM COMPANY (I) THE RELATING TO PRODUCTS PURCHASED FROM COMPANY, OR (II) ANY OTHER MATTER RELATING TO PRODUCTS PURCHASED FROM COMPANY.

6. US GOVERNMENT CONTRACTS

If Customer's order is placed under a contract with the United States Government, Company agrees to comply with those contract provisions and regulations with which, pursuant to law, it must compay and of which Customer has, at the time of order placement, placed Company on notice. In no swent will United States Government Cost Accounting Standards apply. No provision of Customer's contract with the government will be binding on Company except as expressly set forth in this paragraphy.

7. INDEMNIFICATION

Customer agrees to defend and indemnify Company and its officers, directors, agents and employees of and from any and at claims or fabilities asserted against Company

or its officers, directions, agents and employees in connection with the manufacture, sale, delivery reside or repair or use of any Products covered by or furnished hereunder arrang in whole or in part out of or by resion of (a) the failure of Guetorner, its agents, servants, employees or bustomers to follow instructions, wernings or recommendations furnished by Goropany in connection with such Products, (b) the failure of Guetorner, its agents, servants, employees or customers to comply with all federal, state and local laws applicable to such goods, or the use thereof, including the Gocupational Safety and Health Act of 1970, (c) the negligence of Guetorner, its agents, servants, employees or customers, or its agents, servants are design, of any Products produced, manufactured, distributed, sold, resold, repaired or used by Gustomer is agents, servants.

8. TAXES/DUTIES

All prices are exclusive of all taxes and import or export duties, imposed by any city, state, federal or other government authority. Liability for all taxes and import or export duties shall be assumed and paid by Customer. Customer further agrees to defend and indemnity. Company against any and all liabilities for such taxes or duties and legal fees or costs incurred by Company in connection therewith. Any Customer that is tocated in California frust cents sales tax with any purchase order unless a varid California Fossale Certificate has been provided:

9. ASSISTANCE AND ADVICE

Opon request. Company in its sole and absolute discretion may furnish as an accommodation to Customer such technical advice or assistance as is available in reference to the Products. Company assumes no obligation or liability for the advice or assistance given or results obtained, all such advice or assistance being given and accessed at Customer's sole risk.

10. INTELLECTUAL PROPERTY

All designs, data, drawings, software, or other technical information supplied by Company to Customer in connection with the sale of Products shall remain Company's sole property. All specifications, drawings, designs, data, information, design, methods, patterns, and/or inventions, made, conceived, developed, or acquired by Company, indicent to conceive and carrying out the derivery of Products to Customer will wait in and inute to Company's sole benefit. Customer agrees that it will not use in any way Company's trademake and trade names, and it will not publish, or cause to be published any statement, or encourage or approve any advertising or practice, which may be definiental to the good name, trademakes, goodwild or regulation of Company of the Products.

11. FORCE MAJEURE

Company shall not be liable for celays in delivery or failure to manufacture or deliver due to causes beyond its resionable control, including but not limited to acts of Gost, acts of Customer, acts of military or soft authorities, films, strikes, Social epidemic, will not, accident, delays, in transportation, or inability to obtain necessary lisbor, materials, components or services through Company's usual and regular sources at usual and regular solores.

12. EXPORT COMPLIANCE

Customer shall not directly or indirectly, export, re-export, transfer, furnish or ship Photocis in violation of any applicable export control taxs or regulations of any country having jurisdiction over the Products, including any and all US law or US Government export corrols. Customer agrees, at Customer's own expense, to comply with all applicable export taxs, and will, in accordance with the indemnification provisions of these Terms and Conditions, indemnify, defend and hold Company harmless from any claim against Company due to Customer's violation or alleged violation of any export laws.

13. GOVERNING LAWIVENUE AND JURISDICTION

All Product purchases and these Terms and Conditions are governed by the laws of the State of California without reference to conflict of law principles. The federal and state sourts within Change County, California will have excusive jurisdiction to adjudicate any disjude arrang-out of these Terms and Conditions, or the purchase, sale and usage of any Products.

14. NON-WAIVER/SEVERABILITY

Each provision of these Terms and Conditions is severable from any and all other provisions of these Terms and Conditions. In the event that any provision of these Terms and Conditions is need to be invalid, the other provisions shall continue in force and effect, and the offending provision, to the extent practicable, shall be returned so as to achieve its intended purpose.

15, SURVIVAL

The provisions of these Terms and Conditions that, by their essence and context, are intended to survive performance by either of ooth parties shall also survive the completion, expension, it immunition of concellation of the outchase order.

16. ENTIRE AGREEMENT MODIFICATION

This agreement constitutes the entire contract between Customer and Company relating to the Products identified therein. No modifications hereof shall be binding upon Company unless in writing and signed by Company's duly authorized representative, and no modification shall be effected by Company's observancement or acceptance of Customer's purchase order forms containing different provisions. These Terms and Conditions shall solely and exclusively apply to all sales of Products and shall NOT be revised, modified or overnidatinity any terms or conditions contained in any Customer purchase order or other documentation or communication. Toda usage shall neither be applicable for relievant to these. Terms and Conditions, nor be used in any manner whereover to explain, qualify or supplement any of the provisions helicof. No sealing the little party of default shall be deemed a warver of any subsequent default.

17. SPECIFICATIONS ON ALL PRODUCTS ARE SUBJECT TO CHANGE WITHOUT NOTICE.



BRACKE MANUFACTURING, LLC PO BOX 12319 NEWPORT BEACH, CA 92658-5059

